

5		
4		
3		
2		
1		
0	ISSUED FOR TENDER	2021/03/10

Revision	Description	Date
----------	-------------	------

Client client

**Public Services and
Procurement Canada**

Project Projet
**Bowden Institution
Bowden, Alberta**

**CSC BOWDEN
CORCAN A28
AHU REPLACEMENT**

Designed by Conçu par
WZ

Drawn by Dessiné par
MD

Approved by Approuvé par
WZ

PWGC Project Manager Administrateur de Projets TPSG
YB

Drawing Title Titre du dessin



**STRUCTURAL
FLOOR
PLAN**

Project no./No. du projet Drawing no./No. du dessin Revision no.

672201

S1
OF 2

0



5		
4		
3		
2		
1		
0	ISSUED FOR TENDER	2021/03/10
Revision	Description	Date

Client client

**Public Services and
Procurement Canada**

Project Project

**Bowden Institution
Bowden, Alberta**

**CSC BOWDEN
CORCAN A28
AHU REPLACEMENT**

Designed by Conçu par

WZ

Drawn by Dessiné par

MD

Reviewed by Approuvé par

WZ

PMWSC Project Manager Administrateur de Projets TPSGC

YB

Drawing title Date du dessin


**CONCRETE PAD
DETAILS**

Project no./No. du projet Drawing no./No. du dessin Revision no.


672201

S2
OF 2


0




CONCRETE PAD PLAN FOR AS-3/4/5
SCALE 1:20



1 CONCRETE PAD EXTENSION DETAIL
SCALE 1:20




3 CHAIN LINK FENCE DETAIL
SCALE 1:20



2 CONCRETE PAD SECTION FOR NEW SEA-CAN
SCALE 1:20

NOTE:
1. LOCATION AND SIZE OF CONDENSER UNITS
ANCHOR BOLTS TO BE PROVIDED BY VENDOR.
CONTRACTOR TO VERIFY AND INSTALL HILTI
ANCHOR BOLTS TO THE PRODUCT
SPECIFICATION.



4 TYPICAL DETAILING OF ROD HANGING AHU TO ROOF STRUCTURE
SCALE 1:10