



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions -
TPSGC
11 Laurier St./11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

**Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution
Furniture Division/Division des ameublements
L'Esplanade Laurier,
East Tower 7th Floor
Tour est 7e étage,
140 O'Connor, Street,
140 O'Connor, rue O'Connor,
Ottawa
Ontario
K1A 0R5

Title - Sujet Furniture - Health Canada Furniture - Health Canada - Categories 1, 2, 3, 5 and 6	
Solicitation No. - N° de l'invitation EP916-212452/A	Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client 20212452	Date 2021-03-19
GETS Reference No. - N° de référence de SEAG PW-\$\$PQ-991-79836	
File No. - N° de dossier pq991.EP916-212452	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Eastern Daylight Saving Time EDT on - le 2021-03-26 Heure Avancée de l'Est HAE	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Ouimet, Daphné	Buyer Id - Id de l'acheteur pq991
Telephone No. - N° de téléphone (343) 551-0104 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: See Herein	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Amendment 001 is raised to modify the Request for Proposal and to answer questions received from industry as follows:

- Respond to questions received from the industry;
- Revise Annex A – Requirement an Basis of Payment, replace Tables 1 – Product Table for the following categories:
 - Category 6B;
 - Category 6C;
 - Category 6D;

1. Questions and Answers

Question 1

Category 6C – Item 1 (GoCUID: 6SBBTWXXBUW3G19LMYN). Would an alternative with integrated arms be acceptable (GoCUID: 6SBATWXXBUW3G19LMYY)?

Answer 1

No, the requirement will remain as is.

Question 2

Category 6C – Item 5 (GoCUID: 6KKCSAxxSY16XXXMIYX). Would an alternative with the material in bent plywood be acceptable (GoCUID: 6KKCSAxxSP16XXXMIYX)?

Answer 2

Yes, we accept polymer and bent plywood. GoCUID 6KKCSAxxSP16XXXMIYX will be accepted.

Please see revised Category 6C - Table 1 – Product Table included in this amendment (001).

Question 3

Category 1A. Where panels are the same size and inline on the workstation floorplan eg, 2x30" wide panels, can we supply one 60" wide panel instead? The same question goes for 2x24" wide panels – can we supply one 48" wide panel instead?

Answer 3

No, the requirement will remain as is.

Question 4

Category 5 – Item 2. Will the Client respectfully also accept 5PMOWKSMTACPWRXXXXX to accommodate the extra AC and USB requirements while still meeting the SA? specification?

Answer 4

No, USB is required.

Question 5

Category 3 – Item 3. Will the Client respectfully also accept an 18"D cabinet?

Answer 5

No, the requirement will remain as is.

Question 6

Category 3 – Item 3. Please confirm it is an electronic lock that's required and not a standard keyed lock.

Answer 6

Yes, an electronic lock is required.

Question 7

Category 6B – Item 6. Since these chairs per plan aren't banquettes will you also accept 6SLCWAXXFUXXXXXMXXX?

Answer 7

Yes, GoCUID 6SLCWAXXFUXXXXXMXXX will be accepted.

Please see revised Category 6B - Table 1 – Product Table included in this amendment (001)

Question 8

Category 6C - item 1. Will the client respectfully also accept an option with legs (GoCUID: 6SBBTWXXLUW3G19LMNN)?

Answer 8

No, the requirement will remain as is.

Question 9

Category 6D - NSA item 3 Tag S1. Please clarify what the technical reason is for a 22.7" seat depth is, this may imply specific manufacture specifications. We respectfully ask the Client to accept a seat depth of 19" - 20" which is within the SA specifications for both modular benching and ganging banquette units.

Answer 9

Description change - "*inside seat depth **must be no less than 483mm (19 inches)***".
Please see revised Category 6D - Table 1 – Product Table included in this amendment (001).

Question 10

Category 6D - NSA item 4 Tag CH7. The requirement for the upholstery to be a manufacturer's grade 5 or above (or approved equivalent) will provide an unfair comparison between manufacturers. The grading of the fabric does not guarantee a certain quality or type of material but rather the cost of the material the manufacture is able to sell it at. Unless there is a specific requirement (e.g. fabric, vinyl, Crypton, double-rub count, etc.) that is required we ask to price out at the standard grade and the client may use the 20% design upgrade rule if they wish to select from other available options.

Answer 10

Bidder must provide a minimum of 10 colour options in vinyl and a minimum of 10 colour options in fabric. Standard grade is acceptable.

Please see revised Category 6D - Table 1 – Product Table included in this amendment (001)

Question 11

Will the shipping location be able to accommodate a 53 foot trailer for the delivery of the goods? If not, what is the maximum truck length the location is able to accommodate?

Answer 11

Yes a full sized 53ft tractor trailer can be accommodated.

Question 12

Is street off-loading required?

Answer 12

No.

Question 13

Category 6A - item #4, is there to be power in this table?

Answer 13

No.

Question 14

Category 6C - item #1, would a +/- variance of 1" be acceptable for the width dimensions?

Answer 14

Please bid as per solicitation.

Question 15

Category 6C- item #5, 6, would a 4 post leg base be acceptable?

Answer 15

No, the requirement will remain as is.

2. Annex A – Requirement and Basis of Payment is deleted in its entirety:

REPLACE BY:

**ANNEX A
REQUIREMENT and BASIS OF PAYMENT**

1. Category Selection

Combined Categories Rule:

For reasons of compatibility, the following categories will be combined for evaluation and contract award purposes:

The rule only applies to the categories below that are checked. The unchecked categories will be evaluated separately and may be awarded to multiple suppliers;

Category 1

Category 2

Category 5

*** Exception: when using the Cat 1, 2, 5 combined categories rule, IU's may calculate the percentage of NSA product allowed (as defined in their solicitation document) against the total quantity of the combined categories.**

Design Upgrade Rule:

The IU may exercise an option to upgrade products up to 20% of each Category product total before Applicable Taxes after contract award.

The Design Upgrade amount is used at the discretion of the Project Authority (PA) **prior to the manufacturing/ordering of the products**, the PA will provide the Contractor with a written notice of Canada's Design Upgrade choices for each of the product(s) to be upgraded. The Contractor will provide the pricing of the upgraded product(s) to a maximum of 20% of each Category Contract Price of Table 8. The Contracting Authority will issue an amendment to the contract with the Design Upgrades and pricing.

The Supplier certifies that all the Design Upgraded products offered will conform to all specifications and meet the testing requirements detailed in the Specifications of the Supply Arrangement.

Design Upgrade: is the process of replacing a product with a more innovative or enhanced version of the same product.

NSA:

NSA products can be incorporated in the RFB and must not exceed 30% of the firm quantity by category. NSA items must be added to the category that is most closely related and must be generic.

The requirement includes the following categories of work:

a. Category 1 – Interconnecting Panels and Freestanding Systems

Category 1a – Interconnecting Panels (Refer to Annex C)

Category 1b – Supporting components and freestanding furniture

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when the metal storage products will be part of a requirement for a workstation(s)/work point(s). If this rule does not apply, Category 3 must be used for the metal storage products forming part of this category.

b. Category 2 – Freestanding Height Adjustable Desk / Table Products

c. Category 3 – Metal Filing and Storage Cabinets

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable as per 6B. 4.1 of the SA (table 1 Additional product details)

d. Category 4 – Wood Veneer – Freestanding Products

e. Category 5 – Ancillary and Lighting Products

f. Category 6 - Support Space – Collaborative Furniture

RULE: Category 6 can be further subdivided by space or like product in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like products are defined as products with similar design and construction. If NSA products form part of the requirement, the IU must validate the 30% NSA prior to subdividing the category. NSA products can be added to any subdivide or in its own subdivide.

Category 6 is subdivided as follows: Category 6A, Category 6B, Category 6C and Category 6D

g. NSA Product(s) – Category: 6D

2. Product and Pricing Tables

Site Inspection Date: To be coordinated with Project Authority after contract award. (Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.)

INSTRUCTIONS TO BIDDERS: Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 8 and 9. **Bidders must provide a complete product offering for each category, or CAT 6 sub-divide they wish to submit a bid in order to be compliant.**

****Refer to article 6A.7 for instructions on how to submit products that are not approved in product listing.****

In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.

Categories 1A, 2 and 5

Table 1 – Product Table

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
Category 1A							
1	Refer to Annex C and Floor Plans.						\$
Category 2							
2	2WSSREXXL30L60BELXX	Tag: HSU1 Must provide grommet for monitor arm mounting	93	No		\$	\$
3	2WSSREXXL24L60BELXX	Tag: HSU2 Must provide grommet for monitor arm mounting	59	No			
Category 5							
4	5KMSWFPSUFHASSXXXXX	Tag: KB Ergonomic keyboard and mouse support for HSU1 (height adjustable surfaces)	93	No		\$	\$
5	5PMOWKSMTACUSBXXXXX	Tag: PM1 Must provide 4xAlternative Current (AC) & 2XUSB	93	No			
						Product Total	\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
Item #1	Ground Floor 11 Holland Avenue Ground Floor Ottawa, ON Refer to Floor Plan	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #2	2WSSREXXL30L60BELXX Tag: HSU1 Qty: 45				
Item #3	2WSSREXXL24L60BELXX Tag: HSU2 Qty: 28				
Item #4	5KMSWFPSUFHASSXXXXX Tag: KB Qty: 45				
Item #5	5PMOWKSMTACUSBXXXXX Tag: PM1				

	Qty: 45				
Item #1	6th Floor 1600 Scott Street 6 th Floor Ottawa, ON Refer to Floor Plan	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #2	2WSSREXXL30L60BELXX Tag:HSU1 Qty: 48				
Item #3	2WSSREXXL24L60BELXX Tag: HSU2 Qty: 31				
Item #4	5KMSWFPSUFHASSXXXX Tag: KB Qty: 48				
Item #5	5PMOWKSMTACUSBXXXX Tag: PM1 Qty: 48				
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>Delivery Schedule: Before 7:00am and after 5:30pm. Must be coordinated in advance and is by appointment only.</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Furniture installers will start installation once the space is dust free. The space will still be under the General Contractor and installer will follow General Contractor's health and safety requirement.</p>				Delivery Total:	\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
Item #1	Ground Floor 11 Holland Avenue Ground Floor Ottawa, ON Refer to Floor Plan	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #2	2WSSREXXL30L60BELXX Tag:HSU1 Qty: 45				
Item #3	2WSSREXXL24L60BELXX Tag: HSU2 Qty: 28				

Item #4	5KMSWFPSUFHASSXXXX Tag: KB Qty: 45				
Item #5	5PMOWKSMTACUSBXXXX Tag: PM1 Qty: 45				
Item #1	6th Floor 1600 Scott Street 6 th Floor Ottawa, ON Refer to Floor Plan	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #2	2WSSREXL30L60BELXX Tag: HSU1 Qty: 48				
Item #3	2WSSREXL24L60BELXX Tag: HSU2 Qty: 31				
Item #4	5KMSWFPSUFHASSXXXX Tag: KB Qty: 48				
Item #5	5PMOWKSMTACUSBXXXX Tag: PM1 Qty: 48				
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Furniture installers will start installation once the space is dust free. The space will still be under the General Contractor and installer will follow General Contractor's health and safety requirement.</p>				Installation Total:	\$

- Table 4 – Optional Product Not Applicable
- Table 5 – Optional Delivery Not Applicable
- Table 6 – Optional Installation Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes		
1.1	<p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p>		
2.	Canada's Facilities to Accommodate the Delivery		
	<p><i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>		
2.1	Loading Dock/Location		
A	<table border="1"> <tr> <td>Location</td> <td>1620 Scott Street</td> </tr> </table>	Location	1620 Scott Street
Location	1620 Scott Street		

		Ottawa, ON
B	Dock	Standard Size
C	Lift	Standard Size
D	Door	Standard Interior double door – 1830 W x 2140 H 2 x overhead doors (#2, #3) with dock levellers – 2440 x 2440 mm 2 x overhead doors (#1, #4) – 2440 x 2440 mm – 2440 x 2440 mm Exterior height at OH doors #1, #2, #3 – 1250 mm above grade Exterior height at OH door #4 with ramp – 800 mm above grade
E	Freight Elevator	One in Tower A and one in Tower B. By appointment only. Tower A freight elevator: 1425 x 2000 x 2800 mm high (ceiling has removable panels) Tower B freight elevator: 1425 x 2000 x 2800 mm high (ceiling has removable panels)
F	Other (specify, if any)	a full sized 53ft tractor trailer can be accommodated
3. Continuance of Certifications		
The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.		
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:
		SA #: E60PQ-140003/[]/PQ

Category 3

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	3TDWCSXXPM24D2454XK	Tag: ST1	123	No		\$	\$
2	3FLT4DXXPM36D18XXXK	Tag: ST2	10	No		\$	\$
3	3S2RLHXXPM36D20LOXS	Tag: ST3	1	No		\$	\$
					Product Total		\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
Item #1 Item #2	Ground Floor 11 Holland Avenue Ground Floor Ottawa, ON 3TDWCSXXPM24D2454XK Tag:ST1 Qty: 61 3FLT4DXXPM36D18XXXK Tag: ST2 Qty: 2	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #1 Item #2 Item #3	6th Floor 1600 Scott Street 6 th Floor Ottawa, ON 3TDWCSXXPM24D2454XK Tag:ST1 Qty: 62 3FLT4DXXPM36D18XXXK Tag: ST2 Qty: 8 3S2RLHXXPM36D20LOXS Tag: ST3 Qty: 1	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 Delivery Schedule: Before 7:00am and after 5:30pm. Must be coordinated in advance and is by appointment only.				Delivery Total:	\$

<p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Furniture installers will start installation once the space is dust free. The space will still be under the General Contractor and installer will follow General Contractor's health and safety requirement.</p>		
--	--	--

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
Item #1	Ground Floor 11 Holland Avenue Ground Floor Ottawa, ON	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #2	3TDWCSXXPM24D2454XK Tag:ST1 Qty: 61				
Item #2	3FLT4DXXPM36D18XXXX Tag: ST2 Qty: 2				
Item #1	6th Floor 1600 Scott Street 6 th Floor Ottawa, ON	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #1	3TDWCSXXPM24D2454XK Tag:ST1 Qty: 62				
Item #2	3FLT4DXXPM36D18XXXX Tag: ST2 Qty: 8				
Item #3	3S2RLHXXPM36D20LOXS Tag: ST3 Qty: 1				
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Furniture installers will start installation once the space is dust free. The space will still be under the General Contractor and installer will follow General Contractor's health and safety requirement.</p>				Installation Total:	\$

- Table 4 – Optional Product** Not Applicable
Table 5 – Optional Delivery Not Applicable
Table 6 – Optional Installation Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes
1.1	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.

	<p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada's Facilities to Accommodate the Delivery <i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i> <i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses.</i> <i>Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1620 Scott Street Ottawa, ON
B	Dock	Standard Size
C	Lift	Standard Size
D	Door	Standard Interior double door – 1830 W x 2140 H 2 x overhead doors (#2, #3) with dock levellers – 2440 x 2440 mm 2 x overhead doors (#1, #4) – 2440 x 2440 mm – 2440 x 2440 mm Exterior height at OH doors #1, #2, #3 – 1250 mm above grade Exterior height at OH door #4 with ramp – 800 mm above grade
E	Freight Elevator	One in Tower A and one in Tower B. By appointment only. Tower A freight elevator: 1425 x 2000 x 2800 mm high (ceiling has removable panels) Tower B freight elevator: 1425 x 2000 x 2800 mm high (ceiling has removable panels)
F	Other (specify, if any)	a full sized 53ft tractor trailer can be accommodated
3.	<p>Continuance of Certifications The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA (if Applicable)	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	
SA #: E60PQ-140003/			/PQ

Category 5

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	5TLTDSKBAUSBPWXXXXX	Tag: TK1 - Must be located at all DSK3 workstations	13	No		\$	\$
					Product Total		\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
Item #1	Ground Floor 11 Holland Avenue Ground Floor Ottawa, ON 5TLTDSKBAUSBPWXXXXX Tag: TK1 Qty: 7	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #1	6th Floor 1600 Scott Street 6 th Floor Ottawa, ON 5TLTDSKBAUSBPWXXXXX Tag: TK1 Qty: 6	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>Delivery Schedule: Before 7:00am and after 5:30pm. Must be coordinated in advance and is by appointment only.</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Furniture installers will start installation once the space is dust free. The space will still be under the General Contractor and installer will follow General Contractor's health and safety requirement.</p>				Delivery Total:	\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
Item #1	Ground Floor 11 Holland Avenue Ground Floor Ottawa, ON 5TLTDSKBAUSBPWXXXXX Tag: TK1 Qty: 7	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #1	6th Floor 1600 Scott Street 6 th Floor Ottawa, ON 5TLTDSKBAUSBPWXXXXX Tag: TK1 Qty: 6	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Furniture installers will start installation once the space is dust free. The space will still be under the General Contractor and installer will follow General Contractor's health and safety requirement.</p>				Installation Total:	\$

- Table 4 – Optional Product** Not Applicable
Table 5 – Optional Delivery Not Applicable
Table 6 – Optional Installation Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada's Facilities to Accommodate the Delivery	
	<p><i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1620 Scott Street Ottawa, ON
B	Dock	Standard Size
C	Lift	Standard Size
D	Door	Standard

		Interior double door – 1830 W x 2140 H 2 x overhead doors (#2, #3) with dock levellers – 2440 x 2440 mm 2 x overhead doors (#1, #4) – 2440 x 2440 mm – 2440 x 2440 mm Exterior height at OH doors #1, #2, #3 – 1250 mm above grade Exterior height at OH door #4 with ramp – 800 mm above grade
E	Freight Elevator	One in Tower A and one in Tower B. By appointment only. Tower A freight elevator: 1425 x 2000 x 2800 mm high (ceiling has removable panels) Tower B freight elevator: 1425 x 2000 x 2800 mm high (ceiling has removable panels)
F	Other (specify, if any)	a full sized 53ft tractor trailer can be accommodated
3. Continuance of Certifications		
The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.		
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA (if Applicable)	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	
	SA #: E60PQ-140003/ /PQ		

Category 6A

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	6MMLTGREOL60120WYN X	Tag: T1 - Tables must be ganged together where shown side by side on plan - Must provide 4xAlternate Current (AC) & 2xUSB	5	No		\$	\$

2	6MMTSMROPL36XXXWN NX	Tag: T3 - Table must be from the same manufacturer & series as T9 - Table base must not impede with end user's ability to sit at the table.	2	Yes		\$	\$
3	6MMTSMSQL30L30WN NX	Tag: T5	12	No		\$	\$
4	6MMTMDREOL30L66WY NX	Tag: T6 - Table must be supported via 2 T-legs - Set back T legs minimum 12" from edge to provide accessible surface on ends	2	Yes			
5	6CCMVAROPL36XXXPNXX	Tag: T9 - Table must be from the same manufacturer & series as T3 - Table base must not impede with end user's ability to sit at the table	1	Yes			
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
						Product Total	\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
Item #1	Ground Floor 11 Holland Avenue Ground Floor Ottawa, ON	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #3	6MMTLGREOL60120WYNX Tag: T1 Qty: 3				
Item #3	6MMTSMSQL30L30WNNX Tag: T5 Qty: 6				
Item #4	6MMTMDREOL30L66WYNX Tag: T6 Qty: 2				

Solicitation No. - N° de sollicitation
EP916-212452/A

Amd. No. - N° de la modif.
001

Buyer ID - Id de l'acheteur
PQ991

Item #1	6th Floor 1600 Scott Street 6 th Floor Ottawa, ON 6MMTLGREOL60120WYNX Tag: T1 Qty: 2	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #2	6MMTSMROPL36XXXWNNX Tag: T3 Qty: 2				
Item #3	6MMTMSQPL30L30WNNX Tag: T5 Qty: 6				
Item #5	6CCMVAROPL36XXXPNXX Tag: T9 Qty: 1				
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>Delivery Schedule: Before 7:00am and after 5:30pm. Must be coordinated in advance and is by appointment only.</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Furniture installers will start installation once the space is dust free. The space will still be under the General Contractor and installer will follow General Contractor's health and safety requirement.</p>				Delivery Total:	\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
Item #1	Ground Floor 11 Holland Avenue Ground Floor Ottawa, ON 6MMTLGREOL60120WYNX Tag: T1 Qty: 3	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #3	6MMTMSQPL30L30WNNX Tag: T5 Qty: 6				
Item #4	6MMTMDREOL30L66WYNX Tag: T6 Qty: 2				
	6th Floor 1600 Scott Street 6 th Floor Ottawa, ON	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10</i>	\$

Item #1	6MMTLGREOL60120WYNX Tag: T1 Qty: 2			<i>weeks for furniture delivery and installation.</i>	
Item #2	6MMTSMROPL36XXXWNNX Tag: T3 Qty: 2				
Item #3	6MMTSMSQL30L30WNNX Tag: T5 Qty: 6				
Item #5	6CCMVAROPL36XXXPNXX Tag: T9 Qty: 1				
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Furniture installers will start installation once the space is dust free. The space will still be under the General Contractor and installer will follow General Contractor's health and safety requirement.</p>				Installation Total:	\$

- Table 4 – Optional Product** Not Applicable
Table 5 – Optional Delivery Not Applicable
Table 6 – Optional Installation Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada's Facilities to Accommodate the Delivery	
	<p><i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses.</i></p> <p><i>Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1620 Scott Street Ottawa, ON
B	Dock	Standard Size
C	Lift	Standard Size
D	Door	Standard Interior double door – 1830 W x 2140 H 2 x overhead doors (#2, #3) with dock levellers – 2440 x 2440 mm 2 x overhead doors (#1, #4) – 2440 x 2440 mm – 2440 x 2440 mm Exterior height at OH doors #1, #2, #3 – 1250 mm above grade Exterior height at OH door #4 with ramp – 800 mm above grade
E	Freight Elevator	One in Tower A and one in Tower B. By appointment only. Tower A freight elevator: 1425 x 2000 x 2800 mm high (ceiling has removable panels) Tower B freight elevator: 1425 x 2000 x 2800 mm high (ceiling has removable panels)
F	Other (specify, if any)	a full sized 53ft tractor trailer can be accommodated
3.	Continuance of Certifications	
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the	

	Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.
3.1	Integrity Provisions
3.2	Federal Contractor's Program for Employment Equity
3.4	Product Conformance
3.5	Price Certification (In accordance with the SA, Part 6B)

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA (if Applicable)	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	
		SA #: E60PQ-140003/	/PQ

Category 6B

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	6CMUHADSRL60L60XYX X	Tag: T4 - Must provide full High Pressure Laminate modesty panel - Must include 2xAC & 2Xusb - Table base must allow for full perimeter seating and must not impede with user's ability to sit at the table.	3	Yes		\$	\$
2	6CLTVAREXLW7<36ONX X	Tag: T7	12	No		\$	\$
3	6CCTVAROPG36XXXJNX X	Tag: T8 - Table base must not impede with end user's ability to sit at the table	1	Yes		\$	\$

4	6CCTVAOVPL24L42JNXX	Tag: T10 - Table height must be compatible with CH6 - Table base must not impede with end user's ability to sit around the table	1	Yes			
5	6CSTVAROPL24XXXJNXX	Tag: T11 - Table height must be compatible with CH6 - Table base must not impede with end user's ability to sit around the table	3	Yes			
6	6SBBINXXLUW1G19LMNY OR 6SLCWAXXFUXXXXXXMX XX	Tag: CH6 - Lounge chair must have a width of 711mm (28in.) +/- 1" (25 mm)	8	Yes			
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
					Product Total	\$	\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
Item #1	Ground Floor 11 Holland Avenue Ground Floor Ottawa, ON 6CMUHADSRL60L60YXXX Tag: T4 Qty: 3	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #2	6CLTVAREXLW7<36ONXX Tag: T7 Qty: 4				
Item #4	6CCTVAOVPL24L42JNXX Tag: T10 Qty: 1				
Item #5	6CSTVAROPL24XXXJNXX Tag: T11 Qty: 1				
Item #6	6SBBINXXLUW1G19LMNY Tag: CH6 Qty: 5				

Solicitation No. - N° de sollicitation
EP916-212452/A

Amd. No. - N° de la modif.
001

Buyer ID - Id de l'acheteur
PQ991

Item #2	6th Floor 1600 Scott Street 6 th Floor Ottawa, ON 6CLTVAREXLW7<36ONXX Tag: T7 Qty: 8	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #3	6CCTVAROPG36XXXJNXX Tag: T8 Qty: 1				
Item #5	6CCMVAROPL36XXXPNXX Tag: T9 Qty: 2				
Item #6	6SBBINXXLUW1G19LMNY Tag: CH6 Qty: 3				
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>Delivery Schedule: Before 7:00am and after 5:30pm. Must be coordinated in advance and is by appointment only.</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Furniture installers will start installation once the space is dust free. The space will still be under the General Contractor and installer will follow General Contractor's health and safety requirement.</p>				Delivery Total:	\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
Item #1	Ground Floor 11 Holland Avenue Ground Floor Ottawa, ON 6CMUHADSRL60L60XYXX Tag: T4 Qty: 3	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #2	6CLTVAREXLW7<36ONXX Tag: T7 Qty: 4				
Item #4	6CCTVAOVPL24L42JNXX Tag: T10 Qty: 1				
Item #5	6CSTVAROPL24XXXJNXX Tag: T11 Qty: 1				
Item #6	6SBBINXXLUW1G19LMNY				

	Tag: CH6 Qty: 5				
Item #2	6th Floor 1600 Scott Street 6 th Floor Ottawa, ON 6CLTVAREXLW7<36ONXX Tag: T7 Qty: 8	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #3	6CCTVAROPG36XXXJNXX Tag: T8 Qty: 1				
Item #5	6CCMVAROPL36XXXPNXX Tag: T9 Qty: 2				
Item #6	6SBBINXXLUW1G19LMNY Tag: CH6 Qty: 3				
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Furniture installers will start installation once the space is dust free. The space will still be under the General Contractor and installer will follow General Contractor's health and safety requirement.</p>				Installation Total:	\$

Table 4 – Optional Product Not Applicable

Table 5 – Optional Delivery Not Applicable

Table 6 – Optional Installation Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada's Facilities to Accommodate the Delivery	
	<p><i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1620 Scott Street Ottawa, ON
B	Dock	Standard Size
C	Lift	Standard Size
D	Door	Standard Interior double door – 1830 W x 2140 H 2 x overhead doors (#2, #3) with dock levellers – 2440 x 2440 mm 2 x overhead doors (#1, #4) – 2440 x 2440 mm – 2440 x 2440 mm

		Exterior height at OH doors #1, #2, #3 – 1250 mm above grade Exterior height at OH door #4 with ramp – 800 mm above grade
E	Freight Elevator	One in Tower A and one in Tower B. By appointment only. Tower A freight elevator: 1425 x 2000 x 2800 mm high (ceiling has removable panels) Tower B freight elevator: 1425 x 2000 x 2800 mm high (ceiling has removable panels)
F	Other (specify, if any)	a full sized 53ft tractor trailer can be accommodated
3. Continuance of Certifications		
The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.		
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA (if Applicable)	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	
		SA #: E60PQ-140003/ /PQ	

Category 6C

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	6SBBTWXXBUW3G19L MYN	Tag: B1 - Length of bench must be between 50"-56"	4	Yes		\$	\$
2	6STCWRXXLUXXXXXXNN X	Tag: CH1	3	No		\$	\$
3	6STCWLXXLUXXXXXXNN X	Tag: CH2	2	No		\$	\$

Solicitation No. - N° de sollicitation
EP916-212452/A

Amd. No. - N° de la modif.
001

Buyer ID - Id de l'acheteur
PQ991

4	6KKCSAxxLY16XXXMONX	Tag: CH3	10	No			
5	6KKCSAxxSY16XXXMIYX OR 6KKCSAxxSP16XXXMIYX	Tag: CH5 - Must be from the same manufacturer & series as CH8	5	Yes			
6	6KBSBHxxSY15XXXROYX	Tag: CH8 - Must be from the same manufacturer & series as CH5	2	Yes			
7	6SUCROXXLUX8XXXLXX X	Tag: O1 - Must be a diameter of 610mm (24in.) +/- 1" (25 mm)	1	Yes			
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
						Product Total	\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B - SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
Item #1	Ground Floor 11 Holland Avenue Ground Floor Ottawa, ON	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #2	6SBBTWXXBUW3G19LMYN Tag: B1 Qty: 4				
Item #3	6STCWRXXLUXXXXXNNX Tag: CH1 Qty: 3				
Item #4	6STCWLXXLUXXXXXNNX Tag: CH2 Qty: 2				
Item #4	6KKCSAxxLY16XXXMONX Tag: CH3 Qty: 5				

Solicitation No. - N° de sollicitation
EP916-212452/A

Amd. No. - N° de la modif.
001

Buyer ID - Id de l'acheteur
PQ991

Item #4	6th Floor 1600 Scott Street 6 th Floor Ottawa, ON 6KKCSAxxLY16XXXMONX Tag: CH3 Qty: 5	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #5	6KKCSAxxSY16XXXMIYX Tag: CH5 Qty: 5				
Item #6	6KBSBHxxSY15XXXROYX Tag: CH8 Qty: 2				
Item #7	6KBSBHxxSY15XXXROYX Tag: CH8 Qty: 1				
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>Delivery Schedule: Before 7:00am and after 5:30pm. Must be coordinated in advance and is by appointment only.</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Furniture installers will start installation once the space is dust free. The space will still be under the General Contractor and installer will follow General Contractor's health and safety requirement.</p>				Delivery Total:	\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
Item #1	Ground Floor 11 Holland Avenue Ground Floor Ottawa, ON 6SBBTWXXBUW3G19LMYN Tag: B1 Qty: 4	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #2	6STCWRXXLUXXXXXNNX Tag: CH1 Qty: 3				
Item #3	6STCWLXXLUXXXXXNNX Tag: CH2 Qty: 2				
Item #4	6KKCSAxxLY16XXXMONX Tag: CH3 Qty: 5				

Item #4	6th Floor 1600 Scott Street 6 th Floor Ottawa, ON 6KKCSAxxLY16XXXMONX Tag: CH3 Qty: 5	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #5	6KKCSAxxSY16XXXMIYX Tag: CH5 Qty: 5				
Item #6	6KBSBHxxSY15XXXROYX Tag: CH8 Qty: 2				
Item #7	6KBSBHxxSY15XXXROYX Tag: CH8 Qty: 1				
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization. ***Furniture installers will start installation once the space is dust free. The space will still be under the General Contractor and installer will follow General Contractor's health and safety requirement.				Installation Total:	\$

- Table 4 – Optional Product** Not Applicable
Table 5 – Optional Delivery Not Applicable
Table 6 – Optional Installation Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes. Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A. The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.	
2.	Canada's Facilities to Accommodate the Delivery <i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i> <i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i>	
2.1	Loading Dock/Location	
A	Location	1620 Scott Street Ottawa, ON
B	Dock	Standard Size
C	Lift	Standard Size
D	Door	Standard Interior double door – 1830 W x 2140 H 2 x overhead doors (#2, #3) with dock levellers – 2440 x 2440 mm 2 x overhead doors (#1, #4) – 2440 x 2440 mm – 2440 x 2440 mm Exterior height at OH doors #1, #2, #3 – 1250 mm above grade Exterior height at OH door #4 with ramp – 800 mm above grade
E	Freight Elevator	One in Tower A and one in Tower B. By appointment only.

		Tower A freight elevator: 1425 x 2000 x 2800 mm high (ceiling has removable panels) Tower B freight elevator: 1425 x 2000 x 2800 mm high (ceiling has removable panels)
F	Other (specify, if any)	a full sized 53ft tractor trailer can be accommodated
3. Continuance of Certifications		
The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.		
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA (if Applicable)	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	
		SA #: E60PQ-140003/[]/PQ	

Category 6D

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	60IWWFSFLXC1H47XYX X	Tag: P1 Power & Data 1. Must provide 2xAC and 2xUSB Dimension 1. Screens must extend beyond the front edge of the work surface a minimum of 76 mm (3 in.) on one side. 2. Screens must extend beyond the front edge	9	Yes		\$	\$

		<p>of the work surface a minimum of 914 mm (36 in.) on the other side.</p> <p>Finishes</p> <ol style="list-style-type: none"> Screens must be laminate finish with fabric buffers available on interior side. Fabric must be manufacturer's grade 3 or above (or approved equivalent). 					
2	6OGWWFFSLXC2H4XYX X	<p>Tag: P2</p> <p>Finishes</p> <ol style="list-style-type: none"> Screens must be laminate finish with fabric buffers available on interior side. <p>Power and Data</p> <ol style="list-style-type: none"> Must provide a minimum of two duplex outlets, and 2 USB power outlet. <p>Support/Table Bases</p> <ol style="list-style-type: none"> Table must include a TV mount and USB connection at pot on table. 	2	Yes		\$	\$

****Provide additional information:**
Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products **with your bid submission.**

NSA products (*must not exceed 30% of the firm quantity by category*)
The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
3	<p>Tag: S1</p> <p>L-shaped Sofa with Armrests</p> <p>Description</p> <ol style="list-style-type: none"> Must be L-shaped with three-seats on each side (Refer to Floor Plan) . Must be available with arm rest at each end. Back and seat cushions must be fixed. Must be modern and tailored in appearance. L-shape can be achieved by ganging individual pieces <p>Power and Data</p> <ol style="list-style-type: none"> Must provide a minimum of two duplex outlets, and 2 USB power outlet at both armrests on the exterior side. <p>Dimensions</p> <p>Overall dimension for L-shaped sofa:</p>	1	Yes		\$	\$

	<ol style="list-style-type: none"> 1. Sofa must comfortably seat six adults. 2. Overall sofa dimensions must be 2200mm (86.6in.) to 2300mm (90.5in.) long by 2800mm (110in.) to 3000mm (118in.) deep and 686mm (27in.) to 838mm (32.9in.) high 3. Inside seat depth must be no less than 483 mm (19 in.). 4. Seat height must be between 406 mm (16 in.) to 508 mm (20 in.) above the finished floor, ±13 mm (±1/2 in.). <p>Finishes</p> <ol style="list-style-type: none"> 1. Seat and Back must be fully upholstered with stitch detailing for a tailored appearance. 2. Seat back must allow for different fabric option than the seat. 3. Must provide a minimum of 10 colour options in vinyl and a minimum of 10 colour options in fabric. Standard grade is acceptable. <p>Base/Supports</p> <ol style="list-style-type: none"> 1. Must have legs with levelling glides. Legs to be no more than 230 mm (9 in.) in height. 2. Base/legs must be chrome, metal, painted metal, or wood. 					
4	<p>Tag: CH7</p> <p>Lounge Seat with high Back and Sides</p> <p>Description</p> <ol style="list-style-type: none"> 1. Back and sides must be affixed to seat. 2. Must have legs. 3. Can be with or without a fixed bolster. 4. Panels must be within 76 mm (3 in.) with front edge of seat. 5. Side panels to provide visual and acoustic privacy for user. 6. Back and sides must stop at top of legs. <p>Dimensions</p> <ol style="list-style-type: none"> 1. Overall width must be within the following range: 686 mm (37 in.) to 1168 mm (46 in.). 2. Overall height must be within the following range: 1194 mm (47 in.) to 1372 mm (54 in.). 3. Overall depth must be within the following range: 762 mm (30 in.) to 914 mm (36 in.). 4. Seat height must be within the following range: 406 mm (16 in.) and 508 mm (20 in.) above floor +/- 13 mm (1/2 in.) <p>Finishes</p> <ol style="list-style-type: none"> 1. Seat and back must be fully upholstered with stitch detailing for a tailored appearance. 2. Seat and back must allow for different fabric option than the seat. 3. Must provide a minimum of 10 colour options in vinyl and a minimum of 10 colour options in fabric. Standard grade is acceptable. <p>Support/Bases</p> <ol style="list-style-type: none"> 1. Legs must be chrome, factory painted metal or wood. 	3	Yes		\$	\$

	Product Total	\$
--	---------------	----

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
Item #1	Ground Floor 11 Holland Avenue Ground Floor Ottawa, ON	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #4	NSA Tag: CH7 Qty: 1				
Item #1	6th Floor 1600 Scott Street 6 th Floor Ottawa, ON	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #2	6OIIWWSFSLXC1H47XYXX Tag: P1 Qty: 2				
Item #3	6OGWWFFSLXC2H4XYXX Tag: P2 Qty: 2				
Item #4	NSA Tag: S1 Qty: 1				
Item #4	NSA Tag: CH7 Qty: 2				
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>Delivery Schedule: Before 7:00am and after 5:30pm. Must be coordinated in advance and is by appointment only.</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Furniture installers will start installation once the space is dust free. The space will still be under the General Contractor and installer will follow General Contractor’s health and safety requirement.</p>				Delivery Total:	\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
Item #1 Item #4	Ground Floor 11 Holland Avenue Ground Floor Ottawa, ON 6OIWWSFSLXC1H47XYXX Tag: P1 Qty: 7 NSA Tag: CH7 Qty: 1	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
Item #1 Item #2 Item #3 Item #4	6th Floor 1600 Scott Street 6 th Floor Ottawa, ON 6OIWWSFSLXC1H47XYXX Tag: P1 Qty: 2 6OGWWFFSLXC2H4XYXX Tag: P2 Qty: 2 NSA Tag: S1 Qty: 1 NSA Tag: CH7 Qty: 2	During the weeks of 2021/05/25 – 2021/06/04	Outside Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Furniture installers will start installation once the space is dust free. The space will still be under the General Contractor and installer will follow General Contractor’s health and safety requirement.</p>				Installation Total:	\$

- Table 4 – Optional Product** Not Applicable
- Table 5 – Optional Delivery** Not Applicable
- Table 6 – Optional Installation** Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes
1.1	IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes. Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.

	The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.	
2.	Canada's Facilities to Accommodate the Delivery <i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i> <i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i>	
2.1	Loading Dock/Location	
A	Location	1620 Scott Street Ottawa, ON
B	Dock	Standard Size
C	Lift	Standard Size
D	Door	Standard Interior double door – 1830 W x 2140 H 2 x overhead doors (#2, #3) with dock levellers – 2440 x 2440 mm 2 x overhead doors (#1, #4) – 2440 x 2440 mm – 2440 x 2440 mm Exterior height at OH doors #1, #2, #3 – 1250 mm above grade Exterior height at OH door #4 with ramp – 800 mm above grade
E	Freight Elevator	One in Tower A and one in Tower B. By appointment only. Tower A freight elevator: 1425 x 2000 x 2800 mm high (ceiling has removable panels) Tower B freight elevator: 1425 x 2000 x 2800 mm high (ceiling has removable panels)
F	Other (specify, if any)	a full sized 53ft tractor trailer can be accommodated
3.	Continuance of Certifications	
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA (if Applicable)	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:
		SA #: E60PQ-140003/ /PQ

ANNEX C FLOOR PLAN(S)

INSTRUCTIONS TO BIDDERS:

For Category 1a products, the Bidders must provide:

- a) Completed floor plan(s) with proposed SA approved products;
- b) A product listing of proposed SA approved products offered at floor plan(s).
As a minimum the product listing must include the following information:
 - Supplier part numbers including NSA products forming part of this category;
 - brief product descriptions;
 - quantities;
 - firm unit prices.

***** Products from categories other than Category 1a shown on floor plan are for information purposes only*****

By submitting a bid, the Bidder certifies that their submission includes all components and quantities for Category 1a, in accordance with the floor plans, panel details, panel matrices and/or workstation layouts stipulated in Annex C.

***At contract award, "By submitting a bid, the Bidder" becomes "The Contractor".**

Category 1a Requirement:

1) Floor Plan(s)

See attached pdf and AutoCAD floor plan

2) Panel Details

- a. All required panel heights: [Seated Privacy Add-on Height](#);
- b. When power is required, the power is located [below](#) work surface height; should a grouping of workstation types include shared panels and one side is identified as powered and the other side is non-powered, those panels affected must be powered.
- c. Type of power feed: [Power Pole](#).

3) Panel Matrix and Workstation Layout

See attached Panel Matrix and Workstation Layout

a. Panel Matrix

***See attached Panel Matrix ***

b. Workstation Layout(s)

****See attached PDF Workstation Layout****

- The floor plan takes precedent over any discrepancies with the workstation layouts.
- When two or more typical workstation types share a common panel spine, the finishes of the interior side of the workstation panel as outlined in the Typical Data Sheets must be followed and **NO PANELS SHALL BE DOUBLED. Where no workstation exists adjacent to typical workstation, refer to Data Sheet for finish.**
- Should one typical workstation identify power and the other does not – power will be required for both. Include Workstation Layouts (in the form of Typical Data Sheets or 3 Dimensional drawings) here or as a separate attachment to this RFB.

ANNEX D
Additional Specifications, Certifications

This Annex includes the additional Specifications, Certifications associated with NSA product forming part of the requirement.

1. Specifications

Category 6D – Items #3 and 4.

2. Certifications

2.1 NSA Product Conformance *(Required precedent to Issuance of a contract)*

The Supplier certifies that all the NSA products offered will conform to all specifications indicated in Annex A and D of the RFB, and meet the testing and performance requirements found at ANNEX A-1 and A-2 of the Supply Arrangement, as applicable.

Supplier's Signature

Date

NSA Product Conformance Certification *(applies after contract award)*

The Supplier warrants that the NSA Product Conformance Certification submitted by the Supplier with its bid is accurate and complete. The Supplier must keep proper records and documentation relating to the NSA product conformance and the testing requirements in this Annex, as applicable. The Supplier must not, without obtaining the prior written consent of the SAA, dispose of any such records or documentation until the expiration of the Contract or the expiry date of the Warranty, whichever is later. All such records and documentation must at all times during the retention period be open to audit, inspection and examination by the representatives of Canada, who may make copies and take extracts.

In addition, the Supplier must provide representatives of the SAA access to all locations where any part of the Work is being performed at any time during working hours. Representatives of the SAA may examine and test the Work as they see fit. The Supplier must provide all assistance and access to facilities, test pieces, samples and documentation that the representatives of the SAA may reasonably require for the carrying out of the inspection, which may also include the submission of test reporting documentation as listed in Annex A and D. The Supplier must forward such test pieces, samples and/or documentation that may also include letters of certification from the laboratories to such person or location as the representatives of the SAA specifies.

All other terms and conditions remain unchanged