



## RETURN BIDS TO:

## RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions -  
TPSGC

11 Laurier St./11, rue Laurier

Place du Portage, Phase III

Core 0B2 / Noyau 0B2

Gatineau, Québec K1A 0S5

Bid Fax: (819) 997-9776

## SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise  
indicated, all other terms and conditions of the Solicitation  
remain the same.

Ce document est par la présente révisé; sauf indication contraire,  
les modalités de l'invitation demeurent les mêmes.

### Comments - Commentaires

### Vendor/Firm Name and Address

Raison sociale et adresse du  
fournisseur/de l'entrepreneur

### Issuing Office - Bureau de distribution

Furniture Division/Division des ameublements  
L'Esplanade Laurier,  
East Tower 7th Floor  
Tour est 7<sup>e</sup> étage,  
140 O'Connor, Street,  
140 O'Connor, rue O'Connor,  
Ottawa  
Ontario  
K1A 0R5

<b>Title - Sujet</b> DFO 222 Nepean (PSAB) - Cat. 4 and DFO 222 Nepean (PSAB) - Cat. 4 and 6	
<b>Solicitation No. - N° de l'invitation</b> EP076-212732/A	<b>Amendment No. - N° modif.</b> 002
<b>Client Reference No. - N° de référence du client</b> 20212732	<b>Date</b> 2021-04-06
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$\$\$PQ-501-79866	
<b>File No. - N° de dossier</b> pq501.EP076-212732	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> Eastern Daylight Saving Time EDT <b>on - le 2021-04-15</b> Heure Avancée de l'Est HAE	
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Quan, Kingue	<b>Buyer Id - Id de l'acheteur</b> pq501
<b>Telephone No. - N° de téléphone</b> (873) 355-3851 ( )	<b>FAX No. - N° de FAX</b> ( ) -
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> See Herein	

Instructions: See Herein

Instructions: Voir aux présentes

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

Amendment **002** is raised to publish questions and answers and modify the solicitation as follows:

1. **Questions and Answers**

**Question 02:** Re CAT6A item 2 T2, will the CA also respectfully accept an End Gable option?

**Answer 02:** Yes, ensure finish for gables matches finish for top.

**Question 03:** Re CAT6A item 7 T8, will the CA also respectfully accept an End Gable option?

**Answer 03:** Yes, ensure finish for gables matches finish for top.

**Question 04:** Re CAT6A item 9 T11, will the CA also respectfully accept an End Gable option

**Answer 04:** Yes, ensure finish for gables matches finish for top.

**Question 05:** Re CAT6A item 11 T14, will the CA also respectfully accept an End Gable option?

**Answer 05:** Yes, ensure finish for gables matches finish for top.

**Question 06:** Re CAT6A item 14 T18, due to supply issues caused by CoVID-19, will the CA also respectfully accept a high-pressure laminate or painted MDF top.

**Answer 06:** No

**Question 07:** Re CAT6A item 15 T19, will the CA also respectfully accept an End Gable option?

**Answer 07:** Yes, ensure finish for gables matches finish for top.

**Question 08:** Re CAT6A item 21 T30, will the CA also respectfully accept an End Gable option?

**Answer 08:** Yes, ensure finish for gables matches finish for top.

**Question 09:** Re CAT6A item 23 T33, due to supply issues caused by CoVID-19, will the CA also respectfully accept a high-pressure laminate or painted MDF top.

**Answer 09:** No

**Question 10:** Re CAT6A item 26 T12, will the CA also respectfully accept an End Gable option?

**Answer 10:** Yes, ensure finish for gables matches finish for top.

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

**Question 11:** Re CAT6A item 30 T28, will the CA also respectfully accept an End Gable option?

**Answer 11:** Yes, ensure finish for gables matches finish for top.

**Question 12:** Re CAT6A item 28 T26, will the CA also respectfully accept a width of 90" to coordinate with the allowable SA range of item S9 that it needs to be integrated with?

**Answer 12:** Yes

**Question 13:** Re CAT6B item 11 B2, i) please confirm you require arms and a back? ii) Please confirm if the CA will respectfully accept a tolerance of +/- 6" in width and depth?

**Answer 13:** i) No back required. Follow specified sizes. Armrests are required.  
ii) No, tolerance is accepted, please bid as per solicitation.

**Question 14:** Re CAT6C item 5 CH5. The request is for standard height chairs that must be compatible with T5 tables that are counter height, should CH5 be counter height or T5 seated height?

**Answer 14:** T5 tables to be standard height. GoCuid revised to 6MMTSMSQL36L36WNNX

**Question 15:** Re CAT6C item 8 CH8. The chairs are all standard height, however, T19 is counter height and T20 is seated height. Please advise if T19 is meant to be seated height?

**Answer 15:** CH8 only needs to be compatible with T20. CH8 to be amended to be GoCuid #  
6KKCSAxxLP16XXXMIYX  
Chair must be compatible with T20.

**Question 16:** Re CAT6C item 9 CH9. i) Will the CA also respectfully also accept a poly chair with sled base frame? ii) will the CA also accept two-piece laminated plywood back with an upholstered seat?

**Answer 16:** No, the above finish options will not be accepted. Must be compatible with T31.

**Question 17:** Re CAT6C item 10 CH10. i) Will the CA also respectfully also accept a sled base? ii) Will the CA also accept a perforated airflow poly back design?

**Answer 17:** Yes, sled bases are acceptable. GoCUID is replace with 6KKCSAxxSY16XXXMONX.  
Yes, we will accept the perforated airflow poly back.

**Question 18:** Re CAT6C item 11 SCH1. i) Casters and stacking are not attributes under the SA and will affect the pre-approved product and ceiling prices offered to Canada. As not to disqualify a qualified supplier with this GoCUID please make these chairs Non-SA. ii) Will the CA also respectfully accept a horizontal nesting option?

**Answer 18:** This will become a non-SA item. Please refer to revised table 1 for Category 6C

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

2. On the cover page of the Request for Proposal, Solicitation Closes is modified as follows:

**Delete: Solicitation closes on 2021-04-08**

**Replace: Solicitation closes on 2021-04-15**

3. The Solicitation is deleted in its entirety:

**Replace with:**

## TABLE OF CONTENTS

Section 1 – Invitation and Instructions to Bidders

Section 2 – Resulting Contract including a list of required goods and services

### SECTION 1 – INVITATION AND INSTRUCTIONS TO BIDDERS

**Step 1. For Tier 2 and Tier 3 only (If Tier 1, skip this step and proceed with step 2)**

**Step 2. ☒ Competitive**

For competitive Requirements when only one bid is received:

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

For Competitive Requirements when only one bid is received:

The Bidder must provide the following information AFTER bid closing, if requested to do so by Canada:

- One or more of the following price justifications:
  1. a current published price list indicating the percentage discount available to Canada; or
  2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
  3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
  4. any other supporting documentation as requested by Canada.

**Step 3. ☒ PSAB**

For PSAB procurement:

Canadian Content

The Supplier should propose conforming products(s) denoted as “Canadian Content” in the Supplier’s SA. Canada may preference all bids containing products(s) with this designation.

### **Terms of the RFB:**

This RFB is issued pursuant to the Supplier’s Furniture for Workspaces Supply Arrangement (SA) that forms part of the series of SAs issued by PWGSC with the number E60PQ-140003/PQ. The terms and conditions in the Supplier’s SA apply to and form

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

part of this RFB. Bidders who submit a bid agree to be bound by those terms and conditions as well as the terms and conditions in this RFB.

The WTCM is the Workspaces Terms and Conditions Manual that contains all terms and conditions in full text that form part of individual RFBs under this SA.

The Bidder must provide the following information WITH the bid:

- The information requested by Canada in Annex A herein.

The Bidder must also provide the information at article 4 below at the time indicated in article 3.

#### Security Requirement:

- Conditions
  - the Bidder must hold a valid organization security (VOS) clearance as indicated in Annex B;
  - the Bidder's proposed individuals requiring access to classified or protected information, assets or sensitive work site(s) must meet the security requirement as indicated in Annex B.
- For additional information on security requirements, bidders should refer to the Canadian Industrial Security Directorate (CISD), Industrial Program of Public Works and Government Services Canada (<http://ssi-iss.tpsgc-pwgsc.gc.ca/index-eng.html>) website.
- The conditions in article 1 above must be met by the Bidder (the checked box applies):
  - ☐ by the closing date of the bid;
  - ☒ before the award of a contract. Bidders are reminded to obtain the required security clearance promptly. Any delay in the award of a contract to allow the successful bidder to obtain the required clearance will be at the entire discretion of the Contracting Authority.
- Bidders are to supply the following information, as a minimum, to demonstrate compliance with the Security Requirement.
  - The Bidder's valid VOS clearance number issued by CISD;
  - The name of all individuals who will require access to classified or protected information, assets or sensitive work sites. It is desirable to also include their date of birth, their middle name, and their security clearance number issued by CISD.

#### Bid Evaluation

An evaluation team composed of representatives of Canada will evaluate the bids.

<b>RFB Issued by:</b>	
Identified User's (IU) Department/Agency/Crown Corporation: Contact for this RFB:	See Section 2, article 4.1 below.
<b>RFB Closing - Submit Bid:</b> Bids must be submitted on the date and at the time indicated below.	
By no later than date and time:	a. See page 1 of the solicitation document.
To physical location ( <i>if applicable</i> )	Bid Receiving Unit – PWGSC 11 Laurier Street Place du Portage, Phase III Core 0B2 Gatineau, Quebec K1A 0S5

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

Additional Bid Submission option epost Connect service:	NCR address ONLY: <a href="mailto:tpsgc.dgareceptiondessoumissions-abbidReceiving.pwgsc@tpsgc-pwgsc.gc.ca">tpsgc.dgareceptiondessoumissions-abbidReceiving.pwgsc@tpsgc-pwgsc.gc.ca</a>
<b>RFB Enquiries</b>	
Unless a different period is listed in the adjacent column, Bidders may submit enquires about the RFB to the Contracting Authority two business days prior to the RFB closing date. Enquiries received after the timeline indicated may not be answered.	5 business days

## SECTION 2 - RESULTING CONTRACT CLAUSES

1.	<b>Terms and Conditions of the Contract</b> The terms and conditions of Parts 6B and 6C of the Supplier’s SA within the series E60PQ-140003/PQ apply to and form part of this Contract.	
2.	<b>Security Requirement</b> (the checked article applies)	
2.1	The applicable security requirement(s) is (are) set out in the Security Requirement Check List attached as Annex B of this contract. The Contractor must fulfill the security requirements by meeting the terms below.	
a.		<b>Contractor may be escorted; possession of security clearance not required.</b> Contractor personnel MAY NOT ENTER NOR PERFORM WORK ON sites where PROTECTED or CLASSIFIED information or assets are kept, without an escort provided by the department or agency for which the work is being performed.
b.	X	<b>Possession of security clearance(s) is required.</b> The Contractor must meet the security clearance requirements contained in the clausings in Annex B herein.
c.		<b>There is no security requirement associated with this contract.</b>
3.	<b>Requirement</b>	
3.1	The Contractor must perform the Work listed in Annex A herein.	
4.	<b>Authorities</b>	
4.1	<b>Contracting Authority (IU)</b>	
	Name:	King Quan
	Title:	Supply Officer
	Department/Agency/Crown Corporation:	PSPC
	Address:	140 O’Connor Street, Ottawa Ontario K1A 0R5
	Telephone No.:	(873) 355-3851
	E-mail address:	<a href="mailto:King.Quan@tpsgc-pwgsc.gc.ca">King.Quan@tpsgc-pwgsc.gc.ca</a>
4.2	<b>Project Authority</b> <i>[To be completed at contract award]</i> <i>The Project Authority (PA) is the representative of the department or agency for whom the Work is being carried out under the Contract including the provision to approve the authority to proceed for delivery and installation and is responsible for all matters concerning the technical content of the Work under the Contract.</i>  <i>In addition, the PA is also responsible for ensuring that the Supplier’s employees and subcontractors requiring access to the site adhere to the allocated time for the Supplier to access the site to deliver and install the furniture in accordance with the master schedule held by the General Contractor (a representative of Canada or a service provider(s) under contract with the Government of Canada).</i>	
	Name:	
	Title:	
	Department/Agency/Crown Corporation:	
	Address:	

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

	Telephone No.:	
	E-mail address:	
4.3	<b>Contractor's Representative</b>	
	As set out in Annex A, Table 9 below.	
5.	<b>Method of Payment</b>	
	The checked box applies. If the Contractor's SA indicates acceptance for payment by credit card, that method may be used in conjunction with the following.	
	<input type="checkbox"/>	Single Payment
	<input type="checkbox"/>	Multiple Payment
6.	<b>Invoicing <i>(optional)</i></b>	
	Further to the Invoicing terms of the WTCM document, the Contractor will deliver the original and one copy of the invoice to the following address for certification and payment:	
	Name of the organization and contact: <i>[To be completed at contract award]</i>	
	Address:	

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

**ANNEX A**  
**REQUIREMENT and BASIS OF PAYMENT**

1. Category Selection

The requirement includes the following categories of work:

☒ Category 4 – Wood Veneer – Freestanding Products

☒ Category 6 - Support Space – Collaborative Furniture

**RULE:** Category 6 can be further subdivided by space or like product in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like products are defined as products with similar design and construction. If NSA products form part of the requirement, the IU must validate the 30% NSA prior to subdividing the category. NSA products can be added to any subdivide or in its own subdivide.

Category 6 is divided as follows: Category 6A, 6B, 6C, 6D and 6E

☒ NSA Product(s) – Category(ies): Category 6

2. Product and Pricing Tables

Site Inspection Date: To be coordinated with Project Authority after contract award. (Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.)

INSTRUCTIONS TO BIDDERS: Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 8 and 9. **Bidders must provide a complete product offering for each category, or CAT 6 sub-divide they wish to submit a bid in order to be compliant.**

**\*\*Refer to article 6A.7 for instructions on how to submit products that are not approved in product listing.\*\***

In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.

**Product Category: 4**

**Table 1 – Product Table**

Section A - IU REQUIREMENT					Section B – SUPPLIER’S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information on Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	T20 4FSMTROPEWVN36XXX WN	TABLE BASE MUST NOT IMPEDE WITH END USER’S ABILITY TO SIT AT THE TABLE MUST BE COMPATABLE WITH CH8	2	No		\$	\$
2	T31 6FSMTROPEWVN42XXX WN	TABLE BASE MUST NOT IMPEDE WITH END USER’S ABILITY TO SIT AT THE TABLE MUST BE COMPATIBLE WITH CH9	1	No		\$	\$



Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

		Product Total	\$	\$
--	--	---------------	----	----

**Table 2 - Delivery**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-2	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

**Table 3 – Installation**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
1-2	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15 to 2021-09-29	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29 to 2021-10-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30- to 2022-01-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24 to 2022-04-07	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5	Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.		

## Product Category: 6A

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	T1 6MMTMDREOL48L60WYNX	INTEGRATED TABLETOP ELECTRICAL/DATA/AUDIO/VISUAL CONNECTIONS	27	no		\$	\$
2	T2 6CKIVAREWL42L60PYXX	WIRE MANAGEMENT MUST BE PROVIDED ENSURE POWER CORD IS LONG ENOUGH TO PLUG INTO ADJACENT COLUMN CORD TO GO ALONG PERIMETER POWER / DATA MODULES: 2 PER SURFACE (4 TOTAL) SUPPORT: END GABLES/ WATERFALL EDGE MUST BE COMPATIBLE WITH CH4	18	No		\$	\$
3	T3 6MMTSMRELL30L42WNNX	HIGH PRESSURE LAMINATE LOCKING CASTERS POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP	29	no		\$	\$
4	T5 6CCMVASQPL36L36TNXX 6MMTSMQPL36L36WNNX	MUST BE COMPATIBLE WITH CH5 TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE	87	yes		\$	\$
5	T6 6CLTVAREXLW7<36ONXX	MUST BE COMPATIBLE WITH S1, S2, S3, S5 AND S7	149	No			
6	T7 6CSTVAROPL24XXJNXX	HEIGHT: FOURTEEN (14) TABLES TO BE 18", REMAINDER OF TABLES TO BE 21" TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE	81	no			
7	T8 6CKIVAREWL48L84TYXX	POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP MUST BE COMPATIBLE WITH CH3	7	no			
8	T9 6MTRXTRECL30L72WYYY	SUPPORT: T-LEGS MUST BE COMPATIBLE WITH B1 POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP	27	no			

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

9	T11 6CKIVAREWL48L96TYXX	MUST BE COMPATIBLE WITH CH3 ELECTRICAL TO BE INTEGRATED INTO TABLE TOP	9	no			
10	T13 6MMTLGREOL48120WYNX	POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP	18	no			
11	T14 6CMUCHRERL42108TYXX	SUPPORT: WATERFALL EDGE MUST BE COMPATABLE WITH CH6 *MONITOR ARM NOT REQUIRED*	10	no			
12	T15 6MMTMDREOL36L72WYNX	POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP	6	no			
13	T17 6MTRFTRECL30L60WYYY	SUPPORT: T-LEGS POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP MUST HAVE LOCKABLE CASTERS TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE	27	no			
14	T18 6CCTVAROPS36XXXJNXX	WIDTH: 36" / 914MM HEIGHT: 19" / 483MM TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE	3	no			
15	T19 6CKIVAREWL36L60TYXX	POWER AND DATA MUST BE INTEGRATED INTO TABLE MUST BE COMPATABLE WITH CH3	2	no			
16	T21 6MMTSMSQL36L36WNNX	TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE	1	no			
17	T22 6MMTSMROPL48XXXWNN X	TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE	5	no			
18	T23 6MMTLGREOW60156WYN X	TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP	2	no			
19	T24 6MTRXTRELL30L48WYYY	POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP	10	no			
20	T25 6MMTMDREOL42L66WYNX	POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP MUST BE COMPATABLE WITH CH3	1	no			
21	T30 6CKIVAREWL48L96PYXX	MUST BE COMPATIBLE WITH CH4 ELECTRICAL TO BE INTEGRATED INTO TABLE TOP	7	no			
22	T32 6MMTMDREOL48L90WYNX	POWER AND DATA MUST BE INTEGRATED INTO TABLE	9	no			
23	T33 6CSTVAROPG24XXXJNXX	TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE MUST BE COMPATIBLE WITH CH7, S8 AND CH2	7	no			

**\*\*Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

NSA products <i>(must not exceed 30% of the firm quantity by category)</i> The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.						
Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional informatio n Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
24	T4 WORK ROOM TABLE (T4) D SHAPE HIGH PRESSURE LAMINATE PROVIDE FULL HPL MODESTY PANEL WIDTH: 48" / 1219MM LENGTH: 60" / 1524MM HEIGHT: 30" / 762MM INCLUDE 2XAC & 2XUSB TABLE BASE ALLOWS FOR FULL PERIMETER SEATING AND MUST NOT IMPEDE WITH USER'S ABILITY TO SIT AT THE TABLE.	39	no		\$	\$
25	T10 TOUCHDOWN TABLE (T10) RECTANGULAR HIGH PRESSURE LAMINATE WIDTH : 30" / 762MM LENGTH: 102" / 2590MM HEIGHT: 34"-37 / 864MM-940MM (COUNTER HEIGHT) SUPPORT: PANEL MUST BE COMPATIBLE WITH CH3 ELECTRICAL TO BE INTEGRATED INTO TABLE TOP	9	no		\$	\$
26	T12 TOUCHDOWN TABLE (T12) RECTANGULAR HIGH PRESSURE LAMINATE WIDTH : 30" / 762MM LENGTH: 150" / 3810MM HEIGHT: 41"-43" / 1041-1092MM SUPPORT: WATERFALL EDGE MUST BE COMPATIBLE WITH CH4 ELECTRICAL TO BE INTEGRATED INTO TABLE TOP	9	no			
27	T16 CONFERENCE TABLE (T16) RECTANGULAR HIGH PRESSURE LAMINATE SUPPORT: POST LEGS HEIGHT: 29" / 737MM WIDTH: 60" / 1524MM LENGTH: 78" / 1981MM POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP	2	no			
28	T26 COLLABORATIVE LEDGE TABLE (T26) RECTANGULAR HIGH PRESSURE LAMINATE WIDTH : 18" / 457MM LENGTH: 96" / 2438MM HEIGHT: 41"-43" / 1041-1092MM COMPATIBLE OR INTEGRATED WITH S9	2	no			

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

	FULL PANEL BACK ATTACHED TO S9 COMPATIBLE WITH CH4					
29	T27 COLLABORATIVE LEDGE TABLE (T27) RECTANGULAR HIGH PRESSURE LAMINATE WIDTH : 18" / 457MM LENGTH: 108" / 2743MM HEIGHT: 41"-43" / 1041-1092MM COMPATIBLE OR INTEGRATED WITH SS, S4 AND S5 FULL PANEL BACK ATTACHED TO S3, S4 AND S5 MUST BE COMPATIBLE WITH CH4	1	no			
30	T28 TOUCHDOWN TABLE (T28) RECTANGULAR HIGH PRESSURE LAMINATE WIDTH : 30" / 762MM LENGTH: 150" / 3810MM HEIGHT: 34"-37" / 864-940MM SUPPORT: WATERFALL EDGE MUST BE COMPATIBLE WITH CH3 ELECTRICAL TO BE INTEGRATED INTO TABLE TOP	1	no			
31	T29 PROJECT ROOM TABLE (T29) RECTANGULAR HIGH PRESSURE LAMINATE WIDTH: 42" / 1067MM LENGTH: 60" / 1524MM MUST BE PROVIDED IN SEATED HEIGHT (29-30 INCHES ABOVE FINISHED FLOOR) POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP	1	No			
				Product Total	\$	\$

**Table 2 - Delivery**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-31	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-31	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON	2021-09-29	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture</i>	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

	Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation			<i>delivery and installation.</i>	
1-31	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-31	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

**Table 3 – Installation**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
1-31	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15 to 2021-09-29	Normal	____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-31	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29 to 2021-10-13	Normal	____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

1-31	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30- to 2022-01-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-31	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24 to 2022-04-07	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Installation Total:	\$

## Product Category: 6B

**Table 1 – Product Table – 6B**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	B1 6SBBTHXXLUW5G19LMNN	FULLY UPHOLSTERED MUST BE COMPATIBLE WITH T9	66	no		\$	\$
2	S1 6SSOTHXXLUW6XXXQNNY	FULLY UPHOLSTERED	18	no		\$	\$
3	S2 6SSOTWXXLUW4XXXQNNN	VINYL SEAT WITH UPHOLSTERED BACK	32	no		\$	\$
4	S3 6SMORBXXLU25G19LYNN	ARMREST – LEFT FULLY UPHOLSTERED BACK HEIGHT : MIN 36" – 914MM INTEGRATED AND CONNECTED WITH S5 MUST BE FROM THE SAME SERIES AS S5	10	no		\$	\$
5	S4 6SMORBXXLU25G19LYNN	NO ARMRESTS FULLY UPHOLSTERED BACK HEIGHT : MIN 36" – 914MM INTEGRATED AND CONNECTED WITH S5, S6 AND T27	3	no			



Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

		MUST BE FROM THE SAME SERIES AS S3, S5 AND S6					
6	S5 6SMORBXXLU25G19LYNN	ARMREST – RIGHT FULLY UPHOLSTERED BACK HEIGHT : MIN 36" – 914MM INTEGRATED AND CONNECTED WITH S3, S4 AND T27 MUST BE FROM THE SAME SERIES AS S3, S4, S5 AND S6	12	no			
7	S6 6SMORBXXLU25G19LYNN	SQUARE FULLY UPHOLSTERED BACK HEIGHT : MIN 36" – 914MM INTEGRATED AND CONNECTED WITH S4 MUST BE FROM THE SAME SERIES AS S3, S4, S5, and S6	1	no			
8	S7 6SBBTWXXLUW3G19LMNN	MUST HAVE OUTER BACK IN WOOD SURROUND MUST HAVE AN INSIDE UPHOLSTERED BACK WITH VINYL SEAT	59	yes			
9	S8 6SSOTWXXLUW4XXXQNNY	FULLY UPHOLSTERED WIDTH: 66" / 1676MM INCLUDING ARMRESTS	3	no			
10	S9 6SSOTHXXLUW6XXXQNNY	RIGHT ARMREST ONLY HIGH BACK FULLY UPHOLSTERED INTEGRATED AND CONNECTED WITH T26	4	no			

**\*\*Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

**NSA products (must not exceed 30% of the firm quantity by category)**

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
11	B2 BENCH AT LOCKER AREAS WITH ARMRESTS UNIT MUST BE 24" (610MM) X 48" (1219MM) RECTANGULAR PAINTED METAL FINISH WITH VINYL UPHOLSTERED CUSHION. BASE: 4 POST LEGS SEAT HEIGHT TO BE 15"-18" (381MM-457MM)	14	no		\$	\$
12	B3 BENCH AT LOCKER AREAS WITH ARMRESTS UNIT MUST BE 24" (610MM) X 34" (864MM) RECTANGULAR PAINTED METAL FINISH WITH VINYL UPHOLSTERED CUSHION. BASE: 4 POST LEGS SEAT HEIGHT TO BE 15"-18" (381MM-457MM)	8	no		\$	\$
13	B4 BENCH AT LOCKER AREAS WITH ARMRESTS UNIT TO BE 20" (508MM) X 54" (1372MM)	1	no			

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

	RECTANGULAR PAINTED METAL FINISH WITH VINYL UPHOLSTERED CUSHION. BASE: 4 POST LEGS SEAT HEIGHT TO BE 15"-18" (381MM-457MM)					
14	B5 BENCH AT LOCKER AREAS WITH ARMRESTS UNIT TO BE 20" (508MM) X 30" (762MM) RECTANGULAR PAINTED METAL FINISH WITH VINYL UPHOLSTERED CUSHION. BASE: 4 POST LEGS SEAT HEIGHT TO BE 15"-18" (381MM-457MM)	1	no			
				Product Total	\$	\$

**Table 2 - Delivery**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-14	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-14	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-14	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-14	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>	Delivery Total:	\$
---	-----------------	----

**Table 3 – Installation**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
1-14	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15 to 2021-09-29	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-14	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29 to 2021-10-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-14	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30- to 2022-01-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-14	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24 to 2022-04-07	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

## Product Category: 6C

Table 1 – Product Table – 6C

Section A - IU REQUIREMENT				** Provide additional Information Yes/No	Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY		Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	CH1 6STCWRXXLUXXXXXXNNX	VINYL SEAT WITH UPHOLSTERED BACK LEG BASE WITH CASTERS	64	no		\$	\$
2	CH2 6STCWLXXLUXXXXXXNNX	VINYL SEAT WITH UPHOLSTERED BACK LEG BASE WITH CASTERS	67	no		\$	\$
3	CH3 6KBSCHxxSY15XXXPOYX	COUNTER HEIGHT BACKREST	129	no		\$	\$
4	CH4 6KBSBHxxSY15XXXROYX		160	no		\$	\$
5	CH5 6KKCSAxxSY16XXXMONX	STANDARD HEIGHT MUST BE COMPATIBLE WITH T5	116	no			
6	CH6 6KBSCHxxSY15XXXPONX	COUNTER HEIGHT MUST BE COMPATIBLE WITH T14	44	no			
7	CH7 6SLCWAXXFUXXXXXMXXX	LOUNGE CHAIR C/W ARMRESTS MUST HAVE OUTER BACK IN WOOD SURROUND MUST HAVE AN INSIDE UPHOLSTERED BACK WITH VINYL SEAT WIDTH: 30" / 762MM DEPTH: 20" / 508MM	7	yes			
8	CH8 6KKCSAxxLY16XXXMIYX 6KKCSAxxLP16XXXMIYX	STANDARD HEIGHT UPHOLSTERED SEAT AND BACK MUST BE COMPATIBLE WITH T19 AND T20	4	yes			
9	CH9 6KKCSAxxLP16XXXMIYX	STANDARD HEIGHT CHAIR UPHOLSTERED SEAT MUST BE COMPATIBLE WITH T31	10	no			
10	CH10 6KKCSAxxLY16XXXMOYX 6KKCSAxxSY16XXXMONX	STANDARD HEIGHT UPHOLSTERED SEAT MUST BE COMPATIBLE WITH T17	19	yes			
11	SCH1 6KKCSAxxLY16XXXMIYX	STANDARD HEIGHT CASTERS STACKABLE UPHOLSTERED SEAT AND BACK MUST BE COMPATIBLE WITH T17	19	no			

**\*\*Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

NSA products <i>(must not exceed 30% of the firm quantity by category)</i> The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.						
Section A - IU REQUIREMENT			** Provide additional Information Yes/No	Section B – SUPPLIER'S BID		
#	NON-SA Product(s)	QTY		Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
12	KITCHENETTE CHAIRS – TAG SCH1 STANDARD HEIGHT WITH ARMREST WITH A SEAT CUSHION POST LEGS WITH CASTERS STACKABLE UPHOLSTERED SEAT AND BACK MUST BE COMPATIBLE WITH T17	19	yes		\$	\$
				Product Total	\$	\$

**Table 2 - Delivery**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-11	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15	Outside Normal	____ : weeks  <i>Standard Lead time is between 6- 10 weeks for furniture delivery and installation.</i>	\$
1-11	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29	Outside Normal	____ : weeks  <i>Standard Lead time is between 6- 10 weeks for furniture delivery and installation.</i>	\$
1-11	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific	2021-12-30	Outside Normal	____ : weeks  <i>Standard Lead time is between 6- 10 weeks for furniture delivery and installation.</i>	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

	quantities per GoCUID for delivery and installation				
1-11	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

**Table 3 – Installation**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
1-11	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15 to 2021-09-29	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-11	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29 to 2021-10-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-11	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled	2021-12-30- to 2022-01-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

	PHASE 3 for specific quantities per GoCUID for delivery and installation				
1-11	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24 to 2022-04-07	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Installation Total:	\$

## Product Category: 6D

Table 1 – Product Table – 6D

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
<b>Category 6D</b>						
1.	<b>O1</b> 6SUOMRXXLUXXXXLNNN	DIAMETER: 42" / 1067MM SUPPORT: LOCKING CASTERS MUST BE FROM THE SAME SERIES AS P1	60		\$	\$
2.	<b>O2</b> 6SUOPSXXLUXXXXLNNN	WIDTH: 24" / 610MM DEPTH: 24" / 610MM SUPPORT: LOCKING CASTERS	3		\$	\$
3.	<b>P1</b> 6OPLWLFSLXC3H46XYWS	FREE STANDING SEATED PRIVACY SCREEN HEIGHT FULLY UPHOLSTERED CLIP ON POWER MODULE- CLAMPED TO TABLET ARM TO BE INCLUDED WITH WORK POD. MODULE TO PLUG INTO ADJACENT WORKSTATION PANELS/ WALL.	57		\$	\$
<b>NSA products (must not exceed 30% of the firm quantity by category)</b>  The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.						
Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
#	NSA Product(s) Description		QTY	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

4.	<b>P2</b> INDIVIDUAL LOUNGE POD C/W FIXED WORK SURFACE, TABLET ARM, AND OTTOMAN (P2) FREE STANDING SEATED PRIVACY SCREEN HEIGHT FULLY UPHOLSTERED LEG BASE CLIP ON POWER MODULE- CLAMPED TO TABLET ARM TO BE INCLUDED WITH WORK POD. MODULE TO PLUG INTO ADJACENT WORKSTATION PANELS/ WALL. DIAMETER : 42"-60"	38		\$	\$
				Product Total	\$

**Table 2 - Delivery**

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-4	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-4	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-4	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$



Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

1-4	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

**Table 3 – Installation**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
1-4	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15 to 2021-09-29	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-4	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29 to 2021-10-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-4	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON	2021-12-30- to 2022-01-13	Normal	_____ : weeks from date of supply and delivery	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

	Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation			<i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	
1-4	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24 to 2022-04-07	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Installation Total:	\$

**Product Categories: 6E**

**Table 1 – Product Table – 6E**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
<b>Category 6E</b>						
1.	M1 6LMMDMWSXDW8XXXXNNN		1		\$	\$
2.	M2 6LWBFWWSXXXXXXXXNNN	WIDTH: 48" / 1219MM	4		\$	\$
				Product Total	\$	

**Table 2 - Delivery**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

1-2	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

**Table 3 – Installation**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
1-2	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON	2021-09-15 to 2021-09-29	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture</i>	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

	Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation			<i>delivery and installation.</i>	
1-2	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29 to 2021-10-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30- to 2022-01-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24 to 2022-04-07	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Installation Total:	\$

**Table 4 – Optional Product** ☒ Not Applicable.

**Table 5 – Optional Delivery** ☒ Not Applicable

**Table 6 – Optional Installation** ☒ Not Applicable

**Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications**

<b>1.</b>	<b>Standard Finishes</b>
1.1	<p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p>

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

	The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.	
<b>2.</b>	<b>Canada's Facilities to Accommodate the Delivery</b> <i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i>  <i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i>	
<b>2.1</b>	Loading Dock/Location	
<b>A</b>	Location	Department of Fisheries and Oceans 222 Nepean Street Ottawa, ON K2P 0B8
<b>B</b>	Dock	10'-0" x 10'-0"
<b>C</b>	Lift	Does not exist
<b>D</b>	Door	Double doors 6'-0" x 6'-0"
<b>E</b>	Freight Elevator	Elevator cab #1 4'-1" D x 6'-6" W x 8'-6" H
<b>F</b>	Other (specify, if any)	
<b>3.</b>	<b>Continuance of Certifications</b>	
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.  Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.	
<b>3.1</b>	Integrity Provisions	
<b>3.2</b>	Federal Contractor's Program for Employment Equity	
<b>3.4</b>	Product Conformance	
<b>3.5</b>	Price Certification (In accordance with the SA, Part 6B)	

**Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)**

<b>1</b>	<b>Firm Product Total (Table 1)</b>	\$
<b>2</b>	<b>Firm Delivery Total (Table 2)</b>	\$
<b>3</b>	<b>Firm Installation Total (Table 3)</b>	\$
<b>4</b>	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
<b>5</b>	<b>Total Evaluated (Bid) Price* (1 + 2 + 3 + 4) <i>[to be removed at contract award]</i></b>	\$
<b>6</b>	<b>Contract Price(1+2+3+4): <i>[applicable at contract award only]</i></b>	\$
<b>7</b>	<b>Applicable Taxes: <i>[applicable at contract award only]</i></b>	\$
<b>8</b>	<b>Total Estimated Cost (6+7): <i>[applicable at contract award only]</i></b>	\$

\* Applicable taxes extra.

**Table 9 – Bidder's Authorized Representative**

<b>1.</b>	<b>Bidder's Authorized Representative for the Bid and the Contract</b>		
	Name:	Telephone:	
		E-Mail:	
		PBN:	

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

---

**ANNEX B**  
**SECURITY REQUIREMENTS**

**SECURITY REQUIREMENT FOR CANADIAN SUPPLIER:**  
**PWGSC FILE No. EP076-212732**

1. The Contractor/Offeror must, at all times during the performance of the Contract/Standing Offer, hold a valid Designated Organization Screening (DOS), issued by the Contract Security Program (CSP), Public Works and Government Services Canada (PWGSC).
2. The Contractor/Offeror personnel requiring access to sensitive site(s) must EACH hold a valid RELIABILITY STATUS, granted or approved by the CSP, PWGSC.
3. Subcontracts which contain security requirements are NOT to be awarded without the prior written permission of the CSP, PWGSC.
4. The Contractor/Offeror must comply with the provisions of the:
  - a) Security Requirements Check List and security guide (if applicable), attached at Annex B;
  - b) *Contract Security Manual* (Latest Edition).



Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME



Government of Canada  
Gouvernement du Canada

Contract Number / Numéro du contrat EP076-212732
Security Classification / Classification de sécurité UNCLASSIFIED

**SECURITY REQUIREMENTS CHECK LIST (SRCL)**  
**LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)**

<b>PART A - CONTRACT INFORMATION / PARTIE A - INFORMATION CONTRACTUELLE</b>				
1. Originating Government Department or Organization / Ministère ou organisme gouvernemental d'origine		Public Works and Government Services Canada	2. Branch or Directorate / Direction générale ou Direction RPS	
3. a) Subcontract Number / Numéro du contrat de sous-traitance		3. b) Name and Address of Subcontractor / Nom et adresse du sous-traitant		
4. Brief Description of Work / Brève description du travail This contract is for a furniture contract (supply and install) for the building located at 222 Nepean St. Ottawa, ON, K2P 0B8				
5. a) Will the supplier require access to Controlled Goods? Le fournisseur aura-t-il accès à des marchandises contrôlées?			<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
5. b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control Regulations? Le fournisseur aura-t-il accès à des données techniques militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques?			<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
6. Indicate the type of access required / Indiquer le type d'accès requis				
6. a) Will the supplier and its employees require access to PROTECTED and/or CLASSIFIED information or assets? Le fournisseur ainsi que les employés auront-ils accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS? (Specify the level of access using the chart in Question 7. c) (Préciser le niveau d'accès en utilisant le tableau qui se trouve à la question 7. c)			<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted. Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS n'est pas autorisé.			<input type="checkbox"/> No Non	<input checked="" type="checkbox"/> Yes Oui
6. c) Is this a commercial courier or delivery requirement with no overnight storage? S'agit-il d'un contrat de messagerie ou de livraison commerciale sans entreposage de nuit?			<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
7. a) Indicate the type of information that the supplier will be required to access / Indiquer le type d'information auquel le fournisseur devra avoir accès				
Canada <input type="checkbox"/>		NATO / OTAN <input type="checkbox"/>		Foreign / Étranger <input type="checkbox"/>
7. b) Release restrictions / Restrictions relatives à la diffusion				
No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>		All NATO countries Tous les pays de l'OTAN <input type="checkbox"/>		No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>
Not releasable À ne pas diffuser <input type="checkbox"/>				
Restricted to: / Limité à: <input type="checkbox"/>		Restricted to: / Limité à: <input type="checkbox"/>		Restricted to: / Limité à: <input type="checkbox"/>
Specify country(ies): / Préciser le(s) pays:		Specify country(ies): / Préciser le(s) pays:		Specify country(ies): / Préciser le(s) pays:
7. c) Level of information / Niveau d'information				
PROTECTED A PROTÉGÉ A <input type="checkbox"/>		NATO UNCLASSIFIED NATO NON CLASSIFIÉ <input type="checkbox"/>		PROTECTED A PROTÉGÉ A <input type="checkbox"/>
PROTECTED B PROTÉGÉ B <input type="checkbox"/>		NATO RESTRICTED NATO DIFFUSION RESTREINTE <input type="checkbox"/>		PROTECTED B PROTÉGÉ B <input type="checkbox"/>
PROTECTED C PROTÉGÉ C <input type="checkbox"/>		NATO CONFIDENTIAL NATO CONFIDENTIEL <input type="checkbox"/>		PROTECTED C PROTÉGÉ C <input type="checkbox"/>
CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>		NATO SECRET NATO SECRET <input type="checkbox"/>		CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>
SECRET SECRET <input type="checkbox"/>		COSMIC TOP SECRET COSMIC TRÈS SECRET <input type="checkbox"/>		SECRET SECRET <input type="checkbox"/>
TOP SECRET TRÈS SECRET <input type="checkbox"/>				TOP SECRET TRÈS SECRET <input type="checkbox"/>
TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/>				TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/>

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME



Government of Canada  
Gouvernement du Canada

Contract Number / Numéro du contrat

EP076-212732

Security Classification / Classification de sécurité  
UNCLASSIFIED

**PART A (continued) / PARTIE A (suite)**

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets?  
Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS? ☒ No ☐ Yes  
Non Oui  
If Yes, indicate the level of sensitivity:  
Dans l'affirmative, indiquer le niveau de sensibilité :

9. Will the supplier require access to extremely sensitive INFOSEC information or assets?  
Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate? ☒ No ☐ Yes  
Non Oui

Short Title(s) of material / Titre(s) abrégé(s) du matériel :  
Document Number / Numéro du document :

**PART B - PERSONNEL (SUPPLIER) / PARTIE B - PERSONNEL (FOURNISSEUR)**

10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis

<input checked="" type="checkbox"/> RELIABILITY STATUS COTE DE FIABILITÉ	<input type="checkbox"/> CONFIDENTIAL CONFIDENTIEL	<input type="checkbox"/> SECRET SECRET	<input type="checkbox"/> TOP SECRET TRÈS SECRET
<input type="checkbox"/> TOP SECRET- SIGINT TRÈS SECRET - SIGINT	<input type="checkbox"/> NATO CONFIDENTIAL NATO CONFIDENTIEL	<input type="checkbox"/> NATO SECRET NATO SECRET	<input type="checkbox"/> COSMIC TOP SECRET COSMIC TRÈS SECRET
<input type="checkbox"/> SITE ACCESS ACCÈS AUX EMPLACEMENTS			

Special comments:  
Commentaires spéciaux : \_\_\_\_\_

NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided.

REMARQUE : Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être fourni.

10. b) May unscreened personnel be used for portions of the work?  
Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail? ☒ No ☐ Yes  
Non Oui  
If Yes, will unscreened personnel be escorted?  
Dans l'affirmative, le personnel en question sera-t-il escorté? ☒ No ☐ Yes  
Non Oui

**PART C - SAFEGUARDS (SUPPLIER) / PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)**

**INFORMATION / ASSETS / RENSEIGNEMENTS / BIENS**

11. a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or premises?  
Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS? ☒ No ☐ Yes  
Non Oui

11. b) Will the supplier be required to safeguard COMSEC information or assets?  
Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC? ☒ No ☐ Yes  
Non Oui

**PRODUCTION**

11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises?  
Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ? ☒ No ☐ Yes  
Non Oui

**INFORMATION TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)**

11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED information or data?  
Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS? ☒ No ☐ Yes  
Non Oui

11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency?  
Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale? ☒ No ☐ Yes  
Non Oui



Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME



Government  
of Canada

Gouvernement  
du Canada

Contract Number / Numéro du contrat

EP076-212732

Security Classification / Classification de sécurité  
UNCLASSIFIED

**PART C - (continued) / PARTIE C - (suite)**

For users completing the form **manually** use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.

Les utilisateurs qui remplissent le formulaire **manuellement** doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form **online** (via the Internet), the summary chart is automatically populated by your responses to previous questions.

Dans le cas des utilisateurs qui remplissent le formulaire **en ligne** (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

**SUMMARY CHART / TABLEAU RÉCAPITULATIF**

Category Catégorie	PROTECTED PROTÉGÉ			CLASSIFIED CLASSIFIÉ			NATO				COMSEC					
	A	B	C	CONFIDENTIAL  CONFIDENTIEL	SECRET	TOP SECRET  TRÈS SECRET	NATO RESTRICTED	NATO CONFIDENTIAL	NATO SECRET	COSMIC TOP SECRET COSMIC TRÈS SECRET	PROTECTED PROTÉGÉ			CONFIDENTIAL	SECRET	TOP SECRET
											A	B	C			
Information / Assets Renseignements / Biens Production																
IT Media / Support TI																
IT Link / Lien électronique																

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED?

La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE?

☒ No ☐ Yes  
Non Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification".

Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.

12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED?

La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE?

☒ No ☐ Yes  
Non Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments).

Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquer qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**002**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

---

**ANNEX D**  
**Additional Specifications, Certifications**

This Annex includes the additional Specifications, Certifications associated with NSA product. *(if applicable)* forming part of the requirement.

**1. Specifications**

**2. Certifications**

**.1 NSA Product Conformance**

**2.1 NSA Product Conformance** *(Required precedent to Issuance of a contract)*

The Supplier certifies that all the NSA products offered will conform to all specifications indicated in Annex A and D of the RFB, and meet the testing and performance requirements found at ANNEX A-1 and A-2 of the Supply Arrangement, as applicable.

---

Supplier's Signature

---

Date

**NSA Product Conformance Certification** *(applies after contract award)*

The Supplier warrants that the NSA Product Conformance Certification submitted by the Supplier with its bid is accurate and complete. The Supplier must keep proper records and documentation relating to the NSA product conformance and the testing requirements in this Annex, as applicable. The Supplier must not, without obtaining the prior written consent of the SAA, dispose of any such records or documentation until the expiration of the Contract or the expiry date of the Warranty, whichever is later. All such records and documentation must at all times during the retention period be open to audit, inspection and examination by the representatives of Canada, who may make copies and take extracts.

In addition, the Supplier must provide representatives of the SAA access to all locations where any part of the Work is being performed at any time during working hours. Representatives of the SAA may examine and test the Work as they see fit. The Supplier must provide all assistance and access to facilities, test pieces, samples and documentation that the representatives of the SAA may reasonably require for the carrying out of the inspection, which may also include the submission of test reporting documentation as listed in Annex A and D. The Supplier must forward such test pieces, samples and/or documentation that may also include letters of certification from the laboratories to such person or location as the representatives of the SAA specifies.