



**RETURN BIDS TO:**

**RETOURNER LES SOUMISSIONS À:**

Bid Receiving - PWGSC / Réception des soumissions -  
TPSGC

11 Laurier St./11, rue Laurier  
Place du Portage, Phase III  
Core 0B2 / Noyau 0B2  
Gatineau, Québec K1A 0S5  
Bid Fax: (819) 997-9776

**SOLICITATION AMENDMENT  
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise  
indicated, all other terms and conditions of the Solicitation  
remain the same.

Ce document est par la présente révisé; sauf indication contraire,  
les modalités de l'invitation demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du**  
**fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
Furniture Division/Division des ameublements  
L'Esplanade Laurier,  
East Tower 7th Floor  
Tour est 7e étage,  
140 O'Connor, Street,  
140 O'Connor, rue O'Connor,  
Ottawa  
Ontario  
K1A 0R5

<b>Title - Sujet</b> DFO 222 Nepean (PSAB) - Cat. 4 & 6 DFO 222 Nepean (PSAB) - Cat. 4 and 6	
<b>Solicitation No. - N° de l'invitation</b> EP076-212732/A	<b>Amendment No. - N° modif.</b> 003
<b>Client Reference No. - N° de référence du client</b> 20212732	<b>Date</b> 2021-04-11
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$\$PQ-501-79866	
<b>File No. - N° de dossier</b> pq501.EP076-212732	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> Eastern Daylight Saving Time EDT <b>on - le 2021-04-15</b> Heure Avancée de l'Est HAE	
<b>F.O.B. - F.A.B.</b>	
<b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Quan, Kingue	<b>Buyer Id - Id de l'acheteur</b> pq501
<b>Telephone No. - N° de téléphone</b> (873) 355-3851 ( )	<b>FAX No. - N° de FAX</b> ( ) -
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> See Herein	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

Amendment **003** is raised to publish questions and answers and modify the solicitation as follows:

1. **Questions and Answers**

**Question 19:**

Cat.6A- Item 1 - The "T1" tables for this item are shown in a boardroom configuration, which would result in post legs being doubled up where the tables are pushed together. Would Canada prefer one Large Meeting Table 48"x180" (GoCUID: 6MMTLGREOL48180WYNX) in place of three 48x60 tables pushed together? This would optimize seating and leg room around the table.


**Answer 19:** Yes.

**Question 20:**

Cat.6A- Item 2 - Please confirm the exact location of the outlets and tables, with measurements, so that a cord length can be calculated. Note that there needs to be 4 outlets located at the column to receive plugs from 4 power/data modules. Daisy-chaining power bars is not permissible under the Ontario Electrical Code.

**Answer 20:**

Provide a total of 2 power/data modules per T2 surface. T2 tables to be ganged together when side by side complete with wire management for power to run through both tables together. The power source is provided at window side of T2 table. Refer to sketch below showing raceway power supply location.



**Question 21:**

Cat.6A- Item 4 - The GoCUID for this item represents a Counter Height table, which will not be compatible with the Standard Height kitchenette chairs tagged as CH5. Would Canada also accept GoCUID: 6MMTSMSQPL36L36WNNX, which is a Standard Height dining table?

**Answer 21:**

See response to question #14.

**Question 22:** Cat.6A- Item 8:

The T- legs and casters specified with these tables are not recommended as compatible with banquette seating, as it may interfere with people entering the booth. Would Canada also accept an NSA fixed pedestal base made for banquette seating?

This GoCUID has a modesty as part of the description. Would Canada like the modesty removed to suit this

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

---

application?

**Answer 22:** The T shaped legs is a requirement. The casters and modesty panels are not required..

**Question 23:**

Cat.6A- Item 11 - This GoCUID is for a multi-media which according to SA details must have "integrated monitor support panel". If a kitchen table with waterfall edge is required please move it to NSA, as the details added here fall outside the scope of the Specification and are creating a new type of product.

**Answer 23:**

This item has been changed to non-SA product. Please refer to revised table.  
The table is to be at counter height (34" to 36" high), rectangular 42" x 108" with waterfall / gable edges, in a high pressure laminate finish, complete with two power boxes with 2xAC, and 2xUSB per box.

**Question 24:** Cat.6A- Item 14 - Would Canada also accept a height of 20", as it provides the same function?

**Answer 24:** Yes.

**Question 25:**

Cat.6A- Item 24 - Please clarify or provide a sketch of where a modesty panel would be positioned on a table of this shape/size?

**Answer 25:**

The modesty panel is to be installed perpendicular to TV. Table to be similar to 6CMUSHDSRL48L60WYXX but with no monitor.

**Question 26:**

Cat.6A- Item 26 - Would Canada also accept two tables 75" long and connected together to provide the total length of 150"?

**Answer 26:** Yes, ensure tables are connected.

**Question 27:**

Cat.6A- Item 28 - Bidders cannot guarantee that these 'T26' tables will attach to the 'S9' benching, as these products are not in the same category product table and could be awarded to different manufactures/suppliers. Can these tables be made free-standing instead of integrated?

**Answer 27:**

Items T26 and S9 have been place in a new table title Cat 6F. Please see revised RFB.

**Question 28:** Cat.6A- Item 30 - Would Canada also accept two tables 75" long and connected together to provide the total length of 150"??

**Answer 28:** Yes, ensure tables are connected.

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

---

**Question 29:** Cat.6B- Items 4,5,6,7:

These four items all have the same GoCUID. The additional details and varying sizes push them outside of the scope of the Specification for modular benching. Please move these items to NSA.

Additionally, we recommend that these items, along with the tables tagged as 'T26' and 'T27', be moved to their own product table as they are desired to be integrated and need to be from the same manufacturer.

**Answer 29:** Items T27, S3, S4, S5, & S6 have been placed in a new table title Cat 6E. Refer to attached revised RFB for further details

**Question 30:** Cat.6B- Items 11, 12, 13, 14 - Would Canada also accept benches that meet the size & material requirements, but are without armrests?

**Answer 30:** No.

**Question 31:** Cat.6C - Item 3 - Would Canada also accept GoCUID: 6KBSCHxxLY15XXXPOYX, with 4 legs?

**Answer 31:** Yes, ensure chair base matches CH4 chair base.

**Question 32:** Cat.6C - Item 4 - Would Canada also accept GoCUID: 6KBSBHxxLY15XXXROYX, with 4 legs?

**Answer 32:** Yes, ensure chair base matches CH3 chair base.

**Question 33:** Cat.6C - Item 7 - Would Canada also accept a vinyl upholstered chair with wood arms?

**Answer 33:** Yes.

**Question 34:** Cat.6C - Item 9 - Would Canada also accept GoCUID: 6KKCSAxxLY16XXXMIYX?

**Answer 34:** No.

**Question 35:** Cat.6D - Item 1:

This item is requesting a 42" diameter, which is nearly double the size drawn on the plans and does not seem appropriate to the application. Would Canada prefer a 24" small ottoman GoCUID: 6SUOPRXXLUXXXXLNNN?

Would Canada allow the 'O1' ottoman to be from its own series, as the fabric/finish offerings would be the same as the 'P1' lounge chairs, and have a similar aesthetic?

**Answer 35:** Change GoCuid for 'O1' to 24" diameter ottoman, 6SUOPRXXLUXXXXLNNN. Ottoman to have same fabric options and be compatible with 'P1' lounge chair.

**Question 36:** Cat.6D - Item 3:

Would Canada also accept the power module attached to the chair, as it would provide the same function and convenience?

The plans provided do not show any adjacent workstations. Can an electrical plan be provided?

Solicitation No. - N° de l'invitation

**EP076-212732/A**

Client Ref. No. - N° de réf. du client

**20212732**

Amd. No. - N° de la modif.

**003**

File No. - N° du dossier

**pq501.EP076-212732**

Buyer ID - Id de l'acheteur

**pq501**

CCC No./N° CCC - FMS No./N° VME

---

**Answer 36:** Yes, an attached power module is acceptable. Ensure the cord can reach the power source without causing a tripping hazard. Power source will be provided at one side where P1 is grouped together.

**Question 37:**

Cat.6D - Item 4 - The description of these items appears to match one specific manufacturer. Can this item be removed from the bid, and sole sourced in a separate contract? Including it in this tender will block qualified bidders from the entire category.

**Answer 37:** Item has been moved to a new table title Cat 6G. Please see revised RFB.

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

---

2. The Solicitation is revised as follows:

#### **TABLE OF CONTENTS**

Section 1 – Invitation and Instructions to Bidders

Section 2 – Resulting Contract including a list of required goods and services

#### **SECTION 1 – INVITATION AND INSTRUCTIONS TO BIDDERS**

**Step 1. For Tier 2 and Tier 3 only (If Tier 1, skip this step and proceed with step 2)**

**Step 2.  Competitive**

For competitive Requirements when only one bid is received:

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

For Competitive Requirements when only one bid is received:

The Bidder must provide the following information AFTER bid closing, if requested to do so by Canada:

- One or more of the following price justifications:
  1. a current published price list indicating the percentage discount available to Canada; or
  2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
  3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
  4. any other supporting documentation as requested by Canada.

**Step 3.  PSAB**

For PSAB procurement:

Canadian Content

The Supplier should propose conforming products(s) denoted as “Canadian Content” in the Supplier’s SA. Canada may preference all bids containing products(s) with this designation.

#### **Terms of the RFB:**

This RFB is issued pursuant to the Supplier’s Furniture for Workspaces Supply Arrangement (SA) that forms part of the series of SAs issued by PWGSC with the number E60PQ-140003/PQ. The terms and conditions in the Supplier’s SA apply to and form part of this RFB. Bidders who submit a bid agree to be bound by those terms and conditions as well as the terms and conditions in this RFB.

The WTCM is the Workspaces Terms and Conditions Manual that contains all terms and conditions in full text that form part of individual RFBs under this SA.

The Bidder must provide the following information WITH the bid:

- The information requested by Canada in Annex A herein.

The Bidder must also provide the information at article 4 below at the time indicated in article 3.

#### **Security Requirement:**

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

1. Conditions
  - a. the Bidder must hold a valid organization security (VOS) clearance as indicated in Annex B;
  - b. the Bidder's proposed individuals requiring access to classified or protected information, assets or sensitive work site(s) must meet the security requirement as indicated in Annex B.
2. For additional information on security requirements, bidders should refer to the Canadian Industrial Security Directorate (CISD), Industrial Program of Public Works and Government Services Canada (<http://ssi-iss.tpsgc-pwgsc.gc.ca/index-eng.html>) website.
3. The conditions in article 1 above must be met by the Bidder (the checked box applies):
  - a.  by the closing date of the bid;
  - b.  before the award of a contract. Bidders are reminded to obtain the required security clearance promptly. Any delay in the award of a contract to allow the successful bidder to obtain the required clearance will be at the entire discretion of the Contracting Authority.
4. Bidders are to supply the following information, as a minimum, to demonstrate compliance with the Security Requirement.
  - a. The Bidder's valid VOS clearance number issued by CISD;
  - b. The name of all individuals who will require access to classified or protected information, assets or sensitive work sites. It is desirable to also include their date of birth, their middle name, and their security clearance number issued by CISD.

#### Bid Evaluation

An evaluation team composed of representatives of Canada will evaluate the bids.

<b>RFB Issued by:</b>	
Identified User's (IU) Department/Agency/Crown Corporation: Contact for this RFB:	See Section 2, article 4.1 below.
<b>RFB Closing - Submit Bid:</b> Bids must be submitted on the date and at the time indicated below.	
By no later than date and time:	a. See page 1 of the solicitation document.
To physical location ( <i>if applicable</i> )	Bid Receiving Unit – PWGSC 11 Laurier Street Place du Portage, Phase III Core OB2 Gatineau, Quebec K1A 0S5
<b>Additional Bid Submission option epost Connect service:</b>	<b>NCR address ONLY:</b> <a href="mailto:tpsgc.dgareceptiondessoumissions-abbidReceiving.pwgsc@tpsgc-pwgsc.gc.ca">tpsgc.dgareceptiondessoumissions-abbidReceiving.pwgsc@tpsgc-pwgsc.gc.ca</a>
<b>RFB Enquiries</b>	
Unless a different period is listed in the adjacent column, Bidders may submit enquires about the RFB to the Contracting Authority two business days prior to the RFB closing date. Enquiries received after the timeline indicated may not be answered.	5 business days

#### SECTION 2 - RESULTING CONTRACT CLAUSES

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

<b>1.</b>	<b>Terms and Conditions of the Contract</b>	
	The terms and conditions of Parts 6B and 6C of the Supplier's SA within the series E60PQ-140003/PQ apply to and form part of this Contract.	
<b>2.</b>	<b>Security Requirement</b> (the checked article applies)	
2.1	The applicable security requirement(s) is (are) set out in the Security Requirement Check List attached as Annex B of this contract. The Contractor must fulfill the security requirements by meeting the terms below.	
a.		<b>Contractor may be escorted; possession of security clearance not required.</b> Contractor personnel MAY NOT ENTER NOR PERFORM WORK ON sites where PROTECTED or CLASSIFIED information or assets are kept, without an escort provided by the department or agency for which the work is being performed.
b.	<b>X</b>	<b>Possession of security clearance(s) is required.</b> The Contractor must meet the security clearance requirements contained in the clausing in Annex B herein.
c.		<b>There is no security requirement associated with this contract.</b>
<b>3.</b>	<b>Requirement</b>	
3.1	The Contractor must perform the Work listed in Annex A herein.	
<b>4.</b>	<b>Authorities</b>	
4.1	<b>Contracting Authority (IU)</b>	
	Name:	<b>King Quan</b>
	Title:	<b>Supply Officer</b>
	Department/Agency/Crown Corporation:	<b>PSPC</b>
	Address:	<b>140 O'Connor Street, Ottawa Ontario K1A 0R5</b>
	Telephone No.:	<b>(873) 355-3851</b>
	E-mail address:	<a href="mailto:King.Quan@tpsgc-pwgsc.gc.ca">King.Quan@tpsgc-pwgsc.gc.ca</a>
4.2	<b>Project Authority [To be completed at contract award]</b> <i>The Project Authority (PA) is the representative of the department or agency for whom the Work is being carried out under the Contract including the provision to approve the authority to proceed for delivery and installation and is responsible for all matters concerning the technical content of the Work under the Contract.</i>  <i>In addition, the PA is also responsible for ensuring that the Supplier's employees and subcontractors requiring access to the site adhere to the allocated time for the Supplier to access the site to deliver and install the furniture in accordance with the master schedule held by the General Contractor (a representative of Canada or a service provider(s) under contract with the Government of Canada).</i>	
	Name:	
	Title:	
	Department/Agency/Crown Corporation:	
	Address:	
	Telephone No.:	
	E-mail address:	
4.3	<b>Contractor's Representative</b>	
	As set out in Annex A, Table 9 below.	
<b>5.</b>	<b>Method of Payment</b>	
	The checked box applies. If the Contractor's SA indicates acceptance for payment by credit card, that method may be used in conjunction with the following.	
	<input type="checkbox"/>	Single Payment
	<input checked="" type="checkbox"/>	Multiple Payment
<b>6.</b>	<b>Invoicing (optional)</b>	

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

---

	Further to the Invoicing terms of the WTCM document, the Contractor will deliver the original and one copy of the invoice to the following address for certification and payment:
--	---

	Name of the organization and contact: <i>[To be completed at contract award]</i>
--	--

	Address:
--	----------

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

---

**ANNEX A**  
**REQUIREMENT and BASIS OF PAYMENT**

---

1. Category Selection

The requirement includes the following categories of work:

Category 4 – Wood Veneer – Freestanding Products

Category 6 - Support Space – Collaborative Furniture

**RULE:** Category 6 can be further subdivided by space or like product in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like products are defined as products with similar design and construction. If NSA products form part of the requirement, the IU must validate the 30% NSA prior to subdividing the category. NSA products can be added to any subdivide or in its own subdivide.

Category 6 is divided as follows: Category 6A, 6B, 6C, 6D and 6E

NSA Product(s) – Category(ies): Category 6

2. Product and Pricing Tables

Site Inspection Date: To be coordinated with Project Authority after contract award. (*Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.*)

**INSTRUCTIONS TO BIDDERS:** Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 8 and 9. **Bidders must provide a complete product offering for each category, or CAT 6 sub-divide they wish to submit a bid in order to be compliant.**

**\*\*Refer to article 6A.7 for instructions on how to submit products that are not approved in product listing.\*\***

In a resulting contract, the term "Bid" means the Supplier's commitment, the term "Bidder" means "Contractor".

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

## Product Category: 4

**Table 1 – Product Table**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	T20 4FSMTROPEWVN36XXX WN	TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE MUST BE COMPATABLE WITH CH8	2		\$	\$
2	T31 6FSMTROPEWVN42XXX WN	TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE MUST BE COMPATIBLE WITH CH9	1		\$	\$
				Product Total	\$	\$

**Table 2 - Delivery**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-2	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific	2021-12-30	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

	quantities per GoCUID for delivery and installation				
1-2	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

**Table 3 – Installation**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
1-2	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15 to 2021-09-29	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29 to 2021-10-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON	2021-12-30- to 2022-01-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for</i>	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

	Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation			<i>furniture delivery and installation.</i>	
1-2	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24 to 2022-04-07	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Installation Total:	\$

## Product Category: 6A

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	T1 6MMTMDREOL48L60WYNX	INTEGRATED TABLETOP ELECTRICAL/DATA/AUDIO/VISUAL CONNECTIONS	27	no		\$	\$
2	T2 6CKIVAREWL42L60PYXX OR 6CKIVAREGL42L60PYXX	WIRE MANAGEMENT MUST BE PROVIDED ENSURE POWER CORD IS LONG ENOUGH TO PLUG INTO ADJACENT COLUMN CORD TO GO ALONG PERIMETER POWER / DATA MODULES: 2 PER SURFACE (4 TOTAL) SUPPORT: END GABLES/ WATERFALL EDGE MUST BE COMPATIBLE WITH CH4	18	No		\$	\$
3	T3 6MMTSMRELL30L42WNNX	HIGH PRESSURE LAMINATE LOCKING CASTERS POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP	29	no		\$	\$
4	T5 6MMTMSQPL36L36WNNX	MUST BE COMPATIBLE WITH CH5 TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE	87	yes		\$	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

5	T6 6CLTVAREXLW7<36ONXX	MUST BE COMPATIBLE WITH S1, S2, S3, S5 AND S7	149	<b>No</b>			
6	T7 6CSTVAROPL24XXJNXX	HEIGHT: FOURTEEN (14) TABLES TO BE 18", REMAINDER OF TABLES TO BE 21" TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE	81	<b>no</b>			
7	T8 6CKIVAREWL48L84TYXX OR 6CKIVAREGL48L84TYXX	POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP MUST BE COMPATIBLE WITH CH3	7	<b>no</b>			
8	T9 6MTRXTRECL30L72WYYY	SUPPORT: T-LEGS MUST BE COMPATIBLE WITH B1 POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP	27	<b>no</b>			
9	T11 6CKIVAREWL48L96TYXX OR 6CKIVAREGL48L96TYXX	MUST BE COMPATIBLE WITH CH3 ELECTRICAL TO BE INTEGRATED INTO TABLE TOP	9	<b>no</b>			
10	T13 6MMTLGREOL48120WYNX	POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP	18	<b>no</b>			
11	T15 6MMTMDREOL36L72WYNX	POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP	6	<b>no</b>			
12	T17 6MTRFTRECL30L60WYYY	SUPPORT: T-LEGS POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP MUST HAVE LOCKABLE CASTERS TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE	27	<b>no</b>			
13	T18 6CCTVAROPS36XXXJNXX	WIDTH: 36" / 914MM HEIGHT: 19" - 20" / 483-508 MM TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE	3	<b>no</b>			
14	T19 6CKIVAREWL36L60TYXX OR 6CKIVAREGL36L60TYXX	POWER AND DATA MUST BE INTEGRATED INTO TABLE MUST BE COMPATIBLE WITH CH3	2	<b>no</b>			
15	T21 6MMTMSQPL36L36WNNX	TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE	1	<b>no</b>			
16	T22 6MMTSMROPL48XXXWNNX	TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE	5	<b>no</b>			
17	T23 6MMTLGREOW60156WYNX	TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP	2	<b>no</b>			

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

18	T24 6MTRXTRELL30L48WYYY	POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP	10	no			
19	T25 6MMTMDREOL42L66WYNX	POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP MUST BE COMPATABLE WITH CH3	1	no			
20	T30 6CKIVAREWL48L96PYXX OR 6CKIVAREGL48L96PYXX	MUST BE COMPATIBLE WITH CH4 ELECTRICAL TO BE INTEGRATED INTO TABLE TOP	7	no			
21	T32 6MMTMDREOL48L90WYNX	POWER AND DATA MUST BE INTEGRATED INTO TABLE	9	no			
22	T33 6CSTVAROPG24XXXJNXX	TABLE BASE MUST NOT IMPEDE WITH END USER'S ABILITY TO SIT AT THE TABLE MUST BE COMPATIBLE WITH CH7, S8 AND CH2	7	no			

**\*\*Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

**NSA products (must not exceed 30% of the firm quantity by category)**

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B - SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
23	T4 WORK ROOM TABLE (T4) D SHAPE HIGH PRESSURE LAMINATE PROVIDE FULL HPL MODESTY PANEL WIDTH: 48" / 1219MM LENGTH: 60" / 1524MM HEIGHT: 30" / 762MM INCLUDE 2XAC & 2XUSB TABLE BASE ALLOWS FOR FULL PERIMETER SEATING AND MUST NOT IMPEDE WITH USER'S ABILITY TO SIT AT THE TABLE.	39	Yes		\$	\$
24	T10 TOUCHDOWN TABLE (T10) RECTANGULAR HIGH PRESSURE LAMINATE WIDTH : 30" / 762MM LENGTH: 102" / 2590MM HEIGHT: 34"-37 / 864MM-940MM (COUNTER HEIGHT) SUPPORT: PANEL MUST BE COMPATIBLE WITH CH3 ELECTRICAL TO BE INTEGRATED INTO TABLE TOP	9	no		\$	\$
25	T12 TOUCHDOWN TABLE (T12) RECTANGULAR HIGH PRESSURE LAMINATE WIDTH : 30" / 762MM	9	no			

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

	LENGTH: 150" / 3810MM HEIGHT: 41"-43" / 1041-1092MM SUPPORT: WATERFALL EDGE <b>OR END GABLE</b> MUST BE COMPATIBLE WITH CH4 ELECTRICAL TO BE INTEGRATED INTO TABLE TOP					
26	T16 CONFERENCE TABLE (T16) RECTANGULAR HIGH PRESSURE LAMINATE SUPPORT: POST LEGS HEIGHT: 29" / 737MM WIDTH: 60" / 1524MM LENGTH: 78" / 1981MM POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP	2	no			
27	T28 TOUCHDOWN TABLE (T28) RECTANGULAR HIGH PRESSURE LAMINATE WIDTH : 30" / 762MM LENGTH: 150" / 3810MM HEIGHT: 34"-37" / 864-940MM SUPPORT: WATERFALL EDGE <b>OR END GABLE</b> MUST BE COMPATIBLE WITH CH3 ELECTRICAL TO BE INTEGRATED INTO TABLE TOP	1	no			
28	T29 PROJECT ROOM TABLE (T29) RECTANGULAR HIGH PRESSURE LAMINATE WIDTH: 42" / 1067MM LENGTH: 60" / 1524MM MUST BE PROVIDED IN SEATED HEIGHT (29-30 INCHES ABOVE FINISHED FLOOR) POWER AND DATA MUST BE INTEGRATED INTO TABLE TOP	1	No			
29	T14 RECTANGULAR SHAPE HIGH PRESSURE LAMINATE SUPPORT – WATERFALL OR END GABLES HEIGHT – 863.60 – 814.40 MM (34 -36 INCHES) WIDTH – 1066.80 MM (42 INCH) LENGTH – 2743.20 MM (108 INCH) PROVIDE TWO (2) BOXES WITH 2xAC AND 2xUSB PER BOX MUST BE COMPATIBLE WITH CH6	10	YES			
				Product Total	\$	\$

**Table 2 - Delivery**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-29	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup>	2021-09-15	Outside Normal	_____ : weeks	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

	222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation			<i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	
1-29	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-29	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-29	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

**Table 3 – Installation**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
1-29	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15 to 2021-09-29	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

1-29	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29 to 2021-10-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-29	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30- to 2022-01-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-29	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24 to 2022-04-07	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Installation Total:	\$

## Product Category: 6B

Table 1 – Product Table – 6B

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	B1 6SBBTHXXLUW5G19LMNN	FULLY UPHOLSTERED MUST BE COMPATIBLE WITH T9	66	no		\$	\$
2	S1 6SSOTHXXLUW6XXXQNNY	FULLY UPHOLSTERED	18	no		\$	\$
3	S2 6SSOTWXXLUW4XXXQNNN	VINYL SEAT WITH UPHOLSTERED BACK	32	no		\$	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

4	S7 6SBBTWXXLUW3G19LMNN	MUST HAVE VINYL SEAT AND UPHOLSTERED BACK	61	yes			
5	S8 6SSOTWXXLUW4XXQNNY	MUST HAVE OUTER BACK IN WOOD SURROUND FULLY UPHOLSTERED WIDTH: 66" / 1676MM INCLUDING ARMRESTS	3	yes			

**\*\*Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

**NSA products (must not exceed 30% of the firm quantity by category)**

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
6	B2 BENCH AT LOCKER AREAS WITH ARMRESTS UNIT MUST BE 24" (610MM) X 48" (1219MM) RECTANGULAR PAINTED METAL FINISH WITH VINYL UPHOLSTERED CUSHION. BASE: 4 POST LEGS SEAT HEIGHT TO BE 15"-18" (381MM-457MM)	14	no		\$	\$
7	B3 BENCH AT LOCKER AREAS WITH ARMRESTS UNIT MUST BE 24" (610MM) X 34" (864MM) RECTANGULAR PAINTED METAL FINISH WITH VINYL UPHOLSTERED CUSHION. BASE: 4 POST LEGS SEAT HEIGHT TO BE 15"-18" (381MM-457MM)	8	no		\$	\$
8	B4 BENCH AT LOCKER AREAS WITH ARMRESTS UNIT TO BE 20" (508MM) X 54" (1372MM) RECTANGULAR PAINTED METAL FINISH WITH VINYL UPHOLSTERED CUSHION. BASE: 4 POST LEGS SEAT HEIGHT TO BE 15"-18" (381MM-457MM)	1	no			
9	B5 BENCH AT LOCKER AREAS WITH ARMRESTS UNIT TO BE 20" (508MM) X 30" (762MM) RECTANGULAR PAINTED METAL FINISH WITH VINYL UPHOLSTERED CUSHION. BASE: 4 POST LEGS SEAT HEIGHT TO BE 15"-18" (381MM-457MM)	1	no			
				Product Total	\$	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

**Table 2 - Delivery**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-9	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-9	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-9	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-9	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

**Table 3 – Installation**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
1-9	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup>	2021-09-15 to 2021-09-29	Normal	_____ : weeks from date of supply and delivery	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

	222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation				<i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	
1-9	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29 to 2021-10-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$	
1-9	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30- to 2022-01-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$	
1-9	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24 to 2022-04-07	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$	
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					Installation Total:	\$

## Product Category: 6C

Table 1 – Product Table – 6C

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	CH1 6STCWRXXLUXXXXXXNNX	VINYL SEAT WITH UPHOLSTERED BACK LEG BASE WITH CASTERS	64	no		\$	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

2	CH2 6STCWLXLXLUXXXXXNNX	VINYL SEAT WITH UPHOLSTERED BACK LEG BASE WITH CASTERS	67	no		\$	\$
3	CH3 6KBSCHxxSY15XXXPOYX OR 6KBSCHxxLY15XXXPOYX	COUNTER HEIGHT BACKREST	129	no		\$	\$
4	CH4 6KBSBHxxSY15XXXROYX OR 6KBSBHxxLY15XXXROYX		160	no		\$	\$
5	CH5 6KKCSAxxSY16XXXMONX	STANDARD HEIGHT MUST BE COMPATIBLE WITH T5	116	no			
6	CH6 6KBSCHxxSY15XXXPONX	COUNTER HEIGHT MUST BE COMPATIBLE WITH T14	44	no			
7	CH7 6SLCWAXXFUXXXXXMXXX	LOUNGE CHAIR C/W ARMRESTS MUST HAVE OUTER BACK IN WOOD SURROUND MUST HAVE AN INSIDE UPHOLSTERED BACK WITH VINYL SEAT WIDTH: 30" / 762MM DEPTH: 20" / 508MM	7	yes			
8	CH8 6KKCSAxxLP16XXXMIYX	STANDARD HEIGHT UPHOLSTERED SEAT AND BACK CASTERS MUST BE COMPATIBLE WITH T19 AND T20	4	yes			
9	CH9 6KKCSAxxLP16XXXMIYX	STANDARD HEIGHT UPHOLSTERED SEAT AND BACK CASTERS MUST BE COMPATIBLE WITH T31	10	yes			
10	CH10 6KKCSAxxSY16XXXMONX	STANDARD HEIGHT UPHOLSTERED SEAT MUST BE COMPATIBLE WITH T17	19	yes			

**\*\*Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

**NSA products (must not exceed 30% of the firm quantity by category)**

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
11	KITCHENETTE CHAIRS – TAG SCH1 STANDARD HEIGHT WITH ARMREST WITH A SEAT CUSHION POST LEGS WITH CASTERS STACKABLE UPHOLSTERED SEAT AND BACK MUST BE COMPATIBLE WITH T17	19	yes		\$	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

		Product Total	\$	\$
--	--	---------------	----	----

**Table 2 - Delivery**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-11	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-11	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-11	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-11	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

**Table 3 – Installation**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
1-11	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15 to 2021-09-29	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-11	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29 to 2021-10-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-11	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30- to 2022-01-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-11	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24 to 2022-04-07	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

## Product Category: 6D

**Table 1 – Product Table – 6D**

#	Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
<b>Category 6D</b>						
1.	<b>O1</b> 6SUOPRXXLUXXXXLNNN	<b>DIAMETER: 24"/610 MM</b> <b>SUPPORT: LOCKING CASTERS</b> <b>MUST BE FROM THE SAME SERIES AS P1</b>	60		\$	\$
2.	<b>O2</b> 6SUOPSXXLUXXXXLNNN	<b>WIDTH: 24" / 610MM</b> <b>DEPTH: 24" / 610MM</b> <b>SUPPORT: LOCKING CASTERS</b>	3		\$	\$
3.	<b>P1</b> 6OPLWFLSLXC3H46XYWS	<b>FREE STANDING</b> <b>SEATED PRIVACY SCREEN HEIGHT</b> <b>FULLY UPHOLSTERED</b> <b>CLIP ON POWER MODULE- CLAMPED TO TABLET ARM TO BE INCLUDED WITH WORK POD.</b> <b>MODULE TO PLUG INTO ADJACENT WORKSTATION PANELS/ WALL.</b>	57		\$	\$

**Table 2 - Delivery**

Product Item # from Table 1	Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID	
	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-3	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-3	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-3	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street	2021-12-30	Outside Normal	____ : weeks	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

	Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation			<i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	
1-3	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

**Table 3 – Installation**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
1-3	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15 to 2021-09-29	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-3	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29 to 2021-10-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-3	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street	2021-12-30- to 2022-01-13	Normal	_____ : weeks from date of supply and delivery	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

	Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation			<i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	
1-3	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24 to 2022-04-07	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Installation Total:	\$

## Product Categories: 6E

Table 1 – Product Table – 6E

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
<b>Category 6E</b>						
1.	M1 6LMMDMWSXDW8XXXXNNN		1		\$	\$
2.	M2 6LWBFVWSXXXXXXXXNNN	WIDTH: 48" / 1219MM	4		\$	\$
				Product Total		\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

**Table 2 - Delivery**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-2	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

**Table 3 – Installation**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
1-2	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15 to 2021-09-29	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29 to 2021-10-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30- to 2022-01-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-2	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24 to 2022-04-07	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

**Product Category: 6F**

**Table 1 – Product Table – 6F**

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	S3 6SMORBXXLU25G19LYNN	ARMREST – LEFT FULLY UPHOLSTERED BACK HEIGHT : 42” – 48” (1066-1220mm) above finished floor to support bar height ledge table ‘T27’ INTEGRATED AND CONNECTED WITH S5 MUST BE FROM THE SAME SERIES AS S5	10	Yes		\$	\$
2	S4 6SMORBXXLU25G19LYNN	NO ARMRESTS FULLY UPHOLSTERED BACK HEIGHT : 42” – 48” (1066-1220mm) above finished floor to support bar height ledge table ‘T27’ INTEGRATED AND CONNECTED WITH S5, S6 AND T27 MUST BE FROM THE SAME SERIES AS S3, S5 AND S6	1	Yes		\$	\$
3	S5 6SMORBXXLU25G19LYNN	ARMREST – RIGHT FULLY UPHOLSTERED BACK HEIGHT : 42” – 48” (1066-1220mm) above finished floor to support bar height ledge table ‘T27’ INTEGRATED AND CONNECTED WITH S3, S4 AND T27 MUST BE FROM THE SAME SERIES AS S3, S4, S5 AND S6	12	Yes		\$	\$
4	S9 6SMORBXXLU25G19LYNN	NO ARMRESTS CONTINUOUS HIGH BACK BACK HEIGHT : 42” – 48” (1066-1220mm) above finished floor to support bar height ledge table ‘T26’ FULLY UPHOLSTERED INTEGRATED AND CONNECTED WITH T26	8	Yes			

**\*\*Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

**NSA products (must not exceed 30% of the firm quantity by category)**

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

5	T27 COLLABORATIVE LEDGE TABLE (T27) RECTANGULAR HIGH PRESSURE LAMINATE WIDTH : 10 -18" / 254 - 457MM LENGTH: 108" / 2743MM HEIGHT: 41"-43" / 1041-1092MM FREESTANDING OR INTEGRATED WITH S3, S4 AND S5 FULL PANEL BACK ATTACHED TO S3, S4 AND S5 MUST BE COMPATIBLE WITH CH4	1	YES		\$	\$
6	T26 COLLABORATIVE LEDGE TABLE (T26) RECTANGULAR HIGH PRESSURE LAMINATE WIDTH : 18" / 457MM LENGTH: 90" - 96" / 2286 - 2438MM HEIGHT: 41"-43" / 1041-1092MM INTEGRATED WITH S9 for base support FULL PANEL BACK ATTACHED TO S9 COMPATIBLE WITH CH4	2	Yes		\$	\$
				Product Total	\$	\$

**Table 2 - Delivery**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-6	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-6	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-6	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON	2021-12-30	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

	Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation				
1-6	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24	Outside Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

**Table 3 – Installation**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
1-6	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15 to 2021-09-29	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-6	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29 to 2021-10-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1-6	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE	2021-12-30- to 2022-01-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

	3 for specific quantities per GoCUID for delivery and installation				
1-6	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24 to 2022-04-07	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5  **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Installation Total:	\$

**Product Category: 6G**

**Table 1 – Product Table – 6F**

NSA products <i>(must not exceed 30% of the firm quantity by category)</i> The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.						
Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
#	NON-SA Product(s)	QTY	** Provide additional information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	P2 INDIVIDUAL LOUNGE POD C/W FIXED WORK SURFACE and/or TABLET ARM, AND OTTOMAN (P2) FREE STANDING SEATED PRIVACY SCREEN HEIGHT FULLY UPHOLSTERED LEG BASE Integrated power module on face of the pod MODULE TO PLUG INTO ADJACENT WORKSTATION PANELS/ WALL. DIAMETER : 42"-60"/1066-1524 MM	38	Yes		\$	\$
				Product Total	\$	\$

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

**Table 2 - Delivery**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24	Outside Normal	____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

**Table 3 – Installation**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
1	Department of Fisheries and Oceans (DFO) Phase 1 – Ground floor (Partial/MER/Entry), 10 <sup>th</sup> and 11 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 1 for specific quantities per GoCUID for delivery and installation	2021-09-15 to 2021-09-29	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1	Department of Fisheries and Oceans (DFO) Phase 2 – Floor 7 <sup>th</sup> , 8 <sup>th</sup> and 9 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 2 for specific quantities per GoCUID for delivery and installation	2021-09-29 to 2021-10-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1	Department of Fisheries and Oceans (DFO) Phase 3 – Floor 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2021-12-30- to 2022-01-13	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1	Department of Fisheries and Oceans (DFO) Phase 4 – Ground floor (Partial), 2 <sup>nd</sup> and 3 <sup>rd</sup> 222 Nepean Street Ottawa, ON  Please refer to Annex E - Furniture phasing document, tab labelled PHASE 3 for specific quantities per GoCUID for delivery and installation	2022-03-24 to 2022-04-07	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME

**Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications**

<b>1.</b>	<b>Standard Finishes</b>	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
<b>2.</b>	<b>Canada’s Facilities to Accommodate the Delivery</b>	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	<b>Loading Dock/Location</b>	
A	Location	Department of Fisheries and Oceans 222 Nepean Street Ottawa, ON K2P 0B8
B	Dock	10’-0” x 10’-0”
C	Lift	Does not exist
D	Door	Double doors 6’-0” x 6’-0”
E	Freight Elevator	Elevator cab #1 4’-1” D x 6’-6” W x 8’-6” H
F	Other (specify, if any)	
<b>3.</b>	<b>Continuance of Certifications</b>	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

**Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)**

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
5	<b>Total Evaluated (Bid) Price* (1 + 2 + 3 + 4) <i>[to be removed at contract award]</i></b>	\$
6	<b>Contract Price(1+2+3+4): <i>[applicable at contract award only]</i></b>	\$
7	<b>Applicable Taxes: <i>[applicable at contract award only]</i></b>	\$
8	<b>Total Estimated Cost (6+7): <i>[applicable at contract award only]</i></b>	\$

\* Applicable taxes extra.

**Table 9 – Bidder's Authorized Representative**

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

---

**ANNEX B**  
**SECURITY REQUIREMENTS**

**SECURITY REQUIREMENT FOR CANADIAN SUPPLIER:**  
**PWGSC FILE No. EP076-212732**

1. The Contractor/Offeror must, at all times during the performance of the Contract/Standing Offer, hold a valid Designated Organization Screening (DOS), issued by the Contract Security Program (CSP), Public Works and Government Services Canada (PWGSC).
2. The Contractor/Offeror personnel requiring access to sensitive site(s) must EACH hold a valid RELIABILITY STATUS, granted or approved by the CSP, PWGSC.
3. Subcontracts which contain security requirements are NOT to be awarded without the prior written permission of the CSP, PWGSC.
4. The Contractor/Offeror must comply with the provisions of the:
  - a) Security Requirements Check List and security guide (if applicable), attached at Annex B;
  - b) *Contract Security Manual* (Latest Edition).

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME



Government of Canada  
 Gouvernement du Canada

Contract Number / Numéro du contrat EP076-212732
Security Classification / Classification de sécurité UNCLASSIFIED

**SECURITY REQUIREMENTS CHECK LIST (SRCL)  
 LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)**

**PART A - CONTRACT INFORMATION / PARTIE A - INFORMATION CONTRACTUELLE**

1. Originating Government Department or Organization / Public Works and Government Services 2. Branch or Directorate / Direction générale ou Direction  
 Ministère ou organisme gouvernemental d'origine Canada RPS

3. a) Subcontract Number / Numéro du contrat de sous-traitance 3. b) Name and Address of Subcontractor / Nom et adresse du sous-traitant

4. Brief Description of Work / Brève description du travail  
 This contract is for a furniture contract (supply and install) for the building located at 222 Nepean St. Ottawa, ON, K2P 0B8

5. a) Will the supplier require access to Controlled Goods?  No  Yes  
 Le fournisseur aura-t-il accès à des marchandises contrôlées?  Non  Oui

5. b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control Regulations?  No  Yes  
 Le fournisseur aura-t-il accès à des données techniques militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques?  Non  Oui

6. Indicate the type of access required / Indiquer le type d'accès requis

6. a) Will the supplier and its employees require access to PROTECTED and/or CLASSIFIED information or assets?  No  Yes  
 Le fournisseur ainsi que les employés auront-ils accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS?  Non  Oui  
 (Specify the level of access using the chart in Question 7. c)  
 (Préciser le niveau d'accès en utilisant le tableau qui se trouve à la question 7. c)

6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted.  No  Yes  
 Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS n'est pas autorisé.  Non  Oui

6. c) Is this a commercial courier or delivery requirement with no overnight storage?  No  Yes  
 S'agit-il d'un contrat de messagerie ou de livraison commerciale sans entreposage de nuit?  Non  Oui

7. a) Indicate the type of information that the supplier will be required to access / Indiquer le type d'information auquel le fournisseur devra avoir accès

Canada  NATO / OTAN  Foreign / Étranger

7. b) Release restrictions / Restrictions relatives à la diffusion		
No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>	All NATO countries Tous les pays de l'OTAN <input type="checkbox"/>	No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>
Not releasable À ne pas diffuser <input type="checkbox"/>		
Restricted to: / Limité à: <input type="checkbox"/>	Restricted to: / Limité à: <input type="checkbox"/>	Restricted to: / Limité à: <input type="checkbox"/>
Specify country(ies): / Préciser le(s) pays:	Specify country(ies): / Préciser le(s) pays:	Specify country(ies): / Préciser le(s) pays:

7. c) Level of information / Niveau d'information

PROTECTED A PROTÉGÉ A <input type="checkbox"/>	NATO UNCLASSIFIED <input type="checkbox"/>	PROTECTED A PROTÉGÉ A <input type="checkbox"/>
PROTECTED B PROTÉGÉ B <input type="checkbox"/>	NATO NON CLASSIFIÉ <input type="checkbox"/>	PROTECTED B PROTÉGÉ B <input type="checkbox"/>
PROTECTED C PROTÉGÉ C <input type="checkbox"/>	NATO RESTRICTED <input type="checkbox"/>	PROTECTED C PROTÉGÉ C <input type="checkbox"/>
CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>	NATO DIFFUSION RESTREINTE <input type="checkbox"/>	CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>
SECRET SECRET <input type="checkbox"/>	NATO CONFIDENTIAL <input type="checkbox"/>	SECRET SECRET <input type="checkbox"/>
TOP SECRET TRÈS SECRET <input type="checkbox"/>	NATO CONFIDENTIEL <input type="checkbox"/>	TOP SECRET TRÈS SECRET <input type="checkbox"/>
TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/>	NATO SECRET <input type="checkbox"/>	TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/>
	NATO SECRET <input type="checkbox"/>	
	COSMIC TOP SECRET <input type="checkbox"/>	
	COSMIC TRÈS SECRET <input type="checkbox"/>	

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME



Government of Canada  
Gouvernement du Canada

Contract Number / Numéro du contrat

EP076-212732

Security Classification / Classification de sécurité  
UNCLASSIFIED

**PART A (continued) / PARTIE A (suite)**

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets?  
Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS?  No  Yes  
Non  Oui

If Yes, indicate the level of sensitivity:  
Dans l'affirmative, indiquer le niveau de sensibilité :

9. Will the supplier require access to extremely sensitive INFOSEC information or assets?  
Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate?  No  Yes  
Non  Oui

Short Title(s) of material / Titre(s) abrégé(s) du matériel :  
Document Number / Numéro du document :

**PART B - PERSONNEL (SUPPLIER) / PARTIE B - PERSONNEL (FOURNISSEUR)**

10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis

- |   |   |   |  |
|---|---|---|--|
| <input checked="" type="checkbox"/> RELIABILITY STATUS<br>COTE DE FIABILITÉ | <input type="checkbox"/> CONFIDENTIAL<br>CONFIDENTIEL           | <input type="checkbox"/> SECRET<br>SECRET           | <input type="checkbox"/> TOP SECRET<br>TRÈS SECRET               |
| <input type="checkbox"/> TOP SECRET - SIGINT<br>TRÈS SECRET - SIGINT        | <input type="checkbox"/> NATO CONFIDENTIAL<br>NATO CONFIDENTIEL | <input type="checkbox"/> NATO SECRET<br>NATO SECRET | <input type="checkbox"/> COSMIC TOP SECRET<br>COSMIC TRÈS SECRET |
| <input type="checkbox"/> SITE ACCESS<br>ACCÈS AUX EMPLACEMENTS              |   |   |  |

Special comments:  
Commentaires spéciaux :

NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided.  
REMARQUE : Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être fourni.

10. b) May unscreened personnel be used for portions of the work?  
Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail?  No  Yes  
Non  Oui

If Yes, will unscreened personnel be escorted?  
Dans l'affirmative, le personnel en question sera-t-il escorté?  No  Yes  
Non  Oui

**PART C - SAFEGUARDS (SUPPLIER) / PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)**

**INFORMATION / ASSETS / RENSEIGNEMENTS / BIENS**

11. a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or premises?  
Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS?  No  Yes  
Non  Oui

11. b) Will the supplier be required to safeguard COMSEC information or assets?  
Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC?  No  Yes  
Non  Oui

**PRODUCTION**

11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises?  
Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ?  No  Yes  
Non  Oui

**INFORMATION TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)**

11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED information or data?  
Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS?  No  Yes  
Non  Oui

11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency?  
Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale?  No  Yes  
Non  Oui

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
 Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
 File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
 CCC No./N° CCC - FMS No./N° VME



Government of Canada  
 Gouvernement du Canada

Contract Number / Numéro du contrat EP076-212732
Security Classification / Classification de sécurité UNCLASSIFIED

**PART C - (continued) / PARTIE C - (suite)**

For users completing the form **manually** use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.  
 Les utilisateurs qui remplissent le formulaire **manuellement** doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form **online** (via the Internet), the summary chart is automatically populated by your responses to previous questions.  
 Dans le cas des utilisateurs qui remplissent le formulaire **en ligne** (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

**SUMMARY CHART / TABLEAU RÉCAPITULATIF**

Category Catégorie	PROTECTED PROTÉGÉ			CLASSIFIED CLASSIFIÉ			NATO				COMSEC						
	A	B	C	CONFIDENTIAL CONFIDENTIEL	SECRET	TOP SECRET TRÈS SECRET	NATO RESTRICTED NATO DIFFUSION RESTREINTE	NATO CONFIDENTIAL NATO CONFIDENTIEL	NATO SECRET	COSMIC TOP SECRET COSMIC TRÈS SECRET	PROTECTED PROTÉGÉ			CONFIDENTIAL CONFIDENTIEL	SECRET	TOP SECRET TRÈS SECRET	
											A	B	C				
Information / Assets Renseignements / Biens Production																	
IT Media / Support TI																	
IT Link / Lien électronique																	

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED?  
 La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE?  No / Non  Yes / Oui

**If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification".  
 Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.**

12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED?  
 La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE?  No / Non  Yes / Oui

**If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments).  
 Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquer qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).**

Solicitation No. - N° de l'invitation  
**EP076-212732/A**  
Client Ref. No. - N° de réf. du client  
**20212732**

Amd. No. - N° de la modif.  
**003**  
File No. - N° du dossier  
**pq501.EP076-212732**

Buyer ID - Id de l'acheteur  
**pq501**  
CCC No./N° CCC - FMS No./N° VME

---

**ANNEX D**  
**Additional Specifications, Certifications**

This Annex includes the additional Specifications, Certifications associated with NSA product. forming part of the requirement.

**1. Specifications**

**2. Certifications**

**.1 NSA Product Conformance**

**2.1 NSA Product Conformance** *(Required precedent to Issuance of a contract)*

The Supplier certifies that all the NSA products offered will conform to all specifications indicated in Annex A and D of the RFB, and meet the testing and performance requirements found at ANNEX A-1 and A-2 of the Supply Arrangement, as applicable.

\_\_\_\_\_  
Supplier's Signature

\_\_\_\_\_  
Date

**NSA Product Conformance Certification** *(applies after contract award)*

The Supplier warrants that the NSA Product Conformance Certification submitted by the Supplier with its bid is accurate and complete. The Supplier must keep proper records and documentation relating to the NSA product conformance and the testing requirements in this Annex, as applicable. The Supplier must not, without obtaining the prior written consent of the SAA, dispose of any such records or documentation until the expiration of the Contract or the expiry date of the Warranty, whichever is later. All such records and documentation must at all times during the retention period be open to audit, inspection and examination by the representatives of Canada, who may make copies and take extracts.

In addition, the Supplier must provide representatives of the SAA access to all locations where any part of the Work is being performed at any time during working hours. Representatives of the SAA may examine and test the Work as they see fit. The Supplier must provide all assistance and access to facilities, test pieces, samples and documentation that the representatives of the SAA may reasonably require for the carrying out of the inspection, which may also include the submission of test reporting documentation as listed in Annex A and D. The Supplier must forward such test pieces, samples and/or documentation that may also include letters of certification from the laboratories to such person or location as the representatives of the SAA specifies.