



RETURN OFFERS TO:

Parks Canada Agency Bid Receiving Unit
National Contracting Services

Offer E-mail Address:

pc.receptiondessoumissionsest-bidreceivingeast.pc@canada.ca

This is the only acceptable email address for responses to the Request for Standing Offers. Offers submitted by email directly to the Standing Offer Authority or to any other email address will not be accepted.

The maximum email file size is 15 megabytes. The Parks Canada Agency (PCA) is not responsible for any transmission errors. Emails with links to offer documents will not be accepted.

**REVISION 002 TO A
REQUEST FOR STANDING OFFER**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions remain the same.

Issuing Office:

Parks Canada Agency
National Contracting Services
Cornwall, ON

Title: RFSO Lab Testing Program to Assess Drinking Water Quality on Rouge National Urban Park Properties	
Solicitation No.: 5P300-20-0342/A	Date: April 13, 2021
Amendment No.: 002	
Client Reference No.: N/A	
GETS Reference No.: PW-21-00949924	

Solicitation Closes: At: 2 pm On: April 26, 2021	Time Zone: EDT
---	--------------------------

F.O.B.: Plant: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other: <input type="checkbox"/>	
Address Enquiries to: Laura Lawson	
Telephone No.: 343-585-2754	Email Address: laura.lowson@canada.ca
Destination of Goods, Services, and Construction: 10725 Reesor Road, Markham, ON L6B 1A8	

TO BE COMPLETED BY THE BIDDER

Vendor/ Firm Name:	
Address:	
Telephone No.:	Fax No.:
Name of person authorized to sign on behalf of the Vendor/ Firm (type or print):	
Signature:	Date:

Amendment 002 is raised to answer questions from bidders.

Q1. Is this reportable drinking water?

A1. The data is not required to be reported to any external authorities.

Q2. How often should we expect adverse sampling?

A2. We cannot predict adverse sampling at this time but I would not expect more than 5% adverse microbiological results.

Q3: Will the data need to be uploaded into the drinking water database?

A3. The data will not need to be uploaded into the drinking water database.

Q4: Can you please advise on sampling frequency? What days of the week will the samples be submitted? How many samples will be submitted at a time, batch sizes or smaller volumes?

A4. The samples will be submitted daily on Monday –Thursday during the week in 3 different months (Spring/Fall/Winter) of the year. (Each day samples will be submitted for about 6 locations for various parameters depending on the season, please refer to SOW) Additional samples will be submitted throughout the year as a follow-up case by case scenario.

There will be surface water samples submitted every month for E. Coli, Chloride, Copper, Lead, Nitrate, Total Phosphorus, Total suspended solid and Zinc on specific days for the entire year.

Q5: As per 5.0 Deliverables, “The results shall be formatted in underlined when exceeding ODWQS and shall be BOLD and formatted in grey when exceeding GCDWQ.” Can we format differently at all with a key to reference exceeding ODWQS vs GCDWQ.

5.0 Deliverables

- The lab results must be provided in Excel format. The use of “non-detect” in analytical tables is not acceptable. The actual lab detection limit must be reported (eg. <0.0001). Copies of all laboratory certificates and Chain of Custody documents will be appended in a PDF file.
- The results shall be formatted in underlined when exceeding ODWQS, and shall be **BOLD** and formatted in grey when exceeding GCDWQ.
- Lab results must be sent in Excel format to the RNUP Technical Authority in (5) business days after submission to the lab. All lab results should be compiled on one Excel sheet at each round of the project in (5) business days. The file should be named “RNUP Water Testing Result DDMMYY” and formatted according to **Appendix A**

A5. Yes, you can. However, the chosen format must emphasize on the exceedance of GCDWQ but also allow easy showing of the exceedance of ODWQS.

Solicitation No.:
5P300-20-0342/A

Amendment No.:
002

Contracting Authority:
Laura Lawson

Ver.02.08.21

Client Reference No.:
N/A

Title:
RFSO Lab Testing Program to Assess Drinking Water Quality on Rouge National Urban Park Properties

Q6. Section 5.0 details the Deliverables – would sending a PDF Certificate and copies in Excel with any exceedances in RED? If not, is the RNUP authority steadfast with its' five (5) days to provide the Excel sheet with the 'underlining', BOLD and GREY formatting?

A6. Formatting any exceedance in red is not acceptable. RNUP would like to see formatting difference between exceedances on GCDWQ vs exceedances on ODWQS, with the emphasis on GCDWQ. You can suggest another formatting method as long as the chosen format emphasize on the exceedance of GCDWQ but also allow easy showing of the exceedance of ODWQS. Formats suggested on the SOW is highly recommended. The Excel sheet must be provided in 5 business days with formatted results.

ALL OTHER TERMS & CONDITIONS REMAIN UNCHANGED