



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scotia

B3J 1T3

Bid Fax: (902) 496-5016

SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Atlantic Region Acquisitions/Région de l'Atlantique
Acquisitions

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scot

B3J 1T3

Title - Sujet High VIZ Coveralls/Bib Overalls	
Solicitation No. - N° de l'invitation W355B-216553/A	Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client W355B-21-6553	Date 2021-05-04
GETS Reference No. - N° de référence de SEAG PW-SHAL-207-11277	
File No. - N° de dossier HAL-0-85254 (207)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Atlantic Daylight Saving Time ADT on - le 2021-05-13 Heure Avancée de l'Atlantique HAA	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Grieve, Bronwen	Buyer Id - Id de l'acheteur hal207
Telephone No. - N° de téléphone (902) 943-2394 ()	FAX No. - N° de FAX (902) 496-5016
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Amendment 002 is raised to:

- 1. Answer bidder questions;**
- 2. Amend Annex "A" Statement of Requirement; and**
- 3. Amend Annex "A1" Technical Evaluation.**

1. Bidder Questions and Answers:

Q1. Annex A Requirement 2.1.1 asks for CSA Z96-15 Class 3, but 2.1.1.1 states 2" yellow trim with stitch down (silver) which would be Class 1 Level FR. Can you please clarify what you require for the tape and classification level?

A1: Classification required is Class 1. Please refer to correction to Annexes "A" and "A1" below.

Q2. Annex A Requirement 2.1.3.8 asks for safety flap on all external pockets. Please confirm you want concealed flap with snap on the 2 chest pockets and on the 2 rear pockets only?

A2: The concealed flap with snap is required only on the 2 chest pockets. See amendment to Annex "A" below.

Q3. Annex A Requirement 2.2.1.1 asks for CSA-15 Class 2 Level FR, but 2.2.1.2 states 2" yellow trim with stitch down (silver) which would be Class 1 Level FR. Can you please clarify what you require for the tape and classification level?

A3: Classification required is Class 1. Please refer to correction to Annexes "A" and "A1" below.

Q4. Annex A Requirement 2.2.1.4.2 asks for double reinforced knees for the overall. Do you require a knee pad pocket as well or just double fabric knee patch?

A4: Just double fabric knee patch; no pocket.

Q5. Annex A Requirement 2.1.3.2 asks for complete wrap around elastic waist. You mean full back waist elastic (180 degrees) not full 360 degree elastic correct?

A5: Full 360 degree elastic is the requirement.

Q6. Annex A Requirement 2.2.1.4.3 asks for complete wrap around elastic waist. You mean full back waist elastic (180 degrees) not full 360 degree elastic correct?

A6: Full 360 degree elastic is the requirement.

Q7. Why don't the quantities in the optional pricing table match the quantities in the firm requirement table?

A7: Quantities in the optional tables in Annex "B" (Basis of Payment) are estimates only based on anticipated need and will be used for calculations in the financial evaluation. Actual quantities required for optional goods will be determined through contract amendments as and when required by DND.

Q8. Can we submit two bids?

A8: Multiple bids from the same supplier are permitted in response to a bid solicitation but Canada reserves the right to apply additional scrutiny as per the Standard Instructions clause 2003 (12) Rejection of Bid, item 3.

Q9. Can DND provide interested suppliers samples of the coveralls?

A9: No, DND will not provide samples.

2. Amendments to Annex "A" Statement of Requirement:

a) Under section 2.1.1:

DELETE: in its entirety

INSERT:

2.1.1 High visibility as per CSA Z96-15 [Class 1](#)

b) Under section 2.1.3 Coverall Design Features:

DELETE: in its entirety

INSERT:

2.1.3 Coverall Design Features:

- 2.1.3.1. Must have a pleated bi-swing or action back
- 2.1.3.2. Must have a complete wrap around elasticized waist
- 2.1.3.3. Must have two (2) patch breast pockets [with safety flap and snap to prevent contents from falling out,](#)
- 2.1.3.4. Must have heavy duty, two-way quick release brass zipper
- 2.1.3.5. Must have two (2) hip pockets
- 2.1.3.6. Must have two (2) swing pockets with internal pass-thru
- 2.1.3.7. Must have a utility pocket on right leg
- 2.1.3.8. Must have adjustable sleeve cuffs
- 2.1.3.9. Must have adjustable Flared leg cuffs
- 2.1.3.10. Must able to provide both men's and women's sizes as per table 2.1.4
- 2.1.3.11. Colour must be NAVY BLUE (See 2.2.5 for a colour sample)

2.1.3.12. Care: Industrial Wash

c) Under section 2.2.1.1:

DELETE: in its entirety

INSERT:

2.2.1.1 High visibility as per CSA Z96-15 [Class 1](#) / Level FR

3. Under Annex "A1" Technical Evaluation

DELETE: in its entirety

INSERT:

ANNEX "A1"

TECHNICAL EVALUATION

Whether the Bidder submits an off the shelf product or a custom solution, the coveralls and overalls must meet all the specifications in Annex "A".

Instructions:

The Bidder **must** address each Mandatory Technical Criteria listed below.

The Bidder should include one (1) copy of descriptive literature; if available, for the item(s) offered in sufficient detail to clearly indicate compliance with each of the individual requirements from the Mandatory Technical Criteria detailed herein. References to Internet websites or information that is not included in the bid will not be evaluated.

If the Bidder proposes a custom solution and published supporting technical documents are not available, the Bidder should provide a drawing and/or prepare a written narrative complete with a detailed explanation of how its bid demonstrates technical compliance with the items below.

The Bidder should comment /cross reference the page number and highlight the specification in your technical data sheets or brochure to demonstrate and support your compliance for each of the Mandatory Technical Criteria.

The Bidder must provide as much detail as possible to support their comments and their claims of compliance for each specification.

NOTE: The Crown is under NO obligation to seek clarification of the bid(s) or the supporting technical documentation provided. Failure to meet any of the following will render your proposal non-compliant and will be given no further consideration.

NO.	SPECIFICATIONS	PAGE NUMBER OR CROSS REFERENCE	COMMENT(S)
-----	----------------	--------------------------------------	------------

NO.	SPECIFICATIONS	PAGE NUMBER OR CROSS REFERENCE	COMMENT(S)
2.1	HI Viz, FR 7.0 oz FR Cotton Coverall:		
2.1.1	High visibility as per CSA Z96-15 Class 1		
2.1.2	NFPA 2112, UL Certified ATPV: 8.7 Cal/cm2 CAT: 2 Level FR		
2.1.2.1.	Must be pre-shrunk 7.0 oz. 88/12 FR Cotton 7.0 oz. per square yard FR Cotton		
2.1.3	Coverall Design Features:		
2.1.3.1	Must have a pleated bi-swing/action back		
2.1.3.2	Must have a complete wrap around elasticized waist		
2.1.3.12	Colour must be NAVY BLUE		
2.2.1	Unlined Bib Overalls must meet the following specifications		
2.2.1.1	High visibility as per CSA Z96-15 Class 1 / Level FR		
2.2.1.3	NFPA 2112, UL Certified ATPV: 8.7 Cal/cm2 CAT: 2		
2.2.1.3.1	Must be pre-shrunk 7.0 oz. 88/12 FR Cotton		
2.2.1.3.3	Each Bib Overall must have elastic shoulder straps, with adjustable FR buckles		
2.2.1.4.1	Colour must be NAVY BLUE		
2.2.1.4.2	Must have double reinforced knees		
2.2.1.4.3	Must have a complete wrap around elasticized waist		

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED