



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions -
TPSGC
11 Laurier St./11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

**Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution
Furniture Division/Division des ameublements
L'Esplanade Laurier,
East Tower 7th Floor
Tour est 7e étage,
140 O'Connor, Street,
140 O'Connor, rue O'Connor,
Ottawa
Ontario
K1A 0R5

Title - Sujet Focus Pods, Chairs, Whiteboards Focus Pods, Chairs, Whiteboards	
Solicitation No. - N° de l'invitation EP916-212055/C	Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client 20212055	Date 2021-05-07
GETS Reference No. - N° de référence de SEAG PW-\$\$PQ-999-79974	
File No. - N° de dossier pq999.EP916-212055	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Eastern Daylight Saving Time EDT on - le 2021-05-13 Heure Avancée de l'Est HAE	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: MacCuaig, Shannon	Buyer Id - Id de l'acheteur pq999
Telephone No. - N° de téléphone (613) 697-0956 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation
EP916-212055/C
Client Ref. No. - N° de réf. du client
EP916-212055

Amd. No. - N° de la modif.
002
File No. - N° du dossier
pq999.EP916-212055

Buyer ID - Id de l'acheteur
pq999
CCC No./N° CCC - FMS No./N° VME

Amendment 002 is raised to:

- extend the closing date;
- answer questions from industry and update the RFP accordingly.

1. Extend the bid closing date as follows:

On the first page of the Request for Proposal
Solicitation Closes – L'invitation prend fin

DELETE: 2021-05-10

INSERT: 2021-05-13

2. answer questions from industry and update the RFP accordingly as follows:

Please see attached

File no.: EP916-212055 /C
Project: NSERC Zibi - Block 211 - PSPC Fit-Up

English	French	Amend No.
<p>Q1: R3a, would a seat width of 24"w be acceptable?</p>	<p>Q1: Pour R3a, une largeur du siège de 24 po. serait-elle acceptable?</p>	002
<p>A1: Yes, this is acceptable.</p>	<p>R1: Oui, c'est acceptable.</p>	
<p>Q2 : R3b, would a height of 17.5" be acceptable?</p>	<p>Q2 : Pour R3b, une hauteur de 17.5 po. serait-elle acceptable?</p>	002
<p>A2 : Yes, this is acceptable.</p>	<p>R2 : Oui, c'est acceptable.</p>	
<p>Q3: Please confirm if installation for packages 1-8 is to occur during regular business hours as per Annex A 4.2c & Appendix 1 to Annex A Schedule of floors or outside of business hours as per table 3 – Installation?</p>	<p>Q3: Veuillez confirmer si l'installation des paquets 1 à 8 doit avoir lieu pendant les heures de bureau normales, conformément à l'annexe A 4.2c et à l'appendice 1 de l'annexe A - Planification des étages, ou en dehors des heures de bureau, conformément au tableau 3 - Installation ?</p>	002
<p>A3: All deliveries are to be outside of business hours.</p>	<p>R3: Toutes les livraisons doivent être effectuées en dehors des heures ouvrables.</p>	002
<p>Q4: Re: Finishes note 1.B.3.3, 2.A.3.2, 2.B.3.3, 3.A.3.2, 3.B.3.3, 4.3.3, 5.3.3, 7.3.3 & 8.3.3</p> <p>A higher grade does not equate to quality or durability, but simply to the cost for the manufacturer to buy the fabric. Also, the grading system from one manufacturer to another can be quite different, some bidders only have a couple of grades while others may have ten or more. Please provide performance and/or environmental criteria to meet instead of grade.</p>	<p>Q4: Re: Finitions note 1.B.3.3, 2.A.3.2, 2.B.3.3, 3.A.3.2, 3.B.3.3, 4.3.3, 5.3.3, 7.3.3 & 8.3.3</p> <p>Un grade supérieur n'est pas synonyme de qualité ou de durabilité, mais simplement de coût d'achat du tissu pour le fabricant. En outre, le système de classement d'un fabricant à l'autre peut être très différent, certains soumissionnaires n'ont que quelques grades alors que d'autres peuvent en avoir dix ou plus. Veuillez indiquer les critères de performance et/ou environnementaux à respecter au lieu de la catégorie.</p>	002
<p>A4: Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs Wyzenbeek method.</p>	<p>R4: Le tissu de rembourrage doit satisfaire et réussir le test d'abrasion ACT pour les tissus d'ameublement robustes: ASTM D4157-02/ 30,000 frottements double méthode Wyzenbeek.</p>	002

<p>Q5: Re: R1a, item 1.A.3.1</p> <p>A self or seamless edge is not a finish typical of high pressure laminate. CAN/CGSB requires a min 3mm radius edge. For reference, the SA requires all laminate tabletops and work surfaces must be edged with either polyvinyl chloride (PVC), polypropylene (PP), Acrylic, Acrylonitrile Butadiene Styrene (ABS) or solid hardwood edging. Would a similar edge finish be acceptable?</p>	<p>Q5: Re: R1a, article 1.A.3.1</p> <p>Un bord automatique ou sans soudure n'est pas une finition typique des stratifiés haute pression. La norme CAN/CGSB exige un bord d'au moins 3 mm de rayon. À titre de référence, l'AMA exige que tous les plateaux de table et les surfaces de travail en stratifié soient bordés d'un chant en chlorure de polyvinyle (PVC), en polypropylène (PP), en acrylique, en acrylonitrile-butadiène-styrène (ABS) ou en bois dur massif. Une finition de bordure similaire serait-elle acceptable ?</p>	002
<p>A5: Yes, this is acceptable.</p>	<p>R5: Oui, c'est acceptable.</p>	002
<p>Q6: Re: R1b, item 1.B.4.1</p> <p>Please remove the leg height limitation of 6" and replace with manufacturer's standard leg height that meets the design intent of the product.</p>	<p>Q6: Re: R1b, article 1.B.4.1</p> <p>Veuillez supprimer la limitation de la hauteur des pieds de 6" et la remplacer par la hauteur standard des pieds du fabricant qui se conforme à l'intention de conception du produit.</p>	002
<p>A6: The limitation is not removed as it is a requirement of the aesthetics of the piece that is being sought.</p>	<p>R6: La limitation n'est pas supprimée car c'est une exigence de l'esthétique de la pièce recherchée.</p>	002
<p>Q7: Re: R2a, item 2.A.2.2</p> <p>Please confirm that a seat height of 15.75" is acceptable.</p>	<p>Q7: Re: R2a, article 2.A.2.2</p> <p>Veuillez confirmer qu'une hauteur de siège de 15,75 po est acceptable.</p>	002
<p>A7: Yes, it is acceptable.</p>	<p>R7: Oui, c'est acceptable.</p>	002
<p>Q8: Re: R3b, item 3.B.2 Dimensions</p> <p>Please confirm that an ottoman that is 24.5"W x 19.25"D x 16.75"H and meets the design intent is acceptable.</p>	<p>Q8: Re: R3b, article 3.B.2 Dimensions</p> <p>Veuillez confirmer qu'un ottoman de 24,5 po de largeur x 19,25 po de profondeur x 16,75 po de hauteur et qui se conforme à l'intention de conception est acceptable.</p>	002
<p>A8: Yes, it is acceptable.</p>	<p>R8: Oui, c'est acceptable.</p>	002
<p>Q9: Re: R4, item 4.2 Dimensions</p> <p>Please provide a sketch layout with the dimensions for clarification.</p>	<p>Q9: Re : R4, article 4.2 Dimensions</p> <p>Veuillez fournir un dessin avec les dimensions pour clarification.</p>	002
<p>A9: Revise dimensions as per the following: 4.2.1 Overall width must be within the following range: 2134 mm (84 in.) to 2591 mm (102 in.) inclusive. 4.2.4. Overall depth of curved corner piece (if applicable) must be within the following range: 920 mm (36 in.) to 1016 mm (40 in.) inclusive.</p>	<p>R9: Révisez les dimensions comme suit : R4.2.1 La largeur totale doit mesurer entre 2134 mm (84 po) et 2591 mm (102 po). 4.2.4 La profondeur totale de la pièce curviligne en coin (si applicable) doit mesurer entre 920 mm (36 po) et 1016 mm (40 po).</p>	002

See additional dimension sketch after questions.	Voir l'esquisse de cote supplémentaire après les questions.	
Q10: Re: R6, item 6.3.2 Please confirm that a wood frame which meets the design intent is acceptable.	Q10: Re : R6, article 6.3.2 Veuillez confirmer qu'une structure en bois qui se confirme à l'intention de conception est acceptable.	002
A10: Yes, this is acceptable.	R10: Oui, c'est acceptable.	002
Q11: Re: R7, item, 7.2 Please confirm that an overall width of 53" and an overall height of 55" is acceptable	Q11: Re : R7, article 7.2 Veuillez confirmer qu'une largeur totale de 53 po et une hauteur totale de 55 po sont acceptables.	002
A11: Yes an overall width of 53" is acceptable. No, an overall height of 55" is not.	R11: Oui, une largeur totale de 53" est acceptable. Non, une hauteur totale de 55" ne l'est pas.	002
Q12: Re: R8, item 8.2 Please confirm that an overall height of 55" and a worksurface depth of 24" is acceptable.	Q12: Re : R8, article 8.2 Veuillez confirmer qu'une hauteur totale de 55 po et une profondeur de surface de travail de 24 po sont acceptables.	002
A12: Yes a worksurface depth of 24" is acceptable. No, an overall height of 55" is not.	R12: Oui, une profondeur de la surface de travail de 24" est acceptable. Non, une hauteur totale de 55" ne l'est pas.	002
Q13. Regarding item #R5: Item #5.1.4 states the side panels must be within 3" from the front of the seat. Is this a minimum and panels can be greater than 3" from the front of the seat? Would a 3"-7" dimension of the back panel from the front of the seat be acceptable?	Q13. Concernant article #R5 : Le point 5.1.4 stipule que les panneaux latéraux doivent être à moins de 3 po de l'avant du siège. S'agit-il d'un minimum et les panneaux peuvent être situés à plus de 3 po de l'avant du siège? Une distance de 3 à 7 po entre le panneau arrière et l'avant du siège serait-elle acceptable ?	002
A13. Side panels must be within 3" from the front edge of the seat means that they cannot be more than 3" from the front edge of the seat. Intention is that the panels do not exceed more than 3" beyond the edge of the front of the seat. They can align or be slightly back from the front edge of the seat but as they must still provide acoustic privacy (5.1.5) they cannot be much further back.	R13: Les panneaux latéraux doivent être à moins de 3 po du bord avant du siège, ce qui signifie qu'ils ne peuvent pas être à plus de 3 po du bord avant du siège. L'intention est que les panneaux ne dépassent pas plus de 3 po au-delà du bord de l'avant du siège. Ils peuvent s'aligner ou être légèrement en arrière du bord avant du siège, mais comme ils doivent encore offrir une intimité acoustique (5.1.5), ils ne peuvent pas être beaucoup plus en arrière.	002
Q14. In the package 9 section of the bid regarding phone booths, the pods do not have any furniture. Can I clarify that you do not want any? Our standard single occupant pods have a bench and table.	Q14. Dans la section du paquet 9 de l'offre concernant les cabines téléphoniques, les cabines n'ont pas de mobilier. Est-ce que je peux clarifier que vous n'en voulez pas? Nos cabines standard pour un seul occupant ont un banc et une table.	002

A14. Phone Booths are to include seat and shelf as per 1.1.3 and 1.1.4.	R14: Les cabines téléphoniques doivent inclure le siege et l'étagère selon 1.1.3 et 1.1.4.	002
Q15. Specification difference in dimension for the Phone booth R9: The Canadian unit we could propose is 34 " wide x 36 " deep x 90 " high. Noting that it meets within the Floor covering area or height requirement. Is its width and depth acceptable?	Q15: Différence de spécification des dimensions de la cabine téléphonique R9 : L'unité canadienne que nous pourrions proposer est de 34 po de largeur x 36 po de profondeur x 90 po de hauteur. Notant qu'elle respecte les exigences en superficie du revêtement de sol et en hauteur. Sa largeur et sa profondeur sont-elles acceptables?	002
A15 . As long as the unit accommodates a door with a clearance of 812 mm (32 in.) +/- 25 mm (1 in.) inclusive as per item 1.1.5.1.	R15: Tant que l'unité accueille une porte avec un dégagement de 812 mm (32 po.) +/- 25 mm (1 po.) inclus selon l'article 1.1.5.1.	002
Q16 R4 – L-shaped seating ; would it be possible to provide the total width x total depth of the sofa? It is unclear to me whether 4.2.1 if the overall width of 46-59" mentioned is the dimensions for a straight piece only, or with the inclusion of the corner piece as well?	Q16 R4 - Sièges en forme de L ; serait-il possible de fournir la largeur totale x la profondeur totale du canapé? Il n'est pas clair pour moi 4.2.1 si la largeur totale de 46 po-59 po mentionnée est les dimensions pour une pièce droite seulement, ou avec l'inclusion de la pièce de coin aussi?	002
A16 Please see diagram that was provided with A9	R16 Veuillez consulter le schéma fourni avec A9	002
Q17 R4 – L-shaped seating 4.2.4 would the customer accept a depth of 33.8" vs the 37-40" requested?	Q17 R4 - Sièges en forme de L 4.2.4 - Le client accepterait-il une profondeur de 33,8" au lieu de 37-40" comme demandé?	002
A17 With respect to the corner unit, a depth of 33.8" is acceptable as long as the corner piece will still accommodate someone sitting in it. The inside radius of the corner unit must accommodate a user.	R17 En ce qui concerne l'unité de coin, une profondeur de 33.8 po. Est acceptable tant que la pièce de coin pourra encore accueillir quelqu'un assis. L'intérieur de l'unité de coin doit accueillir un utilisateur.	002
Q18 R4 – L-shaped seating 4.2.5 would the customer accept a depth of 22.6" vs the +/- 20" ?	Q18 R4 - Sièges en forme de L 4.2.5 - Le client accepterait-il une profondeur de 22,6 po au lieu de +/- 20 po?	002
A18 20" +/- is a minimum so 22.6" is acceptable.	R18 20 po. +/- est un minimum donc 22.6 po. Est acceptable.	002
Q19 R8 – Focus Pod Desk w. Screens 8.2.2 would the customer accept an overall depth of 65.3" vs. 66-76"?	Q19 R8 - Bureau individuel avec cloisons acoustiques 8.2.2 - Le client accepterait-il une profondeur totale de 65.3 po au lieu de 66-76 po ?	002
A19 Yes, 65.3" is acceptable.	R19 Oui, 65.3 po. est acceptable	002
Q20 R8 – Focus Pod Desk w. Screens 8.2.4 would the customer accept an overall work surface depth of 25" vs. the 27-37" ?	Q20 R8 - Bureau individuel avec cloisons acoustiques 8.2.4 - Le client accepterait-il une profondeur totale de la surface de travail de 25 po au lieu de 27-37 po?	002

A20 Yes	R20 Oui	002
Q21 R8 – Focus Pod Desk w. Screens 8.2.3 would the customer accept an overall depth of 58” vs. 50-54” ?	Q21 R8 - Bureau individuel avec cloisons acoustiques 8.2.3 - Le client accepterait-il une profondeur totale de 58 po au lieu de 50-54 po?	002
A21 Item 8.2.3. refers to the height, not depth and 54” is the maximum height accepted.	R21 Point 8.2.3. fait reference à la hauteur, pas à la profondeur et 54 po. Est la hauteur maximale acceptée	002
Q22 R9 – Phone Booths 1.2 dimensions, would the customer accept a width of 34” vs. the 39-41” requested?	Q22 R9 - Dimensions des cabines téléphoniques 1.2, le client accepterait-il une largeur de 34 po au lieu de 39-41 po comme demandé?	002
A22 As long as the unit accommodates a door with a clearance of 812 mm (32 in.) +/- 25 mm (1 in.) inclusive as per item 1.1.5.1.	R22 Tant que l'unité accueille une porte avec un dégagement de 812 mm (32 po.) +/- 25 mm (1 po.) inclus selon l'article 1.1.5.1..	002
Q23 1.B.2 Dimension .4, would the customer accept a seat depth of 20.25” vs. the 18-20” range?	Q23 1.B.2 Dimension .4, le client accepterait-il une profondeur de siège de 20,25" au lieu de la gamme 18-20" ?	002
A23 Yes. As per item 1.B.2.4 “Seat depth must be no less than 483 mm (19 in.) +/- 25 mm (1 in.) inclusive”	R23 Oui. Conformément à l'article 1.B.2.4 " La profondeur du siège doit mesurer au moins 483 mm (19 po) +/- 25 mm (1 po) inclusivement".	002

Diagram for Q9: - R4





TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION	2
1.1 SECURITY REQUIREMENTS	2
1.2 REQUIREMENT	2
1.3 DEBRIEFINGS	2
1.4 EPOST CONNECT SERVICE	2
PART 2 - BIDDER INSTRUCTIONS	3
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	3
2.2 SUBMISSION OF BIDS	3
2.3 ENQUIRIES - BID SOLICITATION	4
2.4 BID CHALLENGE AND RECOURSE MECHANISMS	4
PART 3 - BID PREPARATION INSTRUCTIONS	5
3.1 BID PREPARATION INSTRUCTIONS	5
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	7
4.1 EVALUATION PROCEDURES	7
4.2 BASIS OF SELECTION - MANDATORY TECHNICAL CRITERIA	7
PART 5 - CERTIFICATIONS AND ADDITIONAL INFORMATION	8
5.1 CERTIFICATIONS REQUIRED WITH THE BID	8
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	8
PART 6 - RESULTING CONTRACT CLAUSES	9
6.1 SECURITY REQUIREMENTS	9
6.2 REQUIREMENT	9
6.3 STANDARD CLAUSES AND CONDITIONS	9
6.4 TERM OF CONTRACT	10
6.5 AUTHORITIES	10
6.6 PAYMENT	11
6.7 INVOICING INSTRUCTIONS	11
6.8 CERTIFICATIONS AND ADDITIONAL INFORMATION	11
6.9 APPLICABLE LAWS	11
6.10 PRIORITY OF DOCUMENTS	12
6.11 DISPUTE RESOLUTION	12
6.12 ACCESS TO FACILITIES AND EQUIPMENT	12
6.13 CANADA'S FACILITIES TO ACCOMMODATE THE DELIVERY	12
6.14 STANDARD FINISHES	12
6.15 SACC MANUAL CLAUSES	13
ANNEX A	14
REQUIREMENT	14
APPENDIX 1 TO ANNEX A	31
DELIVERY AND INSTALLATION SCHEDULE	31
ANNEX B	33
BASIS OF PAYMENT	33
ANNEX C	51
SECURITY REQUIREMENTS CHECK LIST	51

PART 1 - GENERAL INFORMATION

1.1 Security Requirements

1. There is no security associated with this requirement.
Contractor may be escorted; possession of a security clearance not required.
2. For additional information on security requirements, Bidders should refer to the [Contract Security Program of Public Works and Government Services Canada \(http://www.tpsgc-pwgsc.gc.ca/esc-src/introduction-eng.html\)](http://www.tpsgc-pwgsc.gc.ca/esc-src/introduction-eng.html) website.

1.2 Requirement

The Work to be performed is detailed under Annex A of the resulting contract clauses

1.3 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.4 epost Connect service

This bid solicitation allows bidders to use the epost Connect service provided by Canada Post Corporation to transmit their bid electronically. Bidders must refer to Part 2 entitled Bidder Instructions, and Part 3 entitled Bid Preparation Instructions, of the bid solicitation, for further information.

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003](#) (2020-05-28) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 3.a) of Section 01, Integrity Provisions - Bid of the Standard Instructions [2003](#) incorporated by reference above is deleted in its entirety and replaced with the following:

- a. at the time of submitting an arrangement under the Request for Supply Arrangements (RFSA), the Bidder has already provided a list of names, as requested under the [Ineligibility and Suspension Policy](#). During this procurement process, the Bidder must immediately inform Canada in writing of any changes affecting the list of names.

Subsection 5.4 of [2003](#), Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: 60 days
Insert: 120 days

2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated in the bid solicitation.

Note: For bidders choosing to submit using epost Connect for bids closing at the Bid Receiving Unit in the National Capital Region (NCR) the email address is:

tpsgc.dgareceptiondessomissions-abbidreceiving.pwgsc@tpsgc-pwgsc.gc.ca

Note: Bids will not be accepted if emailed directly to this email address. This email address is to be used to open an epost Connect conversation, as detailed in Standard Instructions [2003](#), or to send bids through an epost Connect message if the bidder is using its own licensing agreement for epost Connect.

Due to the nature of the bid solicitation, bids transmitted by facsimile to PWGSC will not be accepted.

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than 5 calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.4 Bid Challenge and Recourse Mechanisms

- (a) Several mechanisms are available to potential suppliers to challenge aspects of the procurement process up to and including contract award.
- (b) Canada encourages suppliers to first bring their concerns to the attention of the Contracting Authority. Canada's [Buy and Sell](#) website, under the heading "[Bid Challenge and Recourse Mechanisms](#)" contains information on potential complaint bodies such as:
 - Office of the Procurement Ombudsman (OPO)
 - Canadian International Trade Tribunal (CITT)
- (c) Suppliers should note that there are **strict deadlines** for filing complaints, and the time periods vary depending on the complaint body in question. Suppliers should therefore act quickly when they want to challenge any aspect of the procurement process.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

- If the Bidder chooses to submit its bid electronically, Canada requests that the Bidder submits its bid in accordance with section 08 of the 2003 standard instructions. The epost Connect system has a limit of 1GB per single message posted and a limit of 20GB per conversation.

The bid must be gathered per section and separated as follows:

Section I: Technical Bid
Section II: Financial Bid
Section III: Certifications and Additional Information

- If the Bidder is simultaneously providing copies of its bid using multiple acceptable delivery methods, and if there is a discrepancy between the wording of any of these copies and the electronic copy provided through epost Connect service, the wording of the electronic copy provided through epost Connect service will have priority over the wording of the other copies.

Due to the nature of the bid solicitation, bids transmitted by facsimile will not be accepted.

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of hard copy of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573) (https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment.

3.1.2 Exchange Rate Fluctuation

C3011T 2013-11-06, Exchange Rate Fluctuation

Section III: Certifications and Additional Information

Bidders must submit the certifications and additional information required under Part 5.

Solicitation No. - N° de l'invitation
EP916-212055/C
Client Ref. No. - N° de réf. du client
EP916-212055

Amd. No. - N° de la modif.
002
File No. - N° du dossier
pq999.EP916-212055

Buyer ID - Id de l'acheteur
pq999
CCC No./N° CCC - FMS No./N° VME

- 3.1.3** The Company Security Officer must ensure through the [Contract Security Program](#) that the Contractor and individuals hold a valid security clearance at the required level, as indicated in Part 1, clause 1.1, Security Requirements.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

Mandatory Technical Criteria (MTC)	
MTC 1	<p>The Bidder must certify that the products offered at Annex B – Basis of Payment conform to the specifications detailed in Annex A – Statement of Requirement.</p> <p>To demonstrate MTC1, the Bidder must sign and date the Product Conformance certification clause in accordance with Part 5 – Certifications of this solicitation.</p>
MTC 2	<p>The Bidder's proposed product must meet the dimensions in Annex A.</p> <p>To demonstrate compliance with MTC 2, the bidder must submit a cut sheet with dimensions and a drawing or product image in hard copy or electronic copy of the proposed products listed in Annex A of items R1-R9.</p> <p>Phone booths must also include the seat and work surface dimensions.</p>

4.1.2 Financial Evaluation

SACC Manual Clause [A0220T](#) (2014-06-26), Evaluation of Price-Bid

4.2 Basis of Selection - Mandatory Technical Criteria

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract. Up to two contracts may be awarded from the solicitation.

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real property agreement of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.2.2 Product Conformance

The Supplier certifies that all the products offered will conform to all specifications of, and meet the testing requirements detailed in Annex A – Requirement and its additional annexes and appendices.

Supplier's Signature

Date

PART 6 - RESULTING CONTRACT CLAUSES

6.1 Security Requirements

There is no security requirement applicable to the Contract.

Contractor may be escorted; possession of security clearance not required.

Contractor personnel MAY NOT ENTER NOR PERFORM WORK ON sites where PROTECTED or CLASSIFIED information or assets are kept, without an escort provided by the department or agency for which the work is being performed.

6.2 Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex A.

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

2010A (2020-05-28), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

Section 09 - Warranty, is amended as follows:

At Sub-section 1.

Deleted: "The warranty period will be 12 months."

Inserted: "The warranty period will be 10 years with the exception of user adjustable components, which will have a warranty of 5 years."

At Sub-section 2.

Deleted: In its entirety

Inserted: as follows:

2. The Contractor must pay the transportation cost associated with returning the Work or any part of the Work to the Contractor's plant for replacement, repair or making good. The Contractor must also pay the transportation cost associated with forwarding the replacement or returning the Work or part of the Work when rectified to the delivery point specified in the Contract or to another location as directed by Canada. If, in the opinion of Canada, it is not expedient to remove the Work from its location, the Contractor must carry out any necessary repair or making good of the Work at that location. In such cases, the Contractor will be responsible for all Costs (including travel and living expenses) incurred in so doing, Canada will not reimburse these Costs."

All other provisions of the warranty section remain in effect.

Section 16 - Interest on Overdue Accounts

This provision will not apply to payments made by credit card at point of sale. This provision does not apply to Suppliers whose SAs do not include the provision for payment by credit card.

6.4 Term of Contract

6.4.1 Period of the Contract

The period of the Contract is from date of Contract to the completion and acceptance of the Work.

6.4.2 Delivery Date

All the deliverables must be received as per Annex B, Basis of Payment.

6.4.3 Shipping Instructions

If delivery is required: Goods must be delivered DDP (Destination as specified in contract) Incoterms® rules, Applicable Taxes extra.

In addition to the above, the Contractor is to unload and move the goods to the delivery location(s) specified in the contract.

6.5 Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Shannon MacCuaig
Title: Supply Specialist
Public Works and Government Services Canada
Acquisitions Branch
Address: L'Esplanade Laurier, 140 O'Connor, Street, Ottawa, Ontario, K1A 0R5
Telephone: (613) 697-0956
E-mail address: Shannon.MacCuaig@tpsgc-pwgsc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Project Authority

The Project Authority for the Contract is: *(to be completed at contract award)*

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone: _____
E-mail address: _____

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative

The Contractor's Representative for the Contract is: *(to be completed at contract award)*

Name: _____

Title: _____

Organization: _____

Address: _____

Telephone: _____

E-mail address: _____

6.6 Payment

6.6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm price as specified in Annex B – Basis of Payment. Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.6.2 Method of Payment

SACC Manual clause H1001C (2008-05-12) Multiple Payment

6.7 Invoicing Instructions

The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions.

Invoices must be distributed as follows:

- a. The original and one (1) copy must be forwarded to the following address for certification and payment.
_____ *(to be completed at contract award)*
- b. One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.

6.8 Certifications and Additional Information

6.8.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in _____ *(insert the name of the province or territory as specified by the Bidder in its bid, if applicable)*.

6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A (2020-05-28) General conditions: Goods (medium complexity);
- (c) Annex A, Requirement;
- (d) Annex B, Basis of Payment;
- (e) the Contractor's bid dated _____

6.11 Dispute Resolution

- a) The parties agree to maintain open and honest communication about the Work throughout and after the performance of the contract.
- b) The parties agree to consult and co-operate with each other in the furtherance of the contract and promptly notify the other party or parties and attempt to resolve problems or differences that may arise.
- c) If the parties cannot resolve a dispute through consultation and cooperation, the parties agree to consult a neutral third party offering alternative dispute resolution services to attempt to address the dispute.
- d) Options of alternative dispute resolution services can be found on Canada's Buy and Sell website under the heading "Dispute Resolution".

6.12 Access to Facilities and Equipment

Canada's facilities, equipment, documentation and personnel are not automatically at the disposal of the Contractor. If access to government premises, computer systems (micro computer network), working space, telephones, terminals, documentation and personnel for consultation is required by the Contractor to perform the Work, the Contractor must advise the Contracting Authority of the need for such access in a timely fashion. If the Contractor's request for access is approved by Canada and arrangements are made to provide access to the Contractor, the Contractor, its subcontractors, agents and employees must comply with all the conditions applicable at the Work site. The Contractor must further ensure that the facilities and equipment are used solely for the performance of the Contract.

6.13 Canada's Facilities to Accommodate the Delivery

The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.

During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule

6.14 Standard finishes

The Identified User (IU) will consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.

Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.

The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.

6.15 SACC Manual Clauses

SACC Manual clause [B7500C](#) (2006-06-16), Excess Goods

SACC Manual clause [A9068C](#) (2010-01-11), Government Site Regulations

SACC Manual clause [B4003T](#) (2011-05-16), Canadian General Standards Board – Standards

SACC Manual clause [B6802C](#) (2007-11-30), Government Property

SACC Manual clause [G1005C](#) (2016-01-28), Insurance - No Specific Requirement

ANNEX A

REQUIREMENT

1. REQUIREMENT

The department of Public Services and Procurement Canada (PSPC), on behalf of Natural Sciences and Engineering Research Council of Canada/ Social Sciences and Humanities Research Council (NSERC/SSHRC), has a requirement for the supply, delivery and installation of furniture products and prefabricated private phone booths.

2. SCOPE

Furniture specifications have been crafted to obtain furniture that enhances the design principles of GCworkplace. Furniture should meet the needs of providing additional work points within the m² identified for each work point as well as enhance the acoustic and visual acoustic isolation with screens and textiles.

Design intent should follow graphic representations supplied. These most accurately reflect the desired pieces.

The supplier is responsible for supplying all necessary hardware, connectors, supports, components (including electrical components) and wall mounts etc. required for furniture installation. The supplier will also be responsible for the delivery and installation of the product. All products must be new.

3. RESPONSIBILITY

The Contractor will supply, deliver and install the Work detailed in all parts of Annex A. The Contractor is responsible for ensuring that its goods and services listed in its proposal fully comply with the requirements of the Contract and in particular, the Contractor is responsible for ensuring that the goods fully furnish and correspond to all parts of Annex A. In the event the Contractor omitted to include, in its offer, goods or services required to completely furnish all parts of Annex A, the Contractor must supply, deliver and install/perform the missing goods/services at no additional cost to Canada.

4. GENERAL CONDITIONS

4.1 Schedule

- a) The furniture installation for floors 2 through 8.
- b) The Contractor will need to coordinate the furniture installation with the Contractor, and the Project Authority (PA).

4.2 Building Access

- a) Contractor must identify use of a third party installation company if applicable.
- b) All deliveries are to be done after normal business hour and brought through the Loading Dock.
- c) Installation to be completed **outside normal business hours**.
- d) Personal protection safety equipment must be worn by the furniture installers at all times.
- e) Contractor site orientation is required for all installers and affiliated personnel who require site access.
- f) Installers and affiliated personnel who require site access will need to pass security screening as well as obtain site specific access badges

4.3 Security

- a) The Contractor must be responsible for securing their equipment and materials.

4.4 Garbage Removal

- a) The Contractor must maintain work areas, and adjacent areas free from accumulations of waste

- products and debris arising from this project.
- b) The Contractor must remove garbage and debris daily.
 - c) The Contractor must follow all site ZIBI requirements for the disposal of waste products

5. REFERENCES AND TEST REQUIREMENTS for Collaborative furniture

5.1 American National Standards Institute (ANSI) / Business and International Furniture Manufacturers Association (BIFMA International)

- 1. ANSI/BIFMA X5.4 – Lounge and Public Seating
- 2. ANSI/BIFMA e3-2014e – Furniture Sustainability Standards 7.6.1 OR 7.6.2
- 3. ANSI/BIFMA M7.1-2011 (R2016) - American National Standard For Office Furnishings - Standard Test Method for determining VOC Emissions from Office Furniture Systems, Components and Seating.
- 4. BIFMA Mechanical Test Standards - Compiled Definitions – BIFMA-PD-1.
- 5. Organizations that certify manufacturers' claims must be accredited under ISO Guide 17065.

5.2 American National Standards Institute (ANSI) / Hardwood Plywood & Veneer Association (HPVA) / National Particleboard Association (NPA):

- 1. ANSI/HPVA HP-1 - American National Standard for Hardwood and Decorative Plywood
- 2. ANSI/NPA A208.1 - Particleboard
- 3. ANSI/NPA A208.2 - Medium Density Fiberboard (MDF) for Interior Applications.

5.3 American Association of Textile Chemists and Colorists (AATCC)

- 1. AATCC EP001-EP-1 - Grey Scale for Color Change

5.4 Association for Contract Textiles (ACT)

- 1. ACT Voluntary Performance Guidelines for Upholstery.

5.5 Business and Institutional Furniture Manufacturers Association (BIFMA)

- 1. BIFMA G1 - Ergonomics Guideline for Furniture Used in Office Workspaces Designed for Computer Use
- 2. BIFMA PD-1 - Mechanical Test Standards - Compiled Definitions

5.6 Canadian General Standards Board (CGSB)

- 1. GreenGuard Certification Standards for Low-Emitting Products.
- 2. CAN/CGSB-44.227 Free-standing Office Desk Products and Components.

5.7 Underwriter Laboratory Inc.

- 1. UL 1286-2011, Section 33 Standards for Office Furnishings.

5.8 All ANSI/BFMI tests only must be completed at an acceptable testing facility. An independent testing laboratory and/or a company owned laboratory are acceptable provided that the laboratory has been accredited by a nationally recognized body such as Standards Council of Canada, A2LA (American Association for Laboratory Accreditation) or is listed on the Canadian General Standards Board (CGSB) Laboratory Acceptance Program.

5.9 Flammability - All applicable components must comply with California Technical Bulletin 117.

5.10 ASTM International (formerly American Society for Testing and Materials)

- 1. ASTM C297/C297M - Standard Test Method for Flatwise Tensile Strength of Sandwich Constructions
- 2. ASTM D523- Standard Test Method for Specular Gloss
- 3. ASTM D3363 - Standard Test Method for Film Hardness by Pencil Test

4. ASTM D4060 - Standard Test Method for Abrasion Resistance of Organic Coatings by the Taber Abraser.

- 5.11 Revised Test Standard(s):. If the referenced test Standards change, the products must successfully pass the revised test Standard(s). Only the tests that have been revised must be performed, and, this testing must occur within nine months from the date of the revised test Standard(s).
- 5.12 Product Changes: When physical changes are made to products already tested against the above referenced test Standards, the changed product(s) must also be tested within nine months from the date of the product change. The applicable tests and the applicable test Standards will be those deemed by an Acceptable Test Facility.
- 5.13 For all test reports that are not specific to the products in this solicitation, the Supplier must provide an explanation to Canada as to why the "worst-case condition" applies to the products. The definition of "worst-case condition" can be found in BIFMA PD-1.

6. STANDARDS for phone booths

All products provided must comply with the following standards where applicable:

- CARB Phase 2 part of California's Composite Wood Products Regulation (CWP Regulation).
- CAL-TB 117 - California Technical Bulletin 117 - Flammability Standard Requirements for Upholstered Furniture
- CAN/CGSB-44.227 Free-standing Office Desk Products and Components.
- CAN/CGSB-44.229 Interconnecting Panel Systems and Supported Components.
- ICES-005 Radio Frequency Lighting Devices
- Sustainability: products to be certified by independent third-party in accordance with BIFMA e3 – minimum Level 1
- Environmental: product must receive one or more points under Section 7.6 of ANSI/BIFMA e3, and not to exceed emissions concentration limits in accordance with ANSI/BIFMA X7.1-[R2016], Standard for Formaldehyde and TVOC Emissions of Low-emitting Office Furniture and Seating or SCS Indoor Advantage and Indoor Advantage™ Gold.
- ASTM C423 - Standard Test Method for Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method
- ULC-S102-2018, Standards Method of Test for Surface Burning Characteristic of Building Materials and Assemblies

7. TEST AND EVALUATION REPORTS for phone booths

- 7.1 Test reports must be provided for examination *upon request* and be not more than five years old from the date the test was performed with the exception of the fabric tests applicable to the ACT Voluntary Performance Guidelines.
- 7.2 All tests must be completed by an *acceptable test facility*.¹
- 7.3 Revised Test Standard(s): Reference is made to the testing standards listed within this spec and to the requirement that all products offered have successfully passed the referenced testing standards where applicable. If the referenced test standards change, the products must successfully pass the revised test standard(s). Only the tests that have been revised must be performed, and, this testing must occur within nine months from the date of the revised test Standard(s).
- 7.4 Product Changes: When physical changes are made to products already tested against the referenced test standards, the changed product(s) must also be tested within nine months from the date of the product change. The applicable tests and the applicable test standards will be those deemed by an *acceptable test facility*.¹

7.5 Must be able to provide test report within 5 days upon request.

¹ *Acceptable test facility*: An acceptable test facility is defined as an ISO 17025 accredited laboratory that is accredited by a nationally recognized body such as the Standards Council of Canada or the A2LA (American Association for Laboratory Accreditation), NVLAP (National Voluntary Laboratory Accreditation Program), or is listed in the Canadian General Standards Board (CGSB) Laboratory Acceptance Program for the applicable scope of testing requested.

NOTE: Reference to the above publications, or test methods, is to the latest issue unless otherwise specified.

8. MANUALS & DATA

The Contractor must provide the manufacturer's written instructions for maintenance of operable components and cleaning procedures. The documentation provided must include the name of the original installation company and contact information.

9. PRIORITY OF DOCUMENTS

In the event of a discrepancy, the following priority of documents applies:

1. Graphic representations (Design Intent)
2. Specification
3. In the event of a discrepancy between the metric and imperial dimensions, imperial dimensions take precedent.

10. PERFORMANCE REQUIREMENTS

10.1 Quality of Workmanship of any items not included within CAN/CGSB 44.227 – Freestanding Office Desk Products - The assembled components must be uniform in quality, style, material and workmanship and must be clean and free from any defects that may affect appearance, serviceability, or safety. When assembled in all possible configurations there must be no visible unfinished edges or surfaces. Lubricated parts must be protected against accidental contact with the user, the user's clothes or documents. Wood core surfaces must be of a balanced construction to prevent warping. The finished products must be stable, uniform in quality, style, material and workmanship, and be clean and free from defects that may affect appearance, serviceability and safety.

10.1.1 External surfaces must be smooth and all edges must be rounded and/or beveled. All accessible surfaces must be free from sharp edges, burrs and any other hazards to safety.

10.1.2 Doors must fit squarely and evenly into the openings on all sides.

10.1.3 All welds must be structurally sound, free from cracks and surface voids. They must be clean, smooth and uniform in appearance and free from scale, flux, trapped foreign matter or any other inclusions that may be detrimental to the application of the primer or final finish.

10.1.4 Fixed, moveable or adjustable parts must be constructed so that they cannot unintentionally become loose, dislodged or cause personal injury.

10.2 Style and finish must coordinate between all pieces unless otherwise indicated.

11. ENVIRONMENTAL REQUIREMENTS

11.1 Materials Chemistry:

11.1.1 Must be constructed free of environmentally hazardous materials such as CFC (chlorofluorocarbon), solvent- based adhesives, heavy metals (chrome, lead, and mercury) and

benzene.

11.1.2 Shall be constructed free of environmentally hazardous processes such as those that produce VOC's and deplete ozone.

11.1.3 Painted components must be coated with powder coat paint, which results in minimal waste, consumes less energy and requires no solvents, compared to traditional wet paint processes. One exception shall be permitted for touch controls, which are wet coat painted to meet the durability needs to these high wear components.

11.1.4 A power cord which doesn't contain PVC plastic shall be standard.

11.1.5 PVC-free edge banding shall be standard on applicable components to avoid long-term human and environmental health dangers of PVC and to gain LEED Innovation and Design credit.

12. LEED Requirements & Waste Management:

- a) Manufacturer is required to provide third-party documentation required by LEED v. 4.1 to illustrate that all product has been tested in accordance with ANSI/BIFMA Standard Method M7.1-2011 (R2016) and complies with ANSI/BIFMA e3-2014e Furniture Sustainability Standard.
- b) This Subcontractor is responsible for the removal of all furniture packaging and wrapping materials from site. As the Construction Manager is aiming for a 95% diversion ratio of waste materials, this Subcontractor is responsible for properly separating and diverting this material from site. This Subcontractor shall provide the Construction Manager with all required paperwork so they can accurately track and include the diverted materials in their waste audit. This includes, but is not limited to, the following; disposal way bills and waste summary sheet, which clearly indicate the weight of each material being diverted, as well as letters from each waste receiving facility describing how the materials are recycled.

13. PACKAGING AND DISTRIBUTION

13.1 Corrugated containers used must contain at least 80% recycled content paper fiber.

13.2 Blanket wrapping must be used for short distances of 100 km or less when the orders are of sufficient order size (i.e. enough to fill a truck).

13.3 As a minimum, the Supplier must implement one of the following requirements:

- 13.3.1 Products to be shipped in bulk (e.g. can be disassembled into parts at source, packed more densely for shipping and reassembled on site);
- 13.3.2 Packaging is recyclable and/or bio-degradable;
- 13.3.3 Packaging is returnable to the supplier/shipper; or
- 13.3.4 Packaging is reusable.

List of Products

Package 1

- 1 Bar-height table at back of 60 ° Curvilinear Bench – R1a & R1b

Package 2

- 2 Fixed Reclined Posture Lounge Chair with Table Arm and Ottoman – R2a & R2b

Package 3

- 3 Fixed Relined Posture Lounge Chair without arms and with Ottoman – R3a & R3b

Package 4

- 4 L-Shaped Lounge Seating - R4

Package 5

- 5 Lounge Seat with high back and sides – R5

Package 6

- 6 Free Standing Mobile White Board – R6

Package 7

- 7 Focus Pod Lounge Chair– R7

Package 8

- 8 Focus Pod Desk – R8

Package 9

- 9 Phone Booths

Detailed Product Descriptions

1. R1a & R1b – Bar-Height table at back of curvilinear Bench

Location: Teaming Areas

1.A.1 R1a - Bar-Height table

1.A.1. Description

- .1 Freestanding or supported by curvilinear bench (item 1.B.1).
- .2 Curve to match bench curve (item 1.B.1).
- .3 Post Legs or cantilevered from curvilinear bench (item 1.B.1).
- .4 Come with cable management kit.
- .5 Allow for two (2) grommets per unit.
- .6 Flat edge profile or seamless.

1.A.2 Dimension

- .1 Table overall width must be within the following range: 1285 mm (51 in.) to 1867 mm (73.5 in.) inclusive.
- .2 Table depth must be within the following range: 254 mm (10 in.) to 508 mm (20 in.) inclusive.
- .3 Table height from floor must be within the following range: 1041 mm (41 in.) to 1092 mm (43 in.) inclusive.

1.A.3 Finishes

- .1 Table top to be high pressure laminate with self or seamless edge. Polyvinyl chloride (PVC), polypropylene (PP), Acrylic, Acrylonitrile Butadiene Styrene

(ABS) or solid hardwood edging is also acceptable.

.2 Legs or brackets to be factory painted metal.

1.B.1 R1b - 60° Curvilinear Bench

1.B.1 Description

- .1 Arc/curve of bench must be 60°.
- .2 Must be individual units which gang together.
- .3 Must seat two (2) persons.
- .4 Must have an integral upholstered high back.
- .5 No Bolster.

1.B.2 Dimension





- .1 Bench overall width must be within the following range: 1285 mm (51 in.) to 1867 mm (73.5 in.) inclusive.
- .2 Bench overall depth must be within the following range: 762 mm (30 in.) to 889 mm (35 in.) inclusive.
- .3 Bench back height must be within the following range: 1041 mm (41 in.) to 1270 mm (50 in.) inclusive.
- .4 Seat depth must be no less than 483 mm (19 in.) +/- 25 mm (1 in.) inclusive.
- .5 Seat height must be within the following range: 381 mm (15 in.) to 483 mm (19 in.) inclusive.

1.B.3 Finishes

- .1 Seat and backrest must be fully upholstered with stitch detailing for a *tailored appearance*.
- .2 Seat back must allow for different fabric option than the seat.
- .3 Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs Wyzenbeek method.
- .4 Bench supports on floor must be chrome, painted metal or wood.

1.B.4 Support/Bases

- .1 If manufacturer's standard offering requires legs for stability, the legs must not be higher than 152 mm (6 in.) +/- 25 mm (1 in.) inclusive.

Product being referenced	Quantity
R1a & R1b Location – 125 Zaida Eddy Private, Ottawa Ontario, K1A, Levels 3 to 7	Levels 3 to 7 – Qty. 3 at one location each level Total: 15
Graphic Representation :  Plan	
	

Note - Image (for reference only) and Quantities

2. R2a & R2b – Fixed Reclined Posture Lounge Chair with Table Arm and Ottoman

Location: Focus Rooms

2.A.1 Fixed Reclined Posture Lounge Chair with Table Arm (R2a)

2.A.1 Description

- .1 Fixed Inclined Back with a degree tilt of approximately 8°.
- .2 Must have arms that are integral to the design of the chair.
- .3 Must be *modern* and tailored in appearance.
- .4 Tablet arm must be fixed to the unit and have a 360° turning radius or the ability to move in and out or can be a separate table that can be slid over arm. Tablet arm must be available in right or left handed.
- .5 Chair must have sled, post or star base with glides or pedestal base.

2.A.2 Dimensions

- .1 Tablet surface must have a *footprint* of no less than 929 cm² (144 in.²).
- .2 Seat height must be between 400 mm (15.75 in.) to 508 mm (21 in.) inclusive.
- .3 Chair must have an overall height within the following range: 1041 mm (41 in.) to 1112 mm (44 in.) inclusive.

2.B.3 Finishes

- .1 Seat, backrest and arms must be fully upholstered with stitch detailing for a *tailored appearance*.
- .2 Upholstery must be manufacturer's grade 5 or above (or approved equivalent)
- .3 Tablet arm or table must be laminate, glass or wood finish with metal support to match chair support.

2.B.4 Support/Bases

- .1 Base to be chrome, painted metal or wood finish.

2.B.1 Ottoman or Foot Stool (R2b)

2.B.1 Description



- .1 Must be from same series as chair (item 2.A.1).
- .2 Support must match chair (2.A.1) or be a solid upholstered base.

2.B.2 Dimensions

- .1 Width must be within the following range: 610 mm (24 in.) to 914 mm (36 in.) inclusive.
- .2 Depth must be within the following range: 610 mm (24 in.) to 762 mm (30 in.) inclusive.
- .3 Must have a have an overall height within the following range: 356 mm (14 in.) to 419 mm (16.5 in.) inclusive.

2.B.3 Finishes

- .1 Must be fully upholstered except support (if support matches chair).
- .2 Must be available in the same fabrics as the chair (item 2.A.1).
- .3 Upholstery must be manufacturer's grade 5 or above (or approved equivalent)
- .4 Must have stitch detailing for a *tailored appearance*.

Product being referenced	Quantity
R2a & R2b Location – 125 Zaida Eddy Private, Ottawa Ontario, K1A, Levels 2 to 8	Level 2 – Qty. 1 Levels 3 & 5 – Qty. 4 each level Level 4 – Qty. 3 Levels 6 & 7 – Qty. 2 each level Level 8 – Qty. 1 <p style="text-align: right;">Total: 17</p>
Graphic Representation :  Plan	
	

Note - Image (for reference only) and Quantities

3. R3a & R3b – Fixed Reclined Posture Lounge Chair and Ottoman

Location: Relaxation Points

3.A.1 Fixed Reclined Posture Lounge Chair (R3a)

3.A.1 Description

- .1 Fixed Inclined Back with a degree tilt of approximately 8°.
- .2 Must not have arms.
- .3 Must be *modern* and tailored in appearance.
- .4 Base may be swivel or fixed.

3.A.2 Dimensions

- .1 Seat overall width must be within the following range: 609 mm (24 in.) to 927 mm (36.5 in.) inclusive.
- .2 Back height must be within the following range: 990 mm (39 in.) to 1270 mm (50 in.) inclusive.
- .3 Seat height must be within the following range: 381 mm (15 in.) and 508 mm (20 in.) above floor +/- 13 mm (1/2 in.) inclusive.

3.A.3 Finishes

- .1 Seat, backrest and arms must be fully upholstered with stitch detailing for a *tailored appearance*
- .2 Upholstery must be manufacturer's grade 5 or above (or approved equivalent)

3.A.4 Support/Bases

- .1 Base to be chrome, painted metal or wood finish.

3.B.1 Ottoman or Foot Stool (R3b)

3.B.1 Description

- .1 Must be from same series as chair (item 3.A.1).
- .2 Support must match chair (item 3.A.1) or be a solid upholstered base.

3.B.2 Dimensions

- .1 Width must be within the following range: 610 mm (24 in.) to 914 mm (36 in.) inclusive.
- .2 Depth must be within the following range: 489 mm (19.25 in.) to 762 mm (30 in.) inclusive.
- .3 Must have a have an overall height within the following range: 356 mm (14 in.) to 444.5 mm (17.5 in.) inclusive.

3.B.3 Finishes

- .1 Must be fully upholstered except support (if support matches chair).
- .2 Must be available in the same fabrics as the chair (item 3.A.1).
- .3 Upholstery must be manufacturer's grade 5 or above (or approved equivalent)
- .4 Must have stitch detailing for a *tailored appearance*.

Product being referenced	Quantity
R3a & R3b Location – 125 Zaida Eddy Private, Ottawa Ontario, K1A, Levels 3 to 8	Levels 3 to 7 – Qty. 5 each level Level 8 – Qty. 2 <p style="text-align: right;">Total: 27</p>
Graphic Representation : 	

Note - Image (for reference only) and Quantities

4. R4 – L-Shaped Seating

Location: Huddles

4.1 L-Shaped Seating (R4)

4.1 Description

- .1 Must come without bolster,
- .2 Back must be fixed and mid-height and run continuous length of all seating including corner piece.
- .3 Must come without arms.
- .4 Each "L" must be able to seat a minimum of a two persons comfortably.
- .5 May be constructed with a corner piece, either curved or square, to form "L" shape between two straight pieces.
- .6 If made of multiple components, they must gang together.
- .7 Must have legs.

4.2 Dimensions




- .1 Overall width must be within the following range: 2134 mm (84 in.) to 2591 mm (102 in.) inclusive.
- .2 Overall height must be within the following range: 813 mm (32 in.) to 840 mm (33 in.) inclusive.
- .3 Overall depth of each straight component (seat and back) must be within the following range: 686 mm (27") to 762 mm (30 in.) inclusive.
- .4 Overall depth of curved corner piece (if applicable) must be within the following range: 920 mm (36 in.) to 1016 mm (40 in.) inclusive. See additional dimension sketch after questions. A depth of 33.8" is acceptable as long as the corner piece will still accommodate someone sitting in it. The inside radius of the corner unit must accommodate a user.
- .5 Inside seat depth must be no less than 508 mm (20 in.) +/- 25 mm (1 in.) inclusive for all components.
- .6 Seat height must be within the following range: 406 mm (16 in.) and 508 mm (20 in.) above floor +/- 13 mm (1/2 in.) inclusive.

4.3 Finishes

- .1 Seat and back must be fully upholstered with stitch detailing for a *tailored appearance*.
- .2 Seat and back must allow for different fabric option than the seat.
- .3 Upholstery must be manufacturer's grade 5 or above (or approved equivalent)

4.4 Support/Bases

- .1 Legs must be chrome, factory painted metal or wood.

Product being referenced	Quantity
R4 Location – 125 Zaida Eddy Private, Ottawa Ontario, K1A, Levels 3 to 8	Levels 3 to 7 – Qty. 3 each level Level 8 – Qty. 2 <p style="text-align: right;">Total: 17</p>
Graphic Representation :  Plan	
	

Note - Image (for reference only) and Quantities

5. R5 – Lounge Seat with High Back and Sides

Location: Floor 2 phone areas

5.1 Lounge Seat with high Back and Sides (R5)

5.1 Description

- .1 Back and sides must be affixed to seat.
- .2 Must have legs.
- .3 Can be with or without a fixed bolster.
- .4 Side panels must be within 76 mm (3 in.) with front edge of seat.
- .5 Side panels to provide visual and acoustic privacy for user.
- .6 Back and sides must stop at top of legs.

5.2 Dimensions



- .1 Overall width must be within the following range: 686 mm (37 in.) to 1321 mm (52in.) inclusive.
- .2 Overall height must be within the following range: 1194 mm (47 in.) to 1372 mm (54 in.) inclusive.
- .3 Overall depth must be within the following range: 762 mm (30 in.) to 940 mm (37 in.) inclusive.
- .4 Seat height must be within the following range: 406 mm (16 in.) and 508 mm (20 in.) above floor +/- 13 mm (1/2 in.) inclusive.

5.3 Finishes

- .1 Seat and back must be fully upholstered with stitch detailing for a *tailored appearance*.
- .2 Seat and back must allow for different fabric option than the seat.
- .3 Upholstery must be manufacturer's grade 5 or above (or approved equivalent)

5.4 Support/Bases

- .1 Legs must be chrome, factory painted metal or wood.

Product being referenced	Quantity
R5 Location – 125 Zaida Eddy Private, Ottawa Ontario, K1A, Level 02 Only	Level 02 – 4 <div style="text-align: right;">Total: 4</div>
Graphic Representation :  Plan	

Note - Image (for reference only) and Quantities

6. R6 - Free Standing Mobile White Board


Location: Teaming Areas, Project Rooms, Huddles

6.1 Free Standing Mobile White Board (R6)

6.1 Description

- .1 Magnetic porcelain surface on both sides which also allows for dry erase.
- .2 Fully framed surfaces
- .3 Must have lockable casters on base for use on carpet

- .4 Must have an integrated marker and eraser storage or tray.
- 6.2 Dimension
- .1 Overall width to be within the following range: 1143 mm (45 in.) and 1372 mm (54 in.) inclusive.
 - .2 Overall depth to be within the following range: 610 mm (24 in.) and 762 mm (30 in.) inclusive.
 - .3 Overall height to be within the following range: 1372 mm (54 in.) and 1956 mm (77 in.) inclusive.
- 6.3 Finishes
- .1 Two-sided white magnetic porcelain surface.
 - .2 Metal frame to be chrome or factory painted metal. **Also acceptable is a wood frame which meets the design intent.**
 - .3 Cleanable and durable.

Product being referenced	Quantity
R6 Location – 125 Zaida Eddy Private, Ottawa Ontario, K1A, Levels 03 to 07	Levels 3 to 7 – Qty. 2 each level Total: 10
Graphic Representation :  <p>The graphic representation shows a plan view of the chair labeled 'R6' and the word 'Plan' below it. To the right are three perspective views of the chair with a screen attached to the backrest. The first view shows the chair from a side angle, the second from a front-three-quarter angle, and the third from a rear-three-quarter angle. The screen is a rectangular panel that can be extended upwards.</p>	

Note - Image (for reference only) and Quantities

7. (R7) - Focus Pod Lounge Chair with Integral Screens and Tablet

Location: Focus Pods

7.1 Focus Pod Lounge Chair with Screens and Tablet



- 7.1 Description
- .1 Upholstered reclined posture lounge chair with high back and built in laptop table.
 - .2 Metal 4 legs with glides.
 - .3 Fully upholstered chair; back and seat.
 - .4 Fully upholstered sides and back or upholstered sides and back with translucent screens at top to make up full overall height.
 - .5 Must have option to lengthen/add screens on one side.
 - .6 Screens/enclosure must not be continuous to floor but be supported by legs.
- 7.2 Dimension
- .1 Overall width to be within the following range: 940 mm (37 in.) and **1346 mm (53 in.)** inclusive.
 - .2 Overall length/depth to be within the following range: 920 mm (36 in.) and 1829 mm (72 in.) inclusive.
 - .3 Overall height to be within the following range: 1143 mm (45 in.) and 1372 mm (54 in.) inclusive.

7.3 Finishes

- .1 Seat and back must be fully upholstered with stitch detailing for a *tailored appearance*.
- .2 Tablet or table to be high pressure laminate or wood veneer.
- .3 Upholstery must be manufacturer's grade 5 or above (or approved equivalent)
- .4 Cleanable and durable – stain repellent and minimum of 80,000 double rubs.

7.4 Support/Bases

- .1 Legs to be chrome, factory painted metal or wood.

Product being referenced	Quantity
R7 Location – 125 Zaida Eddy Private, Ottawa Ontario, K1A, Levels 03 to 08	Level 3 – Qty. 12 Level 4 – Qty. 11 Level 5 – Qty. 12 Levels 6 & 7 – Qty. 11 each level Level 8 – Qty. 7 <p style="text-align: right;">Total: 64</p>
Graphic Representation :  Plan	

Note - Image (for reference only) and Quantities

8. (R8) - Focus Pod Desk

Location: Focus Pods

8.1 Focus Pod Desk with Screens

8.1 Description

- .1 Freestanding unit must include a *work surface* for a single user and be enclosed on three sides with screens.
- .2 *Work surface* and screens must be from the same product line.
- .3 Screens must extend beyond the front edge of the *work surface* on both sides.
- .4 Screen must be provided along the entire back side of the *work surface*.
- .5 Slots are permitted in screens.
- .6 Seat will be provided separately and does not form part of this specification.



8.2 Dimension

- .1 Overall width to be within the following range: 1245 mm (49 in.) and 1930 mm (76 in.) inclusive.
- .2 Overall depth to be within the following range: 1651 mm (65 in.) and 1930 mm (76 in.) inclusive.
- .3 Overall height to be within the following range: 1270 mm (50 in.) and 1371 mm (54 in.) inclusive.
- .4 Depth of *work surface* to be within the following range: 609.6 mm (24 in.) and 940 mm (37 in.) inclusive.

- .5 Screens must extend beyond the front edge of the *work surface* a minimum of 76 mm (3 in.) +/- 13 mm (1/2 in.) inclusive on one side.
- .6 Screens must extend beyond the front edge of the *work surface* a minimum of 914 mm (36 in.) +/- 13 mm (1/2 in.) inclusive on the other side.

8.3 Finishes

- .1 Screens must be fabric covered or wood veneer.
- .2 *Work surface* must be high pressure laminate or wood veneer.
- .3 Fabric must be manufacturer's grade 3 or above (or approved equivalent).

Product being referenced	Quantity
R8 Location – 125 Zaida Eddy Private, Ottawa Ontario, K1A, Levels 03 to 08	Levels 3 to 7 – Qty. 6 each level Level 8 – Qty. 1 <div style="text-align: right;">Total: 31</div>
Graphic Representation :  <p style="text-align: center;">Plan</p>	
	

Note - Image (for reference only) and Quantities

9. (R9) – Phone Booths

List of Phone Booth Products

Single occupant – Prefabricated Private Phone Booth

Detailed Product Description

1 – Single occupant – Prefabricated Private Phone Booth

1.1 Description

1.1.1 – Prefabricated private phone booth is a private compact freestanding booth that can be placed in an office design and relocated as required. Units to be self-contained with ventilation fan, lighting, electrical and data outlets. Powered by plug-in standard wall outlet.

1.1.2 Units may be provided with integrated floor or be mounted over existing floor.

1.1.3 Booth must include an integrated or freestanding seat.

1.1.4 Booth must include a work surface and a minimum of one (1) power and one (1) USB outlets.
.1 Outlet locations to be integrated into work surface or wall panel.

1.1.5 Door swing must pivot right or left handed. It can be a glass door or a framed door with glass.
Door must be enabled with one releasing operation.

.1 Clearance width for door opening: minimum 812 mm (32 in.) +/- 25 mm (1 in.) inclusive.

.2 Door seals: could be brush or foam receiver at closer side for sound isolation

.3 Glass – tempered or laminated to CAN/CGSB-12.1 - Safety Glazing or ANSI
Z97.1 - Safety Glazing Materials Used in Buildings - Safety Performance
Specifications and Methods of Test

1.2 Dimension

1.2.1 Perimeter dimensions – minimum front 1016mm (40 in) +/- 25 mm (1 in.) inclusive. A front of less than 1016mm (40 in.) is acceptable as long as the unit can accommodate a door with a clearance of 812 mm (32 in.) +/- 25 mm (1 in.) inclusive as per item 1.1.5.1. Minimum depth 737mm (29 in) +/- 25 mm (1 in.) inclusive

1.2.2 Floor Covering Area – minimum 0.88sq.m (9.5 sq ft), maximum 1.485 sq.m (16 sq.ft)

1.2.3 Height of unit – minimum 2032mm (80 in) +/- 25 mm (1 in.) inclusive, maximum 2311mm (91 in) +/- 25 mm (1 in.) inclusive

1.3 Finishes

1.3.1 The manufacturer or Contractor to provide sample/selections of exterior and interior finishes upon contract award.

1.4 Other requirements

1.4.1 Acoustic Performance:

.1 Noise Insulation Class (NIC) - Average minimum NIC 25 measured in accordance to ASTM E596 - Laboratory measurement of noise reduction of sound-isolating enclosures. The testing unit must be tested as delivered with no modification or special additional sound treatment applied during test.

.2 Interior wall, floor covering material and acoustic requirement:

.1 Ceiling: Minimum 50% of ceiling surface area must be covered with sound absorption material (exclude Lights, and Fan areas).

.2 Walls: Minimum 25% of interior wall cover area must be covered with sound absorption materials.

.3 Units with integrated floor are to be provided anti-static and stain-resistant carpet.

.3 Fire Alarm System - The sound pressure level inside the prefabricated phone booth for a fire alarm audible signal device shall be not less than 65 dBA and not more than 110 dBA.

1.4.2 Comfort:

.1 Air circulation: All products (electrical) to be ULC listed or CAN/CSA approved.

.1 Ceiling mounted exhaust fan 120V

.1 Air Change: Minimum 25 L/s per occupant

.2 Noise Criteria (NC) level – maximum 35 dB at designed speed

.2 Floor intake openings at finished floor height

.3 Controls:

.1 Sensor activated operating fan upon occupant entry to the unit. Automatic shut-off from 2 to 15 minutes timer delay when unit is not occupied.

.2 Lighting: All products (electrical) to be ULC listed or CAN/CSA approved. Built in LED lighting fixture powered by the unit. It must comply with the Accessible Design for the Built Environment.

.1 Light intensity: minimum average 300 lux (28 fc) illumination

.2 Controls:

- .1 Sensor activated operating lighting upon occupant entry to the unit.
- .2 Automatic shut-off from 2 to 15 minutes timer delay when unit is not occupied.

1.4.3 Fire protection

.1 The interior wall, ceiling and floor finishes shall have a flame spread rating (FSR) and smoke developed classification (SDC) that meet the minimum levels set in the NBC (National Building Code) 2015. The FSR and SDC must be determined on the basis of tests conducted in accordance with ULC-S102-2018, Standards Method of Test for Surface Burning Characteristic of Building Materials and Assemblies.

.1 Flame Spread Rating:

.1 Flame Spread Rating of interior wall and ceiling finishes: not more than 150

.2 Smoke Development: less than 450.

.2 Sprinkler knockout as requested by local authority

.1 The prefabricated phone booth must have a sprinkler knock-out located on the top of the unit.

1.4.4 Seismic qualification report and anchoring requirements prepared by professional engineer registered or licensed in [Provincial] [Territories] [Canada] as requested by local authority as per project basis

.1 Include (but not limited to) connection and anchoring hardware to concrete slabs

APPENDIX 1 to Annex A

Delivery and Installation Schedule

The delivery and installation will be carried out in accordance with the Schedule listed below:

Sequence of the Work:

The delivery and installation will be staggered over several working days to ensure the sequences of delivery and/or installation flows accordingly and each Contractor is given sufficient time to proper their work.

NOTE: The following dates maybe subject to changes and are dependent on the building construction schedule. It is the Contractors responsibility to validate the delivery and installation dates with the Contractor, and the Project Authority.

Schedule of Floors:


Refer to Annex B

Delivery & Installation Instructions

- a) Delivery as per Project Authority pre-determined authorize time and schedule – Delivery will happen outside normal business hours and Installations **outside** normal business hours unless instructed otherwise by Project Authority.
- b) All deliveries and installations without exception must be scheduled and coordinated with the Project Authority.
- c) All deliveries must be through loading dock area only, not pedestrian entrances.
- d) All products must be delivered immediately to the designated floor.
- e) Without exception during and on completion of each of the delivery and installations, the Contractor must collect and remove all rubbish, crates, boxes, wrapping, plastics and all materials associated with the delivery and installations away from the premises. The Contractor is responsible to keep the area safe and clean at all times.
- f) FLOOR/WALL PROTECTION: During and upon completion of the delivery and installations, the Contractor must ensure that all flooring and walls are properly protected against any type of damages.
- g) LOADING/UNLOADING AREAS: Contractor must use only the loading and unloading areas approved by the Project Authority. Contractor vehicles must be parked only in approved areas. The Contractor must be responsible for obtaining any permits that may be required for the services performed in the loading and unloading areas.
- h) WEATHER AND OTHER CONDITIONS: The Contractor must take all appropriate measures to protect property during the entire process. This includes protecting items from exposure to inclement weather during loading, unloading, and transport.
- i) It is the Contractor's responsibility to assume any permits and/or parking related fees associated with loading and unloading, pickup and deliveries.
- j) The Contractor's personnel must wear protective footwear, head gear and clothing, and must use appropriate protective equipment, materials and devices as required and in accordance with the Canadian
- k) Occupational Safety and Health Regulations. The Contractor must adhere to all emergency, fire safety, and security regulations in the buildings as well as wearing the proper equipment for the job.
 - i. While performing services under this Contract, the Contractor and its personnel must at no time engage in the following activities, including but not limited to:

- ii. Smoking in the facilities;
 - iii. Damage to Crown Property of any type;
 - iv. Arrive at the facility under the influence of illegal drugs or alcohol, or even with alcohol on the breath;
 - v. Consume alcoholic beverages or cannabis on the job;
 - vi. Use unassigned washrooms without permission;
 - vii. Use government telephones without prior approval from the Project Authority
 - viii. Engage in prolonged discussions or arguments regarding the job; and
 - ix. Perform any work for the client not specified in this contract without approval of the Project Authority.
- l) Delivery and Installation specifically for the Phone Booth's
- a. Product is to be received and unloaded at all site location after business hours defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm.
 - b. Install in accordance with the manufacturers written instructions using trained personnel at the site location after business hours, defined as Monday to Friday 5:00 pm to 12:00 am and Saturday to Sunday 8 am to 5pm.
- m) Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.

Loading dock & Freight Elevator Key Plan



ANNEX B

BASIS OF PAYMENT

Table 1 – Package 1

Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID		
item	Title	Quantity (A)	Manufacturer/ Series/Model	Firm Unit Price (B)	Product Total (C)=(A)x(B)
1	R1a – Bar-Height table	15		\$	\$
1	R1b - curvilinear Bench	15		\$	\$
Subtotal:					\$

Table 2 – Delivery – Package 1

Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID		
Location	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will deliver :	Firm Lot Price \$	Extended Total \$
<i>125 Zaida Eddy Private, Ottawa, Ontario, Levels 2 to 8 Refer to Floor Plan in Annex A</i>	<i>July 14, 2021 to August 10, 2021</i>	<i>Outside Normal Business Hours</i>		\$	\$
*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time. Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.			Subtotal for Deliveries:		\$

Table 2.1 - Canada’s Facilities to Accommodate the Delivery – Package 1

Canada’s Facilities to Accommodate the Delivery	
<i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i>	
<i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses.</i>	
<i>Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i>	
Loading Dock/Location	
Location Hours	4pm-10pm
Dock	Yes – see APPENDIX 1 to Annex A for location

Lift	N/A
Door	Doors on path from loading dock to install location large enough to fit standard pallets
Freight Elevator	Yes – see APPENDIX 1 to Annex A for location
Other (specify, if any)	Loading Dock is ~12 m from freight elevator Canada DOES NOT recommend a 53 ft trailer for delivery. A moving truck 20ft – 26ft with lift gate is recommended.

Table 3 – Installation – Package 1

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
Location Qty	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will install on the date	Firm Price \$	Extended Total (Qty x Price) \$
125 Zaida Eddy Private, Ottawa Ontario, K1A Levels 2 to 8 Refer to Floor Plan in Annex A	July 14, 2021 to August 10, 2021	Outside Normal Business Hours		\$	\$
*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time. Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.			Subtotal for Installations:		\$

Table 4 - Bid Evaluation – Package 1

(Canada may complete if not completed by the Bidder)

Firm Product Total	\$
Firm Delivery Total	\$
Firm Installation Total	\$
Total Evaluated (Bid) Price*	\$
Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
Total Estimated Cost : <i>[applicable at contract award only]</i>	\$

*At contract award, "Total Evaluated (Bid) Price" becomes "Contract Price".

Table 5 – Bidder's Authorized Representative – Package 1

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		Email:
		PBN:

Table 1 – Package 2

Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID		
item	Title	Quantity (A)	Manufacturer/ Series/Model	Firm Unit Price (B)	Product Total (C)=(A)x(B)
2	Fixed Reclined Posture Lounge Chair with Table Arm R2a	17		\$	\$
2	Ottoman –R2b	17		\$	\$
Subtotal:					\$

Table 2 – Delivery – Package 2

Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID		
Location	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will deliver :	Firm Lot Price \$	Extended Total \$
<i>125 Zaida Eddy Private, Ottawa, Ontario, Levels 2 to 8 Refer to Floor Plan in Annex A</i>	<i>July 14, 2021 to August 10, 2021</i>	<i>Outside Normal Business Hours</i>		\$	\$
<p>*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time.</p> <p>Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.</p>			Subtotal for Deliveries:		\$

Table 2.1 - Canada’s Facilities to Accommodate the Delivery – Package 2

Canada’s Facilities to Accommodate the Delivery	
<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses.</i></p> <p><i>Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
Loading Dock/Location	
Location Hours	4pm-10pm
Dock	Yes – see APPENDIX 1 to Annex A for location
Lift	N/A
Door	Doors on path from loading dock to install location large enough to fit standard pallets
Freight Elevator	Yes – see APPENDIX 1 to Annex A for location

Other (specify, if any)	Loading Dock is ~12 m from freight elevator Canada DOES NOT recommend a 53 ft trailer for delivery. A moving truck 20ft – 26ft with lift gate is recommended.
-------------------------	---

Table 3 – Installation – Package 2

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
Location Qty	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will install on the date	Firm Price \$	Extended Total (Qty x Price) \$
125 Zaida Eddy Private, Ottawa Ontario, K1A Levels 2 to 8 Refer to Floor Plan in Annex A	July 14, 2021 to August 10, 2021	Outside Normal Business Hours		\$	\$
*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time. Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.		Subtotal for Installations:			\$

Table 4 - Bid Evaluation – Package 2

(Canada may complete if not completed by the Bidder)

Firm Product Total	\$
Firm Delivery Total	\$
Firm Installation Total	\$
Total Evaluated (Bid) Price*	\$
Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
Total Estimated Cost : <i>[applicable at contract award only]</i>	\$

*At contract award, "Total Evaluated (Bid) Price" becomes "Contract Price".

Table 5 – Bidder's Authorized Representative – Package 2

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		Email:	
		PBN:	

Table 1 – Package 3

Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID		
item	Title	Quantity (A)	Manufacturer/ Series/Model	Firm Unit Price (B)	Product Total (C)=(A)x(B)
3	Fixed Reclined Posture Lounge Chair (R3a)	27		\$	\$
3	Ottoman or Foot Stool (R3b)	27		\$	\$
Subtotal:					\$

Table 2 – Delivery – Package 3

Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID		
Location	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will deliver :	Firm Lot Price \$	Extended Total \$
<i>125 Zaida Eddy Private, Ottawa, Ontario, Levels 2 to 8 Refer to Floor Plan in Annex A</i>	<i>July 14, 2021 to August 10, 2021</i>	<i>Outside Normal Business Hours</i>		\$	\$
<p>*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time.</p> <p>Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.</p>			Subtotal for Deliveries:		\$

Table 2.1 - Canada’s Facilities to Accommodate the Delivery – Package 3

Canada’s Facilities to Accommodate the Delivery	
<i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i>	
<i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses.</i>	
<i>Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i>	
Loading Dock/Location	
Location Hours	4pm-10pm
Dock	Yes – see APPENDIX 1 to Annex A for location
Lift	N/A
Door	Doors on path from loading dock to install location large enough to fit standard pallets
Freight Elevator	Yes – see APPENDIX 1 to Annex A for location

Other (specify, if any)	Loading Dock is ~12 m from freight elevator Canada DOES NOT recommend a 53 ft trailer for delivery. A moving truck 20ft – 26ft with lift gate is recommended.
-------------------------	---

Table 3 – Installation – Package 3

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
Location Qty	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will install on the date	Firm Price \$	Extended Total (Qty x Price) \$
125 Zaida Eddy Private, Ottawa Ontario, K1A Levels 2 to 8 Refer to Floor Plan in Annex A	July 14, 2021 to August 10, 2021	Outside Normal Business Hours		\$	\$
*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time. Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.			Subtotal for Installations:		\$

Table 4 - Bid Evaluation – Package 3

(Canada may complete if not completed by the Bidder)

Firm Product Total	\$
Firm Delivery Total	\$
Firm Installation Total	\$
Total Evaluated (Bid) Price*	\$
Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
Total Estimated Cost : <i>[applicable at contract award only]</i>	\$

*At contract award, "Total Evaluated (Bid) Price" becomes "Contract Price".

Table 5 – Bidder's Authorized Representative – Package 3

1.	Bidder's Authorized Representative for the Bid and the Contract		
		Name:	Telephone:
			Email:
			PBN:

Table 1 – Package 4

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
item	Title	Quantity (A)	Manufacturer/ Series/Model	Firm Unit Price (B)	Product Total (C)=(A)x(B)
4	L-Shaped Seating (R4)	17		\$	\$
Subtotal:					\$

Table 2 – Delivery – Package 4

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
Location	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will deliver :	Firm Lot Price \$	Extended Total \$
<i>125 Zaida Eddy Private, Ottawa, Ontario, Levels 2 to 8 Refer to Floor Plan in Annex A</i>	<i>July 14, 2021 to August 10, 2021</i>	<i>Outside Normal Business Hours</i>		\$	\$
*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time. Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.			Subtotal for Deliveries:		\$

Table 2.1 - Canada's Facilities to Accommodate the Delivery – Package 4

Canada's Facilities to Accommodate the Delivery	
<i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i>	
<i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses.</i>	
<i>Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i>	
Loading Dock/Location	
Location Hours	4pm-10pm
Dock	Yes – see APPENDIX 1 to Annex A for location
Lift	N/A
Door	Doors on path from loading dock to install location large enough to fit standard pallets
Freight Elevator	Yes – see APPENDIX 1 to Annex A for location

Other (specify, if any)	Loading Dock is ~12 m from freight elevator Canada DOES NOT recommend a 53 ft trailer for delivery. A moving truck 20ft – 26ft with lift gate is recommended.
-------------------------	---

Table 3 – Installation – Package 4

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
Location Qty	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will install on the date	Firm Price \$	Extended Total (Qty x Price) \$
125 Zaida Eddy Private, Ottawa Ontario, K1A Levels 2 to 8 Refer to Floor Plan in Annex A	July 14, 2021 to August 10, 2021	Outside Normal Business Hours		\$	\$
*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time. Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.		Subtotal for Installations:			\$

Table 4 - Bid Evaluation – Package 4

(Canada may complete if not completed by the Bidder)

Firm Product Total	\$
Firm Delivery Total	\$
Firm Installation Total	\$
Total Evaluated (Bid) Price*	\$
Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
Total Estimated Cost : <i>[applicable at contract award only]</i>	\$

*At contract award, "Total Evaluated (Bid) Price" becomes "Contract Price".

Table 5 – Bidder's Authorized Representative – Package 4

1.	Bidder's Authorized Representative for the Bid and the Contract		
		Name:	Telephone:
			Email:
			PBN:

Table 1 – Package 5

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
item	Title	Quantity (A)	Manufacturer/ Series/Model	Firm Unit Price (B)	Product Total (C)=(A)x(B)
5	Lounge Seat with high Back and Sides (R5)	4		\$	\$
Subtotal:					\$

Table 2 – Delivery – Package 5

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
Location	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will deliver :	Firm Lot Price \$	Extended Total \$
<i>125 Zaida Eddy Private, Ottawa, Ontario, Levels 2 to 8 Refer to Floor Plan in Annex A</i>	<i>July 14, 2021 to August 10, 2021</i>	<i>Outside Normal Business Hours</i>		\$	\$
*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time. Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.			Subtotal for Deliveries:		\$

Table 2.1 - Canada's Facilities to Accommodate the Delivery – Package 5

Canada's Facilities to Accommodate the Delivery	
<i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i>	
<i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses.</i>	
<i>Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i>	
Loading Dock/Location	
Location Hours	4pm-10pm
Dock	Yes – see APPENDIX 1 to Annex A for location
Lift	N/A
Door	Doors on path from loading dock to install location large enough to fit standard pallets
Freight Elevator	Yes – see APPENDIX 1 to Annex A for location

Other (specify, if any)	Loading Dock is ~12 m from freight elevator Canada DOES NOT recommend a 53 ft trailer for delivery. A moving truck 20ft – 26ft with lift gate is recommended.
-------------------------	---

Table 3 – Installation – Package 5

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
Location Qty	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will install on the date	Firm Price \$	Extended Total (Qty x Price) \$
125 Zaida Eddy Private, Ottawa Ontario, K1A Levels 2 to 8 Refer to Floor Plan in Annex A	July 14, 2021 to August 10, 2021	Outside Normal Business Hours		\$	\$
*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time. Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.		Subtotal for Installations:			\$

Table 4 - Bid Evaluation – Package 5

(Canada may complete if not completed by the Bidder)

Firm Product Total	\$
Firm Delivery Total	\$
Firm Installation Total	\$
Total Evaluated (Bid) Price*	\$
Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
Total Estimated Cost : <i>[applicable at contract award only]</i>	\$

*At contract award, "Total Evaluated (Bid) Price" becomes "Contract Price".

Table 5 – Bidder's Authorized Representative – Package 5

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		Email:
		PBN:

Table 1 – Package 6

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
item	Title	Quantity (A)	Manufacturer/ Series/Model	Firm Unit Price (B)	Product Total (C)=(A)x(B)
6	R6 - Free Standing Mobile White Board	10		\$	\$
Subtotal:					\$

Table 2 – Delivery – Package 6

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
Location	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will deliver :	Firm Lot Price \$	Extended Total \$
<i>125 Zaida Eddy Private, Ottawa, Ontario, Levels 2 to 8 Refer to Floor Plan in Annex A</i>	<i>July 14, 2021 to August 10, 2021</i>	<i>Outside Normal Business Hours</i>		\$	\$
*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time. Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.			Subtotal for Deliveries:		\$

Table 2.1 - Canada's Facilities to Accommodate the Delivery – Package 6

Canada's Facilities to Accommodate the Delivery	
<i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i>	
<i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses.</i>	
<i>Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i>	
Loading Dock/Location	
Location Hours	4pm-10pm
Dock	Yes – see APPENDIX 1 to Annex A for location
Lift	N/A
Door	Doors on path from loading dock to install location large enough to fit standard pallets
Freight Elevator	Yes – see APPENDIX 1 to Annex A for location

Other (specify, if any)	Loading Dock is ~12 m from freight elevator Canada DOES NOT recommend a 53 ft trailer for delivery. A moving truck 20ft – 26ft with lift gate is recommended.
-------------------------	---

Table 3 – Installation – Package 6

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
Location Qty	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will install on the date	Firm Price \$	Extended Total (Qty x Price) \$
125 Zaida Eddy Private, Ottawa Ontario, K1A Levels 2 to 8 Refer to Floor Plan in Annex A	July 14, 2021 to August 10, 2021	Outside Normal Business Hours		\$	\$
*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time. Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.		Subtotal for Installations:			\$

Table 4 - Bid Evaluation – – Package 6

(Canada may complete if not completed by the Bidder)

Firm Product Total	\$
Firm Delivery Total	\$
Firm Installation Total	\$
Total Evaluated (Bid) Price*	\$
Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
Total Estimated Cost : <i>[applicable at contract award only]</i>	\$

*At contract award, "Total Evaluated (Bid) Price" becomes "Contract Price".

Table 5 – Bidder's Authorized Representative – Package 6

1.	Bidder's Authorized Representative for the Bid and the Contract		
		Name:	Telephone:
			Email:
			PBN:

Table 1 – Package 7

Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID		
item	Title	Quantity (A)	Manufacturer/ Series/Model	Firm Unit Price (B)	Product Total (C)=(A)x(B)
7	Focus Pod Lounge Chair with Integral Screens and Tablet	64		\$	\$
Subtotal:					\$

Table 2 – Delivery – Package 7

Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID		
Location	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will deliver :	Firm Lot Price \$	Extended Total \$
<i>125 Zaida Eddy Private, Ottawa, Ontario, Levels 2 to 8 Refer to Floor Plan in Annex A</i>	<i>July 14, 2021 to August 10, 2021</i>	<i>Outside Normal Business Hours</i>		\$	\$
<p>*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time.</p> <p>Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.</p>			Subtotal for Deliveries:		\$

Table 2.1 - Canada’s Facilities to Accommodate the Delivery – Package 7

Canada’s Facilities to Accommodate the Delivery	
<p>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</p> <p>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses.</p> <p>Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</p>	
Loading Dock/Location	
Location Hours	4pm-10pm
Dock	Yes – see APPENDIX 1 to Annex A for location
Lift	N/A
Door	Doors on path from loading dock to install location large enough to fit standard pallets
Freight Elevator	Yes – see APPENDIX 1 to Annex A for location

Other (specify, if any)	Loading Dock is ~12 m from freight elevator Canada DOES NOT recommend a 53 ft trailer for delivery. A moving truck 20ft – 26ft with lift gate is recommended.
-------------------------	---

Table 3 – Installation – Package 7

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
Location Qty	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will install on the date	Firm Price \$	Extended Total (Qty x Price) \$
125 Zaida Eddy Private, Ottawa Ontario, K1A Levels 2 to 8 Refer to Floor Plan in Annex A	July 14, 2021 to August 10, 2021	Outside Normal Business Hours		\$	\$
*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time. Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.			Subtotal for Installations:		\$

Table 4 - Bid Evaluation – Package 7
 (Canada may complete if not completed by the Bidder)

Firm Product Total	\$
Firm Delivery Total	\$
Firm Installation Total	\$
Total Evaluated (Bid) Price*	\$
Applicable Tax(es): [applicable at contract award only]	\$
Total Estimated Cost : [applicable at contract award only]	\$

*At contract award, "Total Evaluated (Bid) Price" becomes "Contract Price".

Table 5 – Bidder's Authorized Representative – Package 7

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		Email:
		PBN:

Table 1 – Package 8

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
item	Title	Quantity (A)	Manufacturer/ Series/Model	Firm Unit Price (B)	Product Total (C)=(A)x(B)
8	Focus Pod Desk with Screens	31		\$	\$
Subtotal:					\$

Table 2 – Delivery – Package 8

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
Location	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will deliver :	Firm Lot Price \$	Extended Total \$
<i>125 Zaida Eddy Private, Ottawa, Ontario, Levels 2 to 8 Refer to Floor Plan in Annex A</i>	<i>July 14, 2021 to August 10, 2021</i>	<i>Outside Normal Business Hours</i>		\$	\$
*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time. Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.			Subtotal for Deliveries:		\$

Table 2.1 - Canada's Facilities to Accommodate the Delivery – Package 8

Canada's Facilities to Accommodate the Delivery	
<i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i>	
<i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses.</i>	
<i>Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i>	
Loading Dock/Location	
Location Hours	4pm-10pm
Dock	Yes – see APPENDIX 1 to Annex A for location
Lift	N/A
Door	Doors on path from loading dock to install location large enough to fit standard pallets
Freight Elevator	Yes – see APPENDIX 1 to Annex A for location

Other (specify, if any)	Loading Dock is ~12 m from freight elevator Canada DOES NOT recommend a 53 ft trailer for delivery. A moving truck 20ft – 26ft with lift gate is recommended.
-------------------------	---

Table 3 – Installation – Package 8

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
Location Qty	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will install on the date	Firm Price \$	Extended Total (Qty x Price) \$
125 Zaida Eddy Private, Ottawa Ontario, K1A Levels 2 to 8 Refer to Floor Plan in Annex A	July 14, 2021 to August 10, 2021	Outside Normal Business Hours		\$	\$
*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time. Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.		Subtotal for Installations:			\$

Table 4 - Bid Evaluation – Package 8

(Canada may complete if not completed by the Bidder)

Firm Product Total	\$
Firm Delivery Total	\$
Firm Installation Total	\$
Total Evaluated (Bid) Price*	\$
Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
Total Estimated Cost : <i>[applicable at contract award only]</i>	\$

*At contract award, "Total Evaluated (Bid) Price" becomes "Contract Price".

Table 5 – Bidder's Authorized Representative – Package 8

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		Email:
		PBN:

Table 1 – Package 9

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
	Title	Quantity (A)	Manufacturer/ Series/Model	Firm Unit Price (B)	Product Total (C)=(A)x(B)
	Single occupant – Prefabricated Private Phone Booth	5		\$	\$
Subtotal:					\$

Table 2 – Delivery – Package 9

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
Location	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will deliver :	Firm Lot Price \$	Extended Total \$
ZIBI – BLOCK 211 125 Zaida Eddy Private K1A Ottawa Level 2 Refer to Floor Plan in Annex A	July 14, 2021 to August 10, 2021	Outside Normal Business Hours		\$	\$
*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to deliver on the Desired Date and Time. Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.			Subtotal for Deliveries:		\$

Table 2.1 - Canada's Facilities to Accommodate the Delivery – Package 9

Canada's Facilities to Accommodate the Delivery	
<i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i>	
<i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses.</i>	
<i>Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i>	
Loading Dock/Location	
Location Hours	4pm-10pm
Dock	Yes – see APPENDIX 1 to Annex A for location
Lift	N/A
Door	Doors on path from loading dock to install location large enough to fit standard pallets
Freight Elevator	Yes – see APPENDIX 1 to Annex A for location

Other (specify, if any)	Loading Dock is ~12 m from freight elevator Canada DOES NOT recommend a 53 ft trailer for delivery. A moving truck 20ft – 26ft with lift gate is recommended.
-------------------------	---

Table 3 – Installation – Package 9

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
Location Qty	Desired Date (YY/MM/DD)	Desired Time: *	Supplier will install on the date	Firm Price \$	Extended Total (Qty x Price) \$
ZIBI – BLOCK 211 125 Zaida Eddy Private K1A Ottawa Level 2 Refer to Floor Plan in Annex A	July 14, 2021 to August 10, 2021	Outside Normal Business Hours		\$	\$
*Normal Business Hours are 8:00 – 17:00 ** Outside Normal Business Hours is defined as Monday to Friday 5:PM to 12:00 am & Saturday to Sunday 8 am to 5pm. ***If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time. Delivery and installation dates to be confirmed by Project Authority prior to manufacturing.		Subtotal for Installations:			\$

Table 4 - Bid Evaluation – Package 9

(Canada may complete if not completed by the Bidder)

Firm Product Total	\$
Firm Delivery Total	\$
Firm Installation Total	\$
Total Evaluated (Bid) Price*	\$
Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
Total Estimated Cost : <i>[applicable at contract award only]</i>	\$

*At contract award, "Total Evaluated (Bid) Price" becomes "Contract Price".

Table 5 – Bidder's Authorized Representative – Package 9

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		Email:	
		PBN:	

Solicitation No. - N° de l'invitation
EP916-212055/C
Client Ref. No. - N° de réf. du client
EP916-212055

Amd. No. - N° de la modif.
002
File No. - N° du dossier
pq999.EP916-212055

Buyer ID - Id de l'acheteur
pq999
CCC No./N° CCC - FMS No./N° VME

ANNEX C

SECURITY REQUIREMENTS CHECK LIST

Not applicable