



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions
- TPSGC

11 Laurier St. / 11, rue Laurier

Place du Portage, Phase III

Core 0B2 / Noyau 0B2

Gatineau

Quebec

K1A0S5

Bid Fax: (819) 997-9776

SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Marine Emergency Response Division/Division des
Interventions en cas d'urgence maritime
Centennial Towers 7th Floor - 7W11
200 Kent Street
Ottawa
Ontario
K1A0S5

Title - Sujet Four Season Lighted Buoys (4SB) Four Season Lighted Navigation Buoys (4SB)	
Solicitation No. - N° de l'invitation F7047-210014/A	Amendment No. - N° modif. 004
Client Reference No. - N° de référence du client F7047-210014	Date 2021-05-17
GETS Reference No. - N° de référence de SEAG PW-\$ERD-011-28190	
File No. - N° de dossier 011erd.F7047-210014	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Eastern Daylight Saving Time EDT on - le 2021-05-28 Heure Avancée de l'Est HAE	
F.O.B. - F.A.B. Specified Herein - Précisé dans les présentes Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input checked="" type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Beland, Marc	Buyer Id - Id de l'acheteur 011erd
Telephone No. - N° de téléphone (819) 712-8714 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Amendment 004

This amendment is raised to:

1. Answer questions that were received from Industry.
-

1. QUESTIONS AND ANSWERS

QUESTION 1:

Can you confirm the thickness of the plates for items 35 and 300. There is no thickness specified in the drawings.

ANSWER 1:

The thickness of items 35 and 300 is 5/16 of an inch.

QUESTION 2:

Can you confirm whether the DWG drawings (tender drawings) will be sent to us if the contract is awarded.

ANSWER 2:

The drawings are not currently available in DWG version, and Canada would not share this information (Canadian intellectual property) if it were available.

QUESTION 3:

Can you confirm if it is mandatory for the project manager to have a university degree. Please clarify the level of study required by the project manager.

ANSWER 3: Yes, it is mandatory that the project manager has a university degree, the degree must be at least the bachelor's degree.

QUESTION 4:

Regarding the battery door (item 33), there does not seem to be a gasket to seal this opening. Can you confirm that no gasket is required.

ANSWER 4:

No gasket is required for the battery door. This compartment is not waterproof.

N° de l'invitation - Sollicitation No.
F7047-210014/A
N° de réf. du client - Client Ref. No.
F7047-210014

N° de la modif - Amd. No.
004
File No. - N° du dossier

Id de l'acheteur - Buyer ID
011erd
N° CCC / CCC No./ N° VME - FMS

QUESTION 5:

In section 3.4.1 c) which concerns the weight and stability test, you ask to suspend the buoy by the central lifting eye. However, on this model of buoy there is no central lifting eye only side lifting eyes. Can you clarify the recommended method for performing this test.

ANSWER 5:

The central lifting ring is identified on section A-A of the drawings (page 1 of 8), and is located at height 3638mm.

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED