



**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À :**

Bid Receiving/Réception des soumissions

Procurement Hub | Centre
d'approvisionnement
Fisheries and Oceans Canada | Pêches et
Océans Canada
301 Bishop Drive | 301 promenade Bishop
Fredericton, NB, E3C 2M6

Email / Courriel : [DFOtenders-
soumissionsMPO@dfo-mpo.gc.ca](mailto:DFOtenders-soumissionsMPO@dfo-mpo.gc.ca)

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

Proposal to: Fisheries and Oceans Canada

We hereby offer to sell to Her Majesty the
Queen in right of Canada, in accordance
with the terms and conditions set out herein,
referred to herein or attached hereto, the
goods and services listed herein and on any
attached sheets at the price(s) set out
therefor.

Proposition à : Pêches et Océans Canada

Nous offrons par la présente de vendre
à Sa Majesté la Reine du chef du
Canada, aux conditions énoncées ou
incluses par référence dans la présente
et aux appendices ci-jointes, les biens
et les services énumérés ici sur toute
feuille ci-annexée, au(x) prix indiqué(s).

Title / Titre Janitorial services at the Institute of Ocean Sciences Centre in Sidney, BC		Date May 26, 2021
Solicitation No. / N° de l'invitation 30000144		
Client Reference No. / No. de référence du client(e) F1737-201014		
Solicitation Closes / L'invitation prend fin At / à : 14 :00 ADT (Atlantic Daylight Time) / HAA (Heure Avancée de l'Atlantique) On / le : July 6, 2021		
F.O.B. / F.A.B. Destination	Taxes See herein — Voir ci-inclus	Duty / Droits See herein — Voir ci-inclus
Destination of Goods and Services / Destinations des biens et services See herein — Voir ci-inclus		
Instructions See herein — Voir ci-inclus		
Address Inquiries to : / Adresser toute demande de renseignements à : Kimberly Walker Email / Courriel: DFOtenders-soumissionsMPO@dfo-mpo.gc.ca		
Delivery Required / Livraison exigée See herein — Voir en ceci	Delivery Offered / Livraison proposée	
Vendor Name, Address and Representative / Nom du vendeur, adresse et représentant du fournisseur/de l'entrepreneur		
Telephone No. / No. de téléphone	Facsimile No. / No. de télécopieur	
Name and title of person authorized to sign on behalf of Vendor (type or print) / Nom et titre de la personne autorisée à signer au nom du fournisseur (taper ou écrire en caractères d'imprimerie)		
Signature	Date	



TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION.....3

1.1 SECURITY REQUIREMENTS 3

1.2 STATEMENT OF WORK 3

1.3 MANDATORY SITE VISIT 3

1.4 DEBRIEFINGS..... 3

1.5 TRADE AGREEMENTS..... 3

PART 2 - BIDDER INSTRUCTIONS.....4

2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS 4

2.2 SUBMISSION OF BIDS 4

2.3 ENQUIRIES - BID SOLICITATION..... 4

2.4 APPLICABLE LAWS 4

2.5 BID CHALLENGE AND RECOURSE MECHANISMS..... 5

PART 3 - BID PREPARATION INSTRUCTIONS.....6

3.1 BID PREPARATION INSTRUCTIONS..... 6

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION.....7

4.1 EVALUATION PROCEDURES 7

4.2 BASIS OF SELECTION 7

PART 5 - CERTIFICATIONS9

5.1 CERTIFICATIONS REQUIRED WITH THE BID..... 9

PART 6 - RESULTING CONTRACT CLAUSES14

6.1 SECURITY REQUIREMENTS 14

6.2 STATEMENT OF WORK 14

6.3 STANDARD CLAUSES AND CONDITIONS 14

6.4 TERM OF CONTRACT 15

6.5 AUTHORITIES 15

6.6 PROACTIVE DISCLOSURE OF CONTRACTS WITH FORMER PUBLIC SERVANTS..... 16

6.7 PAYMENT 16

6.8 INVOICING INSTRUCTIONS..... 17

6.9 CERTIFICATIONS AND ADDITIONAL INFORMATION 17

6.10 APPLICABLE LAWS 17

6.11 PRIORITY OF DOCUMENTS..... 18

6.12 INSURANCE - SPECIFIC REQUIREMENTS 18

6.13 DISPUTE RESOLUTION..... 18

ANNEX "A" TERMS OF REFERENCE AND CONDITIONS19

ANNEX "B" BASIS OF PAYMENT34

ANNEX "C" INSURANCE CONDITIONS40

ANNEX "D" SECURITY REQUIREMENTS CHECK LIST42

ANNEX "E" STATEMENT OF QUALIFICATIONS45

ANNEX "F" CLEANING STANDARDS51

ANNEX "G" CLEANING EQUIPMENT66

ANNEX "H" CLEANING CONTRACT QUOTATION SUPPLEMENT85

ANNEX "I" FEDERAL CONTRACTORS PROGRAM FOR EMPLOYMENT EQUITY - CERTIFICATION88

ANNEX "J" SITE MAP89

ANNEX "K" EVALUATION CRITERIA.....90



PART 1 - GENERAL INFORMATION

1.1 Security Requirements

1. At the date of bid closing, the following conditions must be met:
 - (a) the Bidder must hold a valid organization security clearance as indicated in Part 6 - Resulting Contract Clauses;
 - (b) the Bidder's proposed individuals requiring access to classified or protected information, assets or sensitive work sites must meet the security requirements as indicated in Part 6 - Resulting Contract Clauses;
 - (c) the Bidder must provide the name of all individuals who will require access to classified or protected information, assets or sensitive work sites;
2. For additional information on security requirements, Bidders should refer to the [Contract Security Program](http://www.tpsgc-pwgsc.gc.ca/esc-src/introduction-eng.html) of Public Works and Government Services Canada (<http://www.tpsgc-pwgsc.gc.ca/esc-src/introduction-eng.html>) website.
3. To apply for the required level of security status (or if you are uncertain about having the status), you must contact the Regional Security Officer at the Department of Fisheries and Oceans at Amrita.Grewal@dfo-mpo.gc.ca.

1.2 Statement of Work

The Work to be performed is detailed under Annex A of the resulting contract clauses.

1.3 Mandatory Site Visit

Mandatory Site Visit will be held on **Tuesday, June 15, 2021 at 10:00 am local time** at Fisheries and Oceans Canada Institute of Ocean Sciences (IOS) facility located at 9860 West Saanich Road, Sidney, British Columbia, V8L 4B2. It is a requirement for all persons wishing to tender on this project to attend this meeting at the site to familiarize themselves fully with the scope of work and the tendering requirements. The Bidder's representative must sign an attendance list and attend the entire site visit, to have their tender considered responsive.

Please confirm your attendance by email to the Contracting Authority no later than Monday, June 14th 2021 at 10:00 local time.

1.4 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.5 Trade Agreements

The requirement is subject to the, Atlantic Procurement Agreement, Canada-Chile Free Trade Agreement (CCFTA), Canada-Colombia Free Trade Agreement, Canada-Peru Free Trade Agreement (CPFTA), World Trade Organization-Agreement on Government Procurement (WTO-AGP), Canada-Panama Free Trade Agreement, Canada-Korea Free Trade Agreement (CKFTA), Canada - Ukraine Free Trade Agreement (CUFTA), Canada - European Union Comprehensive Economic and Trade Agreement (CETA), Canada-Honduras Free Trade Agreement, the Comprehensive and Progressive Agreement for Trans-Pacific Partnership (CPTPP), and the Canadian Free Trade Agreement (CFTA).



PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

As this solicitation is issued by Fisheries and Oceans Canada (DFO), any reference to Public Works and Government Services Canada or PWGSC or its Minister contained in any term, condition or clause of this solicitation, including any individual SACC clauses incorporated by reference, will be interpreted as reference to DFO or its Minister.

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2020-05-28) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 5.4 of 2003, Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: 60 days
Insert: 120 days

2.2 Submission of Bids

Bids must be submitted by the date, time and place indicated on page 1 of the bid solicitation.

Due to the nature of the bid solicitation, bids transmitted by facsimile to DFO will not be accepted.

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than 14 calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in British Columbia.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.



2.5 Bid Challenge and Recourse Mechanisms

- (a) Several mechanisms are available to potential suppliers to challenge aspects of the procurement process up to and including contract award.
- (b) Canada encourages suppliers to first bring their concerns to the attention of the Contracting Authority. Canada's [Buy and Sell](#) website, under the heading "[Bid Challenge and Recourse Mechanisms](#)" contains information on potential complaint bodies such as:
 - Office of the Procurement Ombudsman (OPO)
 - Canadian International Trade Tribunal (CITT)
- (c) Suppliers should note that there are **strict deadlines** for filing complaints, and the time periods vary depending on the complaint body in question. Suppliers should therefore act quickly when they want to challenge any aspect of the procurement process.



PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

Canada requests that the Bidder submit **all** its **email** bid in separately saved sections as follows and **prior to the bid closing date, time and location**:

- Section I:** **Technical Bid** (one soft copy in PDF format)
Section II: **Financial Bid** (one soft copy in PDF format)
Section III: **Certifications** (one soft copy in PDF format)

Important Note:

The maximum size per email (including attachments) is limited to 10MB. If the limit is exceeded, your email might not be received by DFO. It is suggested that you compress the email size to ensure delivery. Bidders are responsible to send their proposal and to allow enough time for DFO to receive the proposal by the closing period indicated in the RFP.

Emails with links to bid documents will not be accepted.

For bids transmitted by email, DFO will not be responsible for any failure attributable to the transmission or receipt of the email bid. DFO will send a confirmation email to the Bidders when the submission is received.

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment in Annex "B"

Section III: Certifications

Bidders must submit the certifications and additional information required under Part 5.



PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

Refer to annex "K"

4.1.1.2 Point Rated Technical Criteria

Refer to annex "K"

4.1.2 Financial Evaluation

SACC Manual Clause [A0220T \(2014-06-26\)](#), Evaluation of Price – Bid

The price of the bid will be evaluated in Canadian dollars, Applicable Taxes excluded, FOB destination, Canadian customs duties and excise taxes included.

4.2 Basis of Selection

4.2.1 Highest Combined Rating of Technical Merit and Price - [A0027T \(2012-07-16\)](#)

1. To be declared responsive, a bid must:
 - a. comply with all the requirements of the bid solicitation; and
 - b. meet all mandatory criteria; and
 - c. obtain the required minimum of 32 **points** overall for the technical evaluation criteria which are subject to point rating. The rating is performed on a scale of 65 **points**.
2. Bids not meeting (a) or (b) or (c) will be declared non-responsive.
3. The selection will be based on the highest responsive combined rating of technical merit and price. The ratio will be 70% for the technical merit and 30% for the price.
4. To establish the technical merit score, the overall technical score for each responsive bid will be determined as follows: total number of points obtained divided by the maximum number of points available multiplied by the ratio of 70%.
5. To establish the pricing score, each responsive bid will be prorated against the lowest evaluated price and the ratio of 30%.
6. For each responsive bid, the technical merit score and the pricing score will be added to determine its combined rating.
7. Neither the responsive bid obtaining the highest technical score nor the one with the lowest evaluated price will necessarily be accepted. The responsive bid with the highest combined rating of technical merit and price will be recommended for award of a contract.



The table below illustrates an example where all three bids are responsive and the selection of the contractor is determined by a 70/30 ratio of technical merit and price, respectively. The total available points equal 135 and the lowest evaluated price is \$45,000 (45).

Basis of Selection - Highest Combined Rating Technical Merit (70%) and Price (30%)				
		Bidder 1	Bidder 2	Bidder 3
Overall Technical Score		115/135	89/135	92/135
Bid Evaluated Price		\$55,000.00	\$50,000.00	\$45,000.00
Calculations	Technical Merit Score	$115/135 \times 70 = 59.63$	$89/135 \times 70 = 46.15$	$92/135 \times 70 = 47.70$
	Pricing Score	$45/55 \times 30 = 24.55$	$45/50 \times 30 = 27.00$	$45/45 \times 30 = 30.00$
Combined Rating		84.18	73.15	77.70
Overall Rating		1st	3rd	2nd



PART 5 - CERTIFICATIONS

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions – Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

5.1.2 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real procurement agreement of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.1.3 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

Canada will also have the right to terminate the Contract for default if a Contractor, or any member of the Contractor if the Contractor is a Joint Venture, appears on the "[FCP Limited Eligibility to Bid](#)" list during the period of the Contract.

The Bidder must provide the Contracting Authority with a completed annex titled Federal Contractors Program for Employment Equity - Certification, before contract award. If the Bidder is a Joint Venture, the Bidder must provide the Contracting Authority with a completed annex Federal Contractors Program for Employment Equity - Certification, for each member of the Joint Venture.



5.1.4 Status and Availability of Resources

The Bidder certifies that, should it be awarded a contract as a result of the bid solicitation, every individual proposed in its bid will be available to perform the Work as required by Canada's representatives and at the time specified in the bid solicitation or agreed to with Canada's representatives. If for reasons beyond its control, the Bidder is unable to provide the services of an individual named in its bid, the Bidder may propose a substitute with similar qualifications and experience. The Bidder must advise the Contracting Authority of the reason for the substitution and provide the name, qualifications and experience of the proposed replacement. For the purposes of this clause, only the following reasons will be considered as beyond the control of the Bidder: death, sickness, maternity and parental leave, retirement, resignation, dismissal for cause or termination of an agreement for default.

If the Bidder has proposed any individual who is not an employee of the Bidder, the Bidder certifies that it has the permission from that individual to propose his/her services in relation to the Work to be performed and to submit his/her résumé to Canada. The Bidder must, upon request from the Contracting Authority, provide a written confirmation, signed by the individual, of the permission given to the Bidder and of his/her availability. Failure to comply with the request may result in the bid being declared non-responsive.

5.1.5 Education and Experience

The Bidder certifies that all the information provided in the résumés and supporting material submitted with its bid, particularly the information pertaining to education, achievements, experience and work history, has been verified by the Bidder to be true and accurate. Furthermore, the Bidder warrants that every individual proposed by the Bidder for the requirement is capable of performing the Work described in the resulting contract.

5.1.6 Contractor's Representative

The Contractor's Representative for the Contract is:

Name: _____

Title: _____

Address: _____

Telephone: _____

Facsimile: _____

E-mail: _____

5.1.7 Supplementary Contractor Information

Pursuant to paragraph 221 (1)(d) of the Income Tax Act, payments made by departments and agencies under applicable services contracts (including contracts involving a mix of goods and services) must be reported on a T4-A supplementary slip.

To enable the Department of Fisheries and Oceans to comply with this requirement, the Contractor hereby agrees to provide the following information which it certifies to be correct, complete, and fully discloses the identification of this Contractor:

- a) The legal name of the entity or individual, as applicable (the name associated with the Social Insurance Number (SIN) or Business Number (BN), as well as the address and the postal code:

- b) The status of the contractor (individual, unincorporated business, corporation or partnership:



- c) For individuals and unincorporated businesses, the contractor's SIN and, if applicable, the BN, or if applicable, the Goods and Services Tax (GST)/Harmonized Sales Tax (HST) number:

- d) For corporations, the BN, or if this is not available, the GST/HST number. If there is no BN or GST/HST number, the T2 Corporation Tax number must be shown:

5.1.8 Former Public Servant

Contracts awarded to former public servants (FPS) in receipt of a pension or of a lump sum payment must bear the closest public scrutiny, and reflect fairness in the spending of public funds. In order to comply with Treasury Board policies and directives on contracts awarded to FPSs, bidders must provide the information required below before contract award. If the answer to the questions and, as applicable the information required have not been received by the time the evaluation of bids is completed, Canada will inform the Bidder of a time frame within which to provide the information. Failure to comply with Canada's request and meet the requirement within the prescribed time frame will render the bid non-responsive.

Definitions

For the purposes of this clause, "former public servant" is any former member of a department as defined in the Financial Administration Act, R.S., 1985, c. F-11, a former member of the Canadian Armed Forces or a former member of the Royal Canadian Mounted Police. A former public servant may be:

- a. an individual;
- b. an individual who has incorporated;
- c. a partnership made of former public servants; or
- d. a sole proprietorship or entity where the affected individual has a controlling or major interest in the entity.

"lump sum payment period" means the period measured in weeks of salary, for which payment has been made to facilitate the transition to retirement or to other employment as a result of the implementation of various programs to reduce the size of the Public Service. The lump sum payment period does not include the period of severance pay, which is measured in a like manner.

"pension" means a pension or annual allowance paid under the Public Service Superannuation Act (PSSA), R.S., 1985, c. P-36, and any increases paid pursuant to the Supplementary Retirement Benefits Act, R.S., 1985, c. S-24 as it affects the PSSA. It does not include pensions payable pursuant to the Canadian Forces Superannuation Act, R.S., 1985, c. C-17, the Defence Services Pension Continuation Act, 1970, c. D-3, the Royal Canadian Mounted Police Pension Continuation Act, 1970, c. R-10, and the Royal Canadian Mounted Police Superannuation Act, R.S., 1985, c. R-11, the Members of Parliament Retiring Allowances Act, R.S. 1985, c. M-5, and that portion of pension payable to the Canada Pension Plan Act, R.S., 1985, c. C-8.

Former Public Servant in Receipt of a Pension

As per the above definitions, is the Bidder a FPS in receipt of a pension?

Yes () No ()

If so, the Bidder must provide the following information, for all FPSs in receipt of a pension, as applicable:

- a) name of former public servant;
- b) date of termination of employment or retirement from the Public Service.

By providing this information, Bidders agree that the successful Bidder's status, with respect to being a former public servant in receipt of a pension, will be reported on departmental websites as part of the published proactive disclosure reports in accordance with Contracting Policy Notice: 2012-2 and the Guidelines on the Proactive Disclosure of Contracts.



Work Force Adjustment Directive

Is the Bidder a FPS who received a lump sum payment pursuant to the terms of the Work Force Adjustment Directive?

Yes () No ()

If so, the Bidder must provide the following information:

- a. name of former public servant;
- b. conditions of the lump sum payment incentive;
- c. date of termination of employment;
- d. amount of lump sum payment;
- e. rate of pay on which lump sum payment is based;
- f. period of lump sum payment including start date, end date and number of weeks;
- g. number and amount (professional fees) of other contracts subject to the restrictions of a work force adjustment program.

For all contracts awarded during the lump sum payment period, the total amount of fees that may be paid to a FPS who received a lump sum payment is \$5,000, including Applicable Taxes.

5.1.9 Electronic Payment Instruments

The Bidder accepts any of the following Electronic Payment Instrument(s):

- () VISA Acquisition Card;
- () Direct Deposit (Domestic and International);

The following certification signed by the contractor or an authorized officer:

"I certify that I have examined the information provided above and that it is correct and complete"

Signature

Print Name of Signatory



ATTACHMENT 1 TO PART 5 PERSONNEL IDENTIFICATION FORM

Contract / file number: 30000144

PROJECT TITLE: Janitorial services at the Institute of Ocean Sciences Centre in Sidney, BC

Company Name:	
Address:	
Telephone number:	
Fax number:	
PWGSC file or Certificate #:	

Professional Services (Add second page if more space needed, please print clearly)

Resource Person working on this project	Date of birth YYYY/MM/DD	PWGSC file or certificate #	Security Level	Meet	Does not Meet	Comments

Contractor's Authorized Signatory : _____ **Date:** _____

(For Official Use)

Company Clearance	Required	Security Level	Meet / Does not Meet / Comments (Official Use Only)
Designated Organization Screening			
Facility Security Clearance			
Document Safeguarding Capability			

**For Use at Fisheries and Oceans Canada
Authorization of Contracting Security Authority**

- I approve
- I do not approve based on:

Contracting Security Authority: _____

Date: _____



PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

6.1.1 The following security requirements (SRCL and related clauses provided by Contract Security Program) apply and form part of the Contract.

1. The Contractor/Offeror must, at all times during the performance of the Contract/Standing Offer/Supply Arrangement, hold a valid Designated Organization Screening (DOS), issued by the Canadian Industrial Security Directorate (CISD), Public Works and Government Services Canada (PWGSC).
2. The Contractor/Offeror personnel requiring access to PROTECTED information, assets or sensitive work site(s) must EACH hold a valid **RELIABILITY STATUS**, granted or approved by CISD/PWGSC.
3. The Contractor/Offeror MUST NOT remove any PROTECTED information or assets from the identified work site(s), and the Contractor/Offeror must ensure that its personnel are made aware of and comply with this restriction.
4. Subcontracts which contain security requirements are NOT to be awarded without the prior written permission of the DFO or the CISD/PWGSC.
5. The Contractor/Offeror must comply with the provisions of the:
 - a. Security Requirements Check List and security guide (if applicable), attached at Annex C;
 - b. *Industrial Security Manual* (Latest Edition).

6.2 Statement of Work

The Contractor must perform the Work in accordance with the Statement of Work at Annex "A".

6.3 Standard Clauses and Conditions

As this contract is issued by Fisheries and Oceans Canada (DFO), any reference to Public Works and Government Services Canada or PWGSC or its Minister contained in any term, condition or clause of this contract, including any individual SACC clauses incorporated by reference, will be interpreted as reference to DFO or its Minister.

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

6.3.1.1 [2010B](#) (2020-05-28), General Conditions - Professional Services (Medium Complexity) apply to and form part of the Contract.

6.3.2.1 Subsection 10 of [2010B](#) (2020-05-28), General Conditions - Professional Services (Medium Complexity) – Invoice submission, is amended as follows:

Delete: 2010B 10 (2020-05-28), Invoice submission
Insert: **Invoice submission**

1. Invoices must be submitted in the Contractor's name to DFO.invoicing-facturation.MPO@canada.ca. The Contractor must submit invoices for each delivery or shipment; invoices must only apply to the Contract. Each invoice must indicate whether it covers partial or final delivery.
2. Invoices must show:
 - a. Contractor's Name and remittance physical address;



- b. Contractor's CRA Business Number or Procurement Business Number (PBN);
 - c. Invoice Date;
 - d. Invoice Number;
 - e. Invoice Amount (broken down into item and tax amounts);
 - f. Invoice Currency (if not in Canadian dollars);
 - g. DFO Reference Number (PO Number or other valid reference number);
 - h. DFO Contact Name (DFO employee who initiated the order or to whom the goods were sent. **Note:** Invoice will be return to the Contractor if that information is not provided);
 - i. Description of the goods or services supplied (provide details of expenditures (such as item, quantity, unit of issue, fixed time labour rates and level of effort, subcontracts, as applicable) in accordance with the Basis of Payment, exclusive of Applicable Taxes;
 - j. Deduction for holdback, if applicable;
 - k. The extension of the totals, if applicable; and
 - l. If applicable, the method of shipment together with date, case numbers and part or reference numbers, shipment charges and any other additional charges.
3. Applicable Taxes must be specified on all invoices as a separate item along with corresponding registration numbers from the tax authorities. All items that are zero-rated, exempt or to which Applicable Taxes do not apply, must be identified as such on all invoices.
 4. By submitting an invoice, the Contractor certifies that the invoice is consistent with the Work delivered and is in accordance with the Contract.

6.4 Term of Contract

6.4.1 Period of the Contract

The period of the Contract is from August 1, 2021 to July 31, 2022 inclusive.

6.4.2 Option to Extend the Contract

The Contractor grants to Canada the irrevocable option to extend the term of the Contract by up to three (3) additional one (1) year period(s) under the same conditions. The Contractor agrees that, during the extended period of the Contract, it will be paid in accordance with the applicable provisions as set out in the Basis of Payment.

Canada may exercise this option at any time by sending a written notice to the Contractor at least 15 calendar days before the expiry date of the Contract. The option may only be exercised by the Contracting Authority, and will be evidenced for administrative purposes only, through a contract amendment.

6.5 Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Kimberly Walker
Title: Senior Contracting Officer
Department: Fisheries and Oceans Canada
Directorate: Materiel and Procurement Services
Address: 301 Bishop Drive, Fredericton, NB E3C 2M6
E-mail address: DFOtenders-soumissionsMPO@dfo-mpo.gc.ca



The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Project Authority

The Project Authority for the Contract is: **(name to be provided at contract award)**

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone: ____-____-_____
Facsimile: ____-____-_____
E-mail address: _____

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative (name to be provided at contract award)

The Contractor's Representative for the Contract is:

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone: ____-____-_____
Facsimile: ____-____-_____
E-mail address: _____

6.6 Proactive Disclosure of Contracts with Former Public Servants

By providing information on its status, with respect to being a former public servant in receipt of a [Public Service Superannuation Act](#) (PSSA) pension, the Contractor has agreed that this information will be reported on departmental websites as part of the published proactive disclosure reports, in accordance with [Contracting Policy Notice: 2012-2](#) of the Treasury Board Secretariat of Canada.

6.7 Payment

6.7.1 Basis of Payment

6.7.1.1 In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm price of \$ _____ (*insert amount at contract award*) and Applicable Taxes are extra.

6.7.1.2 All prices and amounts of money in the Contract are exclusive of the Goods and Services Tax (GST) or Harmonized Sales Tax (HST), whichever is applicable, unless otherwise indicated. GST or HST, to the extent applicable, will be incorporated into all invoices and progress claims for goods supplied or work performed and will be paid by Her Majesty. The Contractor agrees to remit to Canada Revenue Agency any GST or HST paid or due.



6.7.1.3 Any payment by Her Majesty under this contract is subject to there being an appropriation for the fiscal year in which the payment is to be made.

6.7.2 Limitation of Expenditure

SACC Manual clause [C6001C \(2017-08-17\)](#) Limitation of Expenditure

6.7.3 Methods of Payment - Monthly Payment

Canada will pay the Contractor on a monthly basis for work performed during the month covered by the invoice in accordance with the payment provisions of the Contract if:

- a. an accurate and complete invoice and any other documents required by the Contract have been submitted in accordance with the invoicing instructions provided in the Contract;
- b. all such documents have been verified by Canada;
- c. the Work performed has been accepted by Canada.

6.7.4 Electronic Payment of Invoices – Contract

The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

- i. Acquisition Card;
- ii. Direct Deposit (Domestic and International)

6.8 Invoicing Instructions

6.8.1 Payments will be made provided that:

6.8.1.1 The invoice(s) must be emailed to DFO Accounts Payable, at the email address indicated below:

Email: DFO.invoicing-facturation.MPO@canada.ca
AP Coder: (name to be provided at contract award)

6.8.1.2 The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

6.9 Certifications and Additional Information

6.9.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.9.2 Federal Contractors Program for Employment Equity - Default by the Contractor

The Contractor understands and agrees that, when an Agreement to Implement Employment Equity (AIEE) exists between the Contractor and Employment and Social Development Canada (ESDC)-Labour, the AIEE must remain valid during the entire period of the Contract. If the AIEE becomes invalid, the name of the Contractor will be added to the "[FCP Limited Eligibility to Bid](#)" list. The imposition of such a sanction by ESDC will constitute the Contractor in default as per the terms of the Contract.

6.10 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in British Columbia.



6.11 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- a) the Articles of Agreement;
- b) the general conditions 2010B (2020-05-28), General Conditions - Professional Services (Medium Complexity);
- c) Annex A, Terms of Reference and Conditions;
- d) Annex B, Basis of Payment;
- e) Annex C, Insurance Conditions
- f) Annex D, Security Requirements Check List,
- g) Annex E, Statement of Qualifications
- h) Annex F, Cleaning Standards
- i) Annex G, Cleaning Equipment
- j) Annex H, Cleaning contract Quotation Supplement
- k) Annex I, Federal Contractors Program For Employment Equity - Certification
- l) Annex J, Site Map, attached and
- m) the Contractor's bid dated _____ *insert date of bid [If the bid was clarified or amended, insert at the time of contract award]:* “, as clarified on _____ **or**, as amended on _____ **and insert date(s) of clarification(s) or amendment(s)**

6.12 Insurance - Specific Requirements

The Contractor must comply with the insurance requirements specified in Annex C. The Contractor must maintain the required insurance coverage for the duration of the Contract. Compliance with the insurance requirements does not release the Contractor from or reduce its liability under the Contract.

The Contractor is responsible for deciding if additional insurance coverage is necessary to fulfill its obligation under the Contract and to ensure compliance with any applicable law. Any additional insurance coverage is at the Contractor's expense, and for its own benefit and protection.

The Contractor must forward to the Contracting Authority within ten (10) days after the date of award of the Contract, a Certificate of Insurance evidencing the insurance coverage and confirming that the insurance policy complying with the requirements is in force. For Canadian-based Contractors, coverage must be placed with an Insurer licensed to carry out business in Canada, however, for Foreign-based Contractors; coverage must be placed with an Insurer with an A.M. Best Rating no less than “A-”. The Contractor must, if requested by the Contracting Authority, forward to Canada a certified true copy of all applicable insurance policies.

6.13 Dispute Resolution

- (a) The parties agree to maintain open and honest communication about the Work throughout and after the performance of the contract.
- (b) The parties agree to consult and co-operate with each other in the furtherance of the contract and promptly notify the other party or parties and attempt to resolve problems or differences that may arise.
- (c) If the parties cannot resolve a dispute through consultation and cooperation, the parties agree to consult a neutral third party offering alternative dispute resolution services to attempt to address the dispute.
- (d) Options of alternative dispute resolution services can be found on Canada's Buy and Sell website under the heading “Dispute Resolution”.



ANNEX "A" TERMS OF REFERENCE AND CONDITIONS

Objectives of the Requirement

Fisheries and Oceans Canada has a requirement for Janitorial services at the Institute of Ocean Sciences Centre in Sidney, BC. The intension of this RFP is to contract with a cleaning firm capable of providing Janitorial Services to meet requirements of this statement of work (SOW) and in the attached documentation. The contractor responsibility will include but is not limited to providing all necessary labour, supervision, the pre-approved and listed materials, tools, products and equipment (except as supplied by RPSS Site Representative) necessary to provide professional cleaning services to us such that all spaces assigned to be cleaned within this contract are maintained clean and hygienic.

The contractor shall ensure all tasks, activities, deliverable and milestones are carried out and completed as the requirements detailed in the attached documentation.

Note: The Contractor will be advised as to whom the RPSS Site Representative is upon contract award.

Building(S) Requiring Janitorial Services

The Institute of Ocean Sciences (IOS) is a Fisheries and Oceans Canada facility located at 9860 West Saanich Road, Sidney, British Columbia, V8L 4B2.

The Facility is comprised of six special purpose industrial buildings:

Main Administration Building including the Pacific Geoscience Centre
Physics Laboratory Wing
Hangar
Workshops and Warehouse
Guardhouse
Grounds and Winch Shop

Note: Elevators and Lift - There are four elevators. One located by the main entrance which services the 1st, 2nd, and 3rd floors and one by the cafeteria, which services from the 1st to 2nd floors only. The fourth floor has no elevator service but has a lift attached to the stairs. The Main elevator has a painted metal surface. The cafeteria elevator is much smaller, with wood paneling and vinyl flooring. There is a freight elevator in the workshops area near shipping and receiving and a disabled persons' lift in the workshop.

Note: Data Centers operated by SSC not included in this contract

Cleaning Exclusions from this Contract

Carpet Maintenance Program requiring a professional firm that specializes in the work
A Fabric Maintenance Program requiring a separate and professional firm that specialized in the work
High level window cleaning requiring a professional firm that specializes in the work
Plant (live) care requiring a professional firm that specializes in the work
Grounds Maintenance - other than litter pick-up and cleaning of all entrances and exits including loading bay
Offsite cleaning of Venetian blinds and fabric verticals
Offsite cleaning of fabric draperies

Space Exclusions from the Cleaning Service

All Mechanical and Electrical rooms
Chemical Vaults rooms 1433, 1434, 1435, 1436, 143
Laboratory Clean Rooms 1402, 1416, 2407-2410
Hangar Freezer Room 5110
Laboratories 1409a, 1418, 1419, 1421, 1425, 1428, 1423, 2418a, 2423,
SSC Data Centers: 2604, 4701, South Quad Data **Closet**, and North Quad Data **Closet**



SITE FLOOR PLANS

Have been provided, and colour coded by means of a 'cleaning symbol legend' identifying the areas requiring cleaning.

GREY

No access or requirement for regular cleaning

YELLOW – Wednesdays

Special Laboratories – Floors only, supervised by the lab staff. All labs are to be cleaned every Wednesday. Project work may be pre-scheduled and may be on weekends or assigned to the summer project work schedule.

BLUE – Daily – Monday to Friday

To include weekly and monthly rotational work which may, as stipulated, be on weekends. Daily cleaning includes total compliance with the site current Cleaning Standards document and the Daily cleaning task schedule. Project work will for the most part be scheduled during the summer Project Cleaning Months.

Note: All sides of glass up to 8 feet high is to be cleaned weekly and/or maintained to the standard and this includes the ledges, frames and the removal of cobwebs litter etc. The exterior of the front entrance glass must not be hosed down; it must be hand washed.

PINK - 7 days a week

24-hour operational service areas must receive 7 days a week cleaning.

Project work will be pre-scheduled and may be on weekends.

MCTS #5212- Report to Area Supervisor first before proceeding to clean. Monday through Friday cleaning to commence at 8pm, Saturday, Sunday and the site's recognized (10) statutory holidays, work will commence at 10am. MCTS uses cleaning closet #5218 and the areas *include* the MCTS lunchroom, rest room, locker room, men's and women's washrooms, and upper hangar break rooms.

Maintain built-in vacuum system in MCTS.

Depot lunchroom '5224'

Fitness room '8212'

Guard House

Daily cleaning includes total compliance with the site current Cleaning Standards document and the daily cleaning task schedule.

GREEN Quad cleaning areas – pre-scheduled on Tues. Wed. Thurs. or Friday

On either a Tues. Wed. Thurs. or Friday (where a Quad day is designated as a Statutory holiday the 'Quad' schedule will be adjusted by the RPSS Site Representative. Quad' cleaning is especially designed to reduce the gross dust and soil load of inadequate cleaning and involves the client in maintaining their personal workspace.

'Quad' cleaning includes detailed cleaning of the 'Quad' assigned space.

'Quad' cleaning includes total compliance with the site current Cleaning Standards document and the 'Quad' cleaning task schedule.

Project work will be pre-scheduled and may be on Mondays, weekends and/or during occupant's absence (on vacation) or during the summer project months.

S (green with a center S) Computer rooms

Site Supervised - by the manager responsible or designate and must be cleaned between the hours of 3 pm and 4:30 pm.

Included as a Quad cleaning area – either Tues. Wed. Thurs. or Friday.

Project work will be treated in the same manner as the Quad cleaning.



Charge Out Rate Tasks

Additions to the scope of the Contract may be added to the Contract at the discretion of the Site Authority. The rate applied will be that of the 'charge out rate' as stipulated in the Bid and in keeping with the work required. Where additional work requires specialized equipment rental from third parties or for consumable items used in the execution of the work, the Contractor will be reimbursed at the direct third party invoice cost with **no mark up**. There will be **no rental charges paid for the use of Contractor's equipment on the site** for execution of work in the Contract.

Cleaning Standards, Terms of Reference and Task Schedules

These documents outline the services and expectations of the work required for the site and form the major reference documents where any issues of non-compliance arise. The site supervisor and all employees must be issued by the owner their own copy of our current cleaning standards, Terms of Reference and the Task Schedules and to have been trained to perform to and agree to comply with them.

Cleaning Schedules

Within 10 days following contract award the successful Contractor is required to provide the RPSS Site Representative our detailed **cleaning schedules** encompassing all our cleaning requirements for each building separately. These schedules must accurately reflect the daily cleaning requirements and quad cleaning as outlined in quad cleaning schedules as well as our cleaning standards. **These schedules must be POSTED in the applicable cleaning closets and be designed to allow the cleaning staff to check off the duties as completed.** Copies of all schedules are to be provided to the RPSS Site Representative.

Hours of Work

The cleaning hours are to be continuous and are restricted, other than in case of, pre-approval or in the case of an emergency, (allowing for a ½ hour unpaid, meal break) service are to be provided Mon, Tues, Thurs, Fri. 3:30 pm-12:00 am (8.0 hours paid).; Wed, 3:00pm-11:30pm (8.0 hours paid); Sat-Sun-8:30am-12:30pm (8.0 hours paid); Recognized (10) Statutory days - 9am-1pm (4.0 hours paid) and as stipulated The MCTS, the Gate House (security) and their washroom requires cleaning on Saturdays and Sundays as well.

Contract Committed Persons Hours, Salaries and Benefits

The Contractor is responsible to provide sufficient resources to meet the schedules, performance and standards of this contract. It is expected that the resources on site will work shifts which represent the full cleaning hours 'start to finish' as stipulated in the Hours of Work section and to be given the appropriate breaks according to current Labour Standards and as well a ½ hour unpaid meal break. Unless otherwise stipulated all staff must be assigned full time shifts and all shifts must be fully supervised.

Failure to meet the cleaning hours and requirements on any given day must be rectified by providing the equal and additional hours on the next cleaning day. Further, any changes to the committed resource/hours must be pre-approved by the Facilities Manager.

Work will not to be performed on the following Statutory Holidays observed by the Federal Government:

1. New Year's Day,
2. Good Friday,
3. Victoria Day,
4. July 1st, Canada Day
5. Municipal holiday (1st Monday in August)
6. Labour Day,
7. Thanksgiving Day,
8. Remembrance Day,
9. Christmas Day and
10. Boxing Day.



The Contractor will be required to provide janitorial services on Family Day (3rd Monday of February) at its regular rates as the Federal Government does not observe this Holiday.

EXCEPTION: 24-hour operational service areas must receive 7 days a week cleaning.

Contractor owner initial: _____

Proposed site working supervisor's initial: _____

Proposed back-up site working supervisor's initial: _____



Standard No.	TASK (refer to standards)	Frequency	STANDARD NO.	TASK (refer to standards)	Frequency
101	FOYERS, WAITING AREAS AND ROOMS, OFFICES, (OPEN AREA & ENCLOSED) CORRIDORS, ETC.		302	ALL FLOORS - NON CARPET	
				Mechanically scrub, rinse, burnish as req'd.	S
.1	Empty, wash clean all waste, recycling receptacles/containers, clean liners	D		Mechanically scrub,rinse apply sealer/finish	S
	Transport recyclables/designated location	D	303	CARPET AND MATTING	
.2	Clean all furniture, frames, file cabinets, bookcases, credenzas, T.V.'s, etc., vacuum/spot clean fabric furniture/dividers etc.	D		Pile lift all carpet	W
			304	CEILING AND WALLS	
		No visible dust, cobwebs, or marks.	S		
	Clean telephones	D	305	VENETIAN BLINDS / VERTICAL BLINDS	
	Clean Unobstructed library book shelves	M		Dust/vacuum	S
.3	Dust computer screens and keyboards	D	306	VERTICAL SURFACES, HIGH CLEANING DOWN TO WINDOW SILLS	
	Clean all horizontal ledges including radiators, baseboards, sills, partitions, etc.	D		Clean all pictures, frames, etc.	S
	Clean cleared chalkboards/whiteboards	D		Clean all exposed pipes, wall louvers, clocks, fire bells, fire exits, cabinets, door frames etc.	S
.4	Clean all hard surface floors	D			
.5	Vacuum/spot clean all carpets, mats, etc. including corners and edges	D	307	LIGHT FIXTURES	
				Dust	S
.6	Clean T-mats over and under	D	308	WINDOWS, PLEXIGLAS	
	Spot clean walls, doors, woodwork, partitions, etc	D		Clean	S
.7	Spot clean partition glass & door glass	D		Clean (entrances) glass, frames, etc.	D
	Clean all water fountains, water coolers, eye wash stations, etc. All surfaces inc. surrounding wall area	D	309	STORAGE AREAS	
.9	Clean all counter tops, sinks, surrounding wall surfaces	D		Clean floors	S
			310	CLEANING CLOSETS	
.8	Clean elevator and lift - all surfaces and access	D		High dust	S
.9	Clean cupboard fronts/plumbing, dispensers, etc.	D		Clean floors, sinks, walls, shelves, equip.etc.	S
				Clean supply of cloths, mops, etc.	S
.10	Clean appliances inc. inside microwaves	D		All chemicals and containers labelled in accordance with W.H.M.I.S.	S



.10	Clean all metal kick plates, vents, push bars, etc.	D			
201	WASHROOMS, LOCKER, SHOWER and FITNESS ROOMS		311	Clean equipment, washer dryer clean	S
.1	Clean with germicidal detergent inside and out all sinks, showers, tubs, toilet seats, urinals, etc.	D		Clean all entrances and exits	D-Y
.2	Remove liners, clean with germicidal detergent all sanitary and waste receptacles, replace liners	D		KITCHEN	M/F
.3	Clean with germicidal detergent and restock all receptacles, dispensers, holders, etc.	D		Floors - Kaivac spray/scrub cleaning system	D
.4	Clean all partitions, walls, enamel, tile, etc.	D		Walls - Kaivac spray/scrub cleaning system	WE
.5	Clean all floor surfaces	D	201.7	CAFETERIA ,SERVERY and PATIO	M/F
.6	Scrub floors, rinse, apply sealer and/or finish	Y - S		Wash all tables/chairs over/under/legs/feet	WE
.7	Kaivac spray/scrub showers	D		Wash all counters/cupboards etc.	WE
301	STAIRWAYS			Clean all glass inside/out/ledges/frames	WE
	Clean handrails, ledges, side glass, etc.	D	201.7	Clean- vinyl, vacuum and spot clean fabric	WE
	Clean stairs, risers, landings, etc.	D		FITNESS ROOM	
				Detail Wash all fitness equip. / furnishings	WE
				Clean glass all sides, remove cobwebs/litter	WE
				Pile lift carpet	WE
				WASHROOMS	D
				Kaivac spray/scrub cleaning system	WE
				Wash down all locker surfaces	WE
Frequency/Standard Key - Service to be provided Mon.- Fri. 3pm-11pm.; Sat-Sun-9am-5pm.; Recognized (8) Statutory days-9am-1pm. all as stipulated D-Daily (as scheduled), W-Weekly, WE-weekend, M-Monthly, Y-Yearly S – Scheduled - Check & maintain to current Fisheries and Oceans, Sidney, BC - Cleaning Standards			MCTS Room # 5212-Cleaning Times		
				Mon.-Fri.- start cleaning at 8PM	D
				Sat.and Sun. - start cleaning at 10AM	WE
				Statutory days start cleaning at 10AM	D
			302	LABORATORIES	
				Floors - corners and edges. Vacuum, - mop	D



All Quad scheduled rooms which are found inaccessible or where access is denied must be reported daily to the RPSS Site Representative
Deficiencies are expected to be corrected the same day, or explanation reported.

STANDARD # AND BRIEF DESCRIPTION

STANDARD # AND BRIEF DESCRIPTION

101	FOYERS, WAITING AREAS, ROOMS, OFFICES, CORRIDORS, ETC. (OPEN AREAS & ENCLOSED)			1st. Week of the Month			
				308	Window glass interior		Window glass exterior
.1	EMPTYwaste / recycle BASKETS	LINERS in place	308	Partition Glass both sides		No cobwebs, litter	
	RECYCLABLES-transported	BASKETS clean					
				2nd Week of the Month			
.2	DESKS /SIDES / UNDER	BOOK CASES / CABINETS	305	Blinds dusted		Verticals vacuumed	
	TELEPHONES	CHAIR FRAMES	307	Light lenses dusted		No bugs in lights	
	VINYL CHAIRS	FILE CABINETS					
	VACUUM FABRIC	COMPUTER SCREENS /KEY BOARDS					
	CARPET free of spots	LAMPS	3rd. Week of the Month				
	BRIC A BRIC	STAPLERS etc.	304	All partition surfaces washed		Door and frames washed	
	PICTURES-wall	PICTURES-free standing	101.2	Fabric dividers vacuumed		Fabric dividers spot cleaned	
				4th Week of the Month			
.3	WINDOW SILLS	PARTITION LEDGES					
	CHALK / WHITE BOARDS	BASE BOARDS	304	Radiator covers washed			
	RADIATORS		303	Carpet pile lifted			
				5th Week of the Month			
.4	FLOORS CLEAN						
			304	Overhead pipes dusted		Ledges and beams dusted	
.5	VACUUM CARPET	UNDER CHAIR MATS	SPECIAL COMMENTS:				
	VACUUM CARPET EDGES	SPOT CLEAN CARPET					
	VACUUM under furniture	T-MATS-over and under					
.6	SPOT CLEAN WALLS	SPOT CLEAN window glass					
	SPOT CLEAN DOORS	PARTITION GLASS-spot clean					
.10	SMALL APPLIANCES	INSIDE MICROWAVES					
	KICK PLATES / GRILLES	KNOBS / SWITCH PLATES					



COMPUTER ROOMS			
	FLOORS		

Contractor owner initial: _____

Proposed site working supervisor's initial: _____

Proposed back-up site working supervisor's initial: _____



General Conditions and Information

Pandemic Precautions

For the duration of the COVID-19 Coronavirus pandemic, extra sanitizing will be necessary. Please refer to Annex A-1 for details of the current requirements and the standards to which the contractor will conform.

Reporting Requirements

A logbook or time clock will be used to indicate start and finish times for each employee. It is a condition of this contract that all hours on site are spent solely on the above-mentioned facility. All log sheets shall be maintained by the contractor on a daily basis. Should work requirement not be completed, an explanation will be recorded as to why. The log sheet will be submitted to the Project Authority monthly and or any time it is requested. Entries must be legible and dated.

Project Management Control Procedures

It will be the responsibility of the DFO Site Representative and the Project Authority to oversee progress, address any concerns, discuss and manage ongoing efforts with the Contractor.

Change Management Procedures

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority; however the Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

Language of Work

The Language of work for this requirement is English.

DFO Obligations

It is the responsibility of Fisheries and Oceans Canada to provide access and keys to site areas to the authorized Contractor personnel.

The Department will provide locked janitorial storage area for the Contractor. This area is at the disposal of the Contractor and must be maintained in a tidy manner at all times, as approved by PA. No refuse is to be stored in this area. The storage area is to be cleaned thoroughly and will be inspected by the FM and/or PA during the Contract period.

Site occupants are responsible for the following:

- Clear their desk in preparation of the once a week washing of all surfaces
- Will have to remove their waste from inside the office to the common corridor for pick-up between cleanings. The next day to return their empty basket to their office
- Promptly report deficiencies following their cleaning day

Quad Cleaning

'Quad' cleaning is especially designed to reduce the gross dust and soil load of inadequate cleaning and involves the client in maintaining their personal workspace. It requires detail cleaning and must be started at 3PM to enable reasonable lighting and adequate time after completion for the site supervisor to inspect and deal with any work that requires immediate attention.

'Quad' cleaning includes the detailed cleaning of the 'Quad' scheduled assigned space.

'Quad' cleaning includes total compliance with the site current Cleaning Standards document and the site 'Quad' cleaning task schedule.

Quad cleaning is a combination of thorough daily and rotational cleaning of any given office space. It allows you to maintain a high quality of cleaning standard while eliminating daily unproductive and unnecessary repetitive quick yet never complete cleaning. Quad cleaning includes but is not limited to: Germicidal cleaning of all touch plates, push bars, light switch plates, and cleaning telephone mouth/ear piece and cradle. Spot cleaning and vacuuming of any fabric wall coverings, vacuuming of all fabric furniture. Spot



cleaning and vacuuming of carpet wall to wall, washing of cleared desks or if not cleared all exposed areas, washing of all clear areas of cabinets and book shelving, washing of all other washable surfaces. All washable surfaces include but is not exclusive to chair legs and wheels, sides of desks, glassed pictures, white boards etc. When the office or area is detail cleaned, it is cleaned from ceiling to floor including high dusting (doors, frames, picture frames, ledges etc.) so that there is nothing left unclean. There must be no spots on carpets or furniture etc. Other than those specific functions that are scheduled throughout the month on the Quad cleaning day all the rotational and daily work is done thoroughly, correctly and on schedule.

Benefits of Quad Cleaning

- Provides best value solutions and service delivery which contributes to our customers' success while meeting their needs
- Is carried out early in the shift to allow time for the Site Supervisor to inspect and immediately rectify any issues
- Combination of daily and rotational cleaning for each designated area
- Site occupants know their cleaning day
- Space is detail cleaned providing higher quality and improved customer service
- Work is organized
- All cleaning is done using clean microfiber cloths and no re-dipping of cloths in solutions
- Vacuuming is done rather than dust mopping
- Cleaning is done thoroughly and done right
- No room for error, no repeating of the work

Construction Clean Up (Charge out rate)

Reasonable construction clean up in any area is expected as part of the contract. Reasonable is defined by any residue which could be vacuumed up or wet cleaned using conventional methods and falls within the assigned contract and standards description. Areas within buildings which are seldom used must be maintained in a clean and usable condition (a minimum of monthly). The RPSS Site Representative will advise when areas seldom used are going to be used and it is a requirement that these spaces be clean and ready for occupancy, cleaned every day of use and detailed cleaned after the use ceases.

Floor Work

Floors will require stripping and refinishing annually. The scheduling of the stripping and refinishing will require coordination with the RPSS Site Representative to avoid any space disruption and for most areas be scheduled on weekends. Once refinished you are required to maintain the floor surfaces to the cleaning standards. **The Cleaning Supervisor must maintain current, on site, records of all floor work. This includes the date, product name, number of coats of sealer, finish and scrub and re-coat records.**

Clean

The term 'CLEAN' in most applications throughout these Institute of Ocean Science, Sidney, BC Cleaning Standards, means the use of separate microfiber cleaning cloths which have been soaked in the appropriate product. Upon saturation with the solution, wring, fold, use each side on one surface only and once all surfaces have been used, the cloth is to be set aside for laundering and under no circumstances is the cloth to be reused until it has been laundered and dried. In areas where a telephone is present it must be cleaned first. Cleaning for the most part is to be accomplished by the application of physical hands-on friction cleaning. No paper towels may be used in the cleaning operations. **The use of Trigger Sprayers is NOT permitted** for the regular cleaning duties however squirt bottles are. A pump-up tank sprayer may be used in the process of the carpet (traffic lane) spin-cleaning program, as may a trigger sprayer for removing carpet spots.

Brooms and Dustpans

Must be supplied and labeled for each separate shop area and wherever else needed to ensure that there is no transfer of soil, grease etc. from one area to another or from a shop floor to an office floor.

Cleaning Closets

There are presently 11 cleaning closets throughout the site and most are located between the Male and Female washrooms. They must be maintained in a clean and orderly state at the end of every shift. No personal items or collections of any kind can be held or left in this site supplied space.



There is no cleaning closet in the Grounds Winch Shop Building; space may be made available for a small supply of paper products etc.

Energy Conservation

The contractor is expected to limit energy consumption by establishing efficient work patterns and by turning electrical equipment off and lights out when not required.

Equipment and Equipment Manual

The Contractor must maintain a manual on all major equipment serial numbers etc. on site and this manual must be placed in *Janitorial Room #2641 in the Hydrographic Wing*. Equipment pre-approved and used for the site on a regular basis must remain on site at all times. Any equipment removed for repair and replaced for an interim period must be recorded in the Cleaning Contract communications book in the office of the Buildings and Grounds Supervisor.

Equipment on Site

Other than any equipment listed as provided by the client for use in the cleaning operations no site equipment such as giraffe ladders may be used without the express permission of the Facilities Manager. In carrying out the work the Contractor must plan to provide all basic minor equipment including ladders, brooms etc.

Lost And Found

The Contractors' staff shall return any found articles on site to Security prior to the end of any shift.

Access

Access keys to all site areas to be cleaned will only be provided to authorized Contractor personnel holding a security pass. **Keys are to be picked up and surrendered to Security daily.** Any vehicles, bags (other than a small purse) or containers being brought **onto or leaving** the site must be made available for inspection by our security staff, DFO security staff or Commissionaires under direction from DFO.

Swipe cards are to be used for access to all areas that have swipes.

Meals and Assigned Breaks

The Contractor will assign coffee and unpaid meal breaks for all their staff on site. Any and all food and drink (other than water) consumption during any scheduled break must take place **in the cafeteria**. No coffee or food consumption is permitted in any other space within the complex. Microwave access is available in the cafeteria for staff use however no other cooking of meals is permitted on the site.

Approved Products

All products used on this site require our pre-approval. The basic day-to-day cleaning products required are purchased by us and are to be used as per the manufacturer's directions. Any approved products that are approved and contractor supplied must also be used in accordance with the manufacturer's directions.

Cleaning Inspections

Every week based on our current cleaning standards, the site Supervisor is required to have carried out and submitted detailed cleaning inspections of all of the week's work – building by building-for the entire site. The individual buildings inspections are to be submitted on Friday each week to the office of the RPSS. Cleaning functions that are carried out on a less frequent basis as well as project work is to be recorded daily in the communication book. The RPSS will determine if any of the work has not been completed to the standards and if this should occur the supervisor will be required to, outside of the regular assigned hours, to supervise additional work hours, at the cost of the Contractor, to complete the work to the satisfaction of the RPSS and these Standards. Any apparent repairs required to the building are to be noted by the contractor in the communication book in the Building and Grounds Supervisor's office.

Communication

A communications book will be available in the RPSS site supervisor's office used to communication in writing between the contractor and the RPSS site representative to record damages, issues, deficiencies in site finishes such as floors, walls etc and to record when RPSS supplied material stocks are low.

It is a requirement on this site that all persons who provide our cleaning services be able to; receive and carry out written and verbal English instructions, carry out requests that fall within the contracted



agreement; to effectively relay in a timely manner any which fall outside the contracted agreement, such as flooding, building security problems, plumbing needs, etc. Further, it is mandatory that all persons are trained in all aspects of professional cleaning and be familiar with the site, the cleaning conditions of the contract and our Task Schedules and these Current Cleaning Standards all of which form part of the Contract.

The contractor must, in order to provide for emergency and after hour situations, supply a contact name and number that will meet these conditions on a 24-hour basis.

The Cleaning Supervisor must be provided with a cell phone and respond to site communication within a 5 minute call time. For the safety of the cleaning staff, all must be provided with at minimum suitable vibrating pagers and the ability to communicate with their supervisor. Should an emergency occur where an employee of the company has to leave the site for any reason they must first be processed through security.

Staff who needs to stay in contact for emergency reasons may use cell phones or 2-way pagers that have been equipped with vibration capability. During working hours, personal calls are limited to those of an emergency nature while other personal calls may be made during assigned breaks.

No Sub-Contracting

No sub-contracting of other services is permitted by the contractor unless pre-approved through the RPSS Site Representative.

Non Smoking Areas

Smoking is prohibited in all buildings and structures. When smoking outside, the Provincial, Federal Treasury Board and site Guidelines must be adhered to. Smoking is limited to the designated smoking areas on site, identified by butt cans with green designated signage.

Restrictions to the Site

DFO Facilities Foreman Site Representative has the authority to determine whether any person will be permanently restricted from the site for performing in a less than professional and knowledgeable manner or who is unable to demonstrate a working knowledge of our contract requirements including but not restricted to our Quad cleaning process or our Cleaning Standards. Restrictions may also be applied to any contractor who does not have current valid certificates e.g. WHMIS/Universal Precautions and Fall Arrest. It is the responsibility of the contractor to ensure all certification remain valid for the duration of the contract.

Safety

WorksafeBC requires all workers to be knowledgeable of all workplace hazards and the precautions that must be taken to ensure that safe work practices are maintained. It is the responsibility and cost of the Contractor to ensure that its representatives receive regular training and instruction certificates in **W.H.M.I.S. and Universal Precautions** and that staff are equipped with appropriate tools, clothing and spill clean-up supplies so that they can work in a safe and healthy manner. In addition to the general safety precautions that normally accompany the work, employees may also be at risk of exposure to rodent and foul droppings.

Supervision

A qualified Cleaning Supervisor must be on site during all cleaning hours. This person must be a representative of the firm, have the ability to supervise in a professional manner and the authority to carry out inspections and rectify any and all cleaning concerns related to this contract on a daily basis.

Telephone Access

The commissioner's office is available most times and their phone can, in the case of emergency, be used for an outside emergency call.

There are **no telephones on site** that may be used by the cleaning staff. No other phones are to be used on site. **Cell phones will only be permitted on site during breaks in the cafeteria only. No photos will be taken on site as this will constitute immediate breach of contract and the individual will be escorted off the site, not permitted to return.**

Training



It is understood that from time to time there may be a need to have new cleaning staff and these staff may require some on-site-training. The RPSS Site Representative will make the appropriate arrangements to permit new cleaning staff access to the site however these cleaning staff must be trained at the Contractor's expense.

All staff carrying out the regular cleaning duties on site must be able to execute in a professional manner all the cleaning procedures as outlined by the contract and the site cleaning standards using the professional products, supplies and equipment in the manner to which they were intended. The Contractor must provide annually by the contract award date, W.H.M.I.S. and Universal Precaution training re-certificates for all staff assigned to the site and for the window cleaner (when required) a current Fall Arrest certificate.

It is the responsibility and cost of the Contractor to ensure that its representatives receive regular training and instruction certificates in **W.H.M.I.S., Universal Precautions** and the first aid procedures for metal/needle sticks, as set down by the British Columbia Centre for Disease Control. The contractor is to ensure that their staff are equipped with appropriate tools, clothing and spill clean-up supplies so that they can work in a safe and healthy manner. In addition to the general safety precautions that normally accompany the work, employees may also be at risk of exposure to rodent and foul droppings

Uniforms

For security, hygiene and identification, it is a requirement of this Contract that the Contractor supply and ensure that all persons carrying out the work wear clean suitable uniforms displaying the Contractor Firms name, picture ID clearly displaying the employees first name. All other clothing must be clean, suitable for the work, and be neat in appearance. All footwear will be closed in and comply with any WCB requirements related to the work.

Waste

The contractor is responsible to ensure that any and all waste generated during the cleaning operation is disposed of in accordance with the directions of the site. Neither printed or copied written material, nor recyclable materials are to be removed from the site by the Contractor or their employees.

Microfiber

It is a mandatory requirement of the site that the specified color-coded Microfiber cleaning cloths are used including the chamois style for glass and window cleaning. White terry cloths may only be used in the tamping process for fabric and carpet spotting procedures. Other than where a rough floor exists where a special rough floor looped, launderable wet mop may be required, the requirement of dry and wet mopping is to be carried out using Microfiber dry and wet pads. No cloths or pads are permitted to be re-dipped in any cleaning solution. All must be set aside and laundered after use. Disposable cloths are required for cleaning vinyl with the waterless hand cleaner.

Mold and Mildew

Using gloves and a respirator and only for minor mold/mildew cleanup (10 square feet or less) the area is to be tank sprayer misted with our **germicidal** detergent at **1 oz. per gallon** of water until the entire mould surface is thoroughly wetted throughout its mass. Our germicidal detergent must stay in contact with the mould/mildew for a minimum of 10 minutes before it is removed. Misting with a tank sprayer is critical to prevent any of the spores from becoming airborne. All waste is to be double bagged and disposed of. All non-disposable tools/equipment must be washed with our germicidal detergent at 1oz. per gallon of water maintaining the minimum 10-minute contact time. Upon completion thoroughly wash hands and face.

Note: Instances of larger contaminated areas or where the mould/mildew returns are to be reported immediately to the Facilities Manager.

Washroom/Locker Room

Access is prohibited in these areas at any time they are in use.

Washer And Dryer

There is no washer or dryer for Janitorial use on site. The contractor is to take all cleaning cloths, mops and pads etc off site for cleaning daily.

Work Benches

Nothing is to be touched, moved or tampered with on the benches themselves.



Vacuum

Vacuums are to be operated using the contractors supplied disposable paper bags and once ½ full must be replaced and the used bags placed in the appropriate external waste holding container while fabric filters therein are to be maintained clean and if launderable, **laundered every Friday**.

Storage of Supplies

Under no circumstances can any of the site or contractor supplied cleaning chemicals/products be stored in other than 'approved' designated space. All approved spaces must contain a SDS binder with all of the current SDS (*supplied and maintained current by the cleaning contractor*) on all and only for chemicals therein stored or dispensed.

SUPPLIES PROVIDED BY THE DEPARTMENT

The RPSS Site Representative will supply the following supplies for distribution/installation by the contractor's staff throughout the site. **It is the contractor's responsibility to advise the RPSS Site Representative when stock levels are low.** The Cleaning Supervisor must maintain current on-site records of all chemical and paper product distribution, by building, throughout the site. The site Supervisor will submit their written requisition to the RPSS Site Representative at least 6 weeks in advance to ensure adequate supplies are delivered to the site.

Supplies

Toilet tissue

Paper towels

Plastic bag liners (including bio-degradable ones) for the site waste and recycling receptacles

Sanitary product disposal liners

Paper products for restrooms and kitchens are not to be used for cleaning and must not be left stacked in any areas other than the assigned space.

Fisheries and Oceans will supply to the Cleaning Contractor the following types of products for the sole use at the site. Wherever possible these chemicals will be dispensed through a pre-approved controlled dispensing system or process throughout the site. The Cleaning Supervisor will ensure adequate supplies using a requisition, as described above.

Germicidal detergent

Sanitizer - food safe - supplied for the Kitchen

Protein Degreaser-supplied for the Kitchen

Detergent - light duty and heavy duty depending on the dilution

Hand soap for installed dispensers

Hand sanitizer for installed dispensers

Temp Paste cleaner - stainless steel, counters, sinks, water fountains etc.

Carpet and upholstery spot cleaner

Floor stripper and neutralizer

Floor Sealer

Floor Finish

Bacterial floor drain treatment

Waterless Hand Cleaner - cleaning vinyl

Urinal maintainers – where needed

SPECIAL FUNCTIONS / HOURS

From time to time specific site areas may hold 'Special Functions' requiring an adjustment in the scheduled cleaning hours. The RPSS Site Representative will provide adequate notice to the Site Supervisor who will arrange for the adjustment of the affected working schedules start and completion time. Where additional staffing and hours are required these will be arranged for by the RPSS Site Representative

CONTRACTORS OBLIGATION

- Committed persons hours, salaries and benefits - The Contractor is responsible to set the numbers of persons required to meet the schedules, performance and standards of this contract. It is expected that



the persons on site will work shifts which represent the full cleaning hours 'start to finish' as stipulated in the Hours of Work section and to be given the appropriate breaks according to current Labour Standards and as well a ½ hour unpaid meal break.

- Failure to meet the cleaning hours and requirements on any given day must be rectified by providing the equal and additional hours on the next cleaning day. Further, any changes to the committed persons/hours must be pre-approved by the RPSS Site Representative.
- Where the Contractor does not supply the per week person hours as committed and where no adjustment has received approval, the RPSS Site Representative will without warning deduct the reductions as liquidated damages, to cover the value on non-performance of work at the \$ per hour based on the contractor's 'charge out rate'.
- Should there be a continuance of shortage of manpower/hours over any given month disciplinary action up to and including termination of the contract will be enacted.
- The Contractor's site supervisor and all their employees must be issued by the owner, two copies of our current Cleaning Standards, Statement of Work, Task Schedules and to have been trained to perform to and agree to comply with them by providing one signed set to the Facilities Manager prior to commencing work at the site.

Contract owner Signature (initial not acceptable): _____

Print Name: _____ Date: _____



ANNEX "A1" COVID 19 PANDEMIC PROVISIONS

Additional procedures to be followed for the duration of the Covid-19 crisis

Cleaning and Disinfecting Surfaces 2x Per Day Including weekends in 24hr areas (MCTS, Guard House)

Overview

Washrooms

- Faucets, plunger handles, soap dispensers, towel dispensers, toilet seats, disposal bin covers & lids, waste receptacles and door handles flush handles, light switches, soap dispenser levers, towel dispenser levers, hand dryer buttons, exit door handles and locks
- Touch points on washroom stall doors and entrance doors
- Water Fountains

Office and Common Areas

- Touch points, doors, lights switches
- Stairwell handrails
- Waiting room furniture and foyer surfaces
- Light Switch Plates / Door handles/Thermostats
- Kitchen/Break area (counters, cupboard handles, fridge handle, microwave handle and buttons, coffee pots, vending machines, water coolers and buttons)
- Escalator handrails
- Passenger Elevators
- Elevator push buttons
- Escalator handrails
- Drinking fountains
- Lobby Reception Areas / Security Stations / Public Waiting Areas (desk surfaces, pens, door handles, stairway railings)
- Loading / Shipping dock (Rails, push buttons, overhead door handle in freight elevator)
- Public telephones
- Chairs (arm rests and chair levers)

Conference Rooms

- Tabletops (Meeting rooms, interview rooms training rooms, cafeterias, photocopy stations)
- Chairs (arm rests and chair levers), window sills, tables and/or desks surfaces, drawer/cabinet

Details:

See detailed description of responsibilities in attached document:

Cleaning Guidelines during the COVID-19 Pandemic:

Standard Cleaning Guidelines DFO/CCG

This portion of the contract is optional, at the DFO RPSS Site representative's discretion. In the event of the termination of the state of pandemic in British Columbia, these duties may not be required.



ANNEX “B” BASIS of PAYMENT

Cost / Price Submissions: The Bidder takes full responsibility for all costs submissions. Any errors or omissions on the part of the bidder remain that of the bidder and are not the responsibility of the Fisheries and Oceans Canada to verify, including allowances for minimum wage increases.

Note: Christmas Day - no work scheduled. Cleaning is required in our “24 hour operational areas” the other 9 recognized statutory holidays. They require 1 – 4 hours’ work between 9am - 1pm.

STATUTORY 4 HOUR, 9am-1pm- 1 PERSON (the Site Authority will determine if a Supervisor is required). There are 10 recognized statutory days in the year where the 4 hour work schedule is in effect.

Daily Hrs. 4 x Hourly Rate excluding benefits \$ _____ = \$ _____ per day

Daily Hrs. 4 x Hourly Rate including benefits \$ _____ = \$ _____ per day

Yearly 4 hours X 9 holiday workdays including benefits

_____ X rate _____ per year _____

.....



COST SUBMISSION FOR 1st YEAR OF CONTRACT (August 2021 - July 2022)

Cleaning Staff Monday, Tuesday, Thursday to Friday 3:30pm – 12:00am and Wednesday 3:00pm-11:30pm inclusive (includes a ½ hour unpaid meal breaks)

_____ # of full time staff (excluding the supervisor)

Hourly rate excluding benefits \$_____ x 8.0 hours/day =

Cleaning Supervisor Monday, Tuesday, Thursday to Friday 3:30pm – 12:00am and Wednesday 3:00pm-11:30pm inclusive (Includes a ½ hour unpaid meal break)

Hourly rate excluding benefits \$_____ x 8.0 hours/day =

Cleaning Staff Saturday and Sunday 8:30am - 12:30pm

_____ # of full time staff (excluding the supervisor)

Hourly rate excluding benefits \$_____ x 4.0 hours/day =

Cleaning Supervisor Saturday and Sunday 8:30am - 12:30pm

Hourly rate excluding benefits \$_____ x 4.0 hours/day =

PANDEMIC SANITIZING

Cost of performing additional pandemic sanitizing and other duties. This portion is subject to RPSS site representative's discretion; in the event of the termination of the state of pandemic in British Columbia, these duties may not be required.

Monday to Friday – 4 hours for each of two workers per day

Staff hourly rate excluding benefits \$_____

Supervisor hourly rate excluding benefits \$_____

Saturday and Sunday – 2 hours for each of two workers per day

Staff hourly rate excluding benefits \$_____

Supervisor hourly rate excluding benefits \$_____

CHARGE OUT RATES

Please note that throughout the entire term of this contract the charge out rate will be the rate used when calculating the cost for project work that may occur under this contract.

The RPSS Site Representative reserves the sole right to calculate the time necessary to perform the any additional tasks to the desired standard required. The 'charge out rate' must include all benefits.

1st 12 months of contract **per hour** Charge out Rate for Supervision including benefits \$_____ per hour

1st 12 months of contract **per hour** Charge out Rate for Cleaning Staff including benefits \$_____ per hour

FIRST YEAR CLEANING COSTS INCLUDING BENEFITS (excluding tax)

Total Contract Costs Per Month (year divided by 12) \$_____

Total Yearly Contract Cost for Initial Contract Period Sub-total \$_____



COST SUBMISSION FOR 1st OPTION YEAR OF CONTRACT (August 2022 - July 2023)

Cleaning Staff Monday, Tuesday, Thursday to Friday 3:30pm – 12:00am and Wednesday 3:00pm-11:30pm inclusive (includes a ½ hour unpaid meal break)

_____ # of full time staff (excluding the supervisor)

Hourly rate excluding benefits \$_____ x 8.0 hours/day =

Cleaning Supervisor Monday, Tuesday, Thursday to Friday 3:30pm – 12:00am and Wednesday 3:00pm-11:30pm inclusive (Includes a ½ hour unpaid meal break)

Hourly rate excluding benefits \$_____ x 8.0 hours/day =

Cleaning Staff Saturday and Sunday 8:30am - 12:30pm

_____ # of full time staff (excluding the supervisor)

Hourly rate excluding benefits \$_____ x 4.0 hours/day =

Cleaning Supervisor Saturday and Sunday 8:30am - 12:30 pm

Hourly rate excluding benefits \$_____ x 4.0 hours/day =

PANDEMIC SANITIZING

Cost of performing additional pandemic sanitizing and other duties. This portion is subject to RPSS site representative's discretion; in the event of the termination of the state of pandemic in British Columbia, these duties may not be required.

Monday to Friday – 4 hours for each of two workers per day

Staff hourly rate excluding benefits \$_____

Supervisor hourly rate excluding benefits \$_____

Saturday and Sunday – 2 hours for each of two workers per day

Staff hourly rate excluding benefits \$_____

Supervisor hourly rate excluding benefits \$_____

CHARGE OUT RATES

Please note that throughout the entire term of this contract the charge out rate will be the rate used when calculating the cost for project work that may occur under this contract.

The RPSS Site Representative reserves the sole right to calculate the time necessary to perform the any additional tasks to the desired standard required.

The 'charge out rate' must include all benefits.

1st option year of contract per hour Charge out Rate for Supervision including benefits \$_____ per hour

1st option year of contract per hour Charge out Rate for Cleaning Staff including benefits \$_____ per hour

1st OPTION YEAR CLEANING COSTS INCLUDING BENEFITS (excluding tax)

Total Contract Costs Per Month (year divided by 12) \$_____

Total Yearly Contract Cost for Initial Contract Period Sub-total \$_____



COST SUBMISSION FOR 2nd OPTION YEAR OF CONTRACT (August 2023 - July 2024)

Cleaning Staff Monday, Tuesday, Thursday to Friday 3:30pm – 12:00am and Wednesday 3:00pm-11:30pm inclusive (includes a ½ hour unpaid meal break)

_____ # of full time staff (excluding the supervisor)

Hourly rate excluding benefits \$_____ x 8.0 hours/day =

Cleaning Supervisor Monday, Tuesday, Thursday to Friday 3:30pm – 12:00am and Wednesday 3:00pm-11:30pm inclusive (Includes a ½ hour unpaid meal break)

Hourly rate excluding benefits \$_____ x 8.0 hours/day =

Cleaning Staff Saturday and Sunday 8:30am - 12:30pm

_____ # of full time staff (excluding the supervisor)

Hourly rate excluding benefits \$_____ x 4.0 hours/day =

Cleaning Supervisor Saturday and Sunday 8:30am - 12:30 pm

Hourly rate excluding benefits \$_____ x 4.0 hours/day =

PANDEMIC SANITIZING

Cost of performing additional pandemic sanitizing and other duties. This portion is subject to RPSS site representative's discretion; in the event of the termination of the state of pandemic in British Columbia, these duties may not be required.

Monday to Friday – 4 hours for each of two workers per day

Staff hourly rate excluding benefits \$_____

Supervisor hourly rate excluding benefits \$_____

Saturday and Sunday – 2 hours for each of two workers per day

Staff hourly rate excluding benefits \$_____

Supervisor hourly rate excluding benefits \$_____

CHARGE OUT RATES

Please note that throughout the entire term of this contract the charge out rate will be the rate used when calculating the cost for project work that may occur under this contract.

The RPSS Site Representative reserves the sole right to calculate the time necessary to perform the any additional tasks to the desired standard required.

The 'charge out rate' must include all benefits.

1st 12 months of contract per hour Charge out Rate for Supervision including benefits \$_____ per hour

1st 12 months of contract per hour Charge out Rate for Cleaning Staff including benefits \$_____ per hour

2nd OPTION YEAR CLEANING COSTS INCLUDING BENEFITS (excluding tax)

Total Contract Costs Per Month (year divided by 12) \$_____

Total Yearly Contract Cost for Initial Contract Period Sub-total \$_____



COST SUBMISSION FOR 3rd OPTION YEAR OF CONTRACT (August 2025 - July 2025)

Cleaning Staff Monday, Tuesday, Thursday to Friday 3:30pm – 12:00am and Wednesday 3:00pm-11:30pm inclusive (includes a ½ hour unpaid meal break)

_____ # of full time staff (excluding the supervisor)

Hourly rate excluding benefits \$_____ x 8.0 hours/day =

Cleaning Supervisor Monday, Tuesday, Thursday to Friday 3:30pm – 12:00am and Wednesday 3:00pm-11:30pm inclusive (Includes a ½ hour unpaid meal break)

Hourly rate excluding benefits \$_____ x 8.0 hours/day =

Cleaning Staff Saturday and Sunday 8:30am - 12:30pm

_____ # of full time staff (excluding the supervisor)

Hourly rate excluding benefits \$_____ x 4.0 hours/day =

Cleaning Supervisor Saturday and Sunday 8:30am - 12:30 pm

Hourly rate excluding benefits \$_____ x 4.0 hours/day =

PANDEMIC SANITIZING

Cost of performing additional pandemic sanitizing and other duties. This portion is subject to RPSS site representative's discretion; in the event of the termination of the state of pandemic in British Columbia, these duties may not be required.

Monday to Friday – 4 hours for each of two workers per day

Staff hourly rate excluding benefits \$_____

Supervisor hourly rate excluding benefits \$_____

Saturday and Sunday – 2 hours for each of two workers per day

Staff hourly rate excluding benefits \$_____

Supervisor hourly rate excluding benefits \$_____

CHARGE OUT RATES

Please note that throughout the entire term of this contract the charge out rate will be the rate used when calculating the cost for project work that may occur under this contract.

The RPSS Site Representative reserves the sole right to calculate the time necessary to perform the any additional tasks to the desired standard required.

The 'charge out rate' must include all benefits.

1st 12 months of contract per hour Charge out Rate for Supervision including benefits \$_____ per hour

1st 12 months of contract per hour Charge out Rate for Cleaning Staff including benefits \$_____ per hour

3rd OPTION YEAR CLEANING COSTS INCLUDING BENEFITS (excluding tax)

Total Contract Costs Per Month (year divided by 12) \$_____

Total Yearly Contract Cost for Initial Contract Period Sub-total \$_____



ANNEX "C" INSURANCE CONDITIONS

1. The Contractor must obtain Commercial General Liability Insurance, and maintain it in force throughout the duration of the Contract, in an amount usual for a contract of this nature, but for not less than \$2,000,000 per accident or occurrence and in the annual aggregate.
2. The Commercial General Liability policy must include the following:
 - a. Additional Insured: Canada is added as an additional insured, but only with respect to liability arising out of the Contractor's performance of the Contract. The interest of Canada should read as follows: Canada, as represented by Public Works and Government Services Canada.
 - b. Bodily Injury and Property Damage to third parties arising out of the operations of the Contractor.
 - c. Products and Completed Operations: Coverage for bodily injury or property damage arising out of goods or products manufactured, sold, handled, or distributed by the Contractor and/or arising out of operations that have been completed by the Contractor.
 - d. Personal Injury: While not limited to, the coverage must include Violation of Privacy, Libel and Slander, False Arrest, Detention or Imprisonment and Defamation of Character.
 - e. Cross Liability/Separation of Insureds: Without increasing the limit of liability, the policy must protect all insured parties to the full extent of coverage provided. Further, the policy must apply to each Insured in the same manner and to the same extent as if a separate policy had been issued to each.
 - f. Blanket Contractual Liability: The policy must, on a blanket basis or by specific reference to the Contract, extend to assumed liabilities with respect to contractual provisions.
 - g. Employees and, if applicable, Volunteers must be included as Additional Insured.
 - h. Employers' Liability (or confirmation that all employees are covered by Worker's compensation (WSIB) or similar program)
 - i. Broad Form Property Damage including Completed Operations: Expands the Property Damage coverage to include certain losses that would otherwise be excluded by the standard care, custody or control exclusion found in a standard policy.
 - j. Notice of Cancellation: The Contractor will provide the Contracting Authority thirty (30) days prior written notice of policy cancellation or any changes to the insurance policy.
 - k. If the policy is written on a claims-made basis, coverage must be in place for a period of at least 12 months after the completion or termination of the Contract.
 - l. Owners' or Contractors' Protective Liability: Covers the damages that the Contractor becomes legally obligated to pay arising out of the operations of a subcontractor.
 - m. Non-Owned Automobile Liability - Coverage for suits against the Contractor resulting from the use of hired or non-owned vehicles.
 - n. Advertising Injury: While not limited to, the endorsement must include coverage piracy or misappropriation of ideas, or infringement of copyright, trademark, title or slogan.
 - o. Sudden and Accidental Pollution Liability (minimum 120 hours): To protect the Contractor for liabilities arising from damages caused by accidental pollution incidents.
 - p. Litigation Rights: Pursuant to subsection 5(d) of the [Department of Justice Act](#), S.C. 1993, c. J-2, s.1, if a suit is instituted for or against Canada which the Insurer would, but for this clause, have the right to pursue or defend on behalf of Canada as an



Additional Named Insured under the insurance policy, the Insurer must promptly contact the Attorney General of Canada to agree on the legal strategies by sending a letter, by registered mail or by courier, with an acknowledgement of receipt.

For the province of Quebec, send to:

Director Business Law Directorate,
Quebec Regional Office (Ottawa),
Department of Justice,
284 Wellington Street, Room SAT-6042,
Ottawa, Ontario, K1A 0H8

For other provinces and territories, send to:

Senior General Counsel,
Civil Litigation Section,
Department of Justice
234 Wellington Street, East Tower
Ottawa, Ontario K1A 0H8

A copy of the letter must be sent to the Contracting Authority. Canada reserves the right to co-defend any action brought against Canada. All expenses incurred by Canada to co-defend such actions will be at Canada's expense. If Canada decides to co-defend any action brought against it, and Canada does not agree to a proposed settlement agreed to by the Contractor's insurer and the plaintiff(s) that would result in the settlement or dismissal of the action against Canada, then Canada will be responsible to the Contractor's insurer for any difference between the proposed settlement amount and the amount finally awarded or paid to the plaintiffs (inclusive of costs and interest) on behalf of Canada.



ANNEX "D" SECURITY REQUIREMENTS CHECK LIST



Government of Canada
Gouvernement du Canada

Contract Number / Numéro du contrat F5211-210051
Security Classification / Classification de sécurité

**SECURITY REQUIREMENTS CHECK LIST (SRCL)
LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)**

PART A - CONTRACT INFORMATION / PARTIE A - INFORMATION CONTRACTUELLE		
1. Originating Government Department or Organization / Ministère ou organisme gouvernemental d'origine DFO	2. Branch or Directorate / Direction générale ou Direction HRCS/RPSS	
3. a) Subcontract Number / Numéro du contrat de sous-traitance	3. b) Name and Address of Subcontractor / Nom et adresse du sous-traitant	
4. Brief Description of Work / Brève description du travail Janitorial services contract at the Institute of Ocean Sciences		
5. a) Will the supplier require access to Controlled Goods? Le fournisseur aura-t-il accès à des marchandises contrôlées?	<input checked="" type="checkbox"/> No / Non <input type="checkbox"/> Yes / Oui	
5. b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control Regulations? Le fournisseur aura-t-il accès à des données techniques militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques?	<input checked="" type="checkbox"/> No / Non <input type="checkbox"/> Yes / Oui	
6. Indicate the type of access required / Indiquer le type d'accès requis		
6. a) Will the supplier and its employees require access to PROTECTED and/or CLASSIFIED information or assets? Le fournisseur ainsi que les employés auront-ils accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS? (Specify the level of access using the chart in Question 7. c) (Préciser le niveau d'accès en utilisant le tableau qui se trouve à la question 7. c)	<input checked="" type="checkbox"/> No / Non <input type="checkbox"/> Yes / Oui	
6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted. Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS n'est pas autorisé.	<input type="checkbox"/> No / Non <input checked="" type="checkbox"/> Yes / Oui	
6. c) Is this a commercial courier or delivery requirement with no overnight storage? S'agit-il d'un contrat de messagerie ou de livraison commerciale sans entreposage de nuit?	<input checked="" type="checkbox"/> No / Non <input type="checkbox"/> Yes / Oui	
7. a) Indicate the type of information that the supplier will be required to access / Indiquer le type d'information auquel le fournisseur devra avoir accès		
Canada <input type="checkbox"/>	NATO / OTAN <input type="checkbox"/>	
7. b) Release restrictions / Restrictions relatives à la diffusion		
No release restrictions / Aucune restriction relative à la diffusion <input type="checkbox"/>	All NATO countries / Tous les pays de l'OTAN <input type="checkbox"/>	
Not releasable / A ne pas diffuser <input type="checkbox"/>		
Restricted to: / Limité à: <input type="checkbox"/>	Restricted to: / Limité à: <input type="checkbox"/>	
Specify country(ies): / Préciser le(s) pays:	Specify country(ies): / Préciser le(s) pays:	
7. c) Level of information / Niveau d'information		
PROTECTED A / PROTÉGÉ A <input type="checkbox"/>	NATO UNCLASSIFIED / NATO NON CLASSIFIÉ <input type="checkbox"/>	PROTECTED A / PROTÉGÉ A <input type="checkbox"/>
PROTECTED B / PROTÉGÉ B <input type="checkbox"/>	NATO RESTRICTED / NATO DIFFUSION RESTREINTE <input type="checkbox"/>	PROTECTED B / PROTÉGÉ B <input type="checkbox"/>
PROTECTED C / PROTÉGÉ C <input type="checkbox"/>	NATO CONFIDENTIAL / NATO CONFIDENTIEL <input type="checkbox"/>	PROTECTED C / PROTÉGÉ C <input type="checkbox"/>
CONFIDENTIAL / CONFIDENTIEL <input type="checkbox"/>	NATO SECRET <input type="checkbox"/>	CONFIDENTIAL / CONFIDENTIEL <input type="checkbox"/>
SECRET / SECRET <input type="checkbox"/>	COSMIC TOP SECRET / COSMIC TRÈS SECRET <input type="checkbox"/>	SECRET / SECRET <input type="checkbox"/>
TOP SECRET / TRÈS SECRET <input type="checkbox"/>		TOP SECRET / TRÈS SECRET <input type="checkbox"/>
TOP SECRET (SIGINT) / TRÈS SECRET (SIGINT) <input type="checkbox"/>		TOP SECRET (SIGINT) / TRÈS SECRET (SIGINT) <input type="checkbox"/>

TBS/SCT 350-103(2004/12)

Security Classification / Classification de sécurité





Contract Number / Numéro du contrat F5211-210051
Security Classification / Classification de sécurité

PART A (continued) / PARTIE A (suite)

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS? No / Non Yes / Oui
If Yes, indicate the level of sensitivity:
Dans l'affirmative, indiquer le niveau de sensibilité :

9. Will the supplier require access to extremely sensitive INFOSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate? No / Non Yes / Oui

Short Title(s) of material / Titre(s) abrégé(s) du matériel :
Document Number / Numéro du document :

PART B - PERSONNEL (SUPPLIER) / PARTIE B - PERSONNEL (FOURNISSEUR)

10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis

<input checked="" type="checkbox"/> RELIABILITY STATUS COTE DE FIABILITÉ	<input type="checkbox"/> CONFIDENTIAL CONFIDENTIEL	<input type="checkbox"/> SECRET SECRET	<input type="checkbox"/> TOP SECRET TRÈS SECRET
<input type="checkbox"/> TOP SECRET – SIGINT TRÈS SECRET – SIGINT	<input type="checkbox"/> NATO CONFIDENTIAL NATO CONFIDENTIEL	<input type="checkbox"/> NATO SECRET NATO SECRET	<input type="checkbox"/> COSMIC TOP SECRET COSMIC TRÈS SECRET
<input type="checkbox"/> SITE ACCESS ACCÈS AUX EMPLACEMENTS			

Special comments:
Commentaires spéciaux : _____

NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided.
REMARQUE : Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être fourni.

10. b) May unscreened personnel be used for portions of the work?
Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail? No / Non Yes / Oui
If Yes, will unscreened personnel be escorted?
Dans l'affirmative, le personnel en question sera-t-il escorté? No / Non Yes / Oui

PART C - SAFEGUARDS (SUPPLIER) / PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)

INFORMATION / ASSETS / RENSEIGNEMENTS / BIENS

11. a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or premises?
Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS? No / Non Yes / Oui

11. b) Will the supplier be required to safeguard COMSEC information or assets?
Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC? No / Non Yes / Oui

PRODUCTION

11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises?
Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ? No / Non Yes / Oui

INFORMATION TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)

11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED information or data?
Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS? No / Non Yes / Oui

11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency?
Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale? No / Non Yes / Oui



Contract Number / Numéro du contrat F5211-210051
Security Classification / Classification de sécurité

PART C - (continued) / PARTIE C - (suite)

For users completing the form manually use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.
Les utilisateurs qui remplissent le formulaire manuellement doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form online (via the Internet), the summary chart is automatically populated by your responses to previous questions.
Dans le cas des utilisateurs qui remplissent le formulaire en ligne (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

Category Catégorie	PROTECTED PROTÉGÉ			CLASSIFIED CLASSIFIÉ			NATO				COMSEC					
	A	B	C	CONFIDENTIAL CONFIDENTIEL	SECRET	TOP SECRET TRÈS SECRET	NATO RESTRICTED NATO DIFFUSION RESTREINTE	NATO CONFIDENTIAL NATO CONFIDENTIEL	NATO SECRET	COMSEC TOP SECRET COMSEC TRÈS SECRET	PROTECTED PROTÉGÉ			CONFIDENTIAL	SECRET	TOP SECRET
											A	B	C			
Information / Assets Renseignements / Biens																
Production																
IT Media / Support TI																
IT Link / Lien électronique																

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED?
La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE? No / Non Yes / Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification".
Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.

12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED?
La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE? No / Non Yes / Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments).
Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquez qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).



ANNEX "E" STATEMENT OF QUALIFICATIONS

"The bidder must complete this section for their bid to be considered. This information will be used to evaluate the candidates according to the Mandatory Evaluation Criteria and Rated Requirements."

Date _____

Name of Bidding Firm: _____

WorksafeBC Firm Number: _____

Assessment clearance letter number: _____

Number of Persons you Employ: _____ Full Time: _____ Part Time: _____

Will your providing the work create a conflict of interest either for or between you and/or Fisheries and Oceans Sidney BC _____.

It is hereby acknowledged and understood that it is the contractor's responsibility to educate and train their staff and to only provide to the site those staff who are competent in the proper and effective use of products, procedures and equipment to meet and maintain Fisheries and Oceans Sidney BC, current Cleaning Standards and contract requirements of which they will be completely familiar.

Describe your employee-training program: Universal and Whmis training is required – provide proof of valid certification

In the event of contract award, list your Full Time Supervisor, authorized representative for the work site.

Will your Supervisor be required to perform cleaning duties (Yes/No)? If yes you guarantee that adequate time will be permitted for complete supervisory duties to be performed.

Security clearance is a requirement therefore security clearance must either be already held or applied for before the bid submission:

Name _____ how long employed by you _____



Describe technical background and experience;

What level of security clearance is presently held: _____ date issued _____.

I am providing _____ records to substantiate salary and proof of full time employment.

Provide a resume and attach to the resume copies of all technical certificates held related to this contract work including our mandatory W.H.M.I.S and Universal Precautions training.



In the event of contract award, list your Relief Supervisor, authorized representative for the work site.

Will your Relief Supervisor be required to perform cleaning duties (Yes/No)? If yes you guarantee that adequate time will be permitted for complete supervisory duties to be performed.

Security clearance is a requirement therefore security clearance must either be already held or applied for before the bid submission:

Name _____ how long employed by you ____

Describe technical background and experience;

What level of security clearance is presently held: _____ date issued _____.

I am providing _____ records to substantiate salary and proof of full time employment.

Provide a resume and attach to the resume copies of all technical certificates held related to this contract work including our mandatory W.H.M.I.S and Universal Precautions training.



In the event of contract award, **list 4 of the employees you would be proposing for the work site:**
Security clearance is a requirement therefore security clearance must be already held at the time of bid submission

NAME _____ how long employed by you _____

Provide a detailed description of the Technical Background, Experience and list the certificates held: _____

What level of security clearance is presently held: _____ date issued _____

Position proposed _____

NAME _____ how long employed by you _____

Provide a detailed description of the Technical Background, Experience and list the certificates held: _____

What level of security clearance is presently held: _____ date issued _____

Position proposed _____

NAME _____ how long employed by you _____

Provide a detailed description of the Technical Background, Experience and list the certificates held: _____

What level of security clearance is presently held: _____ date issued _____

Position proposed _____

NAME _____ how long employed by you _____

Describe Technical Background and Experience _____

What level of security clearance is presently held: _____ date issued _____



Position proposed _____

For each proposed cleaning person designate what position you would be planning for this person to fill (i.e.-weekend, weekday Monday-Friday).

Provide a resume for each person and attach to the resume copies of all technical certificates held related to this contract work including our mandatory W.H.M.I.S and Universal Precautions training.

List all proposed resources you intend to employ at our site should you be awarded a contract. Include all applicable documents and certification applicable to this requirement.



References of three cleaning contracts that I currently hold or have held in the past 10 years which in my estimation as the owner of this Company are representative of the cleaning expectations, size and capacity (Minimum 1500 m²) commercial/industrial facility of Fisheries and Oceans Institute of Ocean Sciences, Sidney, BC. DFO may call references to validate tables 1 and 2

1. Client Contact Person: _____ Tel: _____
 Building Name _____
 Address: _____
 Square Meters Area Cleaned: _____ Date of Service from _____ to _____
 Extent of cleaning service provided: _____

2. Client Contact Person: _____ Tel: _____
 Building Name _____
 Address: _____
 Square Meters Area Cleaned: _____ Date of Service from _____ to _____
 Extent of cleaning service provided: _____

3. Client Contact Person: _____ Tel: _____
 Building Name _____
 Address: _____
 Square Meters Area Cleaned: _____ Date of Service from _____ to _____
 Extent of cleaning service provided: _____

I hereby certify that the information attached and contained herein is understood, true and correct.

Signature of Company Owner _____



ANNEX “F” CLEANING STANDARDS

BIDDING Company Owner any Proposed/approved Site Supervisors must sign each page

Exclusions from this service are:

Kitchen: freezers and cupboards etc. where food of any kind is stored
Grey areas as identified on the site colour coded drawings with the possible exception of summer project work

INTERIOR OF BUILDING

Includes all non-restricted areas as per the color coded site drawings provided, Entrances, lobbies, waiting areas, rooms, corridors (open and closed areas), offices, file/copy rooms, meeting and conference rooms, common areas, stairways, elevators, cafeteria, kitchen, coffee/lunch room areas and/or rooms, libraries, laboratories, storage rooms, vacant space etc.

101	Tasks	Results Required
.1	<p>Empty/clean all waste holding receptacles and containers. The use of and daily replacement of liners is mandatory for all washroom, first aid room, break area receptacles etc., whereas separate clear liners are utilized for recyclables. Where waste or recyclable material needs to be emptied on a non-Quad day it will be left outside that office door in the hallway.</p> <p>Recyclables are transported to the designated location.</p> <p>For health and safety reasons, no person is permitted to handle or sort any waste or recyclables with bare hands. Liners are to be removed and held away from the body.</p>	<p>All waste and recycle holding receptacles or containers are clean and in the correct place. No waste or recycle holding containers or baskets were placed upon desks or tables during cleaning operations.</p> <p>Any office waste or recycling containers left in the hallway are emptied and cleaned and the clean container placed inside the door of that office.</p> <p>Recyclable holding containers are clean and in their designated place at the end of the cleaning day.</p> <p>All recyclables were handled safely and transported to the designated areas. Any needles or sharps are stored in a safe manner and were reported immediately to the Site Authority.</p>
.2	<p>Clean all furniture, frames, trim, wood, plastic, vinyl, leather (e.g. TVs, credenzas, book cases, desks, file cabinets, tables, furniture glass) inclusive of desk lamps, fans and all client accessories such as staplers, ceramics, ornaments free standing and wall hung pictures including frames, etc.</p> <p>Clean all unobstructed library book shelving the first week of every month.</p> <p>Clean fitness equipment</p> <p>Dust computer screens, keyboards in general office areas. DO NOT DUST computer screens/keyboards in the computer rooms unless directed by the overseeing Supervisor. Other than dry dusting do not, unless directed by the Site Authority, clean etc. any items that could be damaged or de-programmed.</p>	<p>All furniture, fitness equipment, fixtures, telephones, glass tops, desks, accessories, vinyl, Plexiglas, Lexan, leather, etc., are free of finger marks, spots and stains, with no dust or streak marks present. Any furniture and equipment moved during cleaning operations has been returned to its correct cleaned location.</p> <p>All unobstructed library bookshelves were cleaned.</p> <p>Note: Questions regarding the cleaning of any client accessories have been directed to the Site Authority. Fisheries and Oceans arranges for the scheduled professional cleaning of keyboards and electronic computer equipment. The Supervised cleaning of the Computer Rooms was limited to the floors unless otherwise directed by the overseeing Supervisor.</p>



101 Continued	Tasks	Results Required
.2 Cont	Clean all furniture, framing and trim, plastic, wood, vinyl, leather, etc.	Furniture (including the frames and wheels are free of dust and debris and presents an overall clean appearance).
	Vacuum fabric upholstered furniture, clean frames, wheels etc.	Fabric furniture (including the frames and wheels are free of dust and debris and presents an overall clean appearance).
	Spot clean fabric and vinyl, etc	All fabric and vinyl, etc. furniture is free of spots and stains.
	Clean all telephones, furnishings and fittings in public access areas, all surfaces of beds and washable mattresses in areas such as First Aid room.	Special attention was given to the mouth, earpieces and cradle of telephones, whereas the touch pad of office phones was cleaned carefully and no de-programming occurred. Clean cleaning cloths with germicidal detergent were used.
	Dust all appurtenances, overhead pipes and cross supports	No feather dusters were used, however, washable lamb's wool or polywool, long/extendible handle dusters may have been used. The surfaces are free of visible dust.
	Vacuum fabric dividers. Spot Clean dividers Clean divider frames and supports.	Fabric and non-fabric dividers including frames and supports are free of dust and debris and presents an overall clean appearance.
.3	Clean windowsills, partition ledges, baseboards and all other surfaces below three meters. Blackboard brushes, blackboard ledges, cleared whiteboards and blackboards, wall louvers, moldings, radiators, etc.	All surfaces are clean and free of finger marks, spots and stains, with no dust, streaks or debris present. In cleaning blackboards and blackboard brushes, only approved cleaning tools were used. In cleaning white boards, only approved cleaning tools and products such as Temp paste was used (i.e., no products such as Expo or abrasive cleaners were used).
.4	Clean all hard surface flooring.	All floors are clean and free from debris, surface stains, mop or detergent streaks. For dust mopping, only Microfiber flat dust pads were used. Care was taken throughout the Microfiber flat mopping operation to prevent cleaning solutions from collecting against and under furniture legs and cabinets. Special care and attention was paid to all corners and edges.



101 Continued	Tasks	Results Required
.5	<p>Vacuum carpeted areas, including stairs and mats; moving all light furniture other than desks, screens, cabinets, etc.</p> <p>Carpets, rugs and entrance mats shall be spot cleaned, traffic lane vacuumed daily and all carpet must be vacuumed thoroughly wall to wall no less than weekly, using appropriate equipment and attachment tools.</p> <p>Pile lift carpet no less than monthly in the Quad areas and weekly in the daily clean areas.</p> <p>Permission will be required to pile lift in MCTS.</p> <p>Dust/Clean "T" mats, etc.</p>	<p>Carpets are free of dust and debris. No debris or other soil matter was left in corners or around the edges of the carpet. No carpet sweepers were used.</p> <p>The carpet/matting is free of spots and stains, etc.</p> <p>Carpet spot/stains were sprayed from the exterior perimeter into the center. The spot/stain was well tamped using clean white absorbent cloths.</p> <p>All lightweight furniture and equipment moved during vacuuming operation to be returned to their original locations.</p> <p>Under "T" mats, furniture, tables, chairs, bookcases, between file cabinets, behind doors, along baseboards and/or freestanding radiators are clean and free of debris.</p>
.6	<p>Spot clean and remove marks from walls, doors, woodwork, glass partitions and other similar surfaces.</p>	<p>No marks are visible.</p> <p>Note: Any spots that could not be removed by normal means were reported to the Site Authority.</p>
.7	<p>Clean water fountains, eye wash stations, using germicidal detergent solution.</p>	<p>All surfaces are clean and free of spots, stains, streaks and smudges. Walls and floors around the item are clean and free from debris, spots and watermarks.</p>
.8	<p>Clean all surfaces of elevators and lift.</p> <p>Method: Elevator tracks are to be wet cleaned as required to maintain a clean appearance.</p>	<p>All surfaces, interior and exterior are clean and free of debris, dust, finger marks, streaks, graffiti, etc. There is no soil in the tracks or rails.</p>
.9	<p>Clean all counter tops, including splash backs, fronts and sides, all cupboard doors, hardware, exposed plumbing and cleared sinks.</p> <p>Clean all dispensers inside and out and restock.</p>	<p>All surfaces are clean and free of stains, dust, finger marks, streaks, spots, and free of odours.</p> <p>Dispensers are clean inside and out and have been restocked with approved products.</p>
.10	<p>Clean metal and metal painted surfaces, such as chrome, stainless steel, brass and similar finishes – including door knobs, push bars, kick plates, door grilles, vents, handrails, switch plates, railings, doors, exteriors of refrigerators, microwaves- inside and out, appliances, hot plates etc.</p> <p>Note: the client maintains the day-to-day cleaning of the interior surfaces of their refrigerators.</p> <p>Special Schedule: On the first available Quad Monday (non statutory) of the months of January, April, July, and October the interiors of all site refrigerators (not kitchen) are to be thoroughly cleaned.</p>	<p>All surfaces are clean and free of streaks, finger marks, etc., bright and in a condition equal to that of the intended finish.</p> <p>All hand touch surfaces were cleaned using germicidal detergent.</p> <p>No, cover up sprays or polishes were used.</p> <p>All exterior of appliances, fridges etc. were cleaned including the interior of microwaves.</p> <p>Interior of refrigerators were cleaned as scheduled.</p>



WASHROOMS, SHOWER ROOMS, LOCKER ROOMS, FITNESS ROOMS

All washrooms, Locker rooms, shower rooms, Fitness rooms, washer and dryer area and other areas where sinks and/or dispensers are installed.

201	Tasks	Results Required
.1	<p>Clean using germicidal detergent all basins, showers and plumbing fixtures (including exposed pipes) polished chrome, brass or similar fixtures.</p> <p><i>Note:</i> The use of germicidal solution is mandatory for washroom locker and fitness room cleaning with particular attention to all hand touchable surfaces including lockers, equipment, door handles, light plate switches etc.</p>	<p>All interior and exterior surfaces of fixtures, washbasins, shower stalls, are clean and free of spots, stains, finger marks, soap scum, odours and mildew/mold. Chrome, brass, or similar surfaces are clean, bright, and free of finger marks, spots, and stains.</p> <p>Germicidal detergent was used. All surfaces are clean.</p>
	<p><i>Note:</i> Separate cleaning cloths are to be used for the cleaning of washrooms, locker, change and fitness rooms, etc. E.g. Separate surfaces of the cloth must be used to clean counters, dispensers, fitness equipment, walls etc.</p>	<p>Clean, separate, cleaning cloths were used. All surfaces are clean.</p>
	<p>All shower curtains are to be removed laundered and re-hung every weekend.</p>	<p>Shower curtains were removed, laundered and re-hung as required to maintain clean and sanitary.</p>
	<p>Clean toilets and urinals using germicidal detergent solution. Where a need exists, a non-acid or food grade phosphoric acid bowl cleaner dispensed using only a flip, pop up top or a foaming trigger spray head may be used.</p> <p>Wash 6 feet of the surrounding wall surfaces to include the back and sides and/or 6 feet of the surrounding areas of urinals.</p> <p><i>Note:</i> For the hand cleaning of urinals and toilets, only acrylic bowl swabs may be used.</p> <p><i>Note:</i> All leaks and plumbing problems, and all broken and poorly operating dispensers are to be communicated immediately to the Site Authority.</p>	<p>All interior and exterior surfaces of fixtures, toilet seats, bases, bowls, urinals, exposed flush tanks, and piping are clean and free of spots, stains, finger marks, soap scum, odours and mildew/mold. Chrome, brass, and similar surfaces are clean, bright, and free of finger marks, spots, and stains. Wall areas surrounding urinals etc. are clean.</p> <p>No cleaning tools with wire in their makeup were used No tank drop cleaners/jells or tablets were used.</p> <p>All leaks and plumbing problems were communicated to the Site Authority.</p>
	<p>Odour counteraction- urinal maintainers formulated with acids and detergents held in a mat frame may be used as necessary.</p>	<p>Urinals are free of objectionable odours, urinal maintainers are used as necessary.</p>
.2	<p>Remove liners, clean and replace liners. All sanitary and waste receptacles are to be emptied daily, cleaned with germicidal detergent solution and relined.</p>	<p>All sanitary and waste receptacles are clean inside and out, and free of spots, stains, finger marks, odours and the liners were replaced.</p>



201 Continued	Tasks	Results Required
.3	Clean all surfaces inside and out , including all toilet tissue, soap, sanitizer and towel dispensers, holders, attachments and other hardware. Installed dispensers are to be kept fully stocked.	All dispensers of supplies/products are clean inside and out. Dispensers, holders, attachments and other hardware are free of finger marks, spots, stains, and odours. Dispensers are fully stocked with supplies/products.
.4	Clean with detergent solution all partitions, modesty panels, walls including enamel surfaces, doors and ledges, vents, grilles, kick plates and ledges.	All surfaces and fittings are clean and free of dust, finger marks, streaks, smudges, mold or mildew. Wall washing procedures were carried out using effective wall washing tools/mops and procedures. Neither spot hand cleaning nor the use of sponges was used for the cleaning of wall surfaces. Walls and partitions are clean and free of finger marks, smudges, streaks, etc.
	Clean all mirrors, windows, frames, counters, powder shelves and bright work, including flushometers, piping and toilet seat hinges.	Mirrors and frames, etc., are clean and free of finger marks, smudges, streaks, etc. Glass and mirror work were cleaned using water and a Microfiber cloth or a squeegee and lambs wool applicator. No paper products were used.
.5	Clean floors , including any step-up areas, with detergent solution, ensure floor drains are not blocked, and pour clean water in floor drains weekly, where required, or as directed. Following cleaning, the floors in change rooms, locker rooms, fitness room etc., are to be flat mopped using germicidal detergent solution.	Floors, including corners, are clean and free of black marks, loose paper, mop strings, water and mop marks; bases are clean, and all areas are free from obnoxious odours. Wall bases and other surfaces are free of watermarks and floor finish or water splashes. There is no odour emanating from floor drains. Germicidal detergent solution was used for floors in areas where one could expect persons to be with bare feet.
.6	Scrub floors and bases with detergent solution no less than weekly. Re-coat finish as required.	Floors as required are maintained with sufficient coats of water base sealer and/or our finish, providing surface protection and an overall attractive appearance.
.7	Kaivac machinery /system and procedures; Daily: shower rooms and Kitchen floors. Weekends: Add kitchen walls and all washrooms.	All surfaces were cleaned using the Kaivac system, scrubbed as required, rinsed, etc.



STAIRWAYS AND LANDINGS

301	Tasks	Results Required
	Clean handrails, ledges, railings, baseboards, and banisters, etc. Spot clean walls and glass sidings.	Handrails, walls, glass side panels etc. are uniformly clean, free from dust, finger marks, smudges and soil.
	Dust walls ceilings, overhead pipes and cross beams etc.	Walls ceilings, overhead pipes, appurtenances, cross beams etc. are free of visible dust.
	Vacuum carpeted stairs and risers.	Stairs and risers are free of dust and debris and present an overall appearance of cleanliness.
	Spot Clean carpeted stairs and risers	The carpeted landings, stairs, risers, etc. are free of spots, stains, etc.
	Clean washable surfaced stairs, nose cones, landings, and risers.	Stairs, landings, risers, etc., are clean and free of loose and caked soil, and surface stains. Wall bases and stair risers are free of watermarks and splashes from cleaning solution. Stair landings and adjacent areas present an overall appearance of cleanliness.



RESILIENT AND NON-RESILIENT FLOORS

All floors (e.g., vinyl, corolon, mondo, terrazzo, ceramic, quarry, raised computer flooring, epoxy etc.).

302	Tasks	Results Required
	<p>Prepare floor by scrubbing prior to any system of maintenance.</p> <p><i>Note:</i> Only detergent solutions and under no circumstances any floor stripper is to be used on a marmoleum floor. If concerns or problems arise, consult our Site Authority.</p>	<p>Following scrubbing and neutralizing, no dust, soil, stains, etc., is visible, no evidence of muddying or rippling effect exists. Corners, bases and equipment, etc., are free of residue and the floor presents a uniform and overall appearance of cleanliness.</p>
	<p>Burnish all surfaces.</p> <p><i>Note:</i> Spray buffing method and procedures are not permitted.</p>	<p>All hard surface areas have been burnished as required to maintain an overall attractive appearance. No spray buffing was carried out.</p>
	<p>Clean raised computer flooring.</p> <p><i>Note:</i> care must be take that no moisture penetrates below the surface tile during the cleaning operation.</p>	<p>All tiles are clean.</p> <p>No moisture was permitted to flow or drip beneath the surface tiles.</p>
	<p>Scrub and re-coat wear areas.</p> <p><i>Note:</i> Washrooms are to be to be maintained in a pristine condition.</p> <p><i>Note:</i> In neutralizing the stripper/scrubbing solution, food grade acid neutralizer (not vinegar) is to be used.</p>	<p>After scrubbing, neutralizing, and re-coating using our products as required, the slip resistant finished area is free of streaks, mop strands, and marks, with no evidence of improper finish application. No heavy accumulation of finish exists adjacent to walls, baseboards, under doorways, fixtures and furniture. Floors are clean and bright-looking overall, including under furniture and equipment. Furniture and equipment have not been marred or damaged and furniture and equipment moved during operations has been returned to its original location. In appearance, all flooring exhibits a uniform sheen with reflective properties that are acceptable to the Site Authority. This level of floor care and appearance is maintained at all times.</p>
	<p>Clean grout if needed</p> <p><i>Note:</i> Mix 32 ml. of our food grade Neutralizer per L. (4 oz. per gallon) of water. Using a wet mop, lay the solution (on floor surface only - not walls or any metal surfaces), let stand for a minimum of 5 minutes. Brush agitate (do not splash). Pick up solution with a wet vacuum. Rinse floor area using a clean wet mop and warm water. Repeat procedure if required. Let dry. <i>Note:</i> if the grouted area has been sealed with a solvent-based sealer such as a urethane, this must be removed by mechanical means before a proper cleaning procedure is used.</p>	<p>Grout is clean in appearance. No staining or soil build-up is visible.</p> <p><i>Note:</i> If unsure consult our approved cleaning supplier</p>



302 Continued Tasks	Results Required
<p>Refinish all floors.</p> <p><i>Neutralize:</i> Following the wet vacuuming up of the stripper solution, the floor shall have been neutral rinsed, using our food grade acid neutralizer.</p> <p><i>Rinse:</i> Following the wet vacuuming up of the neutralizer solution, the floor shall have been rinsed at least twice with clear cool water, followed each time by wet vacuuming.</p>	<p>After stripping all soil, seal, finish and stains have been removed. All areas whether machine and/or hand cleaned, are free of soil, water streaks, mop marks and strings.</p> <p>Upon completion of the stripping process the floor is neutral in pH, presents an overall appearance of cleanliness, while walls, baseboards and other adjacent surfaces are free of solution splashing and scars from equipment.</p>
<p><i>Buff:</i> Where a mop drag condition exists following the stripping and drying process, the use of a buffing pad followed by an additional clean clear rinse will be required.</p>	<p>Prior to the application of sealer or finish, the floor surface was smooth with no mop drag.</p>
<p><i>Apply:</i> sealer, if required.</p>	<p>Sufficient coats of sealer were applied to present an overall level appearance, allowing sufficient drying time between applications.</p>
<p><i>Apply:</i> finish.</p> <p><i>Note:</i> It is expected that low maintenance, durable, mar resistant finishes will be used.</p>	<p>Sufficient coats of slip resistant finish (minimum of four) were applied to offer floor protection and an overall attractive appearance.</p>

ALL CARPETS AND MATTING

303 Tasks	Results Required
<p>Vacuum all carpet</p>	<p>All carpet throughout the site must be vacuumed on a regular and consistent basis.</p>
<p>Spot clean carpet</p>	<p>All carpet must be spot cleaned with the vacuuming program.</p>
<p>Pile Lift all carpet and matting pile lifted weekly (monthly in quad areas) to relieve matting conditions and to raise the pile to permit the removal of imbedded soil.</p>	<p>Carpets and matting were pile lifted and present an even, clean appearance, free of soil, spots, stains, grit and dust.</p>
<p>Clean interior walk-off mats</p>	<p>Mats are vacuumed and present an even, clean appearance, free of soil, spots, stains, grit and dust Where movable, the floor thereunder is clean and dry.</p>
<p>Clean exterior walk-off mats</p>	<p>Mats if dry are to be vacuumed and present an even, clean appearance, free of soil, spots, stains, grit and dust Where movable, the surface underneath is clean and dry</p>



CEILINGS AND WALLS

Ceilings, walls, transoms and other fixtures and fittings attached to walls and ceilings.

304	Tasks	Results Required
	<p>Dust walls and ceilings, including appurtenances such as doors, trim, moldings, ledges, radiators, and grilles overhead pipes and bracings.</p> <p>Wall washing other than for the Kitchen, Shower rooms and Washrooms including doors, frames, glass, vinyl, wood and metal surfaces is generally assigned to the summer project work crew.</p> <p><i>Note:</i> in the case where the spot cleaning of common walls, doors frames and surfaces has not been maintained to our standard, the resulting factor is that the contractor will as their own cost be required to wash the surfaces.</p> <p>Wash walls by applying detergent solution from the bottom up. Where walls and ceilings are being cleaned concurrently, the walls are to be cleaned first and the ceilings second.</p> <p><i>Note:</i> Wall washing procedures must utilize professional and effective wall washing tools/mops or equipment. Hand cleaning or the use of sponges of any kind is not permitted for washing wall surfaces.</p> <p><i>Note:</i> Water spillage on floor and furniture to be wiped dry immediately.</p> <p><i>Note:</i> Walls to be overall uniformly clean.</p> <p><i>Note:</i> Walls only, are to be cleaned from the bottom up, staying within ½ inch of ceiling to prevent marks. Clean all wood panel walls, including doors, frames, glass, vinyl, and metal.</p> <p><i>Note:</i> The method used to clean wood walls is pre-approved by the Site Authority.</p> <p><i>Note:</i> The Site Authority will determine whether a surface is washable.</p>	<p>Walls, ceilings, pipes and bracings are free of dust, smudges, streaks, etc., including all corners and crevices.</p> <p>Walls, ceilings, appurtenances (including doors, frames, baseboards, glass, vinyl, wood and metal. Surfaces are free of finger marks, smudges and spots of any kind. There are no streaks or visible marking where portions were separately washed, or line marks on ceilings. Any furniture, equipment, etc. moved during cleaning is in its original location.</p> <p>Wood walls, appurtenances (including doors, frames, glass, vinyl, wood and metal), and surfaces are free of finger marks, smudges and spots of any kind. There are no streaks or visible marking where portions were separately washed, or line marks on ceilings. Any furniture, equipment, etc. moved during cleaning is in its original location.</p> <p>The Kaivac spray/scrub system was used Mon.-Fri. for the cleaning of the kitchen floors.</p> <p>The Kaivac spray/scrub system was used weekly for the cleaning of the kitchen walls.</p> <p>The Kaivac spray/scrub system was used every day Monday through Sunday in the shower rooms.</p> <p>The Kaivac spray/scrub system was used in washrooms every weekend.</p>



VENETIAN BLINDS / VERTICAL BLINDS / DRAPERIES

Venetian, PVC, aluminum and fabric blinds both vertical and horizontal (interior or exterior) and surrounding casings.

305	Tasks	Results Required
	Dust and clean all washable surfaces	All tracks, pull rods, surfaces, casings and sills are free of dust, fingerprints, etc.
	Vacuum all surfaces of fabric.	All fabric surfaces are free of dust.
	Vacuum drapes and curtains.	Drapes/curtains and tracks are free of dust, neatly tracked and present an overall clean appearance.
	As directed by the Site Authority, take down and move to dry cleaning pick up area. Clean tracks, frames, etc.	Draperies were removed as requested, re-hung after cleaning if required. During the removal of draperies all frames, tracks, etc. were washed.

VERTICAL SURFACES, HIGH CLEANING

Vertical and horizontal surfaces other than walls, high cleaning down to windowsills, partition ledges. All surfaces, including doors/frames, door grilles, ledges, picture frames, charts, graphs, wall louvers, exposed pipes, switch plates and surrounding wall areas, clocks, extinguishers, etc.

306	Tasks	Results Required
	Clean	All surfaces are clean and free of dust, finger marks, smudges, stains, streaks, etc.

LIGHT FIXTURES, PARABOLICS, AIR AND WALL VENTS

307	Tasks	Results Required
	Report to the Site Authority any flickering or burnt out lights/tubes	All flickering or burnt out lights were reported. The light lenses are free of debris, bugs/insects, etc.
	Dust exterior of light lenses, including ceiling areas, air and wall vents. Lower lens and remove any debris bugs/insects etc. In the handling parabolic light covers, do not touch with bare hands, as this will mar the reflective properties. When lowering the light lens, be sure to have hands covered.	Exterior of fixtures and vents are free of dust, the interiors exhibit no debris and bugs/insects. No finger marks are visible from the dusting or lowering and reaffixing of the lens.



WINDOWS / PARTITIONS / DISPLAY CASES – GLASS / PLEXIGLAS / LEXAN

308	Tasks	Results Required
	<p>Clean entrance(s) glass inside and outside, including frames, sashes, sills and moldings.</p> <p>Clean all glass Plastic /Plexiglas/Lexan surfaces, including partitions</p> <p>Remove all cobwebs, litter etc.</p>	<p>The exterior and interior entrance glass, frames, sashes and sills are clean and free from soil, streaks, and watermarks, cobwebs, litter etc. The main entrance large glass may be hosed down nightly with care taken as to not get water between the door closures.</p>
	<p>Clean all exterior and interior windows that can be easily accessed and cleaned from a standing position, including frames, sashes, sills and moldings.</p> <p>Remove all cobwebs, litter etc.</p>	<p>All exterior and interior accessible glass is clean and free of finger marks, streaks, smudges, tape, paint, etc. Casings/frames are clean and free of finger marks, streaks, smudges, tape, paint, cobwebs etc. area is free of litter.</p> <p>There is no damage to the exterior building facings or shrubbery arising from the window cleaning.</p> <p>There is no damage to either the glazing compound or any special anti-glare coating that may be present on the glass surface.</p> <p>No paper towels or abrasive products are used.</p> <p>When using a blade scraper on glass (only), the surface as well as the blade was wet first.</p>
	<p>Clean all interior glass/Plexiglas, display cases Lexan partitions, windows, etc., including frames, sashes, sills and moldings.</p>	<p>All interior glass/Plexiglas, Lexan and/or partitions casings, display cases, frames are clean and free of finger marks, streaks, smudges, tape, paint, etc.</p> <p>There is no damage to either the glazing compound or any special anti-glare coating that may be present on the glass surface.</p> <p>No paper towels or abrasive products were used.</p> <p>All furniture and equipment moved during cleaning operations is in their correct locations.</p>

STORAGE AREA

309	Tasks	Results Required
	<p>Clean floors.</p> <p>Dust light fixtures, overhead beams, ledges, pipes, exposed shelving, etc.</p>	<p>Surfaces are clean and free of soil, dust and debris and present an overall clean appearance.</p>



CLEANERS' CLOSETS AND RECYCLING STORAGE ROOMS

Cleaning rooms and space, recycling storage rooms.

310	Tasks	Results Required
	Tidy room.	Such spaces are kept clean, neat and tidy, and free from offensive odours and debris at all times.
	Equipment clean and orderly.	All equipment meets the included equipment standards, is clean, and materials, paper products, chemicals are stored neatly.
	Mops, Floor Pads, and cloths.	No soiled mops/pads or cleaning cloths are re-used, all have been removed and laundered on a daily used basis or bag-sealed for next day laundering.
	Waste/recycling is transported as instructed.	Waste is neatly stored.
	Clean floors.	Floor areas are clean, dry, and free of soil, surface stains, mop streaks, etc.
	Wash walls with heavy-duty detergent solution, from the bottom up. <i>Note:</i> Wall washing procedures utilize professional and effective wall washing tools/mops or equipment. Hand cleaning or the use of sponges of any kind is not permitted for washing wall surfaces.	Walls are uniformly clean with no streaks, soil spots or line marks on ceilings.
	Empty, clean waste containers/clean service carts. Prepare cleaning carts for next day service.	Empty waste containers are clean and free of offensive odours. Cleaning cart is clean and set for the next days service
	Clean sinks.	Sinks are clean and free of offensive odours, etc.
	Washer and Dryer	Left clean and empty

BUILDING EXTERIOR

Main entrance Loading docks, walkways, driveways and parking lots, both exterior and interior.

311	Tasks	Results Required
	Empty and clean all waste/ash trash receptacles For fire and safety separate metal ash holding cans must at all times be used for any ashtray contents	Receptacles are clean inside and out and free of soil, marks, streaks, liners if any are replaced etc.
	Sweep and pick up waste or litter from loading docks, walkways to the grass areas, cafeteria and all other patio areas.	Sweeping has taken place and all areas are free of food, debris, litter and debris.
	Hose/pressure wash all loading docks and walkways once per year.	Surfaces and adjacent walls are free of marks, graffiti, gum, soil, etc. and present an overall clean appearance.



Cleaning Firms Topics and Instructions

Topics	Instructions
<p>Chemicals that are Banned</p>	<p>All products classified as “Consumer” products. No solvent seals or finishes, ammoniated strippers, mop-on/mop-off strippers, products containing d’limonene, nonylphenols (NPE's), alkylphenols (APE's), butyl or butyl by-products. No hydrochloric, hydrofluoric or sulphuric acids or ammonia. Armoral, Protectol, products containing Anionic optical brightners, Saddle Soap or like products. No aerosol or trigger sprayer dispensed cleaners or polishes. No Vinegar, Windex or like product, powdered cleansers, SOS or other aggressive damaging pads. No parazine blocks, or any other products that have been banned as detrimental by their chemical make up, lack of MSDS compliance, damage to surfaces or not pre-approved in writing by the Site Authority are permitted on, or for use in, the premises. Except in those instances where they are designated for specific application by the British Columbia Centre for Disease Control No bleach, Phenolic or Hydrogen Peroxide based germicides are permitted for use.</p>
<p>Clean</p>	<p>The term “clean,” in most applications throughout these Standards, means the use of separate Microfiber cleaning cloths, which have been thoroughly soaked in a container (hand pail) of appropriate product. When ready to use the cleaning cloth is then wrung, folded in four and once all 8 sides have been used, 'ONCE ONLY', one side per surface, the cloth is to be set aside for laundering. Under no circumstances is the used cloth to be returned to the solution or re-used until it has been laundered and dried. If required re-wetting by using a squirt bottle of the same product is permitted.</p> <p>Cleaning for the most part is to be accomplished by the application of physical hands-on friction cleaning. No paper towels may be used in the cleaning operations. The use of trigger sprayers is NOT permitted for general cleaning procedures. The only process a trigger sprayer may be used for is in the carpet/upholstery spot cleaning process.</p> <p>Permission: Flip, pop up top or a foaming trigger spray head may be used in washroom cleaning procedures for toilets, urinals or shower walls while a squirt bottle may be used to assist in re-wetting as required.</p>



Topics (Continued)	Instructions
<p>Cleaning results</p>	<p>It is recognized that in attaining the results required, products, chemicals, supplies or equipment, over and above those specified by us as pre-approved based on the Terra Choice/Green Seal approved products and /or the our current Cleaning Standards may be required and therefore, you are reminded that prior to having any alternative or additional products, chemicals, supplies or equipment on Site, the written approval of our Site Authority must be obtained and that written approval must be on site in the MSDS binder.</p>
<p>Carpet and Upholstery Spot Cleaning Product</p>	<p>For carpet, matting and upholstery spot cleaning only the Ultra Chem ‘Clean’ product is permitted, unless otherwise directed by the DFO representative.</p>
<p>Current ISO or current and Client/Worker Protection</p>	<p>In protection of the client and workers products other than those which have been authorized in writing, as exceptions, found on site that and not listed as pre-approved based on Terra Choice/Green Seal will be immediately removed and disposed of, as can any items, equipment, supplies, etc., that have been banned by these Standards, or that the Site Authority deems as potentially harmful to persons, building surfaces, or the environment. Any and all costs associated with this removal will be the responsibility of the Contractor and the Contractor will be assumed to be in breach of the contract.</p>
<p>Controlled Dispensing System. <i>Note:</i> The dispensing system must be pre-approved by our Site Authority, and be a type where chemical concentrates are sealed in a bag or container; have a diluted product labeled controlled holding system able to effectively fill flip, pop up, or squirt bottles to assist with re-wetting of cleaning cloths or for filling the wet Microfiber pad solution holder. <i>Note:</i> Where the Contractor, with the approval of our Site Authority chooses a controlled dispensing system that is fixed to both the solution and water supply, the Contractor is, unless already installed, responsible and liable for the installation of an approved back-flow prevention mechanism. Our Site Authority will carry out the annual inspection. Every six months however the supplier must attend the site and carry out a titration and operational inspection of the dispensing system/process and upon completion must leave visible written/ notification of the inspection.</p>	<p>Where space permits, a dispensing system which ensured the accurate mixing of chemicals is required to be implemented for at minimum the pre-approved pH balanced quaternary germicidal detergent and the pH balanced detergent and the carpet spotting chemical used for cleaning the space.</p>
<p>Dusters <i>Note:</i> Feather dusters, short handle poly wool dusters are not permitted on or for use at the site.</p>	<p>Long handled acrylic or poly wool dusters may only be used for the removal of dust from high ledges, wall or baseboards.</p>



Topics (Continued)	Instructions
Finish Mops	Silk looped mops used in the application of floor sealers and finish may be rinsed clean and hung to dry.
Lockable Space	Where adequate lockable space has been provided, the approved products, minor and electrical equipment, such as floor pails, wringers, vacuums, etc., utilized in the day-to-day delivery of the service are to be available for regular inspection, in the provided space.
Material Safety Data Sheets	For all professional/industrial-cleaning products used on site there must be at least one binder specifically marked MSDS containing the current (not dated more than 3 years ago) commercial/Industrial recognized Material Safety Data Sheets (MSDS). In addition, complete MSDS binders must be present in each additional area where cleaning chemicals are stored or dispensed.
Mops/Pads and Cloths <i>Note:</i> Non-launderable including (straight string) mops of any kind are not permitted on or for use at the site.	Microfiber-(cleaning cloths, dry and wet mop pads, wall washing mops and extendable dusters must be of a launderable type. Laundered, (in a washing machine and dried in a dryer), clean, pads/mops and cloths must be on site in sufficient quantity at the start of each shift and/or cleaning function. Separate clean Microfiber cleaning cloths must be used for each area e.g. an office, a meeting room, a washroom etc. and within each area a separate side for each item cleaned. No re-dipping of cleaning cloths or mops/pads into cleaning solutions is permitted and all used must be set aside for laundering once all 8 sides of the cleaning cloth have been used.
Supplies Equipment and Products Approval	Only the contract-listed supplies and equipment etc., which must, by the Contractor's bid submission be professional/industrial supplies and equipment which meet or exceed the specifications and requirements identified by the contract are permitted on, or for use in, the premises. Only approved chemicals (cleaning products) <i>are</i> permitted on, or for use in, the premises.
Safe Equipment	All cleaning equipment, ladders, etc. stored or used on site, are to be inspected regularly and maintained in a state acceptable to current WorksafeBC regulations and are to be CSA approved.
Safe Identification of Hazards	Any and all wet areas representing a slip hazard to a client must be clearly identified by the use of safety signs. Safety signs must be removed as soon as the hazard no longer exists.
WHMIS	All chemicals, whether they are in their originally purchased container, or if they have been transferred to a smaller or larger dispensing container, must be label identified with product name, and safety and first aid instructions, in accordance with current Workplace Hazardous Material Information Systems (WHMIS).



ANNEX "G" CLEANING EQUIPMENT

Equipment Required for Our Cleaning Contract

We feel it is very important that in establishing our task schedule that attention is given to equipment which needs to be included in our cleaning contract.

There are a number of factors we have considered, however, our requirements in no way limits you the bidder as to the numbers of each item(s) nor to having additional items of equipment that has not been listed. but rather it spells out the quality and standards we expect in the carrying out of our cleaning needs.

Some of the options we have taken into consideration:

- Do we want any of the listed equipment options to be new and why?
 - We do not want to see old worn equipment on our site.
 - By demanding 'as new' equipment it's your way of guaranteeing that the equipment will meet current specifications.
 - To be sure that all bidders are on the same, bidding field' for equipment.

Where we specify **NEW** equipment then all firms bidding must bid new. There is no leniency for instance for you the bidder to say your particular piece of equipment is only 6 months old, new is new, new is not used or 1, 2 or 6 months old. Where we state new the bidder must provide proof of purchase after acceptance of the bid and before **the** first billing period.

Where we specify "IN AS NEW CONDITION", we will not accept damaged, obviously abused equipment of any kind. Any equipment which does not meet our standard of acceptance will at the request of the Facilities Manager have to be removed and replaced immediately.

Where we allow for any equipment that is not brand new such as large purchase, such as **the** auto scrubber, burnisher, slow speed scrubber and wet vacuum **etc.** we will accept either brand new or no more than the age we have stated and that age must be provable by providing proof of purchase or equivalent documentation, the serial number, manufacturer, supplier, model, year before **the** first billing period. **These pieces of equipment must be kept in excellent repair. No torn bumpers, damaged wheels, frayed cords etc. Should any of these pieces of equipment be in or fall into disrepair the Facilities Manager will require the machinery removed from the site and replaced with new at the contractors cost.**

All equipment purchased or supplied to our site must be CSA/ULC approved and be equipped with resilient bumpers and non-marking wheels. **We will not accept damaged or obviously abused equipment of any kind.** Equipment is subject to inspection at any time and if found defective **or does not meet our standard of acceptance shall at the request of the Facilities Manager** be replaced immediately at the contractors cost.

CLEANING CARTS - FOR OUR MICROFIBER CLEANING PROCESS – In as new condition

A requirement for our complex. The recommended carts are Rubbermaid, able to hold tools and accessories including cloths, pads etc. (both clean and soiled) to make a Microfiber cleaning process effective.

There are a variety of acceptable models available however the most commonly acceptable styles are the plastic easy to clean body style.

WASTE HANDLING CART WITH WRAP AROUND CADDY APRON – In as new condition

This is a tall round shaped 32 gallon waste carrier on wheels. It must have a wraparound caddy where all the pockets are the same size- E.g.: Rubbermaid has the correct pocket design whereas it is our understanding that the 'Continental' pockets are too small. The waste liners will be carried by looping them over the edge of the cart. It is ideal for a worker whose main scheduled work is to simply pick up waste, wash waste and recycling containers, spot cleaning glass or any other cleaning work that can be accomplished with microfiber cloths and a squirt bottle of germicidal or detergent (depending on the work) for horizontal surface cleaning.

A waste handling cart will not be adequate for washroom cleaning except those requiring exterior access, as it cannot support the required Microfiber cleaning program.



WASHROOM CLEANING EQUIPMENT SYSTEM –MANDATORY **In as new condition**



The required shower room and washroom cleaning system is the Kaivac system. This cleaning system is all encompassing. It enables the operator to thoroughly clean all the washrooms and shower rooms in a detailed and effective time saving system.

We require bidders to view the following videos.

Kaivac - Cleaning for Health in your Restroom.

https://youtu.be/l8nR8mQry_A

Kaivac - Restroom Cleaning <https://youtu.be/y5ebIDsTZ3E>

Kaivac - Innovative Cleaning <https://youtu.be/QT5o5n3ImD4>

Kaivac - Kitchen Cleaning <https://youtu.be/7rqug0v1r4g>

Kaivac - Total Building Cleaning <https://youtu.be/itliDGsS2i8>

POWER SWEEPER –In as new condition, for use in open areas where sweeping is required



- Sweeper Equivalent to Kranzle 2+2
- Power sweeper working with double roller hasp principle
- 800 mm working width
- Storage bin and housing made of impact-proof plastic
- Housing made of die-cast aluminum
- Large wheels with solid rubber tires for optimum transmission force
- 401 storage bin
- Side brush double roller principle made of extreme abrasion –proof nylon
- Total weight approx.. 17 **kg**

BACK PAC VACUUM – In as new condition



We have spent a lot of time examining the issues surrounding vacuuming. Filtration and debris containment have been our main focus.

We are permitting the use of the Pro Team Super Coach or equivalent Back pac vacuums for the **Quad and Daily cleaning Monday to Friday**. The accessory tools and the double walled disposable paper bag filter are mandatory. Every dry vacuum must have them, be in use and they must be with the vacuum on the site during all cleaning times along with spare disposable bags.



Must be equipped with sidewinder hard floor tool with nylon brush, upholstery, drapery, crevice, duster brush and carpet tool.

CANISTER VACUUM Optional- In as new condition



As shown or equivalent. Complete with all brush multi surface tool, and must be micro-filter rated at 99.995% standard filtration system ("Not Hepa") at 0.3µm rating in microns, a double walled paper bag filter must be used. Must be complete with tools to vacuum upholstery, drapes, corners, edges etc. **A good supply of disposable bags must be on site at all times.**



CANISTER VACUUM - dial down noise level below 50dB – to be dialed down for use in any administrative area where staff are working. In as new condition.



Probably the most professional

machine, the NVQ-200 is built to an exacting standard. The Steel power head incorporates our patented Microtec noise reduction system. Plugged cables, giant filters, 4-wheel stability and stainless steel accessories. As shown or equivalent.



small

For vacuuming In administrative occupied areas a vacuum with the same filtration and accessories as set for our canister vacuum.

This type of vacuum is essential for any areas where the vacuum noise can cause disruption. The vacuum is equipped with a dial down switch which readily allows the noise volume to drop to a level then allowing the cleaning to continue without disruption to the client or the worker.

UPRIGHT PILE LIFTER VACUUM –Not more than 4 years old - OWN OR RENT An Upright pile lifter vacuum use for monthly carpet maintenance is required for our site. It is required that all carpets that can be accessed easily be pile lifter monthly.

A good quality pile lifer such as the 'Host Liberator' complete with Zebra brushes or equivalent plays a very important role in our cleaning program. While the 'Host Carpet Cleaning' program is not permitted their 'Liberator' meets our requirements as



a pile lifter.



AUTOMATIC FLOOR SCRUBBER - Not more than 4 years old –in as new condition.



In the scheduled cleaning of our hard floor surfaces, which includes warehouse, an auto scrubber is required to be used to dispense and scrub cleaning solution then in the same or additional pass, vacuum up the cleaning solution with the aid of a built in squeegee. The size you propose will be based on the width of the areas to be cleaned in the most efficient way possible. We will provide on-site storage.

WET/DRY VACUUM – Not more than 4 years old – good clean condition

A good wet/dry vacuum is a requirement for your wet floor cleaning operations. The alternative is to pick up solution with a mop and continually wring it in a floor pail, a method that is not only labor intensive but also does not provide quality results and is therefore unacceptable.

In the dry mode a lot of wet/dry vacuums do not meet our filtration standards and therefore in the dry mode can only be used for exterior services, such as the exterior of entrances etc.

LOW SPEED FLOOR MACHINE @175-300 rpm – Not more than 6 years old –good clean condition



Most low speed floor machines are similar in performance with some offering different features than others. The low speed floor machine has a variety of uses and our requirement is that you have clean and well maintained machine in this category on site.

The low speed machine is to be used for floor maintenance such as scrubbing smaller hard floor areas and in the process of removing any floor finish etc. as well it can be used in the required spin-cleaning process for carpet traffic lanes.



HIGH SPEED BURNISHER FLOOR MACHINE – Not more than 4 years old-good clean condition



We require you to use a high speed burnisher with a brush or pad rotation of 2.000 rpm or greater. We do not permit a propane burnisher. Given the amount of hard floor to maintain our need is for you to own this piece of equipment and it must be on site available for use at all times.

CHEMICAL CONTROL PROCESS/ SYSTEM

Chemical control dispensing systems are mandatory to be used in all cleaning service rooms where we have provided sinks.

We will determine the chemical dispensing or process and arrange with our approved supplier for the installation and or set up. We do this so that by having our supplier provide/install the dispensing system or process we have assurance of;

- *Maintenance of the dilution control process*
- *Consistency of the approved products being used and at the correct dilution*
- *Continuation of the dispensing irrespective of who has the contract to clean for us.*

FLOOR WASHING IN SHOPS AND ROUGH FLOOR AREAS – NEW (substitutes must have same features)

Rubbermaid #6186-88 WaveBrake 44qt. Down Press combo.

Rubbermaid 9C74 Dirty water bucket for WaveBrake combo.

Atlas Graham RuffStuff wide band wet mop for wet mopping rough flooring. Unique fleecy material, super absorbent, mildew resistant, lint free.

Rubbermaid 9C74



Rubbermaid 6186-88



Atlas Graham
RuffStuff
Wideband
Rough Floor
Wet Mop





WALL WASHING EQUIPMENT – Not more than 3 years old –good, clean condition

There are a number of systems available including the iMOP system.

The most functional wall washing equipment for small wall washing operations are small pad, pad holder and pole combination such as the Geerpres unit. The Microfiber process is working well on a wall wash system so you can also propose the system you prefer however final approval rests with us.



Geerpres Wall washing system

GROUT CLEANING TOOL –NEW-MANDATORY

9-1/2" Grout Scrub Brush-Blue complete with handle
–by Atlas Graham

Brush - Grout - Scrub - 9 1/2" –

Blue Built for surface maintenance, features a swivel connector and very firm bristles that are trimmed to a point for maximum cleaning efficiency. The block is constructed with thickened co-polymer polypropylene that is shock, distortion and crack resistant. Polyester filaments have a high melt point, low water absorption factor, excellent tensile strength and good brushing characteristics. The tufts are secured with stainless steel staples.



WET FLOOR CLEANING SYSTEM – –NEW- MANDATORY

I-Mop or an approved equivalent.

Must have a solution control (a gravity feed is NOT acceptable) and the ability to be used for wall washing.

Blue 1-Mop Microfiber wet mop applicators – **NEW - MANDATORY.**





NEW TECHNOLOGY

Easy Grip Activator Slight downward motion on top handle activates patented spray mechanism dispensing 5 ml stream of cleaning solution directly to the floor.

Comfort Grip High density rubber grip provides operator with excellent control over mop head movement.

Heavy Gauge Steel Shaft Provides an extremely strong, light weight frame. Total weight 2 lbs. with reservoir empty. 4 pounds with reservoir full.

Integrated Reservoir 24 oz fluid reservoir covers 3228 square foot floor space without re-filling. Semi-translucent tank is calibrated for visually checking solution levels. Suitable for refilling from a 24 oz refill bottle or dilution control hose.



Pressure Grip Molded Reservoir Cap Easy snap off, push on reservoir cap remains fixed to the mop frame when open preventing loss of parts.

Adjustable Nozzle Operator controls solution flow, output volume and direction. Ball and socket joint rotates to set spray height. Positioned high above mop head for exceptional chemical coverage on floor.



16.5 Inch Aluminum Mop Head 16.5 x 3 inch solid aluminum mop head. Double lock connector design. Provides full rotation for traditional reverse figure 8 mop pattern.

The Integrity Microfiber Mop System offers a completely new delivery tool for all green cleaning programs.

The movement towards green cleaning is gaining significant momentum as major manufacturers respond to ever increasing market demands. The growing awareness of the harmful effects of traditional cleaning compounds is driving a process to change to cleaning products that are significantly less harmful to the facility, cleaning personnel and the environment.



A problem occurs when new green chemicals are used with standard mopping equipment. Wringer buckets and string mops were designed to support traditional cleaning methods, mostly "swamping" the floor with water and powerful chemical surfactants to remove the soiling. Your return on investment in purchasing green chemicals is negated by the amount of product required to fill a 2 gallon wringer bucket and the amount of product wasted by dumping the residue water down the drain. The old technology does not support the new "software".

Integrity Mop Green Benefits

With the goal of "providing improved cleanliness with less effort and cost", the breakthrough features of the Integrity Mop have been designed to support and simplify daily maintenance operations and provide operators with a professional tool that magnifies the benefits of a green cleaning program.

Integrated Fluid Reservoir

Significant reduction volume of chemicals are required for standard floor cleaning tasks. Reduces water consumption as well as lowering the amount of water and chemicals introduced into sewage system. Completely enclosed system provides no off gassing of chemicals as found in open bucket systems. No chance for bucket tipping and flooding of the floor.

Fully Integrated Pump Dispenser System

Improved ergonomics reduces operator fatigue and muscle strain from handling heavy string mops and stressful wringer bucket procedures.

New Operator Controls

Adjustable nozzle and fully pressurized dispensing provides ability to clean of areas that are difficult to access with standard mop equipment. This includes both horizontal and vertical surfaces.

Multi-Function Microfiber Pads

Significant improvement in both soiling retention and water absorption. Provides improved cleanliness with less water remaining on the floor. Reduces slip and fall risks. Improves hygiene by designating separate cleaning pads for high contamination areas such as washrooms and laboratories.

Reduced Chemical Usage with Improved Results

Utilizing only 1/3 ounce cleaning solution (1:64) per reservoir, the Integrity Mop covers over 3000 square feet of floor space before refilling. Only untainted cleaning solution is applied to the floor. Soiled bucket water and unused chemicals are completely removed from the cleaning process.

DRY FLOOR CLEANING SYSTEM – I-Mop or an approved equivalent.



Telescoping Steel

Adjustable Height: 35 to 58 inch

Solid Aluminum Mop Head 20 x 3.25 inch.

Connectors-Full Rotation Connectors-Reliable C-Ring Plus Over-Lock Cap Locking Mechanism.

Multi-Function Pads Rolled leading edge provides high performance dust functions as well as sweep functions.

GEN 1 or GEN 2 -INTEGRITY MICROFIBER DRY DUST PADS- NEW MANDATORY


GENERATION 1

70/30 Blend Polyester/Polyamide Nylon

High grade split microfiber manufactured in Korea.

High density tufted terry construction.. 6 ml foam insert. Full Velcro backing. Length 20.5 inches. Width 5.5 inches. Dry Weight 3 oz.

Rounded corners with polypropylene piping. "No Touch" strap for removal without contacting pad Up to 500+ washing cycles under normal operating conditions.




GENERATION 2

White

Blend: 80/20 polyester to polyamide nylon.

Description: High Pile microfiber with positive electrostatic charge. Velcro: Nylon Style Velcro

Edges sewed under on all four sides.



Dry Pad Overview- Gen 2

The use of an electrostatic duster. This "fluffy" duster has a high pile consisting of material using a specially designed 80/20 microfiber material that generates a positive electrostatic charge attracting and holding the negatively charged dust particles. The result is more dust gets drawn and held by the pad's electrostatic charge and removed from the floor.

This results in higher dust removal and reduced repetition of tasks.

The Integrity electrostatic duster pads are designed with state of the art Nylon Velcro for reduced pilling and increased laundry life cycle. The edges *on all four sides* are sewn under the pad. This provides a rolled edge design capable of trapping dust on top of the pad that scatters during the sweeping process as well as trapping dust below the pad.

Electrostatic dusters remove more dust, maintain a high laundry life cycle and are lightweight and easy to transport.



MICROFIBER DUSTER – NEW - MANDATORY



The micro-duster tool enables you to clean the hard to reach areas either by a hand held handle or it can be put on an extension handle. The duster tool can be bent to allow for better cleaning high fans or a top of cabinets. The refill sleeves are made with ultra-fine 100% microfibers. Will remove and hold more dirt and bacteria than old traditional dusters. Micro-duster refills are designed to withstand repeated washing and sewn for superior strength.

MICROFIBER SLEEVE REFILL- NEW -MANDATORY



The micro-duster tool enables you to clean the hard to reach areas either by a hand held handle or it can be put on an extension handle. The duster tool can be bent to allow for better cleaning high fans or a top of cabinets. The refill sleeves are made with ultra-fine 100% microfibers. Will remove and hold more dirt and bacteria than old traditional dusters. Micro-duster refills are designed to withstand repeated washing and sewn for superior strength.

CLEANING CLOTHS –NEW- MANDATORY

Vileda NanoTech micro for use with germicidal application



Microfibre and active silver – a golden hygienic result.

Bacteria and germs are obvious threats in the daily cleaning of facilities. The bacteria growth and spread is a concern to us.

Remove and kill bacteria!

The new NanoTech micro cloth does not only wipe away bacteria, it even kills them in direct contact as nano particles of silver have been embedded in the microfibre filaments.

Silver is the secret

NanoTech micro is a microfibre cloth, but that's not all. The secret lies in that nano particles of silver have been blended/embedded in the microfibre composition. And when silver ions get in direct touch with bacteria and germs, they are killed. All in all it effectively prevents bacterial growth, and the effect does not fade away when cloths are being washed.



Microfibre at its best

NanoTech micro has all the properties of the patented Freudenberg endless microfibre technology– high durability, one-step and streak- free wiping, easy gliding and superior cleaning results.

General Cleaning - Vileda QUICK STAR MICRO

Quick and easy microfiber cleaning – damp and dry. Quick and easy handling due to low friction. Non-woven structure, easy to rinse clean, hairs and dirt do not cling to the surface. Very low-linting fabric due to patented endless fiber technology. High chemical resistance. Washable over 500 times at 95°C / 203°F. Ideal cloth for pre-preparation of cloths in buckets.



Interior Glass Cleaning - Vileda WINDOW CLEANING CLOTH

The Vileda Window Cloth has the following benefits: Cleans windows with a streak and fluff free finish. Extra long-lasting, is equipped with a special coating with micro-pores that significantly improves the drying performance, can be washed in the washing machine.



PRESSURE WASHER –NEW – Must Have All The Required Attachments

The PSI you select must guarantee no surface damage.

As the world's largest manufacturer of pressure washers, Kärcher also has a broad selection of accessory add-ons that will be needed to allow a pressure washer to clean even faster and better, including:

Surface cleaner: *Attaches to a pressure washer and cleans flat surfaces many times faster than with a wand.*

Dirt Blaster rotating nozzle for extra high-powered cleaning: *Combines deep cleaning with large coverage area.*

Specialty nozzles for convenience and versatility: *Switch between multiple spray settings with a quick twist of the nozzle or even a flick of the wrist.*

Wash brushes: *Push-on and water-propelled rotating brushes attach to a high-pressure wand to add extra cleaning agitation to the pressure spray.*




WINDOW WASHING EQUIPMENT INTERIOR – MANDATORY

Microfiber (Golden Glove), Sleeve holder, Window pail, razor scraper blade unit, window squeegee (all metal) replacement blades.



WINDOW WASHING EQUIPMENT EXTERIOR – EQUIVELANT TO UNGER OR THE FORMER POWER WAND

Flexible, long telescopic poles which can reach up to effectively clean all our site glass throughout our complex. Hose lock connector, Internal Hose, Aluminum adapter. Multilink goose neck System.





BIDDERS MANDATORY EQUIPMENT

The Bidder agrees to provide all the listed mandatory equipment to carry out all of the work as outlined in the Cleaning Standards.

Include all sizes, tools and attachments.

#'S	EQUIPMENT	Specify number providing	SUPPLIER	COST
	Grout Cleaning Tool-Atlas Graham-Blue-complete with handle. New			
	I-Mop microfiber BLUE-use for wet pad application. New			
	I- Mop microfiber Gen 1 or Gen 2 Dry Dust pads-use for dry dusting application. New			
	Microfiber Duster tool complete with handle. Microfiber Duster Sleeve refill- New			
	Golden Glove-microfiber-New Window pail- New Window squeegee- New Razor blade scraper- New			
	Vielda Nano Tech Cleaning Cloths-use for germicidal applications. Specify Color. New			
	Vielda Quick Star Cleaning Cloths- use for germicidal and general cleaning applications specify color/application. New			
	Vielda Window Cleaning Cloths –use for interior glass cleaning. New			
	Microfiber cleaning cloths- for heavy duty cleaning- your choice			
	Atlas Graham Ruffstuff Wide band Rough Floor wet mop if needed			
	Kaivac Washroom Cleaning System			



BIDDERS PROPOSED EQUIVALENT EQUIPMENT

In addition to providing all of the mandatory/required equipment this contract acknowledges that in some cases alternative/equivalent equipment as listed may be proposed for this contract. The Bidder proposes the following equivalent equipment. When the Bidder proposes 'equivalent' equipment the bidder guarantees that the proposed equipment is in fact equal to or better than the proposed equipment listed. **Include all sizes, tools and attachments.**

#'S	EQUIPMENT	MODEL/YEAR/ tools and attachments	SUPPLIER	COST
	Cleaning Carts-in as new condition Complete with solution holding pails	Equivalent to:		
	Waste Handling Carts- in as new condition- complete with wrap around holder	Equivalent to:		
	Washer and Dryer			
	Back Pac Vacuum- in as new condition.	Equivalent to:		
	Canister Vacuum- in as new condition	Equivalent to:		
	Canister Vacuum – dial down below 50 db- in as new condition	Equivalent to:		



#'S	EQUIPMENT	MODEL/Year/ tools and attachments	SUPPLIER	COST
	Upright Pile Lifter- Not more than 4 years old or New condition Rental	Equivalent to:		
	Power sweeper – In as new condition	Equivalent to:		
	Automatic Floor Scrubber No more than 4 years old. Good clean condition	Equivalent to:		
	Wet Dry Vacuum No more than 4 years old	Equivalent to:		
	Low Speed Floor Machine No more than 6 years old	Equivalent to:		
	High Speed Burnisher No more than 4 years old	Equivalent to:		
	If needed: Rubbermaid 7576- 88 Floor Pail			
	If needed: Rubbermaid 9C74 add pail			



#'S	EQUIPMENT	MODEL/Year/ tools and attachments	Local SUPPLIER	COST
	Wall Washing Equipment No more than 3 years old			
	Pressure Washer with all required (as listed) attachments. New	Equivalent to:		
	I-Mop handle/dispensing and pad holder unit for wet cleaning. New	Equivalent to:		
	I-Mop handle and pad holder for dry cleaning. New	Equivalent to:		
	Window washing Equipment Exterior	Equivalent to:		
	Ladders			
	Brooms			
	Dustpans-interior			
	Dustpans-exterior			
	Toilet bowl caddy			
	Safety Signage			



BIDDERS PROPOSED RENTAL EQUIPMENT

In addition to providing all of the required equipment this contract acknowledges that the Bidder may require rental equipment to carry out the conditions of this contract. The Bidder proposes the following rental equipment. **Include all sizes, tools and attachments.**

#'S	EQUIPMENT	MODEL/Year/ tools and attachments	Local SUPPLIER	COST



ANNEX "H" CLEANING CONTRACT QUOTATION SUPPLEMENT

To be completed and submitted with the Tender

The site supplied cleaning chemicals are listed in the 'Terms of Reference'. The site also supplies all dispenser products including paper, sanitary dispensed supplies as well as plastic liners.

The Bidder will supply those products and supplies not specifically listed and those selected by the Bidder 'from our approved supplier', must meet the specifications/requirements as outlined in our current Cleaning Standards that form part of this contract.

For all chemicals proposed include the SDS (MSDS) on each.

<u>PRODUCT /SUPPLY</u>	<u>BRAND NAME</u>	<u>SUPPLIER</u>
Plexiglas/Lexan Cleaner	_____	_____
Toilet Bowl Urinal Cleaner (No-hydrochloric or hydrofluoric acid)	_____	_____
Exterior window cleaning	_____	_____
Extendible Dusters, washable (for high and low ledges)	_____	_____
Cleaning cloths-Microfiber	_____	_____
Chamois-for window cleaning	_____	_____
Cleaning cloths-Microfiber Color-coded for functions	colour-use _____ colour-use _____ colour-use _____ colour-use _____	_____
Flat wet use floor pads- Microfiber	_____	_____
Flat dry use floor pads- Microfiber	_____	_____
Finish mop (looped, silk)	_____	_____
Wall washing mops-Geerpres Wallmate Tie on head or Other?	_____	_____
Tamping cloths-White for carpet spot removal	_____	_____
Toilet Bowl swabs-Acrylic	_____	_____
Toilet bowl caddy	_____	_____
Toilet bowl cleaner	_____	_____
Paper bags for sanitary refuse	_____	_____
Washroom Odor counteractant-pump spray	_____	_____
Safety Signage	_____	_____



Compliance:

Once submitted in accordance with the conditions as stated, only those products and supplies listed will be permitted for use on this contract. Approval for use of any other products or supplies for which the need may arise throughout this contract must be provided in writing, by the Site Authority.



ANNEX "1"
FEDERAL CONTRACTORS PROGRAM FOR EMPLOYMENT EQUITY - CERTIFICATION

I, the Bidder, by submitting the present information to the Contracting Authority, certify that the information provided is true as of the date indicated below. The certifications provided to Canada are subject to verification at all times. I understand that Canada will declare a bid non-responsive, or will declare a contractor in default, if a certification is found to be untrue, whether during the bid evaluation period or during the contract period. Canada will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply with any request or requirement imposed by Canada may render the bid non-responsive or constitute a default under the Contract.

For further information on the Federal Contractors Program for Employment Equity visit [Employment and Social Development Canada \(ESDC\)-Labour's](#) website.

Date: _____ (YYYY/MM/DD) (If left blank, the date will be deemed to be the bid solicitation closing date.)

Complete both A and B.

A. Check only one of the following:

- A1. The Bidder certifies having no work force in Canada.
- A2. The Bidder certifies being a public sector employer.
- A3. The Bidder certifies being a [federally regulated employer](#) being subject to the [Employment Equity Act](#).
- A4. The Bidder certifies having a combined work force in Canada of less than 100 permanent full-time and/or permanent part-time employees.

A5. The Bidder has a combined workforce in Canada of 100 or more employees; and

- A5.1. The Bidder certifies already having a valid and current [Agreement to Implement Employment Equity](#) (AIEE) in place with ESDC-Labour.

OR

- A5.2. The Bidder certifies having submitted the [Agreement to Implement Employment Equity](#) (LAB1168) to ESDC-Labour. As this is a condition to contract award, proceed to completing the form Agreement to Implement Employment Equity (LAB1168), duly signing it, and transmit it to ESDC-Labour.

B. Check only one of the following:

- B1. The Bidder is not a Joint Venture.

OR

- B2. The Bidder is a Joint Venture and each member of the Joint Venture must provide the Contracting Authority with a completed annex Federal Contractors Program for Employment Equity - Certification. (Refer to the Joint Venture section of the Standard Instructions)



ANNEX “J” SITE MAP

SEE ATTACHED



ANNEX “K” EVALUATION CRITERIA

PROPOSALS:

The proposal must demonstrate that similar services to those described in the Statement of Work have been provided.

MANDATORY REQUIREMENTS:

Proposals will be evaluated in accordance with the mandatory evaluation criteria as detailed herein. Bidders’ Proposals must clearly demonstrate that they meet all Mandatory Requirements for the proposal to be considered for further evaluation. Proposals not meeting the mandatory criteria will be excluded from further consideration.

The proponent may include the following table in their proposal, indicating that their proposal meets the mandatory criteria, and providing the proposal page number or section that contains information to verify that the criteria has been met.

No.	Mandatory Criteria	Proposal Page No.
M1	Bidder must provide a copy of your Companies current, local Municipal Business License covering Sidney, BC.	
M2	Bidder must provide a copy of your Companies current Work Safe BC clearance letter.	
M3	Bidder must provide a copy of your Companies benefit package for your employees (designate if the benefits are not the same for Supervisors and staff)	
M4	The Bidder must provide documentation from an insurance broker or an insurance company licensed to operate in Canada stating that the Bidder, if awarded a contract as a result of the bid solicitation, can be insured in accordance with all conditions including Insurance Requirements.	
M5	Bidder must provide proof at least 3 years’ experience in the field of commercial janitorial service. Bidder Must Submit Completed Table 1	
M6	Bidder must provide proof / copy that all proposed resource personnel <u>have</u> the required “Reliability Status” clearance at “Reliability Status” effective on the date of bid closing. Provide the names of the individuals by Completing the E-1 form attached in addition to submitting proof of clearance	
M7	Bidder must provide a copy of the Statement of Qualifications (Annex E) fully completed and signed with all fields filled [this is to ensure the meeting of the training requirements].	
M8	Bidder must provide a copy of your companies Quad Cleaning Inspection report for our site . It must include all the specific tasks related to the QUAD cleaning daily and monthly requirements as outlined in the cleaning standards and the terms of reference. Your Inspection report must include the function and the accompanying standards number.	



M9	<p>Bidder must provide a copy of a site 'Quad' Tuesday-Friday cleaning schedule proposal. Your proposal may reference groups of rooms or individual building areas. Do not include any other space. Only include space that is clearly designated to be "Quad" cleaned (once a week) on the provided site drawing.</p>	
-----------	---	--

RATED REQUIREMENTS

<p>R1 (10 Points Available) Supervisor's years of experience in the janitorial field as a supervisor, please provide proof</p>	<p>R1 0 pts for less than 1 yr experience, 2 pts for 1 - 3 yrs experience, 5 pts for 4 - 5 yrs experience, 8 pts for 6 - 8 yrs experience, 10 pts for 8+ yrs experience</p>
<p>R2 (10 Points Available) Supervisor's years of experience in the janitorial field as a cleaner, please provide proof</p>	<p>R2 0 pts for less than 1 yr experience, 2 pts for 1 - 3 yrs experience, 5 pts for 4 - 5 yrs experience, 8 pts for 6 - 8 yrs experience, 10 pts for 8+ yrs experience</p>
<p>R3 (20 Points Available) Your Company's years of experience in the janitorial field, please provide proof</p>	<p>R3 0 pts for less than 1 yr experience, 5 pts for 1 - 3 yrs experience, 10 pts for 4 - 5 yrs experience, 15 pts for 6 - 8 yrs experience, 20 pts for 8+ yrs experience</p>
<p>R4 (15 Points Available) The Contractor is to provide proof of experience, in years, for 3 of their Employee's in the janitorial field they are proposing to work at our facility. Submit Completed Table 2</p>	<p>R4 (each employee will be rated separately) 0 pts for less than 1 - 3 yrs experience, 2 pts for 4 - 5 yrs experience, 3 pts for 6 - 8 yrs experience, 4 pts for 9 - 12 yrs experience, 5 pts for 12+ yrs experience</p>
<p>R5 (10 Points Available) Describe your Company's uniform policy</p>	<p>R5 0 points for no uniform policy 5 points for partial uniform 10 points for full uniform</p>

Total points (R1, R2, R3, R4 and R5): 65 points maximum

Proposals MUST receive a rated requirements minimum score of 32 points over all in order to be considered technically responsive. Those not meeting the minimum score of 32 points will not be considered further.



Table 1

Company Name	Start Date Month & Year	End Date Month & Year	Facility Work Carried Out	Description of Work Tasks
Example – Star Cleaning	April 1990	June 2010	Alcatraz	Interior cleaning including floors-wash/wax, windows,

Table 2

Proposed Resource and Position	Start Date Month & Year	End Date Month & Year	Employer at the Time	Facility Work Carried Out	Description of Work Tasks
Example – Mary Jane	April 2000	June 2010	Star Cleaning	Alcatraz	Interior cleaning including floors-wash/wax, windows,
Example – Mary Jane	June 2010	October 2020 / Present	Star Cleaning	Area 51	Interior cleaning including floors-wash/wax, windows,

Cost Evaluation (total maximum of 30 points) – please use Cost Proposal form provided



Of those proposals determined to be technically responsive, the lowest cost proposal will be awarded the maximum number of points assigned for cost (30 points). The points for cost for the remaining technically responsive proposals will be allocated on a pro-rated basis.

BASIS OF SELECTION:

Compliant bidders will be ranked from highest combined points to lowest combined points. The bidder with the highest combined points not exceeding the stipulated maximum budget shall be selected and awarded the contract.