NOTE: IF THE EPDM MEMBRANE IS A THROUGH WALL DETAIL, LEAVE 150mm OF THE EXISTING MEMBRANE TO OVERLAP OVER THE NEW MEMBRANE APPLICATION. SEAL WITH NEW SOLVENT FREE MASTIC AS SEEN ON DETAIL 2/A2.



1/A5 TYPICAL WALL DETAIL @ WINDOW

N.T.S.



2/A5 TYPICAL CURB DETAIL @ UNIT #4

N.T.S.

Canada

Public Services and Procurement Canada / Services publics et Approvisionnement Canada

Real Property Branch / Direction générale des biens immobiliers

IRC BUILDING SCIENCES GROUP
VANCOUVER • LONDON • MISSISSAUGA • OTTAWA • QUEBEC
TOLL FREE:1-888-407-5245
WWW.IRCGROUP.COM
TEL:613.225.0693
FAX:613.225.7331

LEVEL OF CLASSIFICATION:
UNCLASSIFIED

LICENSED PROFESSIONAL ENGINEER
2021-05-17
Z SABHA
100090674
PROVINCE OF ONTARIO

Contractor to verify all dimensions & conditions on site and immediately notify the engineer of all discrepancies.

revisions	description	date
3		
2		
1	ISSUED FOR TENDER	2021/05/17

A detail no. / no. du detail
B location drawing no. / sur dessin no.
C drawing no. / dessin no.

project / projet

SHIRLEY'S BAY
B91
ROOF REPLACEMENT

3701 CARLING AVE.
OTTAWA, ONTARIO

drawing / dessin

DETAILS
BUILDING B91

Designed By	D.G.F.S.	Conçu par
Date	2021/03/04	(yyyy/mm/dd)
Drawn By	DSP	Dessiné par
Date	2021/03/04	(yyyy/mm/dd)
Reviewed By	D.G.F.S/T.Q.R.S.	Examiné par
Date	2021/03/08	(yyyy/mm/dd)
Approved By	D.G.F.S.	Approuvé par
Date	2021/03/08	(yyyy/mm/dd)
Tender		Soumission
Project Manager		Administrateur de projets
Project no.	R.065220.767	No. du projet
Drawing no.	A5	No. du dessin

PWGSC B1 (1000 x 707)

0 10 20mm 40 60 80 100 120 140 160 180 200mm