





Contractor to verify all dimensions & conditions on site and immediately notify the engineer of all discrepancies.

3		
2		
1	ÉMIS POUR APPEL D'OFFRES	2021/05/17
visions	description	date


 A detail no.
no. du detail
 B location drawing no.
sur dessin no.
 C drawing no.
dessin no.
 

project	projet
---------	--------

SHIRLEY'S BAY
B91
REEMPLACEMENT DE TOITURE

3701 CARLING AVE.
OTTAWA, ONTARIO

drawing	dessin
---------	--------

DÉTAILS
BUILDING B91

Designed By D.G.F.S. Conçu par

Date 2021/03/04 (yyyy/mm/dd)

Drawn By _____ Dessiné par _____

2021/03/04 (name)

Date	EOE 1/05/01	(yyyy/mm/dd)
Reviewed By	Erwin4	

Reviewed By D.G.F.S/T.Q.R.S. Examine par

Date 2021/03/08 (yyyy/mm/dd)

Approved By D.C.E.S. Approuvé par _____

Date 2021/03/08 (yyyy/mm/dd)

ender	Submission
-------	------------

Order	Commission
-------	------------

Project Manager Administrateur de projets


Project no.	No. du projet
-------------	---------------

D 005000 303


R.065220.767

Drawing no. _____ No. du dessin _____

40



NOTE:	
<u>TAILLE NOMINALE</u>	<u>ESPACEMENT MAXIMALE</u>
<u>DU TUYAU À GAZ</u>	<u>DES SUPPORTS</u>
½" ou MOINS	2.0m
¾" à 1"	2.5m
1¼" à 2½"	3.0m
3" à 4"	5.0m
5" à 8"	6.0m
10" ou PLUS GROS	8.0m



NOTE: ESPACE MINIMAL ENTRE LES SERVICES DOIT ÊTRE 50mm

1
A9

DÉTAILS SUPPORT DE CONDUIT

N.T.S.

2
A9

DÉTAILS POUR BOÎTE DE CONDUIT

N.T.S.