



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions/Travaux
publics et Services gouvernementaux Canada
See herein for bid submission
instructions/

Voir la présente pour les
instructions sur la présentation
d'une soumission

NA
Ontario

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works and Government Services Canada
Ontario Region
10th Floor, 4900 Yonge Street
Toronto
Ontario
M2N 6A6

Title - Sujet Pneumatic Flaring Machine & Tooling	
Solicitation No. - N° de l'invitation W3474-220152/A	Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client W3474-220152	Date 2021-08-20
GETS Reference No. - N° de référence de SEAG PW-\$TOR-029-8068	
File No. - N° de dossier TOR-1-44027 (029)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Eastern Daylight Saving Time EDT on - le 2021-09-03 Heure Avancée de l'Est HAE	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Macukic, Michael	Buyer Id - Id de l'acheteur tor029
Telephone No. - N° de téléphone (416) 434-1762 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation Amendment No. 002 is being issued to address the following:

- A) Amend PART 6, Section 6.4.2 – Delivery Date**
- B) Amend Annex A – 5. Tooling Specifications**
- C) Questions and Answers**

A) At PART 6, Section 6.4.2 – Delivery Date

Delete in its entirety;

Insert:

All the deliverables must be received on or before 12 weeks from contract award date.

Preference is for delivery on or before October 1, 2021.

B) At Annex A – 5. Tooling Specifications

Delete in its entirety;

Insert:

The Contractor must provide Quantity One (1) of each of the following tooling / sizes;

- 5.1 Must include the following 37° Double Flare Die Sizes: 1/4", 5/16", 3/8", 7/16", 1/2"
- 5.2 Must include the following 37° Double Flare Punch Sizes: 1/4", 5/16", 3/8", 7/16", 1/2"
- 5.3 Must have the following 1/4" Upset Punch Sizes: 0.022" WT, 0.024" WT, 0.028" WT, 0.030" WT, 0.032" WT, 0.035" WT, 0.039" WT, 0.042" WT, 0.049" WT
- 5.4 Must have the following 5/16" Upset Punch Sizes: 0.022" WT, 0.024" WT, 0.028" WT, 0.030" WT, 0.032" WT, 0.035" WT, 0.039" WT, 0.042" WT, 0.049" WT
- 5.5 Must have the following 3/8" Upset Punch Sizes: 0.022" WT, 0.024" WT, 0.028" WT, 0.030" WT, 0.032" WT, 0.035" WT, 0.039" WT, 0.042" WT, 0.049" WT
- 5.6 Must have the following 7/16" Upset Punch Sizes: 0.022" WT, 0.024" WT, 0.028" WT, 0.030" WT, 0.032" WT, 0.035" WT, 0.039" WT, 0.042" WT, 0.049" WT
- 5.7 Must have the following 1/2" Upset Punch Sizes: 0.022" WT, 0.024" WT, 0.028" WT, 0.030" WT, 0.032" WT, 0.035" WT, 0.039" WT, 0.042" WT, 0.049" WT

C) Questions and Answers

Q1: A tube with a 3/8" or 0.375" OD, cannot have a wall thickness of 0.30". Is this a misprint in the required specs?

A1: Wall thickness should read 0.030". Please consult Annex A - section 5. Tooling Specification of Solicitation Amendment No. 001 for further details.

Q2: 0.049" WT is repeated two times. Is this a misprint in the required specs?

A2: For each upset punches, one(1) size 0.049" WT is required for each line items 5.3 to 5.7. Please consult Annex A - section 5. Tooling Specification of Solicitation Amendment No. 001 for further details.

Q3: The current lead time of the requested product is about 12 weeks from contract award date. Would you please let us know if this is acceptable?

A3: 12 week delivery is acceptable.

Q4:

With reference to item 5.3 of ANNEX A, "Must have the following 1/4" Upset Punch Sizes: 0.22" WT", it seems that the size stated is typo mistake and the requested size is 0.022" WT. please confirm 0.022" WT is acceptable.

With reference to item 5.4 of ANNEX A, "Must have the following 5/16 " Upset Punch Sizes: 0.22" WT", it seems that the size stated is typo mistake and the requested size is 0.022" WT. please confirm 0.022" WT is acceptable.

With reference to item 5.5 of ANNEX A, "Must have the following 3/8 " Upset Punch Sizes: 0.22" WT", it seems that the size stated is typo mistake and the requested size is 0.022" WT. please confirm 0.022" WT is acceptable.

With reference to item 5.6 of ANNEX A, "Must have the following 7/16 " Upset Punch Sizes: 0.22" WT", it seems that the size stated is typo mistake and the requested size is 0.022" WT. please confirm 0.022" WT is acceptable.

With reference to item 5.7 of ANNEX A, "Must have the following 1/2" Upset Punch Sizes: 0.22" WT", it seems that the size stated is typo mistake and the requested size is 0.022" WT. please confirm 0.022" WT is acceptable.

A4:

0.022" WT is acceptable. Please consult Annex A - section 5. Tooling Specification of Solicitation Amendment No. 001 for further details.

Q5:

With reference to item 5.3 of ANNEX A, "Must have the following 1/4" Upset Punch Sizes: 0.30" WT", it seems that the size stated is typo mistake and the requested size is 0.030" WT. Please confirm 0.030" WT is acceptable and please also advise the quantity which is required for this size.

Solicitation No. - N° de l'invitation
W3474-220152/A
Client Ref. No. - N° de réf. du client
W3474-220152

Amd. No. - N° de la modif.
002
File No. - N° du dossier
TOR-1-44027

Buyer ID - Id de l'acheteur
TOR029
CCC No./N° CCC - FMS No./N° VME

With reference to item 5.4 of ANNEX A, "Must have the following 5/16 " Upset Punch Sizes: 0.30" WT", it seems that the size stated is typo mistake and the requested size is 0.030" WT. Please confirm 0.030" WT is acceptable and please also advise the quantity which is required for this size.

With reference to item 5.5 of ANNEX A, "Must have the following 3/8 " Upset Punch Sizes: 0.30" WT", it seems that the size stated is typo mistake and the requested size is 0.030" WT. Please confirm 0.030" WT is acceptable and please also advise the quantity which is required for this size.

With reference to item 5.6 of ANNEX A, "Must have the following 7/16 " Upset Punch Sizes: 0.30" WT", it seems that the size stated is typo mistake and the requested size is 0.030" WT. Please confirm 0.030" WT is acceptable and please also advise the quantity which is required for this size.

With reference to item 5.7 of ANNEX A, "Must have the following 1/2" Upset Punch Sizes: 0.30" WT", it seems that the size stated is typo mistake and the requested size is 0.030" WT. Please confirm 0.030" WT is acceptable and please also advise the quantity which is required for this size.

A5:

0.030" WT is acceptable. Please consult Annex A - section 5. Tooling Specification of Solicitation Amendment No. 001 for further details.

Q6:

With reference to item 5.3 of ANNEX A, "Must have the following 1/4" Upset Punch Sizes: 0.22" WT, 0.024" WT, 0.028" WT, 0.030" WT, 0.30" WT, 0.039" WT, 0.049" WT, 0.049" WT", the size 0.049" WT is repeated twice. Please clarify the quantity required for this size.

With reference to item 5.4 of ANNEX A, "Must have the following 5/16 " Upset Punch Sizes: 0.22" WT, 0.024" WT, 0.028" WT, 0.030" WT, 0.30" WT, 0.039" WT, 0.049" WT, 0.049" WT", the size 0.049" WT is repeated twice. Please clarify the quantity required for this size.

With reference to item 5.5 of ANNEX A, "Must have the following 3/8 " Upset Punch Sizes: 0.22" WT, 0.024" WT, 0.028" WT, 0.030" WT, 0.30" WT, 0.039" WT, 0.049" WT, 0.049" WT", the size 0.049" WT is repeated twice. Please clarify the quantity required for this size.

With reference to item 5.6 of ANNEX A, "Must have the following 7/16 " Upset Punch Sizes: 0.22" WT, 0.024" WT, 0.028" WT, 0.030" WT, 0.30" WT, 0.039" WT, 0.049" WT, 0.049" WT", the size 0.049" WT is repeated twice. Please clarify the quantity required for this size.

With reference to item 5.7 of ANNEX A, "Must have the following 1/2" Upset Punch Sizes: 0.22" WT, 0.024" WT, 0.028" WT, 0.030" WT, 0.30" WT, 0.039" WT, 0.049" WT, 0.049" WT", the size 0.049" WT is repeated twice. Please clarify the quantity required for this size.

A6:

For each upset punches, one(1) size 0.049" WT is required for each line items 5.3 to 5.7. Please consult Annex A - section 5. Tooling Specification of Solicitation Amendment No. 001 for further details.

ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME