



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions
Travaux publics et Services gouvernementaux
Canada

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scotia

B3J 1T3

Bid Fax: (902) 496-5016

REQUEST FOR PROPOSAL DEMANDE DE PROPOSITION

Proposal To: Public Works and Government Services Canada

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

Proposition aux: Travaux Publics et Services Gouvernementaux Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du

fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Atlantic Region Acquisitions/Région de l'Atlantique
Acquisitions

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scot

B3J 1T3

Title - Sujet Hydraulic Press Brake Presse-plieuse hydraulique.	
Solicitation No. - N° de l'invitation W355B-227611/A	Date 2021-09-13
Client Reference No. - N° de référence du client W355B-22-7611	
GETS Reference No. - N° de référence de SEAG PW-\$HAL-406-11363	
File No. - N° de dossier HAL-1-87030 (406)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Atlantic Daylight Saving Time ADT on - le 2021-10-14 Heure Avancée de l'Atlantique HAA	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Matheson, Valerie	Buyer Id - Id de l'acheteur hal406
Telephone No. - N° de téléphone (902) 403-6236 ()	FAX No. - N° de FAX (902) 496-5016
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: DEPARTMENT OF NATIONAL DEFENCE Door 13 Bldg D-200 HALIFAX Nova Scotia B3K5X5 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée See Herein – Voir ci-inclus	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

THIS DOCUMENT CONTAINS A SECURITY REQUIREMENT

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION	3
1.1 SECURITY REQUIREMENTS	3
1.2 STATEMENT OF REQUIREMENT	3
1.3 DEBRIEFINGS	3
1.4 CANADIAN CONTENT	3
1.5 EPOST CONNECT SERVICE	3
PART 2 - BIDDER INSTRUCTIONS	4
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	4
2.2 SUBMISSION OF BIDS	4
2.3 ENQUIRIES - BID SOLICITATION	5
2.4 APPLICABLE LAWS	5
2.5 BID CHALLENGE AND RECOURSE MECHANISMS	5
PART 3 - BID PREPARATION INSTRUCTIONS	6
3.1 BID PREPARATION INSTRUCTIONS	6
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	8
4.1 EVALUATION PROCEDURES	8
4.2 BASIS OF SELECTION – MANDATORY TECHNICAL CRITERIA	8
PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION	9
5.1 CERTIFICATIONS REQUIRED WITH THE BID	9
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	10
PART 6 - RESULTING CONTRACT CLAUSES	11
6.1 SECURITY REQUIREMENTS	11
6.2 STATEMENT OF REQUIREMENT	11
6.3 STANDARD CLAUSES AND CONDITIONS	11
6.4 TERM OF CONTRACT	12
6.5 AUTHORITIES	12
6.6 PAYMENT	13
6.7 INVOICING INSTRUCTIONS	14
6.8 CERTIFICATIONS AND ADDITIONAL INFORMATION	14
6.9 APPLICABLE LAWS	14
6.10 PRIORITY OF DOCUMENTS	14
6.11 SACC <i>MANUAL</i> CLAUSES	15
6.12 DISPUTE RESOLUTION	15
ANNEX "A"	16
STATEMENT OF REQUIREMENT	16
ANNEX "B"	21
BASIS OF PAYMENT	21
ANNEX "C"	25
SECURITY REQUIREMENTS CHECK LIST	25

Solicitation No. - N° de l'invitation
W355B-227611/A
Client Ref. No. - N° de réf. du client
W355B-22-7611

Amd. No. - N° de la modif.
File No. - N° du dossier
HAL-1-87030

Buyer ID - Id de l'acheteur
hal406
CCC No./N° CCC - FMS No./N° VME

ANNEX “D”	26
MANDATORY TECHNICAL REQUIREMENTS – CROSS REFERENCE	26
ANNEX “E” TO PART 3 OF THE BID SOLICITATION	28
ELECTRONIC PAYMENT INSTRUMENTS	28
ANNEX “F”	29
INTEGRITY PROVISIONS – LIST OF DIRECTORS	29

PART 1 - GENERAL INFORMATION

1.1 Security Requirements

1. Before award of a contract, the following conditions must be met:
 - (a) the Bidder must hold a valid organization security clearance as indicated in Part 6 - Resulting Contract Clauses;
 - (b) the Bidder's proposed individuals requiring access to classified or protected information, assets or sensitive work sites must meet the security requirements as indicated in Part 6 - Resulting Contract Clauses;
 - (c) the Bidder must provide the name of all individuals who will require access to classified or protected information, assets or sensitive work sites;
2. Bidders are reminded to obtain the required security clearance promptly. Any delay in the award of a contract to allow the successful Bidder to obtain the required clearance will be at the entire discretion of the Contracting Authority.
3. For additional information on security requirements, Bidders should refer to the [Contract Security Program](http://www.tpsgc-pwgsc.gc.ca/esc-src/introduction-eng.html) of Public Works and Government Services Canada (<http://www.tpsgc-pwgsc.gc.ca/esc-src/introduction-eng.html>) website.

1.2 Statement of Requirement

The requirement is detailed under Annex A, Statement of Requirement.

1.3 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.4 Canadian Content

The requirement is subject to a preference for Canadian goods and/or services.

1.5 epost Connect service

This bid solicitation allows bidders to use the epost Connect service provided by Canada Post Corporation to transmit their bid electronically. Bidders must refer to Part 2 entitled Bidder Instructions, and Part 3 entitled Bid Preparation Instructions, of the bid solicitation, for further information.

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003](#) (2020-05-28) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 5.4 of [2003](#), Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: 60 days
Insert: 120 days

2.1.1 SACC Manual Clauses

[B1000T](#) (2014-06-26) Condition of Material – Bid

2.2 Submission of Bids

Bids must be submitted only to the Public Works and Government Services Canada (PWGSC) Bid Receiving Unit specified below by the date and time indicated on page 1 of the bid solicitation:

**Bid Receiving Public Works and Government Services Canada/
1713 Bedford Row
Halifax, N.S. / Halifax, (N.É.) B3J 1T3**

Email for epost Connect:

TPSGC.RAReceptionSoumissionsNE-ARBidReceivingNS.PWGSC@tpsgc-pwgsc.gc.ca

Note: Bids will not be accepted if emailed directly to this email address. This email address is to be used to open an epost Connect conversation, as detailed in Standard Instructions [2003](#), or to send bids through an epost Connect message if the bidder is using its own licensing agreement for epost Connect.

Facsimile number: (902) 496-5016

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than **five (5)** calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Nova Scotia.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

2.5 Bid Challenge and Recourse Mechanisms

- (a) Several mechanisms are available to potential suppliers to challenge aspects of the procurement process up to and including contract award.
- (b) Canada encourages suppliers to first bring their concerns to the attention of the Contracting Authority. Canada's [Buy and Sell](#) website, under the heading "[Bid Challenge and Recourse Mechanisms](#)" contains information on potential complaint bodies such as:
 - Office of the Procurement Ombudsman (OPO)
 - Canadian International Trade Tribunal (CITT)
- (c) Suppliers should note that there are **strict deadlines** for filing complaints, and the time periods vary depending on the complaint body in question. Suppliers should therefore act quickly when they want to challenge any aspect of the procurement process.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

- If the Bidder chooses to submit its bid electronically, Canada requests that the Bidder submits its bid in accordance with section 08 of the 2003 standard instructions. The epost Connect system has a limit of 1GB per single message posted and a limit of 20GB per conversation.

The bid must be gathered per section and separated as follows:

Section I: Technical Bid
Section II: Financial Bid
Section III: Certifications
Section IV: Additional Information

- If the Bidder chooses to submit its bid in hard copies, Canada requests that the Bidder submits its bid in separately bound sections as follows:

Section I: Technical Bid (1 hard copy)
Section II: Financial Bid (1 hard copy)
Section III: Certifications (1 hard copy)

If there is a discrepancy between the wording of the soft copy on electronic media and the hard copy, the wording of the hard copy will have priority over the wording of the soft copy.

- If the Bidder is simultaneously providing copies of its bid using multiple acceptable delivery methods, and if there is a discrepancy between the wording of any of these copies and the electronic copy provided through epost Connect service, the wording of the electronic copy provided through epost Connect service will have priority over the wording of the other copies.

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of hard copy of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573) (<https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573>). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment.

3.1.1 Electronic Payment of Invoices – Bid

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete Annex “E” Electronic Payment Instruments, to identify which ones are accepted.

If Annex “E” Electronic Payment Instruments is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

3.1.2 Exchange Rate Fluctuation

C3011T (2013-11-06), Exchange Rate Fluctuation

Section III: Certifications

Bidders must submit the certifications and additional information required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.
- (c) The evaluation team will determine if there are two (2) or more bids with a valid Canadian content certification with the bids coming from two or more Bidders that are not affiliated within the meaning used in the Competition Act, R.S.C., 1985, c. C-34. In that event, only those bids with a valid certification will be eligible to be awarded a contract; otherwise, all bids will be eligible. If at any point in the evaluation process it is found, whether by determination of invalidity of certifications, determination that bids are non-responsive or withdrawal of bids by Bidders, that there are no longer two (2) or more responsive bids with a valid certification, then all responsive bids will be eligible to be awarded a contract. Canada may conduct the validation of Canadian content certifications at any time in the evaluation process including doing so concurrently with other steps.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

- Refer to Annex D – Mandatory Technical Criteria

4.1.2 Financial Evaluation

The price of the bid will be evaluated in Canadian dollars, Applicable Taxes excluded, DDP destination, Canadian customs duties and excise taxes included.

4.2 Basis of Selection – Mandatory Technical Criteria

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

5.1.2 Additional Certifications Required with the Bid

5.1.2.1 Canadian Content Certification

This procurement is conditionally limited to Canadian goods.

Subject to the evaluation procedures contained in the bid solicitation, bidders acknowledge that only bids with a certification that the good(s) offered are Canadian goods, as defined in clause [A3050T](#), may be considered.

Failure to provide this certification completed with the bid will result in the good(s) offered being treated as non-Canadian goods.

The Bidder certifies that:

() the good(s) offered are Canadian goods as defined in paragraph 1 of clause [A3050T](#).

5.1.2.1.1 SACC Manual clause [A3050T](#) (3030-07-01) Canadian Content Definition

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real property agreement of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

6.1.1 The following security requirements apply and form part of the Contract.

SECURITY REQUIREMENT FOR CANADIAN SUPPLIER: PWGSC FILE No. W355B-227611

1. The Contractor/Offeror must, at all times during the performance of the Contract/Standing Offer, hold a valid Designated Organization Screening (DOS), issued by the Contract Security Program (CSP), Public Works and Government Services Canada (PWGSC).
2. The Contractor/Offeror personnel requiring access to sensitive site(s) must EACH hold a valid RELIABILITY STATUS, granted or approved by the CSP, PWGSC.
3. Subcontracts which contain security requirements are NOT to be awarded without the prior written permission of the CSP, PWGSC.
4. The Contractor/Offeror must comply with the provisions of the:
 - a) Security Requirements Check List and security guide (if applicable), attached at Annex C;
 - b) *Contract Security Manual* (Latest Edition).

6.2 Statement of Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex "A".

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

[2010A](#) (2020-05-28), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

6.4 Term of Contract

6.4.1 Period of the Contract

The period of the Contract is from date of Contract to _____ inclusive.

6.4.2 Delivery Date

All deliverables to be received on or before March 31, 2022.

While delivery is expected by March 31, 2022, the best delivery that could be offered is _____.

6.4.3 Optional Goods and/or Services

The Contractor grants to Canada the irrevocable option to acquire the goods, services or both described at **Annex A** of the Contract under the same conditions and at the prices and/or rates stated in the Contract. The option may only be exercised by the Contracting Authority and will be evidenced, for administrative purposes only, through a contract amendment.

The Contracting Authority may exercise the option at any time before the expiry of the Contract by sending a written notice to the Contractor.

6.4.4 Delivery Points

Delivery of the requirement will be made to –

Maritime Forces Atlantic
Fleet Maintenance Facility Cape Scott
Building D 200, Door 13
Halifax, Nova Scotia B3K 5X5

6.5 Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Valerie Matheson, Supply Officer
Nova Scotia Acquisitions Directorate
Public Services and Procurement Canada
1713 Bedford Row
Halifax, Nova Scotia B3J 1T3

Telephone: 902-403-6236
Facsimile: 902-496-5016
E-mail address: Valerie.matheson@pwgsc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Project Authority **(COMPLETED AT CONTRACT AWARD)**

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone: _____
Facsimile: _____
E-mail address: _____

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative **(TO BE COMPLETED BY BIDDER)**

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone: _____
Facsimile: _____
E-mail address: _____

6.6 Payment

6.6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm price as specified in Annex B for a cost of \$ _____. Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.6.2 Limitation of Price

SACC Manual clause C6000C (2017-08-17) Limitation of Price

6.6.3 Single Payment

Canada will pay the Contractor upon completion and delivery of the Work in accordance with the payment provisions of the Contract if:

- a. an accurate and complete invoice and any other documents required by the Contract have been submitted in accordance with the invoicing instructions provided in the Contract;
- b. all such documents have been verified by Canada;
- c. the Work delivered has been accepted by Canada.

6.6.4 Electronic Payment of Invoices – Contract

The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

- a. Visa Acquisition Card;
- b. MasterCard Acquisition Card;
- c. Direct Deposit (Domestic and International);
- d. Electronic Data Interchange (EDI);
- e. Wire Transfer (International Only);
- f. Large Value Transfer System (LVTS) (Over \$25M)

6.7 Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
 - a. The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

6.8 Certifications and Additional Information

6.8.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.8.2 SACC Manual Clause

SACC Manual clause [A3060C](#) (2008-05-12) Canadian Content Certification

6.9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Nova Scotia.

6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- 1 the Articles of Agreement;
- 2 the general conditions [2010A](#) (2020-05-28) General Conditions: Goods (medium complexity);
- 3 Annex A, Statement of Requirement;
- 4 Annex B, Basis of Payment;
- 5 Annex C, Security Requirements Check List;
- 6 the Contractor's bid dated _____.

6.11 SACC Manual Clauses

<u>B7500C</u>	Excess Goods	(2006-06-16)
<u>G1005C</u>	Insurance, No Specific Requirement	(2016-01-28)
<u>B1501C</u>	Electrical Equipment	(2018-06-21)
<u>A9062C</u>	Canadian Forces Site Regulations	(2011-05-16)
<u>D2000C</u>	Marking	(2007-11-30)
<u>D2001C</u>	Labelling	(2007-11-30)
<u>D2025C</u>	Wood Packing Materials	(2017-08-17)

6.12 Dispute Resolution

- (a) The parties agree to maintain open and honest communication about the Work throughout and after the performance of the contract.
- (b) The parties agree to consult and co-operate with each other in the furtherance of the contract and promptly notify the other party or parties and attempt to resolve problems or differences that may arise.
- (c) If the parties cannot resolve a dispute through consultation and cooperation, the parties agree to consult a neutral third party offering alternative dispute resolution services to attempt to address the dispute.
- (d) Options of alternative dispute resolution services can be found on Canada's Buy and Sell website under the heading "Dispute Resolution".

ANNEX "A"

STATEMENT OF REQUIREMENT

1. General Description

- 1.1. The Department of Defence (DND) has a requirement for the Supply of One (1) Hydraulic Press Brake that will be used within Fleet Maintenance Facility Cape Scott (FMFCS).

2. Hydraulic Press Brake Specifications:

2.1. Hydraulic Press Brake:

- 2.1.1. Type...Industrial Floor Mount Model,
- 2.1.2. Frame material...heavy steel plate,
- 2.1.3. Press Brake bending width range...30 to 32 inches (in.),
- 2.1.4. Capable of bending 1/4" mild steel
- 2.1.5. Produce a minimum of 42 tons pressure
- 2.1.6. Fitted with 18"-20" manual back gauge
- 2.1.7. Fitted with digital readouts for back gauge and down position
- 2.1.8. Fitted with a universal tool holder
- 2.1.9. Fitted with foot pedal for hands free operation
- 2.1.10. Stroke length minimum 2"
- 2.1.11. Table length 30-32 inches
- 2.1.12. Minimum approach speed .8" / sec
- 2.1.13. Minimum bending speed .3" / sec
- 2.1.14. Distance from table to ram 8 to 9 inches
- 2.1.15. European Tool configuration

2.2. Accessories & Parts (European Tooling)

2.2.1.

UPPER DIE	U-5, 90°, 1/4"
RADIUS	1/8"
LENGTH	1-1/4", 1-1/2", 2.0", 2-1/2", 3.0", 3-1/2", 4.0"
QUANTITY	2 EA

2.2.2

UPPER DIE	G-6, GOOSE NECK, 3/16"
RADIUS	1/8"
LENGTH	1-1/4", 1-1/2", 2.0", 2-1/2", 3.0", 3-1/2", 4.0"
QUANTITY	2 EA

2.2.3

UPPER DIE	G-5, GOOSE NECK, 9 GAUGE
RADIUS	1/16"
LENGTH	1-1/4", 1-1/2", 2.0", 2-1/2", 3.0", 3-1/2", 4.0"
QUANTITY	2 EA

2.2.4

UPPER DIE	U-7, 90°, 1/2"
RADIUS	1/4"
LENGTH	3.0", 3-1/2", 4.0"
QUANTITY	2 EA

2.2.5

LOWER DIE	L-9, 90°
RADIUS	1/16"
LENGTH	1-1/4", 1-1/2", 2.0", 2-1/2", 3.0", 3-1/2", 4.0"
MATERIAL THICKNESS	10 GAUGE
QUANTITY	2 EA

2.2.6

LOWER DIE	L-10, 90°
RADIUS	3/32"
LENGTH	1-1/4", 1-1/2", 2.0", 2-1/2", 3.0", 3-1/2", 4.0"
MATERIAL THICKNESS	9 GAUGE
QUANTITY	2 EA

2.2.7

LOWER DIE	L-11, 90°
RADIUS	3/16"
LENGTH	1-1/4", 1-1/2", 2.0", 2-1/2", 3.0", 3-1/2", 4.0"
MATERIAL THICKNESS	3/16"
QUANTITY	2 EA

2.2.8

LOWER DIE	L-12, 90°
RADIUS	1/8"
LENGTH	1-1/4", 1-1/2", 2.0", 2-1/2", 3.0", 3-1/2", 4.0"
MATERIAL THICKNESS	1/4"
QUANTITY	2 EA

2.2.9

LOWER DIE	L-15, 90°
RADIUS	5/16"
LENGTH	3.0", 3-1/2", 4.0"
MATERIAL THICKNESS	1/2"
QUANTITY	2 EA

2.2.10

3 WAY DIE	31" LONG
BLOCK SIZE	3.25"
DIE OPENINGS	1.0", 1-1/2", 2.0"
QUANTITY	1 EA

2.2.11

UPPER DIE-STANDARD	31"
QUANTITY	1 EA

2.2.12

LOWER DIE-STANDARD	31"
QUANTITY	1 EA

2.2.13 Storage Shelf

2.2.13.1 Sheet Metal heavy duty construction

2.2.13.2 Powder coat finish

2.2.13.3 Open style

2.2.13.4 Minimum 36"W x 18"D x 72"H

2.2.13.5 Adequate size and strength to house all accessories & extra tooling described herein.

2.2.13.6 Minimum 3000lbs capacity

2.2.13.7 Minimum 5 shelves

2.2.14 One (1) CSA or Equivalent Certification (If required.)

3. Electrical Requirement:

3.1. The Hydraulic Press Brake must be wired by the manufacturer using their standard commercial practice to operate on:

3.3.1. 230/240vac, 1 phase, 50/60 hertz building power

3.2 The Hydraulic Press Brake must be provided with over current / overload protection suitably sized to protect the machine motors/circuits.

3.3 The Hydraulic Press Brake must be completely wired by the manufacturer prior to delivery and must have a single source terminal box externally accessible for electrical connection.

3.4 All electrical equipment must be suitably encased to prevent the ingress of moisture or oil and to protect it from physical damage.

3.5 Minimum 2Hp motor, 230/240VAC, 1Φ, 50-60Hz

4 Standard Equipment and Accessories:

- 4.1 All standard equipment and accessories (tooling) required must be completely compatible with each other and Hydraulic Press Brake that is specified herein.
- 4.2 All tooling can be quoted as one length for each style. Ex. U-5, 1 ¼"-4.0" =35.5"
- 4.3 NOTE: All accessories, quantity: (qty.) one (1) unless otherwise designated.

5. Electrical Certification:

5.1 The equipment being supplied must be certified by an acceptable Electrical Certification Organization. The following Certification Organizations are acceptable. The electrical control must bear a label from one of these organizations in order to be recognized as approved. Identify which Organization shall be used:

- 5.5.1 Canadian Standards Association (CSA),
- 5.5.2 QPS/Entela,
- 5.5.3 Intertek Testing Services,
- 5.5.4 Underwriters Laboratories of Canada (ULC),
- 5.5.5 Underwriters Laboratories Inc. (UL),
- 5.5.6 Met Laboratories Inc. (MET),
- 5.5.7 TUV Rheinland of North America,
- 5.5.8 Quality Auditing Institute (QAI),
- 5.5.9 TUV America Inc.

5.2 NOTE: Labels from all Organizations above (with the exception of CSA and ULC), must be accompanied by a small "c" at the eight o'clock position or Canadian Standard number to indicate the product has been certified to the Canadian Standard.,

5.3 Electrical equipment that is not certified by one of the above agencies can only be accepted if the equipment is "field" inspected and labelled by the Canadian Standards Association (CSA), QPS/Entela, Intertek Testing Services, MET Laboratories, TUV America Inc, Underwriters Laboratories of Canada under the Special Inspection Program. This inspection must take place before equipment delivery to FMF Cape Scott and a copy of verification documentation report must accompany the machine with delivery. Identify which Organization shall be used:

- 5.3.1 Canadian Standards Association (CSA),
- 5.3.2 QPS/Entela,
- 5.3.3 Intertek Testing Services,
- 5.3.4 Met Laboratories Inc. (MET),
- 5.3.5 TUV America Inc.,
- 5.3.6 Underwriters Laboratories of Canada (ULC).

6 Documentation Required:

- 6.1 Manufacturers original hard copy equipment manuals, quantity: two (2), containing:
- 6.2 Installation manual,
- 6.3 Maintenance manual,
- 6.4 Operating manual,
- 6.5 Digital Read Out manual,
- 6.6 Parts list,
- 6.7 Electrical circuit diagrams

Solicitation No. - N° de l'invitation
W355B-227611/A
Client Ref. No. - N° de réf. du client
W355B-22-7611

Amd. No. - N° de la modif.
File No. - N° du dossier
HAL-1-87030

Buyer ID - Id de l'acheteur
hal406
CCC No./N° CCC - FMS No./N° VME

7 Optional Requirement – FMF Cape Scott

7.1 Optional Requirement – To be exercised within 12 months of equipment being commissioned at FMFCS in Halifax, NS

7.1.1 One (1) Hydraulic Brake Press

7.1.2 All accessories as listed in paragraph 2.2 up to a quantity of two (2) each.

7.1.3 One (1) CSA or Equivalent Certification (If required.)

7.2 Delivery to:

Fleet Maintenance Facility Cape Scott
Building D 200, Door 13
Halifax, Nova Scotia B3K 5X5

ANNEX "B"

BASIS OF PAYMENT

Bidders must submit firm unit prices for each item listed below to be given further consideration.

Each line item for the Firm Requirement Table and each line item for the Optional Requirement Table **must** be completed. A financial bid addressing only a portion of the requirement will be declared non-responsive.

Pricing offered must be in Canadian dollars, Applicable Taxes excluded, Canadian customs duties and excise taxes included.

Pricing offered must be inclusive of all delivery costs. No further charges will be allowed.

Table 1: Firm Requirement Table:

Item	DESCRIPTION	Qty (A)	UOI	PRICE PER UNIT (B)	EXTENDED PRICE (C) C= A x B
1	Hydraulic Press Brake	1	EA	\$	\$
2	U-5 UPPER DIE, 1-1/4"	2	EA	\$	\$
3	U-5 UPPER DIE, 1-1/2"	2	EA	\$	\$
4	U-5 UPPER DIE, 2.0"	2	EA	\$	\$
5	U-5 UPPER DIE, 2-1/2"	2	EA	\$	\$
6	U-5 UPPER DIE, 3.0"	2	EA	\$	\$
7	U-5 UPPER DIE, 3-1/2"	2	EA	\$	\$
8	U-5 UPPER DIE, 4.0"	2	EA	\$	\$
9	G-6 Gooseneck, 1-1/4"	2	EA	\$	\$
10	G-6 Gooseneck, 1-1/2"	2	EA	\$	\$
11	G-6 Gooseneck, 2.0"	2	EA	\$	\$
12	G-6 Gooseneck, 2-1/2"	2	EA	\$	\$
13	G-6 Gooseneck, 3.0"	2	EA	\$	\$
14	G-6 Gooseneck, 3-1/2"	2	EA	\$	\$
15	G-6 Gooseneck, 4.0"	2	EA	\$	\$
16	G-5 Gooseneck, 1-1/4"	2	EA	\$	\$
17	G-5 Gooseneck, 1-1/2"	2	EA	\$	\$
18	G-5 Gooseneck, 2.0"	2	EA	\$	\$
19	G-5 Gooseneck, 2-1/2"	2	EA	\$	\$
20	G-5 Gooseneck, 3.0"	2	EA	\$	\$
21	G-5 Gooseneck, 3-1/2"	2	EA	\$	\$
22	G-5 Gooseneck, 4.0"	2	EA	\$	\$
23	U-7 UPPER DIE, 3.0"	2	EA	\$	\$
24	U-7 UPPER DIE, 3-1/2"	2	EA	\$	\$
25	U-7 UPPER DIE, 4.0"	2	EA	\$	\$

Solicitation No. - N° de l'invitation
W355B-227611/A
Client Ref. No. - N° de réf. du client
W355B-22-7611

Amd. No. - N° de la modif.
File No. - N° du dossier
HAL-1-87030

Buyer ID - Id de l'acheteur
hal406
CCC No./N° CCC - FMS No./N° VME

Item	DESCRIPTION	Qty (A)	UOI	PRICE PER UNIT (B)	EXTENDED PRICE (C) C= A x B
26	L-9 LOWER DIE, 1-1/4"	2	EA	\$	\$
27	L-9 LOWER DIE, 1-1/2"	2	EA	\$	\$
28	L-9 LOWER DIE, 2.0"	2	EA	\$	\$
29	L-9 LOWER DIE, 2-1/2"	2	EA	\$	\$
30	L-9 LOWER DIE, 3.0"	2	EA	\$	\$
31	L-9 LOWER DIE, 3-1/2"	2	EA	\$	\$
32	L-9 LOWER DIE, 4.0"	2	EA	\$	\$
33	L-10 LOWER DIE, 1-1/4"	2	EA	\$	\$
34	L-10 LOWER DIE, 1-1/2"	2	EA	\$	\$
35	L-10 LOWER DIE, 2.0"	2	EA	\$	\$
36	L-10 LOWER DIE, 2-1/2"	2	EA	\$	\$
37	L-10 LOWER DIE, 3.0"	2	EA	\$	\$
38	L-10 LOWER DIE, 3-1/2"	2	EA	\$	\$
39	L-10 LOWER DIE, 4.0"	2	EA	\$	\$
40	L-11 LOWER DIE, 1-1/4"	2	EA	\$	\$
41	L-11 LOWER DIE, 1-1/2"	2	EA	\$	\$
42	L-11 LOWER DIE, 2.0"	2	EA	\$	\$
43	L-11 LOWER DIE, 2-1/2"	2	EA	\$	\$
44	L-11 LOWER DIE, 3.0"	2	EA	\$	\$
45	L-11 LOWER DIE, 3-1/2"	2	EA	\$	\$
46	L-11 LOWER DIE, 4.0"	2	EA	\$	\$
47	L-12 LOWER DIE, 1-1/4"	2	EA	\$	\$
48	L-12 LOWER DIE, 1-1/2"	2	EA	\$	\$
49	L-12 LOWER DIE, 2.0"	2	EA	\$	\$
50	L-12 LOWER DIE, 2-1/2"	2	EA	\$	\$
51	L-12 LOWER DIE, 3.0"	2	EA	\$	\$
52	L-12 LOWER DIE, 3-1/2"	2	EA	\$	\$
53	L-12 LOWER DIE, 4.0"	2	EA	\$	\$
54	L-15 LOWER DIE, 3.0"	2	EA	\$	\$
55	L-15 LOWER DIE, 3-1/2"	2	EA	\$	\$
56	L-15 LOWER DIE, 4.0"	2	EA	\$	\$
57	3 WAY LOWER DIE, 3.25"x31"	1	EA	\$	\$
58	STD UPPER DIE, 31"	1	EA	\$	\$
59	STD LOWER DIE, 31"	1	EA	\$	\$
60	STORAGE SHELF	1	EA	\$	\$
61	CSA or Equivalent Certification (If required)	1	EA	\$	\$
TOTAL					\$

Solicitation No. - N° de l'invitation
W355B-227611/A
Client Ref. No. - N° de réf. du client
W355B-22-7611

Amd. No. - N° de la modif.
File No. - N° du dossier
HAL-1-87030

Buyer ID - Id de l'acheteur
hal406
CCC No./N° CCC - FMS No./N° VME

Table 2: Optional Requirement Table

Item	DESCRIPTION	Qty (A)	UOI	PRICE PER UNIT (B)	EXTENDED PRICE (C) C= A x B
1	Hydraulic Press Brake	1	EA	\$	\$
2	U-5 UPPER DIE, 1-1/4"	2	EA	\$	\$
3	U-5 UPPER DIE, 1-1/2"	2	EA	\$	\$
4	U-5 UPPER DIE, 2.0"	2	EA	\$	\$
5	U-5 UPPER DIE, 2-1/2"	2	EA	\$	\$
6	U-5 UPPER DIE, 3.0"	2	EA	\$	\$
7	U-5 UPPER DIE, 3-1/2"	2	EA	\$	\$
8	U-5 UPPER DIE, 4.0"	2	EA	\$	\$
9	G-6 Gooseneck, 1-1/4"	2	EA	\$	\$
10	G-6 Gooseneck, 1-1/2"	2	EA	\$	\$
11	G-6 Gooseneck, 2.0"	2	EA	\$	\$
12	G-6 Gooseneck, 2-1/2"	2	EA	\$	\$
13	G-6 Gooseneck, 3.0"	2	EA	\$	\$
14	G-6 Gooseneck, 3-1/2"	2	EA	\$	\$
15	G-6 Gooseneck, 4.0"	2	EA	\$	\$
16	G-5 Gooseneck, 1-1/4"	2	EA	\$	\$
17	G-5 Gooseneck, 1-1/2"	2	EA	\$	\$
18	G-5 Gooseneck, 2.0"	2	EA	\$	\$
19	G-5 Gooseneck, 2-1/2"	2	EA	\$	\$
20	G-5 Gooseneck, 3.0"	2	EA	\$	\$
21	G-5 Gooseneck, 3-1/2"	2	EA	\$	\$
22	G-5 Gooseneck, 4.0"	2	EA	\$	\$
23	U-7 UPPER DIE, 3.0"	2	EA	\$	\$
24	U-7 UPPER DIE, 3-1/2"	2	EA	\$	\$
25	U-7 UPPER DIE, 4.0"	2	EA	\$	\$
26	L-9 LOWER DIE, 1-1/4"	2	EA	\$	\$
27	L-9 LOWER DIE, 1-1/2"	2	EA	\$	\$
28	L-9 LOWER DIE, 2.0"	2	EA	\$	\$
29	L-9 LOWER DIE, 2-1/2"	2	EA	\$	\$
30	L-9 LOWER DIE, 3.0"	2	EA	\$	\$
31	L-9 LOWER DIE, 3-1/2"	2	EA	\$	\$
32	L-9 LOWER DIE, 4.0"	2	EA	\$	\$
33	L-10 LOWER DIE, 1-1/4"	2	EA	\$	\$
34	L-10 LOWER DIE, 1-1/2"	2	EA	\$	\$
35	L-10 LOWER DIE, 2.0"	2	EA	\$	\$
36	L-10 LOWER DIE, 2-1/2"	2	EA	\$	\$
37	L-10 LOWER DIE, 3.0"	2	EA	\$	\$

Solicitation No. - N° de l'invitation
W355B-227611/A
Client Ref. No. - N° de réf. du client
W355B-22-7611

Amd. No. - N° de la modif.
File No. - N° du dossier
HAL-1-87030

Buyer ID - Id de l'acheteur
hal406
CCC No./N° CCC - FMS No./N° VME

Item	DESCRIPTION	Qty (A)	UOI	PRICE PER UNIT (B)	EXTENDED PRICE (C) C= A x B
38	L-10 LOWER DIE, 3-1/2"	2	EA	\$	\$
39	L-10 LOWER DIE, 4.0"	2	EA	\$	\$
40	L-11 LOWER DIE, 1-1/4"	2	EA	\$	\$
41	L-11 LOWER DIE, 1-1/2"	2	EA	\$	\$
42	L-11 LOWER DIE, 2.0"	2	EA	\$	\$
43	L-11 LOWER DIE, 2-1/2"	2	EA	\$	\$
44	L-11 LOWER DIE, 3.0"	2	EA	\$	\$
45	L-11 LOWER DIE, 3-1/2"	2	EA	\$	\$
46	L-11 LOWER DIE, 4.0"	2	EA	\$	\$
47	L-12 LOWER DIE, 1-1/4"	2	EA	\$	\$
48	L-12 LOWER DIE, 1-1/2"	2	EA	\$	\$
49	L-12 LOWER DIE, 2.0"	2	EA	\$	\$
50	L-12 LOWER DIE, 2-1/2"	2	EA	\$	\$
51	L-12 LOWER DIE, 3.0"	2	EA	\$	\$
52	L-12 LOWER DIE, 3-1/2"	2	EA	\$	\$
53	L-12 LOWER DIE, 4.0"	2	EA	\$	\$
54	L-15 LOWER DIE, 3.0"	2	EA	\$	\$
55	L-15 LOWER DIE, 3-1/2"	2	EA	\$	\$
56	L-15 LOWER DIE, 4.0"	2	EA	\$	\$
57	3 WAY LOWER DIE, 3.25"x31"	1	EA	\$	\$
58	STD UPPER DIE, 31"	1	EA	\$	\$
59	STD LOWER DIE, 31"	1	EA	\$	\$
60	STORAGE SHELF	1	EA	\$	\$
61	CSA or Equivalent Certification (If required)	1	EA	\$	\$
TOTAL					\$

Table 3 : Evaluated Total

Description	Total
Table 1 Total	\$
Table 2 Total	\$
Total (Table 1+2) (GST/HST extra)	\$

Solicitation No. - N° de l'invitation
W355B-227611/A
Client Ref. No. - N° de réf. du client
W355B-22-7611

Amd. No. - N° de la modif.
File No. - N° du dossier
HAL-1-87030

Buyer ID - Id de l'acheteur
hal406
CCC No./N° CCC - FMS No./N° VME

ANNEX "C"

SECURITY REQUIREMENTS CHECK LIST

SECURITY REQUIREMENTS CHECK LIST (SRCL)

LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)

PART A - CONTRACT INFORMATION / PARTIE A - INFORMATION CONTRACTUELLE

1. Originating Government Department or Organization / Ministère ou organisme gouvernemental d'origine		2. Branch or Directorate / Direction générale ou Direction	
DND		Fleet Maintenance Facility Cape Scott	
3. a) Subcontract Number / Numéro du contrat de sous-traitance		3. b) Name and Address of Subcontractor / Nom et adresse du sous-traitant	
4. Brief Description of Work / Brève description du travail The Department of Defence (DND) has a requirement for the Supply of One (1) Hydraulic Press Brake that will be used within Fleet Maintenance Facility Cape Scott (FMFCS).			
5. a) Will the supplier require access to Controlled Goods? Le fournisseur aura-t-il accès à des marchandises contrôlées?		<input checked="" type="checkbox"/> No Non	
5. b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control Regulations? Le fournisseur aura-t-il accès à des données techniques militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques?		<input checked="" type="checkbox"/> No Non	
6. Indicate the type of access required / Indiquer le type d'accès requis			
6. a) Will the supplier and its employees require access to PROTECTED and/or CLASSIFIED information or assets? Le fournisseur ainsi que les employés auront-ils accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS? (Specify the level of access using the chart in Question 7. c) (Préciser le niveau d'accès en utilisant le tableau qui se trouve à la question 7. c)		<input checked="" type="checkbox"/> No Non	
6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted. Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS n'est pas autorisé.		<input type="checkbox"/> No Non	
6. c) Is this a commercial courier or delivery requirement with no overnight storage? S'agit-il d'un contrat de messagerie ou de livraison commerciale sans entreposage de nuit?		<input checked="" type="checkbox"/> No Non	
7. a) Indicate the type of information that the supplier will be required to access / Indiquer le type d'information auquel le fournisseur devra avoir accès			
Canada <input type="checkbox"/>		NATO / OTAN <input type="checkbox"/>	
		Foreign / Étranger <input type="checkbox"/>	
7. b) Release restrictions / Restrictions relatives à la diffusion			
No release restrictions Aucune restriction relative à la diffusion		All NATO countries Tous les pays de l'OTAN	
Not releasable À ne pas diffuser			
Restricted to: / Limité à : Specify country(ies): / Préciser le(s) pays :		Restricted to: / Limité à : Specify country(ies): / Préciser le(s) pays :	
7. c) Level of information / Niveau d'information			
PROTECTED A PROTÉGÉ A		NATO UNCLASSIFIED NATO NON CLASSIFIÉ	
PROTECTED B PROTÉGÉ B		NATO RESTRICTED NATO DIFFUSION RESTREINTE	
PROTECTED C PROTÉGÉ C		NATO CONFIDENTIAL NATO CONFIDENTIEL	
CONFIDENTIAL CONFIDENTIEL		NATO SECRET NATO SECRET	
SECRET SECRET		COSMIC TOP SECRET COSMIC TRÈS SECRET	
TOP SECRET TRÈS SECRET			
TOP SECRET (SIGINT) TRÈS SECRET (SIGINT)			
		PROTECTED A PROTÉGÉ A	
		PROTECTED B PROTÉGÉ B	
		PROTECTED C PROTÉGÉ C	
		CONFIDENTIAL CONFIDENTIEL	
		SECRET SECRET	
		TOP SECRET TRÈS SECRET	
		TOP SECRET (SIGINT) TRÈS SECRET (SIGINT)	



PART A (continued) / PARTIE A (suite)

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS? ☒ No / Non ☐ Yes / Oui

If Yes, indicate the level of sensitivity:

Dans l'affirmative, indiquer le niveau de sensibilité :

9. Will the supplier require access to extremely sensitive INFOSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate? ☒ No / Non ☐ Yes / Oui

Short Title(s) of material / Titre(s) abrégé(s) du matériel :

Document Number / Numéro du document :

PART B - PERSONNEL (SUPPLIER) / PARTIE B - PERSONNEL (FOURNISSEUR)

10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis

☒

RELIABILITY STATUS
COTE DE FIABILITÉ

☐

CONFIDENTIAL
CONFIDENTIEL

☐

SECRET
SECRET

☐

TOP SECRET
TRÈS SECRET

☐

TOP SECRET- SIGINT
TRÈS SECRET - SIGINT

☐

NATO CONFIDENTIAL
NATO CONFIDENTIEL

☐

NATO SECRET
NATO SECRET

☐

COSMIC TOP SECRET
COSMIC TRÈS SECRET

☐

SITE ACCESS
ACCÈS AUX EMPLACEMENTS

Special comments:

Commentaires spéciaux : _____

NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided.

REMARQUE : Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être fourni.

10. b) May unscreened personnel be used for portions of the work?
Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail? ☒ No / Non ☐ Yes / Oui

If Yes, will unscreened personnel be escorted?

Dans l'affirmative, le personnel en question sera-t-il escorté?

☐ No / Non ☐ Yes / Oui

PART C - SAFEGUARDS (SUPPLIER) / PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)

INFORMATION / ASSETS / RENSEIGNEMENTS / BIENS

11. a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or premises?
Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS? ☒ No / Non ☐ Yes / Oui

11. b) Will the supplier be required to safeguard COMSEC information or assets?
Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC? ☒ No / Non ☐ Yes / Oui

PRODUCTION

11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises?
Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ? ☒ No / Non ☐ Yes / Oui

INFORMATION TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)

11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED information or data?
Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS? ☒ No / Non ☐ Yes / Oui

11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency?
Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale? ☒ No / Non ☐ Yes / Oui



PART C - (continued) / PARTIE C - (suite)

For users completing the form **manually** use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.

Les utilisateurs qui remplissent le formulaire **manuellement** doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form **online** (via the Internet), the summary chart is automatically populated by your responses to previous questions.

Dans le cas des utilisateurs qui remplissent le formulaire **en ligne** (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

Category Catégorie	PROTECTED PROTÉGÉ			CLASSIFIED CLASSIFIÉ			NATO				COMSEC					
	A	B	C	CONFIDENTIAL	SECRET	TOP SECRET	NATO RESTRICTED	NATO CONFIDENTIAL	NATO SECRET	COSMIC TOP SECRET	PROTECTED PROTÉGÉ			CONFIDENTIAL	SECRET	TOP SECRET
				CONFIDENTIEL		TRÈS SECRET	NATO DIFFUSION RESTREINTE	NATO CONFIDENTIEL		COSMIC COSMIC TRÈS SECRET	A	B	C	CONFIDENTIEL		TRES SECRET
Information / Assets Renseignements / Biens Production	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
IT Media / Support TI	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
IT Link / Lien électronique	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED?

La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE?

☒ No
Non

☐ Yes
Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification".

Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.

12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED?

La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE?

☒ No
Non

☐ Yes
Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments).

Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquer qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).

ANNEX "D"

MANDATORY TECHNICAL REQUIREMENTS – CROSS REFERENCE

THIS FORM MUST BE COMPLETED AND SUBMITTED WITH YOUR BID.

Instructions:

Bidder must address each Mandatory Technical Criteria listed below.

Bidder should include one (1) copy of literature, descriptive documentation or brochure; if available, for the item(s) offered in sufficient detail to clearly indicate compliance with each of the individual requirements from the Statement of Requirement. References to Internet websites or information that is not included in the bid will not be evaluated.

Bidder should comment /cross reference the page number and highlight where in the literature, descriptive documentation or brochure the proposed good meets each and every one of the Mandatory Technical specifications stated below.

It will be advantageous to furnish as much detail as possible to support your claims of compliance for each of the Mandatory Technical Criteria listed below.

NOTE: The Crown is under NO obligation to seek clarification of the bid(s) or the supporting technical documentation provided. Failure to meet any of the following Mandatory Technical Criteria listed below will render your proposal non-compliant and will be given no further consideration.

NO.	SPECIFICATIONS	PAGE NUMBER OR CROSS REFERENCE	COMMENT(S)
2.1	Hydraulic Press Brake:		
2.1.1	Type...Industrial Floor Mount Model		
2.1.2	Frame material...heavy steel plate,		
2.1.3	Press Brake bending width range... 30 to 32 inches (in.),		
2.1.4	Capable of bending 1/4" mild steel		
2.1.5	Produce a minimum of 42 tons pressure		
2.1.6	Fitted with 18"-20" manual back gauge		
2.1.7	Fitted with digital readouts for back gauge and down position		
2.1.8	Fitted with a universal tool holder		
2.1.9	Fitted with foot pedal for hands free operation		
2.1.10	Stroke length minimum 2"		
2.1.11	Table length 30-32 inches		
2.1.12	Minimum approach speed .8" / sec		

Solicitation No. - N° de l'invitation
W355B-227611/A
Client Ref. No. - N° de réf. du client
W355B-22-7611

Amd. No. - N° de la modif.
File No. - N° du dossier
HAL-1-87030

Buyer ID - Id de l'acheteur
hal406
CCC No./N° CCC - FMS No./N° VME

NO.	SPECIFICATIONS	PAGE NUMBER OR CROSS REFERENCE	COMMENT(S)
2.1.13	Minimum bending speed .3" / sec		
2.1.14	Distance from table to ram 8 to 9 inches		
2.1.15	European Tool configuration		
2.2.13	Storage Shelf		
2.2.13.1	Sheet Metal heavy duty construction		
2.2.13.2	Powder coat finish		
2.2.13.3	Open style		
2.2.13.4	Minimum 36"W x 18"D x 72"H		
2.2.13.5	Minimum 3000lbs capacity		
2.2.13.6	Minimum 5 shelves		
3	Electrical Requirement		
4	Electrical Certification		

Solicitation No. - N° de l'invitation
W355B-227611/A
Client Ref. No. - N° de réf. du client
W355B-22-7611

Amd. No. - N° de la modif.
File No. - N° du dossier
HAL-1-87030

Buyer ID - Id de l'acheteur
hal406
CCC No./N° CCC - FMS No./N° VME

ANNEX “E” to PART 3 OF THE BID SOLICITATION

ELECTRONIC PAYMENT INSTRUMENTS

As indicated in Part 3, clause 3.1.2, the Bidder must identify which electronic payment instruments they are willing to accept for payment of invoices.

The Bidder accepts any of the following Electronic Payment Instrument(s):

- ☐ () VISA Acquisition Card;
- ☐ () MasterCard Acquisition Card;
- ☐ () Direct Deposit (Domestic and International);
- ☐ () Electronic Data Interchange (EDI);
- ☐ () Wire Transfer (International Only);
- ☐ () Large Value Transfer System (LVTS) (Over \$25M)

Solicitation No. - N° de l'invitation
W355B-227611/A
Client Ref. No. - N° de réf. du client
W355B-22-7611

Amd. No. - N° de la modif.
File No. - N° du dossier
HAL-1-87030

Buyer ID - Id de l'acheteur
hal406
CCC No./N° CCC - FMS No./N° VME

ANNEX "F"

INTEGRITY PROVISIONS – LIST OF DIRECTORS

Complete Legal Name of Supplier: _____

Supplier Address: _____

Supplier PBN: _____

Please provide list of names of the following entities, according to the ownership nature of the company

1. For a Corporation - each current member of the Bidder's Board of Directors;

2. For a Partnership, General Partnership or Limited Partnership - the names of all current partners;

3. For a Sole Proprietorship or an individual doing business under a firm name - the name of the sole proprietor or individual;

4. In the case of a joint venture - For a Joint Venture - the names of all current members of the Joint venture;

5. For an individual - the full name of the person
