



E201 Keynotes (SHOWN AS ◊)	
Number	Description
1	ROOF SCUPPER AREA SNOW MELTING CABLE SYSTEM COMPLETE WITH MINUS TWO DEGREES CELSIUS SNOW SENSOR; THERMOSTAT CONTROLLER AND CONTROL UNIT TO SWITCH SYSTEM ON EXACT LOCATION AND MOUNTING ARRANGEMENT OF SNOW SENSOR SHALL BE DETERMINED ON SITE PRIOR TO ROUGHING-IN. THE HEATING CABLES SHALL BE MINERAL INSULATED COMPLETE WITH PVS JACKET SUITABLE FOR UV PROTECTION, PROVIDE 30mA GFI PROTECTION.
2	SCUPPER AREA 120V-1P SNOW MELTING CONTROLLER COMPLETE WITH 30mA GFI PROTECTION HEATER TIMER AND SYSTEM TEST.
3	CANOPY ROOF DRAIN AND DOWN SPOUT HEAT TRACING CABLE. PROVIDE SELF REGULATED HEAT TRACING CABLE COMPLETE WITH ALL REQUIRED CONTROL KIT AND ACCESSORIES. EXACT CABLE LENGTH AND INSTALLATION METHODS SHALL BE DETERMINED ON SITE PRIOR TO ROUGHING-IN. PROVIDE 30mA GFI PROTECTION.

1 LIVING QUARTERS ROOF LAYOUT
E201 1:75

No.	Revision Description	Date
2	ISSUED FOR ADDENDUM E-01	2021-10-12
1	ISSUED FOR TENDER	2021-07-26

Do not scale drawings. Verify all dimensions and conditions on site and immediately notify the Departmental Representative of all discrepancies.

project title
titre du projet
PORT WELLER SEARCH AND RESCUE STATION

ONTARIO DEPARTMENT OF FISHERIES AND OCEANS
SEARCH & RESCUE STATION ST. CATHARINES PARTIAL DEMOLITION, ADDITION AND RESTORATION
ST. CATHARINES ONTARIO

drawing title
titre du dessin
ROOF - POWER LAYOUT

drawn by
dessiné par
Author

designed by
conçu par
Checker

approved by
approuvé par
Approver

bid offer
offre
KG project manager
administrateur de projets

project date
date du projet
2021-07-26

project no.
no. du projet
R.079827.001

drawing no.
dessiné no.
E201