


FEEDER SCHEDULE	
A	4#250MCM Cu + BOND - TECK90
B	3#12 + 1#12 RW90 IN 21mmØ EXISTING CONDUIT
C	3#12 + BOND DRIVE RX VFD CABLE 1000V


LEGEND		
ITEM	SYMBOL	REMARKS
MOTOR EQUIPMENT		
DISCONNECT SWITCH		
VARIABLE FREQUENCY DRIVE		
REACTOR		
LIGHT LINE		EXISTING TO REMAIN
DARK LINE		NEW



12 Aviation Boulevard St. Andrews MB R1A 3N5 Canada T: 204-334-8846 www.dghengineering.com



SEAL



Revision	Description	Date
5		
4		
3		
2		
1		
0	ISSUED FOR TENDER	2021-08-20

Client: client

PUBLIC WORKS & GOVERNMENT SERVICES

269 MAIN STREET SUITE 310 WINNIPEG, MB. R3C 1B3

Project title: **MORDEN, MB. R6M 1Y5 101 RTE 100 #100 MORDEN RESEARCH & DEVELOPMENT CENTRE AAFC MRDC: CHILLER & BOILER UPGRADE (CHILLER SCOPE ONLY)**

Designed by: **KAS** Conçu par

Drawn by: **RTD** Dessiné par

Approved by: **JKN** Approuvé par

IPWSSC Project Manager: **OWEN VAN WALLEGHEM** Administrateur de Projets IPSGC

Drawing title: **ELECTRICAL SINGLE LINE DISTRIBUTION DIAGRAM** Titre du dessin

Project no./No. du projet	Drawing no./No. du dessin	Revision no.
R.111908	E102	00

1 SINGLE LINE DISTRIBUTION DIAGRAM - PARTIAL
E102