

THE PURPOSE OF THE FOLLOWING ADDENDUM IS TO MODIFY, COMPLETE OR ADD INFORMATION TO THE ARCHITECTURAL PLANS AND SPECIFICATIONS. This Addendum is an integral part of the Bid Documents of the project mentioned above.

The following information replaces the Bid Documents submitted in October 27 2021.

This Addendum is an integral part of the Bid Documents, and shall be interpreted in terms of and coordinated with said Bid Documents. All related costs resulting from this Addendum must be incorporated in the Contract Price. The following information replaces information contained in the Bid Drawings and Specifications as indicated. Bidders must acknowledge receipt of this Addendum by indicating the Addendum number and date in their Bid; lack of said indication may result in Bid rejection.

**1. ADDENDUM A1**

1. This Addendum includes:
  1. 1 x 8½ x 11” sheet – Addendum description

**2. MODIFICATIONS OF SPECIFICATION**

1. Section 08 80 50 - Glazing
  1. Replace the article 1.7 as per the following:

**1.7 GUARANTEE**

1. Provide a written document, signed and issued on behalf of the Government of Canada, stipulating that the insulating glass panels are guaranteed against any loss of airtightness of the enclosed air space and that all the products prescribed in this section are guaranteed against any defect that could affect vision for a period of five (5) years from the date of signing of the Final Acceptance Certificate.
2. Provide a written document, signed and issued on behalf of the Government of Canada, stipulating that the glass-clad polycarbonate units are guaranteed against delamination caused by solely by defective materials and/or workmanship for a period of one (1) year from the date of signing of the Final Acceptance Certificate.

**END OF SECTION**