

Part 1 General

1.1 ADDENDUM FORM

- .1 This Addendum forms part of the Contract Documents and modifies the Bidding Documents with amendments and additions noted below.

No.	Drawing Title	Issue Date
SKA-8	Partial North Elevation	Nov 17, 2021

1.2 CHANGES TO THE PROJECT MANUAL

- .1 SECTION 07 52 00
- .1 **Revise** 2.2.1 as follows:
- .1 Fiber Reinforced Gypsum Panel: to ASTM C1278, fiberglass reinforced, thickness as indicated.
- .2 SECTION 09 67 23
- .1 **Revise** 2.2.2 as follows:
- .2 Cove cap strips: zinc.

1.3 CHANGES TO DRAWINGS

- .1 DRAWING C01.1
- .1 Allow for asphalt removal/installation and excavation/backfill min 1200 from face of gradebeam/foundation wall to accommodate concrete foundation wall brick support installations to extent indicated in S01.1 and as detailed in 104/S02.1.
- .2 Demolish two (2) existing 150mm bollards at south west corner (at gridline Z and 13). Provide two (2) new 200mm bollards with covers.
- .3 **Revise** diameter of new bollards noted from 250mm to 200mm.
- .2 DRAWING C02.1
- .1 Refer to detail #2:
- .1 **Revise** bollard diameter from 250mm to 200mm.
- .3 DRAWING A00.1
- .1 **Revise** the P7 heading in the interior partition types schedule to:
- .1 **P7 & P4D – STUD FURRING**
- .4 DRAWING A2.2
- .1 **Clarification:** Interior of south exterior wall within toilet stalls and room of FL-039 to be furred with partition type P6.

.5 DRAWING A04.1 & SKA-8 (attached):

- .1 Refer to the attached SKA-8 clarifying partial elevation of building façade between gridlines 10 and 1 (beyond) relating to North Elevation 1/A04.1.

END OF ADDENDUM NUMBER NO. 02 OF AMD 005