



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des
soumissions/Travaux publics et Services
gouvernementaux Canada

See herein for bid submission
instructions/

Voir la présente pour les
instructions sur la présentation
d'une soumission

NA

Ontario

REQUEST FOR PROPOSAL DEMANDE DE PROPOSITION

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right
of Canada, in accordance with the terms and conditions
set out herein, referred to herein or attached hereto, the
goods, services, and construction listed herein and on any
attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la
Reine du chef du Canada, aux conditions énoncées ou
incluses par référence dans la présente et aux annexes
ci-jointes, les biens, services et construction énumérés
ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du

fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Public Works and Government Services Canada
Ontario Region
10th Floor, 4900 Yonge Street
Toronto
Ontario
M2N 6A6

Title - Sujet Furniture	
Solicitation No. - N° de l'invitation EQ754-221493/A	Date 2021-11-30
Client Reference No. - N° de référence du client EQ754-22-1493	
GETS Reference No. - N° de référence de SEAG PW-\$TOR-302-8123	
File No. - N° de dossier TOR-1-44084 (302)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Eastern Standard Time EST on - le 2021-12-15 Heure Normale du l'Est HNE	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Berends, Robert	Buyer Id - Id de l'acheteur tor302
Telephone No. - N° de téléphone (647) 308-5031 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: CFIA 1124 Finch Ave. West Toronto, ON M3J 2E2	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée See Herein – Voir ci-inclus	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date



Public Works and
Government Services
Canada

Travaux publics et
Services gouvernementaux
Canada

RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

See Section 1.

Voir Section 1.

STANDARD REQUEST FOR BID

INVITATION À SOUMISSIONNER - STANDARD

The Bidder offers to provide to Canada the goods, services or both listed in the bid solicitation in accordance with the conditions set out in the bid solicitation and the prices set out in the bid.

This bid solicitation is issued in accordance with the conditions of the Supply Arrangement E60PQ-140003/PQ.

Le soumissionnaire offre de fournir au Canada les biens, services ou les deux énumérés dans la demande de soumissions aux conditions prévues dans la demande de soumissions et aux prix indiqués dans la soumission.

Cette demande de soumissions est émise conformément aux conditions de l'arrangement en matière d'approvisionnement E60PQ-140003/PQ.

Solicitation No. - N° de la
demande

Supplier SA No. - N° de l'AMA de
fournisseur :
E60PQ-140003/____

Amendment No. - N° de
modification



Section 1 – Invitation and Instructions to Bidders
Section 2 – Resulting Contract including a list of required goods and services

No of Page/

N° de page _____

Date of Solicitation – Date de la demande

Address inquiries to – Adresser toute demande de renseignement à :

See Section 2, Article 4.1.

Voir Section 2, Article 4.1

Destination

See Section 2, Annex A.

Voir Section 2, Annexe A.

Instructions:

Municipal taxes are not applicable.

Unless otherwise specified in the bid solicitation, all prices quoted must be net prices in Canadian funds including Canadian customs duties, excise taxes, must be FOB, including all delivery charges to destination(s) as indicated. The amount for Applicable Taxes is to be shown as a separate item.

Instructions:

Les taxes municipales ne s'appliquent pas.

Sauf indication contraire dans la demande de soumissions, tous les prix indiqués doivent être des prix nets, en dollars canadiens, comprenant les droits de douane canadiens, la taxe d'accise et doivent être FAB, y compris tous frais de livraison à la (aux) destination(s) indiqué(s). Le montant des taxes applicables doit apparaître séparément.

Supplier Name and Address – Nom et adresse du fournisseur

Telephone No. - N° de téléphone

Facsimile No. - N° de télécopieur

Name and title of person authorized to sign on behalf of supplier
(type or print)

Nom et titre de la personne autorisée à signer au nom du fournisseur
(caractère d'impression)

Signature : _____ Date : _____

SECTION 1 – INVITATION AND INSTRUCTIONS TO BIDDERS

Step 1. For Tier 2 and Tier 3 only (If Tier 1, skip this step and proceed with step 2)

Step 2. ☒ Competitive or ☐ Non-Competitive

For competitive Requirements when only one bid is received:

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

For Competitive Requirements when only one bid is received:

The Bidder must provide the following information AFTER bid closing, if requested to do so by Canada:

- One or more of the following price justifications:
 1. a current published price list indicating the percentage discount available to Canada; or
 2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
 3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
 4. any other supporting documentation as requested by Canada.

For Non-Competitive Requirements:

The Bidder must provide the following information WITH the bid:

- One or more of the following price justifications:
 1. a current published price list indicating the percentage discount available to Canada; or
 2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
 3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
 4. any other supporting documentation as requested by Canada.

Step 3. ☒ General or ☐ Procurement Strategy for Indigenous Business (PSIB)

Terms of the RFB:

This RFB is issued pursuant to the Supplier's Furniture for Workspaces Supply Arrangement (SA) that forms part of the series of SAs issued by PWGSC with the number E60PQ-140003/PQ. The terms and conditions in the Supplier's SA apply to and form part of this RFB. Bidders who submit a bid agree to be bound by those terms and conditions as well as the terms and conditions in this RFB.

The WTCM is the Workspaces Terms and Conditions Manual that contains all terms and conditions in full text that form part of individual RFBs under this SA.

Bid Evaluation

RFB Issued by:	
Identified User's (IU) Department/Agency/Crown Corporation: Contact for this RFB:	See Section 2, article 4.1 below.
RFB Closing - Submit Bid: Bids must be submitted on the date and at the time indicated below.	
By no later than date and time:	a. December 15, 2021 b. 14:00 EST
Additional Bid Submission option epost Connect service:	<p>Submission of Bids – Epost only</p> <p>Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the RFSO.</p> <p>TPSGC.orreceptiondessoumissions- orbidreceiving.PWGSC@tpsgc-pwgsc.gc.ca (<i>email address for epost Connect service</i>)</p> <p>Note: Bids will not be accepted if emailed directly to this email address. This email address is to be used to open an epost Connect conversation, as detailed in Standard Instruction 2006, or to send offers through an epost Connect message if the bidder is using its own licensing agreement for epost Connect.</p> <p>It is the Bidder's responsibility to ensure the request for opening an epost Connect conversation is sent to the email address above at least six (6) days before the Request for Proposals closing date.</p>

	Due to the nature of the Request for Standing Offers, transmission of offers by facsimile to PWGSC will not be accepted.
RFB Enquiries	Robert.berends@pwgsc.gc.ca

SECTION 2 - RESULTING CONTRACT CLAUSES

1.	Terms and Conditions of the Contract The terms and conditions of Parts 6B and 6C of the Supplier's SA within the series E60PQ-140003/PQ apply to and form part of this Contract.	
2.	Security Requirement (the checked article applies)	
2.1	The applicable security requirement(s) is (are) set out in the Security Requirement Check List attached as Annex B of this contract. The Contractor must fulfill the security requirements by meeting the terms below.	
a.		Contractor may be escorted; possession of security clearance not required. Contractor personnel MAY NOT ENTER NOR PERFORM WORK ON sites where PROTECTED or CLASSIFIED information or assets are kept, without an escort provided by the department or agency for which the work is being performed.
b.		Possession of security clearance(s) is required. The Contractor must meet the security clearance requirements contained in the clausing in Annex B herein.
c.	<input checked="" type="checkbox"/>	There is no security requirement associated with this contract.
3.	Requirement	
3.1	The Contractor must perform the Work listed in Annex A herein.	
4.	Authorities	
4.1	Contracting Authority (IU) Name: Robert Berends Title: Supply Specialist Department/Agency/Crown Corporation: PSPC Address: Toronto Telephone No.: 647-308-5031 E-mail address: Robert.berends@pwgsc.gc.ca	
4.2	Project Authority [To be completed at contract award] <i>The Project Authority (PA) is the representative of the department or agency for whom the Work is being carried out under the Contract including the provision to approve the authority to proceed for delivery and installation and is responsible for all matters concerning the technical content of the Work under the Contract.</i> <i>In addition, the PA is also responsible for ensuring that the Supplier's employees and subcontractors requiring access to the site adhere to the allocated time for the Supplier to access the site to deliver and install the furniture in accordance with the master schedule held by the General Contractor (a representative of Canada or a service provider(s) under contract with the Government of Canada).</i> Name: Title: Department/Agency/Crown Corporation: Address: Telephone No.: E-mail address:	
4.3	Contractor's Representative As set out in Annex A, Table 9 below.	
5.	Method of Payment The checked box applies. If the Contractor's SA indicates acceptance for payment by credit card, that method may be used in conjunction with the following. <input checked="" type="checkbox"/> Single Payment <input type="checkbox"/> Multiple Payment	
6.	Invoicing (optional) Further to the Invoicing terms of the WTCM document, the Contractor will deliver the original and one copy of the invoice to the following address for certification and payment:	

	Name of the organization and contact: <i>[To be completed at contract award]</i>
	Address:
7.	SACC Manual Clauses
New	A3080 - COVID-19 vaccination requirement This requirement is subject to the COVID-19 Vaccination Policy for Supplier Personnel. Failure to complete and provide the COVID-19 Vaccination Requirement Certification as part of the bid will render the bid non-responsive.
Supplemental General Conditions: <i>please refer to the WTCM for the full text.</i>	
*New	ID 4013 - Compliance with on-site measures, standing orders, policies, and rules apply to and form part of the Contract.
*New	ID 4014 - Suspension of the work apply to and form part of the Contract.

ANNEX A
REQUIREMENT and BASIS OF PAYMENT

1. Category Selection

Combined Categories Rule:

For reasons of compatibility, the following categories will be combined for evaluation and contract award purposes:

The rule only applies to the categories below that are checked. The unchecked categories will be evaluated separately and may be awarded to multiple suppliers;

☒ **Category 1**

☒ **Category 2**

☒ **Category 5**

*** Exception: when using the Cat 1, 2, 5 combined categories rule, IU's may calculate the percentage of NSA product allowed (as defined in their solicitation document) against the total quantity of the combined categories.**

Design Upgrade Rule:

The IU may exercise an option to upgrade products up to 20% of each Category product total before Applicable Taxes after contract award.

The Design Upgrade amount is used at the discretion of the Project Authority (PA) **prior to the manufacturing/ordering of the products**, the PA will provide the Contractor with a written notice of Canada's Design Upgrade choices for each of the product(s) to be upgraded. The Contractor will provide the pricing of the upgraded product(s) to a maximum of 20% of each Category Contract Price of Table 8. The Contracting Authority will issue an amendment to the contract with the Design Upgrades and pricing.

The Supplier certifies that all the Design Upgraded products offered will conform to all specifications and meet the testing requirements detailed in the Specifications of the Supply Arrangement.

Design Upgrade: is the process of replacing a product with a more innovative or enhanced version of the same product.

NSA:

NSA products can be incorporated in the RFB and must not exceed 30% of the firm quantity by category. NSA items must be added to the category that is most closely related and must be generic.

The requirement includes the following categories of work

a. Category 1 – Interconnecting Panels and Freestanding Systems

☒ Category 1a – Interconnecting Panels (Refer to Annex C)

☒ Category 1b – Supporting components and freestanding furniture

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when the metal storage products will be part of a requirement for a workstation(s)/work point(s). If this rule does not apply, Category 3 must be used for the metal storage products forming part of this category.

b. ☒ Category 2 – Freestanding Height Adjustable Desk / Table Products

c. ☒ Category 3 – Metal Filing and Storage Cabinets

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable as per 6B. 4.1 of the SA (table 1 Additional product details)

d. ☐ Category 4 – Wood Veneer – Freestanding Products

e. ☒ Category 5 – Ancillary and Lighting Products

f. ☒ Category 6 - Support Space – Collaborative Furniture

RULE: Category 6 can be further subdivided by space or like product in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like products are defined as products with similar design and construction. If NSA products form part of the requirement, the IU must validate the 30% NSA prior to subdividing the category. NSA products can be added to any subdivide or in its own subdivide.

The IU must identify how Category 6 will be subdivided in the Product Table for Category 6.

g. ☒ NSA Product(s) – Categories: 1b, 6(Group 1)

2. Product and Pricing Tables

Site Inspection Date: To be coordinated with Project Authority after contract award. (Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.)

Table 1 – Product Table

#	Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
	Category 1A						
	Refer to Annex C and Floor Plans.						\$
	Category 1B						
2	1bSPBMCAA1524XXYKXX	Filing and Storage, Pedestals Box/File, Mobile, Casters, Painted Metal, Keyed, Upholstered Cushion Seats Depth 610mm (24 inch)	41	<i>Yes or No</i>		\$	\$
3	1bCHHLX20L48XBFOSSX	Credenza, Partial Height, Laminate Right Side-Open Shelf, Left Side-Box-File Drawers 508mm (20 inch) Depth, 1219mm (48 inch) Length	12			\$	\$
4	1bCHHLX20L48XOSBFSX	Credenza, Partial Height, Laminate Right Side-Box-File Drawers, Left Side-Open Shelf 508mm (20 inch) Depth, 1219mm (48 inch) Length	12			\$	\$
5	1bFFHREN24L48WNOLNY	Free Standing Systems, Fixed Height Work Surfaces (Laminate) Rectangular, Panel Mounted 1219mm x 610mm (48 inch x 24 inch)	2			\$	\$
6	1bFFHREN24L72WNOLNY	Free Standing Systems, Fixed Height Work Surfaces (Laminate) Rectangular, Panel Mounted 1828mm x 610mm (72 inch x 24 inch)	38			\$	\$
7	1bFFHREG24L36WNOLNY	Free Standing Systems, Fixed Height Work Surfaces (Laminate) Rectangular, 2 Full Gables 914mm x 610mm (36 inch x 24 inch)	2			\$	\$

8	1bFFHREG24L72WNOLNY	Free Standing Systems, Fixed Height Work Surfaces (Laminate) Rectangular, 2 Full Gables 1828mm x 610mm (72 inch x 24 inch)	2			\$	\$
9	1bHHCLO15L72XFTXXKX	Hutches and Overheads, Hutch Closed, Surface Mount without Gables Laminate, Flip Top, Keyed 1828mm x 381mm (72 inch x 15 inch)	2			\$	\$
10	1bCPSXXNXXL30XFRNNN	Component System Accessories, Privacy Screens, Panel Mounted Acrylic/Glass Frosted 762mm (30 inch) Length	24			\$	\$
11	1bHHOLS15L30XXXXXXX	Hutches and Overheads, Hutch Open, Laminate, Surface Mount with Gables to be Fixed Atop of Two High Lateral Filing Cabinet 762mm Width x 381mm Depth (30 inch x 15 inch)	2			\$	\$
12	1bSPSCLGA242466XKXX	Filing and Storage, Personal Storage Tower, Closed Storage Levelling Glides, Painted Metal, Keyed 1676mm x 610mm x 610mm (66 inch x 24 inch x 24 inch)	2			\$	\$
Category 2							
13	2WSSREXXL24L60BELXX	Individual Height Adjustable Work Surfaces, Sit Stand, Rectangular Laminate, Electric Controls 1524mm x 610mm (60 inch x 24 inch)	6	Yes or No		\$	\$
14	2WSSREXXL30L48BELXX	Individual Height Adjustable Work Surfaces, Sit Stand, Rectangular Laminate, Electric Controls 1219mm x 762mm (48 inch x 30 inch)	2			\$	\$
15	2WSSREXXL30L54BELXX	Individual Height Adjustable Work Surfaces, Sit Stand, Rectangular Laminate, Electric Controls 1371mm x 762mm (54 inch x 30 inch)	1			\$	\$
16	2WSSREXXL30L60BELXX	Individual Height Adjustable Work Surfaces, Sit Stand,	40			\$	\$

		Rectangular Laminate, Electric Controls 1524mm x 762mm (60 inch x 30 inch)					
17	2WSSREXXL30L72BELXX	Individual Height Adjustable Work Surfaces, Sit Stand, Rectangular Laminate, Electric Controls 1828mm x 762mm (72 inch x 30 inch)	1			\$	\$
18	2B3LREXXL30L72BELFR	Modular Height Adjustable Benching, 3 Work Surface Long, Rectangular Laminate, Electric Controls, Fabric Privacy Screen 1828mm x 762mm (72 inch x 30 inch)	4			\$	\$
Category 5							
19	5TLTDSKBAACUSBXXXXX	Task Light, Desk Base, AC and USB Power	2	<i>Yes or No</i>		\$	\$
20	5PMOWKSMTACUSBXXXXX	Power Module, Work Surface Mounted, AC and USB Power	116			\$	\$
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
NSA products <i>(must not exceed 30% of the firm quantity by category)</i> The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.							
	Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NSA Product(s) Description	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$	
21	Filing and Storage, Two High Lateral Filing Cabinet, Leveling Glides, Laminate, Keyed 762mm Width x 610mm Depth (30 inch x 24 inch)	2	<i>Yes or No</i>		\$	\$	
22	Free Standing Systems, Fixed Height Work Surfaces (Laminate) Rectangular 1828mm x 610mm (72 inch x 24 inch)	1			\$	\$	
23	Free Standing Systems, Fixed Height Work Surfaces (Laminate) Rectangular 2743mm x 914mm (108 inch x 36 inch)	2			\$	\$	
	Add more rows if necessary.			Product Total		\$	

Product Category: 3

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
24	1bSPSCLGA242454XXXX	Filing and Storage, Personal Storage Tower, Closed Storage Levelling Glides, Painted Metal, Keyed 1371mm x 610mm x 610mm (54 inch x 24 inch x 24 inch)	79	Yes or No		\$	\$
25	1bSPSCLGA242466XXXX	Filing and Storage, Personal Storage Tower, Closed Storage Levelling Glides, Painted Metal, Keyed 1676mm x 610mm x 610mm (66 inch x 24 inch x 24 inch)	9			\$	\$
26	3FLT3DXXPM36D18XXXS	Locking Lateral Filing Cabinets Three (3) fixed front drawers, Keyless 457mm x 914mm (18 inch x 36 inch)	20			\$	\$
27	3FLT5DXXPM36D18XXXS	Locking Lateral Filing Cabinets Five (5) drawers-top drawer is receding, others are fixed fronts, Keyless 457mm x 914mm (18 inch x 36 inch)	11			\$	\$
28	3SOPHHXXPM36D18HIXX	Storage Cabinets, Open, Painted Metal, Five (5) Shelves 457mm x 914mm x 1676mm (18 inch x 36 inch x 66 inch)	2			\$	\$
29	3WHDHXXLM36D24HIXK	Wardrobes, 2 Doors Hinged, Leveling Glides, Laminate, Keyed 914mm Width x 610mm Depth x 1676mm Height (36 inch x 24 inch x 66 inch)	2			\$	\$

**Provide additional information:						
Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.						
NSA products <i>(must not exceed 30% of the firm quantity by category)</i>						
The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.						
Section A - IU REQUIREMENT			** Provide additional Information Yes/No	Section B – SUPPLIER’S BID		
#	NON-SA Product(s)	QTY		Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
			<i>Yes or No</i>		\$	\$
			<i>Yes or No</i>		\$	\$
<i>Add more rows if necessary.</i>				Product Total	\$	\$

Product Categories: 6

Table 1 – Product Table 6a – TABLES

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	Qty	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
Group 1						
30	6MMTMDREOL36120WYNX	Meeting and Training Room Tables, Rectangular, Post Legs-Column Laminate, Power and Data 914mm (36 inch) Depth, 3048mm (120 inch) Length	2		\$	\$
31	6MMTMSQPL30L30WNNX	Meeting and Training Room Tables, Square, Pedestal Laminate 762mm (30 inch) Depth, 762mm (30 inch) Length	4		\$	\$
32	6ZFHLXX18L48HSDSDKX	Credenza, Full Height, Laminate, Two Doors, Keyed 457mm (18 inch) Depth, 1219mm (48 inch) Length	5		\$	\$
33	6ZFHLXX20L72HSDSDKX	Credenza, Full Height, Laminate, Two Doors, Keyed 508mm (20 inch) Depth, 1828mm (72 inch) Length	2		\$	\$

34	6ZFHLXX20L48HSDSDKX	Credenza, Full Height, Laminate, Two Doors, Keyed 508mm (20 inch) Depth, 1219mm (48 inch) Length	6		\$	\$
35	6ZFHLXX18L60HSDSDKX	Credenza, Full Height, Laminate, Two Doors, Keyed 457mm (18 inch) Depth, 1524mm (60 inch) Length	3		\$	\$
36	6MMTLGREN48132WYNX	Meeting and Training Room Tables, Rectangular, Panel Support Laminate, Power and Data 1219mm (48 inch) Depth, 3352mm (132 inch) Length	1		\$	\$
37	6MMTMDREN48102WYNX	Meeting and Training Room Tables, Rectangular, Panel Support Laminate, Power and Data 1219mm (48 inch) Depth, 2590mm (102 inch) Length	4		\$	\$
38	6MMTMDREN48L72WYNX	Meeting and Training Room Tables, Rectangular, Panel Support Laminate, Power and Data 1219mm (48 inch) Depth, 1828mm (72 inch) Length	2		\$	\$
39	6MMTSMROPL54XXXWNNX	Meeting and Training Room Tables, Round, Pedestal Laminate 1371mm (54 inch) Diameter	1		\$	\$
40	6MMTSMREPL30L54WNNX	Meeting and Training Room Tables, Rectangular, Pedestal Laminate 762mm (30 inch) Depth, 1371mm (54 inch) Length	3		\$	\$
41	6MMTMDREN48L84WYNX	Meeting and Training Room Tables, Rectangular, Panel Support Laminate, Power and Data 914mm (36 inch) Depth, 2134mm (84 inch) Length	1		\$	\$
42	6MMTMDREOL30L72WYNX	Meeting and Training Room Tables, Rectangular, Post Legs-Column Laminate, Power and Data 762mm (30 inch) Depth, 1828mm (72 inch) Length	2		\$	\$
43	6MTRFTRECL30L60WYYY	Meeting and Training Room Tables, Training, Flip Top, Rectangular C-Legs, T-Legs or Y-Legs, Laminate, Power-Data, Modesty Panel Locking Casters 762mm (30 inch) Depth, 1524mm (60 inch) Length	10		\$	\$

Group 2						
44	6CCTVAROLS36XXXJNXX	Collaborative Tables, Coffee Table, Round, 4 post Legs Solid Surface, 914mm (36 inch) Diameter	1		\$	\$
45	6CCTVASQPS30L30JNXX	Collaborative Tables, Coffee Table, Square, Pedestal Solid Surface, 762mm (30 inch)	4		\$	\$
46	6CSTVAROPS18XXXJNXX	Collaborative Tables, Side Table, Round, Pedestal Solid Surface, 457mm (18 inch) Diameter	6		\$	\$
47	6CSTVAROLW24XXXJNXX	Collaborative Tables, Side Table, Round, Legs Wood Veneer, 610mm (24 inch) Diameter	1		\$	\$
48	6CSTVAROPS24XXXJNXX	Collaborative Tables, Side Table, Round, Pedestal Solid Surface, 610mm (24 inch) Diameter	6		\$	\$
49	6CNTLHREGLW8606NYXX	Collaborative Tables, Narrow Side Table, Lounge Height, Rectangular, End Gable, Laminate 457mm (18 inch) Depth, 1524mm (60 inch) Length	2		\$	\$
Group 3						
50	6CMUSHDSDL60120WYXX	Collaborative Tables, Multi Media Table with Double Monitor Mount Rectangular, D-Shape, Laminate, with Power and Data 1524mm (60 inch) Depth, 3048mm (120 inch) Length,	1		\$	\$
51	6CKIVAREWL36L84TNXX	Collaborative Tables, Kitchenette Island Table Rectangular, Waterfall Edge, Laminate 914mm (36 inch) Depth, 2133mm (84 inch) Length, 863mm to 939mm (34 to 37) Height	1		\$	\$
Group 4						
52	6SLCOAXXWUXXXXXMXXX	Soft Seating, Lounge Chairs without Armrest, 21" wide minimum Upholstered, Swivel Support	1		\$	\$

53	6SLCWAXXFUXXXXMXXX	Soft Seating, Lounge Chairs with Armrest, 27" wide minimum Upholstered, Fixed Support	12		\$	\$
Group 5						
54	6SBATWXXBUW3G19LLYN	Soft Seating, Banquette without backrest bolster, Two Seater Upholstered, Base Support, Low Back, No Armrest	7		\$	\$
55	6SBATHXXBUW5G19LLYN	Soft Seating, Banquette without backrest bolster, Three Seater Upholstered, Base Support, Low Back, No Armrest	1		\$	\$
56	6SBATWXXLUW3G19LMNN	Soft Seating, Banquette without backrest bolster, Two Seater Upholstered, Legs, Mid Back, No Armrest	9		\$	\$
57	6SBATHXXLUW5G19LMNN	Soft Seating, Banquette without backrest bolster, Three Seater Upholstered, Legs, Mid Back, No Armrest	4		\$	\$
58	6SSOTHXXLUW6XXXQNNN	Soft Seating, Sofas, Three Seater Upholstered, Legs, No Back, No Armrest	1		\$	\$
59	6SMORBXXLU25G19LYNN	Soft Seating, Modular Benching, Rectilinear Bench Upholstered, Legs, With Back	2		\$	\$
60	6SMOCBXXLU37G19LYNN	Soft Seating, Modular Benching, Curvilinear Bench Upholstered, Legs, With Back	3		\$	\$
61	6SMOCBXXLU37G19LYNN	Soft Seating, Modular Benching, Curvilinear Bench Upholstered, Legs, With Back	1		\$	\$
62	6SUSSQXXLUX8XXXLXXX	Soft Seating, Upholstered Stool without Casters, Square Upholstered, Legs	4		\$	\$
Group 6						
63	6KKCSAxxLY16XXXMOYX	Kitchenette Seating, Kitchenette Chairs, Standard Height 4 Legs, Polymer Without Armrest, Seat Cushions	20		\$	\$
64	6KKCSAxxLP16XXXMOYX	Kitchenette Seating, Kitchenette Chairs, Standard Height 4 Legs, Bent Plywood Without Armrest, Seat Cushions	7		\$	\$

65	6KBSCHxxLP15XXXPOYX	Kitchenette Seating, Bar Stools, Counter Height 4 Legs, Bent Plywood Without Armrest, Seat Cushions	3		\$	\$
Group 7						
66	6OPLWLFLXC3H46XYTA	Open Area Workspace, Individual Lounge Chair and Work Surface Free Standing, 4 Post Legs, Power and Data, Tablet Arm on Right, with Additional Privacy Screen on Left Side	1		\$	\$
				Product Total	\$	

****Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

NSA products *(must not exceed 30% of the firm quantity by category)*

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID		
#	NSA Product(s) Description	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
67	Meeting and Training Room Tables, Oval, Post Legs-Column Laminate, Power and Data 1524mm (60 inch) Depth, 3048mm (120 inch) Length	1	Yes or No		\$	\$
Add more rows if necessary.				Product Total	\$	

Table 2 - Delivery

Section A - IU REQUIREMENT	Section B – SUPPLIER’S BID
----------------------------	----------------------------

Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	DDI 80 Milner Ave. Toronto, ON M1S 3P8	March 20, 2022		_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization. <i>Add more rows if necessary.</i>				Delivery Total:	\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	CFIA	TBD		_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization. <i>Add more rows if necessary.</i>				Installation Total:	\$

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4) <i>(Applicable if Option is exercised)</i>	\$
5	Optional Delivery Total (Table 5) <i>(Applicable if Option is exercised)</i>	\$
6	Optional Installation Total (Table 6) <i>(Applicable if Option is exercised)</i>	\$
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

ANNEX B
SECURITY REQUIREMENTS

There is no security requirement associated with this contract.

ANNEX C FLOOR PLAN(S)

For Category 1a products, the Bidders must provide:

- a) Completed floor plan(s) with proposed SA approved products;
- b) A product listing of proposed SA approved products offered at floor plan(s).
As a minimum the product listing must include the following information:
 - Supplier part numbers including NSA products forming part of this category;
 - brief product descriptions;
 - quantities;
 - firm unit prices
- c) Bidders must provide a stackable panel system that consists of a Base panel with the required add-on module(s) as defined in the panel matrix of this requirement.

***** Products from categories other than Category 1a shown on floor plan are for information purposes only*****

By submitting a bid, the Bidder certifies that their submission includes all components and quantities for Category 1a, in accordance with the floor plans, panel details, panel matrices and/or workstation layouts stipulated in Annex C.

***At contract award, "By submitting a bid, the Bidder" becomes "The Contractor".**

Category 1a Requirement:

1) Floor Plan(s)

See attached pdf and/or AutoCAD floor plan

2) Panel Details

As a minimum, the IU must identify the following product information below for requirements containing panel matrices or on the Workstation Layouts:

- a. All required panel heights: Base Height, Work Surface Privacy Add-on Height, Seated Privacy Add-on Height;
- b. When power is required, the power is located below or above work surface height; should a grouping of workstation types include shared panels and one side is identified as powered and the other side is non-powered, those panels affected must be powered.
- c. Type of power feed: Base feed or Power Pole.\
- d. Component System Accessories:
 - 1. Panel mounted accessories integrated into the panel frame will be shown on the floor plan. Accessories attached to the panel separately must be specified. (Accessory rails, tackable surfaces, whiteboards,...)
 - 2. When Accessory rails are required, the accessories must be specified: a paper sorter, a tray, a bin, a telephone holder (etc.) (refer to full SA specifications for more information)

3) Panel Matrix or Workstation Layout (

a. Panel Matrix

A panel matrix is a section view of a panel with the purpose of identifying the configuration of elements and element types on each side of a panel. Below is a sample panel matrix identifying the element locations from the Category 1 CST.

As a minimum, the IU must identify each panel matrix within the requirement. Each panel matrix must identify the element types required. Each panel matrix must use the terminology from the Category 1 CST to identify the required element types (for example: air flow, fabric, plastic laminate, etc.) The below panel matrix format may be copied and used to identify all matrices required.

Each panel matrix must be identified on the floor plan so that Bidders may accurately prepare bids in response to this RFB.

Panel Matrix

<p><u>upper element 1</u></p> <p>Add-ons to achieve total height: (Worksurface privacy 42"-49") or (Seated Privacy 50"-54")</p>	<p><u>upper element 2</u></p> <p>Add-ons to achieve total height: (Worksurface privacy 42"-49") or (Seated Privacy 50"-54")</p>
<p><u>lower element 1</u></p> <p>Base Panel(28"-38")</p>	<p><u>lower element 2</u></p> <p>Base Panel(28"-38")</p>
Side 1	Side 2

b. Workstation Layout(s)

- The floor plan takes precedent over any discrepancies with the workstation layouts.
- When two or more typical workstation types share a common panel spine, the finishes of the interior side of the workstation panel as outlined in the Typical Data Sheets must be followed and **NO PANELS SHALL BE DOUBLED. Where no workstation exists adjacent to typical workstation, refer to Data Sheet for finish.**
- Should one typical workstation identify power and the other does not – power will be required for both. Include Workstation Layouts (in the form of Typical Data Sheets or 3 Dimensional drawings) here or as a separate attachment to this RFB.

ANNEX D
ADDITIONAL SPECIFICATIONS, CERTIFICATIONS

This Annex includes the additional Specifications, Certifications associated with NSA product forming part of the requirement.

1. Specifications

2. Certifications

.1 NSA Product Conformance

2.1 NSA Product Conformance *(Required precedent to Issuance of a contract)*

The Supplier certifies that all the NSA products offered will conform to all specifications indicated in Annex A and D of the RFB, and meet the testing and performance requirements found at ANNEX A-1 and A-2 of the Supply Arrangement, as applicable.

Supplier's Signature

Date

NSA Product Conformance Certification *(applies after contract award)*

The Supplier warrants that the NSA Product Conformance Certification submitted by the Supplier with its bid is accurate and complete. The Supplier must keep proper records and documentation relating to the NSA product conformance and the testing requirements in this Annex, as applicable. The Supplier must not, without obtaining the prior written consent of the SAA, dispose of any such records or documentation until the expiration of the Contract or the expiry date of the Warranty, whichever is later. All such records and documentation must at all times during the retention period be open to audit, inspection and examination by the representatives of Canada, who may make copies and take extracts.

In addition, the Supplier must provide representatives of the SAA access to all locations where any part of the Work is being performed at any time during working hours. Representatives of the SAA may examine and test the Work as they see fit. The Supplier must provide all assistance and access to facilities, test pieces, samples and documentation that the representatives of the SAA may reasonably require for the carrying out of the inspection, which may also include the submission of test reporting documentation as listed in Annex A and D. The Supplier must forward such test pieces, samples and/or documentation that may also include letters of certification from the laboratories to such person or location as the representatives of the SAA specifies.

ANNEX E
COVID-19 VACCINATION REQUIREMENT CERTIFICATION

The Contractor is to complete and submit the COVID-19 Vaccination Requirement Certification below with their bid.

COVID-19 Vaccination Requirement Certification

I, _____ (*first and last name*), as the representative of
_____ (*name of business*) pursuant to
_____ (*insert solicitation number*), warrant and certify that all personnel that
_____ (*name of business*) will provide on the resulting Contract who access
federal government workplaces where they may come into contact with public servants will be:

- (a) fully vaccinated against COVID-19 with Health Canada-approved COVID-19 vaccine(s); or
 - (b) for personnel that are unable to be vaccinated due to a certified medical contraindication, religion or other prohibited grounds of discrimination under the *Canadian Human Rights Act*, subject to accommodation and mitigation measures that have been presented to and approved by Canada;
- until such time that Canada indicates that the vaccination requirements of the COVID-19 Vaccination Policy for Supplier Personnel are no longer in effect.

I certify that all personnel provided by _____ (*name of business*) have been notified of the vaccination requirements of the Government of Canada's COVID-19 Vaccination Policy for Supplier Personnel, and that the _____ (*name of business*) has certified to their compliance with this requirement.

I certify that the information provided is true as of the date indicated below and will continue to be true for the duration of the Contract. I understand that the certifications provided to Canada are subject to verification at all times. I also understand that Canada will declare a contractor in default, if a certification is found to be untrue, whether made knowingly or unknowingly, during the bid or contract period. Canada reserves the right to ask for additional information to verify the certifications. Failure to comply with any request or requirement imposed by Canada will constitute a default under the Contract.

Signature: _____

Date: _____

Optional

For data purposes only, initial below if your business already has its own mandatory vaccination policy or requirements for employees in place. Initialing below **is not** a substitute for completing the mandatory certification above.

Initials: _____

Information you provide on this Certification Form and in accordance with the Government of Canada's COVID-19 Vaccination Policy for Supplier Personnel will be protected, used, stored and disclosed in accordance with the Privacy Act. Please note that you have a right to access and correct any information on your file, and you have a right to file a complaint with the Office of the Privacy Commissioner regarding the handling of your personal information. These rights also apply to all individuals who are deemed to be personnel for the purpose for the

Contract and who require access to federal government workplaces where they may come into contact with public servants.

Quantity	AutoCAD Block or Attribute	GoCUC CIUGdC	Category	Category	Catégorie			
			Category 1A		Category 1A			
			NOTE: POWER AND DATA BELOW THE WORK SURFACE CAN BE ACHIEVED BY INTEGRATING POWER AND DATA COMPONENTS INTO THE BASE FACE WAY ANYWHERE WITHIN THE PANEL FASCIA, PROVIDED IT IS BELOW THE WORK SURFACE.	REMARQUE: L'alimentation électrique et la transmission de données au-dessous de la surface de travail peuvent être assurées en intégrant des composants électriques et de prise de données dans la calaitation de la doison de base ou à tout endroit sur le panneau de la doison, pourvu que ce soit au-dessous de la surface de travail.				
59 A-24			Sealed Privacy Height, Non Powered Lower Element1 - Fabric Lower Element2 - Fabric Upper Element 1 - Tickable Surface Upper Element 2 - Tickable Surface	Panneau additionnel pour intimité en position assise, Non-électrifié Element inférieur 1 - Tissu Element inférieur 2 - Tissu Element supérieur 1 - Surface punaisable Element supérieur 2 - Surface punaisable				
25 A-36			Sealed Privacy Height, Non Powered Lower Element1 - Fabric Lower Element2 - Fabric Upper Element 1 - Tickable Surface Upper Element 2 - Tickable Surface	Panneau additionnel pour intimité en position assise, Non-électrifié Element inférieur 1 - Tissu Element inférieur 2 - Tissu Element supérieur 1 - Surface punaisable Element supérieur 2 - Surface punaisable				
24 B-30			Sealed Privacy Height, Powered Outlets Below the Work Surface Lower Element1 - Cut-outs for Power & Data, Fabric Upper Element 1 - Tickable Surface Upper Element 2 - Tickable Surface 762mm (30 inch) Panel	Panneau additionnel pour intimité en position assise Prise(s) électrique(s) au-dessous de la surface de travail Informatique(s), tissu Element inférieur 1 - Câblé(s) fin(e)s pour l'insertion de prise(s) électrique(s) et Informatique(s), tissu Element inférieur 2 - Tissu Element supérieur 1 - Surface punaisable Element supérieur 2 - Surface punaisable 762mm (30 pouce) Panel				
24 B-48			Sealed Privacy Height, Powered Outlets Below the Work Surface Lower Element 1 - Cut-outs for Power & Data, Fabric Upper Element 1 - Tickable Surface Upper Element 2 - Tickable Surface 1219mm (48 inch) Panel	Panneau additionnel pour intimité en position assise Prise(s) électrique(s) au-dessous de la surface de travail Informatique(s), tissu Element inférieur 1 - Câblé(s) fin(e)s pour l'insertion de prise(s) électrique(s) et Informatique(s), tissu Element inférieur 2 - Tissu Element supérieur 1 - Surface punaisable Element supérieur 2 - Surface punaisable 1219mm (48 pouce) Panel				
24 C-30			Sealed Privacy Height, Powered Outlets Below the Work Surface Lower Element 1 - Cut-outs for Power & Data, Fabric Upper Element 1 - Tickable Surface Upper Element 2 - Tickable Surface 762mm (30 inch) Panel	Panneau additionnel pour intimité en position assise Prise(s) électrique(s) au-dessous de la surface de travail Informatique(s), tissu Element inférieur 1 - Câblé(s) fin(e)s pour l'insertion de prise(s) électrique(s) et Informatique(s), tissu Element inférieur 2 - Câblé(s) fin(e)s pour l'insertion de prise(s) électrique(s) et Informatique(s), tissu Element supérieur 1 - Surface punaisable Element supérieur 2 - Surface punaisable 762mm (30 pouce) Panel				
38 C-36			Sealed Privacy Height, Powered Outlets Below the Work Surface Lower Element 1 - Cut-outs for Power & Data, Fabric Upper Element 1 - Tickable Surface Upper Element 2 - Tickable Surface 914mm (36 inch) Panel	Panneau additionnel pour intimité en position assise Prise(s) électrique(s) au-dessous de la surface de travail Informatique(s), tissu Element inférieur 1 - Câblé(s) fin(e)s pour l'insertion de prise(s) électrique(s) et Informatique(s), tissu Element inférieur 2 - Câblé(s) fin(e)s pour l'insertion de prise(s) électrique(s) et Informatique(s), tissu Element supérieur 1 - Surface punaisable Element supérieur 2 - Surface punaisable 914mm (36 pouce) Panel				
2 D-24			Work Surface Privacy Add On, Non Powered Lower Element1 - Fabric Lower Element2 - Fabric Upper Element 1 - Tickable Surface Upper Element 2 - Tickable Surface 610mm (24 inch) Panel	Panneau additionnel pour intimité à la surface de travail Non-électrifié Element inférieur 1 - Tissu Element inférieur 2 - Tissu Element supérieur 1 - Surface punaisable Element supérieur 2 - Surface punaisable 610mm (24 pouce) Panel				
2 D-36			Work Surface Privacy Add On, Non Powered Lower Element1 - Fabric Lower Element2 - Fabric Upper Element 1 - Tickable Surface Upper Element 2 - Tickable Surface 914mm (36 inch) Panel	Panneau additionnel pour intimité à la surface de travail Non-électrifié Element inférieur 1 - Tissu Element inférieur 2 - Tissu Element supérieur 1 - Surface punaisable Element supérieur 2 - Surface punaisable 914mm (36 pouce) Panel				
2 E-36			Work Surface Privacy Add On, Powered Outlets Below the Work Surface Lower Element 1 - Cut-outs for Power & Data, Fabric Upper Element 1 - Tickable Surface Upper Element 2 - Tickable Surface 914mm (36 inch) Panel	Panneau additionnel pour intimité à la surface de travail Prise(s) électrique(s) au-dessous de la surface de travail Informatique(s), tissu Element inférieur 1 - Câblé(s) fin(e)s pour l'insertion de prise(s) électrique(s) et Informatique(s), tissu Element inférieur 2 - Tissu Element supérieur 1 - Surface punaisable Element supérieur 2 - Surface punaisable 914mm (36 pouce) Panel				
2 E-48			Work Surface Privacy Add On, Powered Outlets Below the Work Surface Lower Element 1 - Cut-outs for Power & Data, Fabric Upper Element 1 - Tickable Surface Upper Element 2 - Tickable Surface 1219mm (48 inch) Panel	Panneau additionnel pour intimité à la surface de travail Prise(s) électrique(s) au-dessous de la surface de travail Informatique(s), tissu Element inférieur 1 - Câblé(s) fin(e)s pour l'insertion de prise(s) électrique(s) et Informatique(s), tissu Element inférieur 2 - Tissu Element supérieur 1 - Surface punaisable Element supérieur 2 - Surface punaisable 1219mm (48 pouce) Panel				

Quantity	AutoCAD Block or Attribute	GoCUC CIUGc	Category	Catégorie			
Category 1B					Category 1B		
NOTE: All drawers and doors must be lockable. All locks within a single workstation or office must be keyed alike. A minimum of three (3) sets of keyed alike keys per workstation or office must be supplied. The top drawer must have a movable pencil tray that spans the full interior width of the drawer. The file drawer must have at least two (2) removable file dividers or a hanging file rail.					Remarque: les tiroirs et les portes doivent tous se verrouiller. Toutes les serrures des éléments d'un poste de travail doivent s'ouvrir avec la même clé. Au moins trois (3) clés identiques doivent être fournies par poste de travail. Le tiroir ordinaire supérieur du caisson doit être muni d'un plumeur amovible qui occupe la pleine largeur du tiroir. Le tiroir-classeur doit comprendre au moins deux intercalaires de dossiers amovibles ou une barre amovible.		
41	PED MOBILE-BFCS	13SPBMCAL132AX7XXK	Filing and Storage, Pedestal Bow/Vile, Mobile, Casters, Painted Metal, Keyed, Depth 610mm (24 inch)	Upolstered Cushion Seats	Classiers et armoires de rangement, Caissons à tiroir ordinaire et tiroir classeur, Meuble, Roulettes, Métal peinturé, Avec cef		
12	PART HEIGHT BUREAU LEFT FILE	13CHHL20148XBFCSSX	Right Side-Box File Drawers, Left Side-Open Shelf 508mm (20 inch) Depth, 1219mm (48 inch) Length	Creedena, Partial Height, Laminatae	Côté droit-Tablettes-ouvertes/tiroir classeur, Côté gauche-Tablettes-ouvertes		
12	PART HEIGHT BUREAU RIGHT FILE	13CHHL20148XOSBFSX	Right Side-Box File Drawers, Left Side-Open Shelf 508mm (20 inch) Depth, 1219mm (48 inch) Length	Creedena, Partial Height, Laminatae	Babuit, Hauteur partielle, Stratifié		
2	WS-4824	13FFHRE24148WNOLNY	Free Standing Systems, Fixed Height Work Surfaces (Laminatae)	508mm (20 inch) Depth, 1219mm (48 inch) Length	Côté droit-Tiroir ordinaire/tiroir classeur, Côté gauche-Tablettes-ouvertes		
38	WS-7224	13FFHRE24172WNOLNY	Free Standing Systems, Fixed Height Work Surfaces (Laminatae)	508mm (20 inch) Depth, 1219mm (48 inch) Length	Systèmes auto-stables, Surfaces de travail à hauteur fixe (stratifié)		
2	WS-8024-GG	13FFHRE24136WNOLNY	Free Standing Systems, Fixed Height Work Surfaces (Laminatae)	1360mm (53 inch) Depth, 1219mm (48 inch) Length	Systèmes auto-stables, Surfaces de travail à hauteur fixe (stratifié)		
2	WS-7224-GG	13FFHRE24172WNOLNY	Free Standing Systems, Fixed Height Work Surfaces (Laminatae)	914mm (36 inch) Depth, 1219mm (48 inch) Length	Systèmes auto-stables, Surfaces de travail à hauteur fixe (stratifié)		
2	HUTCH-7215	13HHCLO151724FTXXX	Hutches and Overheads, Hutch Closed, Surface Mount without Gables	Rectangular, 2 Full Gables	Rectangulaire, 2 cotés pleine hauteur		
24	GL-30	13CPSXNXX1307FERNH	Laminatae, Flip Top, Keyed	1828mm x 610mm (72 inch x 24 inch)	Haches et compartiments de rangement supérieurs, Hache fermée		
2	SHELF-3015	13HHCLO151300XXXXXX	Component Systems, Fixed Height Work Surfaces (Laminatae)	1828mm x 381mm (72 inch x 15 inch)	Stratifié, Monté sur surface de travail sans côtés, Arabatement, Avec cef		
2	TWR-242466	13SPSLG24242466XXXX	Acrylic/Glass Frosted	762mm (30 inch) Length	Accessoires, Armoires de rangement sur cloison		
2	LAT-3024	13HHCLO151300XXXXXX	Hutches and Overheads, Hutch Open, Laminatae, Surface Mount with Gables to be Fixed Atop of Two High Lateral Filing Cabinet	762mm (30 inch) Length	Acrylique/verre gravé		
2	COMMON TOP 7264	13SPSLG24242466XXXX	Filing and Storage, Personal Storage Tower, Closed Storage	Levelling Glides, Painted Metal, Keyed	Haches et compartiments de rangement supérieurs, Hache ouverte, Monté sur surface de travail avec côtés à fixer au sommet de deux classeurs latéraux hauts		
2	COMMON TOP 10836	13SPSLG24242466XXXX	Levelling Glides, Painted Metal, Keyed	1828mm x 610mm (72 inch x 24 inch)	Rectangulaire		
2	LAT-3024	13HHCLO151300XXXXXX	Hutches and Overheads, Hutch Open, Laminatae, Surface Mount with Gables to be Fixed Atop of Two High Lateral Filing Cabinet	762mm (30 inch) Length	Classiers et armoires de rangement, Tour de rangement personnel, Rangement avec portes, Patins réglables, Métal peinturé, Avec cef		
1	COMMON TOP 7264	13SPSLG24242466XXXX	Filing and Storage, Personal Storage Tower, Closed Storage	Levelling Glides, Painted Metal, Keyed	Rectangulaire		
2	COMMON TOP 10836	13SPSLG24242466XXXX	Levelling Glides, Painted Metal, Keyed	1828mm x 610mm (72 inch x 24 inch)	Rectangulaire		

Quantity	AutoCAD Block or Attribute	GoCUC CIUGcC	Category	Category
Category 2				
NOTE 1: All work and meeting table surfaces with electrical and data cabling must provide wire management and routing and concealing electrical and data cabling. NOTE 2: Undermounted power module, and vertical and horizontal cable management. Must have five (5) power outlets. NOTE 3: Digital numeric switch display (Push button Adjustment)				
61A-6024	ZMS5REXKL040BELXX		Individual Height Adjustable Work Surfaces, SF Stand, Rectangular Laminate, Electric Controls	1524mm x 610mm (60 inch x 24 inch) Rectangular, Stratifié, Électrique
21A-4830	ZMS5REXKL04048BLXX		Individual Height Adjustable Work Surfaces, SF Stand, Rectangular Laminate, Electric Controls	1524mm x 610mm (60 inch x 24 inch) Rectangular, Stratifié, Électrique
11A-5430	ZMS5REXKL04048BLXX		Individual Height Adjustable Work Surfaces, SF Stand, Rectangular Laminate, Electric Controls	1219mm x 762mm (48 inch x 30 inch) Rectangular, Stratifié, Électrique
401A-6030	ZMS5REXKL040BELXX		Individual Height Adjustable Work Surfaces, SF Stand, Rectangular Laminate, Electric Controls	1371mm x 762mm (54 inch x 30 inch) Rectangular, Stratifié, Électrique
11A-7230	ZMS5REXKL04072BLXX		Individual Height Adjustable Work Surfaces, SF Stand, Rectangular Laminate, Electric Controls	1524mm x 762mm (60 inch x 30 inch) Rectangular, Stratifié, Électrique
41A-7230	ZB1LREXKL04072BLR		Modular Height Adjustable Benching, 3 Work Surface Long, Rectangular Laminate, Electric Controls, Fabric Privacy Screen	1828mm x 762mm (72 inch x 30 inch) Rectangular, Stratifié, Écran de confidentialité en tissu
Category 3 – Metal Filing and Storage Cabinets				
NOTE: All drawers and doors must be lockable. All locks within a single workstation or office set to be keyed alike. A minimum of three (3) keys of keyed alike keys per workstation or office must be supplied. The top drawer must have a removable pencil tray that spans the full interior width of the drawer. The file drawer must have at least two (2) removable file dividers or a hanging file rail.				
791WR-24454	1S5PSCGX42454XXX		Filing and Storage, Personal Storage Tower, Closed Storage	1371mm x 610mm x 610mm (54 pouce x 24 pouce x 24 pouce) Classeurs et armoires de rangement, Tour de rangement personnel, Ferme
91WR-24466	1S5PSCGX42466XXX		Filing and Storage, Personal Storage Tower, Closed Storage	1371mm x 610mm x 610mm (54 pouce x 24 pouce x 24 pouce) Classeurs et armoires de rangement, Tour de rangement personnel, Ferme
201F-1	3F1TDX0PWB30180XX5		Locking Lateral Filing Cabinets	1676mm x 610mm x 610mm (66 pouce x 24 pouce x 24 pouce) Classeurs latéraux à serrure
111F-2	3F1TDX0PWB30180XX5		Locking Lateral Filing Cabinets	Trois (3) tiroirs à serrure, Classeurs latéraux à serrure
21F-3	3S0PHXKPB48018HXX		Storage Cabinets, Open, Painted Metal	457mm x 914mm (18 po x 36 po) Armoires de rangement, Ouvert, Métal peinturé
21WARDNBE 3624	3WHDHXXLM36024HXX		Wardrobes, 2 Door Hinged, Leveling Glides, Laminate, Keyed	457mm x 914mm x 1676mm (18 po x 36 po x 66 po) Armoires-penderies, 2 portes à charnières, Patins réglables, Stratifié, Avec clef
Category 5				
21LUBT 1151BD	51TUXKACUG500XXX1 5PND000000005000XX		Task Light, Desk Bases, AC and USB Power Power Modules, Vent Surface, Moisture, AC and USB Power	457mm x 914mm (18 po x 36 po) Lampes de travail, Potes sur le bureau, Alimentation C.A. et USB, Modules d'alimentation, Notice sur surface de travail, Alimentation C.A. et USB
Category 6 – Group 1				
NOTE: All work and meeting table surfaces with electrical and data cabling must provide wire management and routing and/or concealing electrical and data cabling.				
21CART-2	6AMTMDRE0436120WYXX		Meeting and Training Room Tables, Rectangular, Post Leg-Column	Tables pour salles de réunion et de formation, Rectangulaire, Pâttes-colonnes, Stratifié, Alimentation électrique et données
41CART-3	6AMT3M5GCP130130WYXX		Meeting and Training Room Tables, Square, Pedestal	Tables pour salles de réunion et de formation, Carré, Socle, Stratifié
51CR-2	62FHXXKL0481805DDXX		Credenza, Full Height, Laminate, Two Doors, Keyed	762mm (30 pouce) Profondeur, 1219mm (48 inch) Longueur Bahut, Pleine hauteur, Stratifié, Deux portes, Avec clef
21CR-3A	62FHXXK020121805DDXX		Credenza, Full Height, Laminate, Two Doors, Keyed	457mm (18 pouce) Profondeur, 1219mm (48 inch) Longueur Bahut, Pleine hauteur, Stratifié, Deux portes, Avec clef
61CR-3B	62FHXXK020481805DDXX		Credenza, Full Height, Laminate, Two Doors, Keyed	508mm (20 pouce) Profondeur, 1828mm (72 inch) Longueur Bahut, Pleine hauteur, Stratifié, Deux portes, Avec clef
31CR-4	62FHXXKL0481805DDXX		Credenza, Full Height, Laminate, Two Doors, Keyed	508mm (20 pouce) Profondeur, 1219mm (48 inch) Longueur Bahut, Pleine hauteur, Stratifié, Deux portes, Avec clef
11TA-1	6AMT1GREN48132WYXX		Meeting and Training Room Tables, Rectangular, Panel Support	457mm (18 pouce) Profondeur, 1524mm (60 inch) Longueur Tables pour salles de réunion et de formation, Rectangulaire, Support du Panneau, Stratifié, Alimentation électrique et données
41TA-2	6AMT1MDREN48102WYXX		Meeting and Training Room Tables, Rectangular/Panel Support	1219mm (48 inch) Profondeur, 3352mm (132 inch) Longueur Support du Panneau, Stratifié, Alimentation électrique et données
21TA-3	6AMT1MDRE48102WYXX		Meeting and Training Room Tables, Rectangular, Panel Support	Tables pour salles de réunion et de formation, Rectangulaire, Pâttes-colonnes, Stratifié, Alimentation électrique et données
11TA-4	6AMT1SMOP45400WYXX		Meeting and Training Room Tables, Round, Pedestal	Tables pour salles de réunion et de formation, Rond, Socle, Stratifié
31TA-5	6AMT1SMREPL03054WYXX		Meeting and Training Room Tables, Rectangular, Pedestal	1371mm (54 inch) Longueur Tables pour salles de réunion et de formation, Rectangulaire, Carré, Stratifié
11TA-6	6AMT1MDREN481064WYXX		Meeting and Training Room Tables, Rectangular/Panel Support	762mm (30 pouce) Profondeur, 1371mm (54 pouce) Longueur Tables pour salles de réunion et de formation, Rectangulaire, Support du Panneau, Stratifié, Alimentation électrique et données

Quantity	AutoCAD Block or Attribute	GoCUC CUdCdC	Category	Category
21A-7		6MMTMDREL3012WYXX	Meeting and Training Room Tables, Rectangular, Post Legs-Column Laminate, Power and Data	Category 6 - Group 1
101B-1		6BMTFTEGL30UBWVWYY	Meeting Table, 72x30mm (28x12 inch) Length, 762mm (30 inch) Depth, 1524mm (60 inch) Height, Rectangular C-Clips, T-Clips or Y-Clips, Laminate, Power, Data, Module Sty Panel Locking Casters	Category 6 - Group 1
			762mm (30 inch) Depth, 1524mm (60 inch) Length	Category 6 - Group 1
1CAF-1			Meeting and Training Room Tables, Oval, Post Legs-Column Laminate, Power and Data	Category 6 - Group 1
			1524mm (60 inch) Depth, 3048mm (120 inch) Length	Category 6 - Group 1
1COF-1		6CCTVACULS6BXNNXX	Collaborative Tables, Coffee Table, Round, 4-post Legs	Category 6 - Group 2
4COF-2		6CCTVASQRL3030NXX	Collaborative Tables, Coffee Table, Square, Pedestal	Category 6 - Group 2
6ST-1		6CSTVADP4LBXXNNXX	Collaborative Tables, Side Table, Round, Pedestal	Category 6 - Group 2
1ST-2		6CSTVADULV24XXNNXX	Collaborative Tables, Side Table, Round, Pedestal	Category 6 - Group 2
6ST-3		6CSTVADP424XXNNXX	Collaborative Tables, Side Table, Round, Pedestal	Category 6 - Group 2
2N-ST-1		6CNTLHREGLW866BNVXX	Collaborative Tables, Narrow Side Table, Lounge Height, Rectangular, 4-post Legs, Laminate	Category 6 - Group 2
			457mm (18 inch) Depth, 1524mm (60 inch) Length	Category 6 - Group 2
1NM-TB-01		6CMHSHSDN6012WYXX	Collaborative Tables, Multi-Back Table with Double Monitor Mount Rectangular, 2-Side, Laminate, with Power and Data	Category 6 - Group 3
			1524mm (60 inch) Depth, 3048mm (120 inch) Length, 914mm (36 inch) Height	Category 6 - Group 3
1JBL-1		6CKVAREW1361B4TNNX	Collaborative Tables, Kitchennette Island Table Rectangular, Waterfall Edge, Laminate	Category 6 - Group 3
			914mm (36 inch) Depth, 1524mm (60 inch) Length, 863mm to 938mm (34 to 37 inch) Height	Category 6 - Group 3
1ACH-2		6SLCAXXWUXXXXMMXX	Soft Seating, Lounge Chairs without Armrest, 21" wide minimum	Category 6 - Group 4
12ACH-3		6SLCWAAXFUXXXXMMXX	Upholstered, Swivel Support	Category 6 - Group 4
			Upholstered, Fixed Support	Category 6 - Group 4
7BANQUETTE 2 SEAT		6SBATVWXB1UW6J5ELVY	Soft Seating, Banquette without backrest bolster, Two Seater Upholstered, Low Back, No Armrest	Category 6 - Group 5
1BANQUETTE 3 SEAT		6SBATVHXB1UW6J5ELVY	Soft Seating, Banquette without backrest bolster, Three Seater Upholstered, Low Back, No Armrest	Category 6 - Group 5
9BTH-2		6SBATVWXB1UW6J5ELVY	Soft Seating, Banquette without backrest bolster, Two Seater Upholstered, Legs, Mid Back, No Armrest	Category 6 - Group 5
4BTH-3		6SBATVHXB1UW6J5ELVY	Soft Seating, Banquette without backrest bolster, Three Seater Upholstered, Legs, Mid Back, No Armrest	Category 6 - Group 5
1SOF-3 SEAT		6SBOTVHXB1UW6J5ELVY	Soft Seating, Modular Bench, Rectilinear Bench Upholstered, Legs, No Back, No Armrest	Category 6 - Group 5
2BENCH-HCT		6SBOTVHXB1UW6J5ELVY	Soft Seating, Modular Bench, Rectilinear Bench Upholstered, Legs, With Back	Category 6 - Group 5
3BENCH-IN		6SBOTVHXB1UW6J5ELVY	Soft Seating, Modular Bench, Rectilinear Bench Upholstered, Legs, With Back	Category 6 - Group 5
1BENCH-OUT		6SBOTVHXB1UW6J5ELVY	Soft Seating, Modular Bench, Rectilinear Bench Upholstered, Legs, With Back	Category 6 - Group 5
4STL-1		6SLSDXULW866BNVXX	Soft Seating, Upholstered Stool without Casters, Square Upholstered, Legs	Category 6 - Group 5
20CH-4		6KCSAAW168XXMOYX	Kitchennette Seating, Kitchennette Chairs, Standard Height 4 Legs, Polymer	Category 6 - Group 6
7CH-5		6KCSAAW168XXMOYX	Kitchennette Seating, Kitchennette Chairs, Standard Height 4 Legs, Bent Plywood	Category 6 - Group 6
3STL-3		6KBSCHAP15XXPOYX	Kitchennette Seating, Bar Stools, Counter Height 4 Legs, Bent Plywood	Category 6 - Group 6
			Without Armrest, Seat Cushions	Category 6 - Group 6
1COC-R		6OPRUSLXGH48XYTA	Open Area Workspace, Individual Lounge Chair and Work Surface Free Standing, 4 Legs, Power and Data, 18 inch Arm on Right, with Additional Privacy Screen on Left Side	Category 6 - Group 7