



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions
Travaux publics et Services gouvernementaux
Canada

1713 Bedford Row
Halifax, N.S./Halifax, (N.É.)
Halifax
Nova Scotia
B3J 1T3
Bid Fax: (902) 496-5016

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Title - Sujet CRA Furniture	
Solicitation No. - N° de l'invitation EB129-221587/A	Date 2021-12-03
Client Reference No. - N° de référence du client EB129-22-1587	
GETS Reference No. - N° de référence de SEAG PW-\$HAL-207-11407	
File No. - N° de dossier HAL-1-87140 (207)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Atlantic Standard Time AST on - le 2021-12-21 Heure Normale de l'Atlantique HNA	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Grieve, Bronwen	Buyer Id - Id de l'acheteur hal207
Telephone No. - N° de téléphone (902) 943-2394 ()	FAX No. - N° de FAX (902) 496-5016
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: CRA 4TH FLOOR HOBSONS LAKE DR HALIFAX NOVA SCOTIA B3S 0H9 CANADA	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Atlantic Region Acquisitions/Région de l'Atlantique
Acquisitions
1713 Bedford Row
Halifax, N.S./Halifax, (N.É.)
Halifax
Nova Scot
B3J 1T3

Delivery Required - Livraison exigée See Herein – Voir ci-inclus	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

No of Page/

N° de page _____

Public Works and
Government Services
CanadaTravaux publics et
Services gouvernementaux
Canada**RETURN BIDS TO:****RETOURNER LES SOUMISSIONS À:**

See Section 1.

Voir Section 1.

STANDARD REQUEST FOR BID**INVITATION À SOUMISSIONNER - STANDARD**

The Bidder offers to provide to Canada the goods, services or both listed in the bid solicitation in accordance with the conditions set out in the bid solicitation and the prices set out in the bid.

This bid solicitation is issued in accordance with the conditions of the Supply Arrangement E60PQ-140003/PQ.

Le soumissionnaire offre de fournir au Canada les biens, services ou les deux énumérés dans la demande de soumissions aux conditions prévues dans la demande de soumissions et aux prix indiqués dans la soumission.

Cette demande de soumissions est émise conformément aux conditions de l'arrangement en matière d'approvisionnement E60PQ-140003/PQ.

Solicitation No. - N° de la demande	Amendment No. - N° de modification
Supplier SA No. - N° de l'AMA de fournisseur : E60PQ-140003/___	

Solicitation closes – La demande prend fin :	File No. - N° de dossier
at – à See Section 1 Voir Section 1	
on – le See Section 1 Voir Section 1	

Date of Solicitation – Date de la demande
Address inquiries to – Adresser toute demande de renseignement à : See Section 2, Article 4.1. Voir Section 2, Article 4.1
Destination See Section 2, Annex A. Voir Section 2, Annexe A.

Instructions:

Municipal taxes are not applicable.

Unless otherwise specified in the bid solicitation, all prices quoted must be net prices in Canadian funds including Canadian customs duties, excise taxes, must be FOB, including all delivery charges to destination(s) as indicated. The amount for Applicable Taxes is to be shown as a separate item.

Instructions:

Les taxes municipales ne s'appliquent pas.

Sauf indication contraire dans la demande de soumissions, tous les prix indiqués doivent être des prix nets, en dollars canadiens, comprenant les droits de douane canadiens, la taxe d'accise et doivent être FAB, y compris tous frais de livraison à la (aux) destination(s) indiqué(s). Le montant des taxes applicables doit apparaître séparément.

Supplier Name and Address – Nom et adresse du fournisseur
Telephone No. - N° de téléphone
Facsimile No. - N° de télécopieur
Name and title of person authorized to sign on behalf of supplier (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur (caractère d'impression)
Signature : _____ Date : _____

**THIS DOCUMENT CONTAINS A SECURITY REQUIREMENT / CE DOCUMENT CONTIENT DES EXIGENCES
RELATIVES À LA SÉCURITÉ**

TABLE OF CONTENTS

Section 1 – Invitation and Instructions to Bidders

Section 2 – Resulting Contract including a list of required goods and services

SECTION 1 – INVITATION AND INSTRUCTIONS TO BIDDERS

Step 1. For Tier 2 and Tier 3 only (If Tier 1, skip this step and proceed with step 2)

Is this a Manufacturer Product Specific Procurement?

Step 2. Competitive or Non-Competitive

For competitive Requirements when only one bid is received:

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

For Competitive Requirements when only one bid is received:

The Bidder must provide the following information AFTER bid closing, if requested to do so by Canada:

- One or more of the following price justifications:
 1. a current published price list indicating the percentage discount available to Canada; or
 2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
 3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
 4. any other supporting documentation as requested by Canada.

For Non-Competitive Requirements:

The Bidder must provide the following information WITH the bid:

- One or more of the following price justifications:
 1. a current published price list indicating the percentage discount available to Canada; or
 2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
 3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
 4. any other supporting documentation as requested by Canada.

Step 3. General or Procurement Strategy for Indigenous Business (PSIB)

Terms of the RFB:

This RFB is issued pursuant to the Supplier's Furniture for Workspaces Supply Arrangement (SA) that forms part of the series of SAs issued by PWGSC with the number E60PQ-140003/PQ. The terms and conditions in the Supplier's SA apply to and form part of this RFB. Bidders who submit a bid agree to be bound by those terms and conditions as well as the terms and conditions in this RFB.

The WTCM is the Workspaces Terms and Conditions Manual that contains all terms and conditions in full text that form part of individual RFBs under this SA.

The Bidder must provide the following information WITH the bid:

- The information requested by Canada in Annex A herein.

The Bidder must also provide the information at article 4 below at the time indicated in article 3.

Security Requirement:

1. Conditions
 - a. the Bidder must hold a valid organization security (VOS) clearance as indicated in Annex B;
 - b. the Bidder's proposed individuals requiring access to classified or protected information, assets or sensitive work site(s) must meet the security requirement as indicated in Annex B.
2. For additional information on security requirements, bidders should refer to the Canadian Industrial Security Directorate (CISD), Industrial Program of Public Works and Government Services Canada (<http://ssi-iss.tpsgc-pwgsc.gc.ca/index-eng.html>) website.
3. The conditions in article 1 above must be met by the Bidder (the checked box applies):
 - a. by the closing date of the bid;
 - b. before the award of a contract. Bidders are reminded to obtain the required security clearance promptly. Any delay in the award of a contract to allow the successful bidder to obtain the required clearance will be at the entire discretion of the Contracting Authority.
4. Bidders are to supply the following information, as a minimum, to demonstrate compliance with the Security Requirement.
 - a. The Bidder's valid VOS clearance number issued by CISD;
 - b. The name of all individuals who will require access to classified or protected information, assets or sensitive work sites. It is desirable to also include their date of birth, their middle name, and their security clearance number issued by CISD.

RFB Closing - Submit Bid:	
Bids must be submitted on the date and at the time indicated below.	
By no later than date and time:	a. 2021-12-21 b. 14:00 AST
To physical location <i>(if applicable)</i>	Bid Receiving Public Works and Government Services Canada / Réception des soumissions Travaux publics et services gouvernementaux 1713 Bedford Row Halifax, NS B3J 1T3
Facsimile number	(902) 496-5016
Additional Bid Submission option epost Connect service:	TPSGC.RAReceptionSoumissionsNE- ARBidReceivingNS.PWGSC@tpsgc-pwgsc.gc.ca
RFB Enquiries	
Unless a different period is listed in the adjacent column, Bidders may submit enquires about the RFB to the Contracting Authority five business days prior to the RFB closing date. Enquiries received after the timeline indicated may not be answered.	Five (5) business days

SECTION 2 - RESULTING CONTRACT CLAUSES

1.	Terms and Conditions of the Contract	
	The terms and conditions of Parts 6B and 6C of the Supplier's SA within the series E60PQ-140003/PQ apply to and form part of this Contract.	
2.	Security Requirement (the checked article applies)	
2.1	The applicable security requirement(s) is (are) set out in the Security Requirement Check List attached as Annex B of this contract. The Contractor must fulfill the security requirements by meeting the terms below.	
a.	<input checked="" type="checkbox"/>	Contractor may be escorted; possession of security clearance not required. Contractor personnel MAY NOT ENTER NOR PERFORM WORK ON sites where PROTECTED or CLASSIFIED information or assets are kept, without an escort provided by the department or agency for which the work is being performed.
b.	<input type="checkbox"/>	Possession of security clearance(s) is required. The Contractor must meet the security clearance requirements contained in the clausing in Annex B herein.
c.	<input type="checkbox"/>	There is no security requirement associated with this contract.
3.	Requirement	
3.1	The Contractor must perform the Work listed in Annex A herein.	
4.	Authorities	
4.1	Contracting Authority (IU)	
	Name:	Bronwen Grieve
	Title:	Supply Officer
	Department/Agency/Crown Corporation:	Public Services and Procurement Canada
	Address:	1713 Bedford Row, Halifax, NS B3J 1T3
	Telephone No.:	902-943-2394
	E-mail address:	Bronwen.Grieve@tpsgc-pwgsc.gc.ca
4.2	Project Authority [To be completed at contract award] <i>The Project Authority (PA) is the representative of the department or agency for whom the Work is being carried out under the Contract including the provision to approve the authority to proceed for delivery and installation and is responsible for all matters concerning the technical content of the Work under the Contract.</i> <i>In addition, the PA is also responsible for ensuring that the Supplier's employees and subcontractors requiring access to the site adhere to the allocated time for the Supplier to access the site to deliver and install the furniture in accordance with the master schedule held by the General Contractor (a representative of Canada or a service provider(s) under contract with the Government of Canada).</i>	
	Name:	
	Title:	
	Department/Agency/Crown Corporation:	
	Address:	
	Telephone No.:	
	E-mail address:	
4.3	Contractor's Representative	
	As set out in Annex A, Table 9 below.	
5.	Method of Payment	
	The checked box applies. If the Contractor's SA indicates acceptance for payment by credit card, that method may be used in conjunction with the following.	
	<input checked="" type="checkbox"/>	Single Payment
	<input type="checkbox"/>	Multiple Payment
6.	Invoicing (optional)	

	Further to the Invoicing terms of the WTCM document, the Contractor will deliver the original and one copy of the invoice to the following address for certification and payment:
	Name of the organization and contact: <i>[To be completed at contract award]</i>
	Address:
7.	SACC Manual Clauses
New	A3080 - COVID-19 vaccination requirement This requirement is subject to the COVID-19 Vaccination Policy for Supplier Personnel. Failure to complete and provide the COVID-19 Vaccination Requirement Certification as part of the bid will render the bid non-responsive.
New	A3081 - COVID-19 vaccination requirement certification In accordance with the COVID-19 Vaccination Policy for Supplier Personnel, all Bidders must provide with their bid, the <u>COVID-19 Vaccination Requirement Certification</u> attached to this bid solicitation, to be given further consideration in this procurement process. This Certification incorporated into the bid solicitation on its closing date is incorporated into, and forms a binding part of any resulting Contract.
Supplemental General Conditions: <i>please refer to the WTCM for the full text.</i>	
*New	ID 4013 - Compliance with on-site measures, standing orders, policies, and rules apply to and form part of the Contract.
*New	ID 4014 - Suspension of the work apply to and form part of the Contract.

ANNEX A
REQUIREMENT and BASIS OF PAYMENT

1. Category Selection

Combined Categories Rule:

For reasons of compatibility, the following categories will be combined for evaluation and contract award purposes:

The rule only applies to the categories below that are checked. The unchecked categories will be evaluated separately and may be awarded to multiple suppliers;

Category 1

Category 2

Category 5

*** Exception: when using the Cat 1, 2, 5 combined categories rule, IU's may calculate the percentage of NSA product allowed (as defined in their solicitation document) against the total quantity of the combined categories.**

Design Upgrade Rule:

The IU may exercise an option to upgrade products up to 20% of each Category product total before Applicable Taxes after contract award.

The Design Upgrade amount is used at the discretion of the Project Authority (PA) **prior to the manufacturing/ordering of the products**, the PA will provide the Contractor with a written notice of Canada's Design Upgrade choices for each of the product(s) to be upgraded. The Contractor will provide the pricing of the upgraded product(s) to a maximum of 20% of each Category Contract Price of Table 8. The Contracting Authority will issue an amendment to the contract with the Design Upgrades and pricing.

The Supplier certifies that all the Design Upgraded products offered will conform to all specifications and meet the testing requirements detailed in the Specifications of the Supply Arrangement.

Design Upgrade: is the process of replacing a product with a more innovative or enhanced version of the same product.

NSA:

NSA products can be incorporated in the RFB and must not exceed 30% of the firm quantity by category. NSA items must be added to the category that is most closely related and must be generic.

The requirement includes the following category (ies) of work:

a. Category 1 – Interconnecting Panels and Freestanding Systems

Category 1a – Interconnecting Panels (Refer to Annex C)

Category 1b – Supporting components and freestanding furniture

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when the metal storage products will be part of a requirement for a workstation(s)/work point(s). If this rule does not apply, Category 3 must be used for the metal storage products forming part of this category.

b. Category 2 – Freestanding Height Adjustable Desk / Table Products

c. Category 3 – Metal Filing and Storage Cabinets

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable as per 6B. 4.1 of the SA (table 1 Additional product details)

d. Category 4 – Wood Veneer – Freestanding Products

e. Category 5 – Ancillary and Lighting Products

f. Category 6 - Support Space – Collaborative Furniture

RULE: Category 6 can be further subdivided by space or like product in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like products are defined as products with similar design and construction. If NSA products form part of the requirement, the IU must validate the 30% NSA prior to subdividing the category. NSA products can be added to any subdivide or in its own subdivide.

The IU must identify how Category 6 will be subdivided in the Product Table for Category 6.

g. NSA Product(s) – Category(ies): 1b, 2, 3, 6

2. Product and Pricing Tables

Site Inspection Date: To be coordinated with Project Authority after contract award. (Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.)

INSTRUCTIONS TO BIDDERS: Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 8 and 9. **Bidders must provide a complete product offering for each category, or CAT 6 sub-divide they wish to submit a bid in order to be compliant.**



Refer to article 6A.7 for instructions on how to submit products that are not approved in product listing.



In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.


PART 1: Product Category(ies): 1,2,5

Table 1 – Product Table

Section A - IU REQUIREMENT					Section B – SUPPLIER’S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Name, Series and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
Category 1A							
1	Refer to Annex C and Floor Plans.						\$
Category 1B							
2	1bCFHLX24L72XBFOSS X	Credenza 72x24, keyless, open shelf on right side (in line with height adjustable table return), 36”w BBF on left side. To be the same series and finishes as the CAT2 NON-SA height adjustable table. See line item # 27 Location: 455	1	No		\$	\$
3	1bFMTROP36XXXWNO NNN	36 round meeting table to be the same series and finishes as the CAT1b credenza. See line item # 2 Drum style base Location: 455 	1	No		\$	\$
4	1bSTDXLGL3618NAYSX X	Box / file drawer c/w cushion, keyless, laminate Note: Low height to accommodate sitting max. height 533mm (21") to top of cushion	13	No		\$	\$


		Location: Offices 429, 430, 439, 440, 441, 447, 449, 451, 460, 464, 465, 454, 453					
5	1bSPBMCAA1518XXYS XX	Mobile pedestal on castors and with a cushion top B/F Keyless locking Location: Offices 429, 430, 439, 440, 441, 447, 449, 451, 460, 464, 465, 454, 453	13	No		\$	\$
6	1bCPSXXSXL30XFANN N	Privacy Screens – worksurface mounted  Location: Touch Downs at 432	6	No			
Category 2							
7	2WSSDEXL30L48BELX X	120° 48x48 Electric height adjustable table c/w digital display, horizontal and flexible vertical wire management Location: 438 WSG6-4 on Drawing 1-11 438 WSG3-1 on Drawing 1-11	5	No		\$	\$
8	2WSSDEXL24L60BELX X	120° Electric height adjustable table c/w digital display, horizontal and flexible vertical wire management NOTE: upgrade allowance after contract award will be used to supply 60x60 L-shaped top c/w curved corner as shown below. <ul style="list-style-type: none"> • Front surface 72x30 width • Side Return 60x24 width • Overall size 78x78 • Curved inside corner • Right handed to suit floor plan • One piece worksurface  Location: Drawing 1-11: WSG 2-1, 2-2, 4-1, 4-2, 4-4, 4-5, 6-1, 6-2, 6-3	25	Yes – provide information showing that requested upgrade is available		\$	\$

9	2WSSDEXL24L60BELX X	<p>120° Electric height adjustable table c/w digital display, horizontal and flexible vertical wire management</p> <p>NOTE: upgrade allowance after contract award will be used to supply 60x60 L-shaped top c/w curved corner as shown below.</p> <ul style="list-style-type: none"> • Front surface 72x30 width • Side Return 60x24 width • Overall size 78x78 • Curved inside corner • Left handed to suit floor plan • One piece worksurface  <p>Location: Drawing 1-11: WSG 2-1, 2-2, 3-2, 4-1, 4-2, 4-4, 4-5, 6-1, 6-2, 6-3</p>	28	<p>Yes – provide information showing that requested upgrade is available</p>			
10	2WSSDEXL30L60BELX X	<p>120° Electric height adjustable table c/w digital display, horizontal and flexible vertical wire management</p> <p>NOTE: upgrade allowance after contract award will be used to supply 60x48 top c/w curved corner as shown below.</p> <ul style="list-style-type: none"> • Front surface 48x30 width • Side Return 60x30 width • Overall size 60x48 • Curved inside corner • Left handed to suit floor plan • One piece worksurface  <p>Location: 438 / WSG6-4 on Drawing 1-11</p>	2	<p>Yes – provide information showing that requested upgrade is available</p>		\$	\$
11	2WSSDEXL30L60BELX X	<p>120° Electric height adjustable table c/w digital display, horizontal and flexible vertical wire management</p>	2	<p>Yes – provide information showing that</p>		\$	\$

		<p>NOTE: upgrade allowance after contract award will be used to supply 60x48 top c/w curved corner as shown below.</p> <ul style="list-style-type: none"> • Front surface 48x30 width • Side Return 60x30 width • Overall size 60x48 • Curved inside corner • Right handed to suit floor plan • One piece worksurface  <p>Location: 438 / WSG6-4 on Drawing 1-11</p>		requested upgrade is available			
12	2WSSDEXXL24L60BELX X	<p>120° Electric height adjustable table c/w digital display, horizontal and flexible vertical wire management</p> <p>NOTE: upgrade allowance after contract award will be used to supply 72x66 L-shaped top c/w curved corner as shown below.</p> <ul style="list-style-type: none"> • Front surface 72x30 width • Side Return 36x24 width • Overall size 72x66 • Right handed to suit floor plan  <p>Location: 472, 463, 464, 418, 421, 436</p>	6	Yes – provide information showing that requested upgrade is available		\$	\$
13	2WSSDEXXL24L60BELX X	<p>120° Electric height adjustable table c/w digital display, horizontal and flexible vertical wire management</p> <p>NOTE: upgrade allowance after contract award will be used to supply 72x66 L-shaped top c/w curved corner as shown below.</p> <ul style="list-style-type: none"> • Front surface 72x30 width • Side Return 36x24 width • Overall size 72x66 • Left handed to suit floor plan 	2	Yes – provide information showing that requested upgrade is available		\$	\$

							
		Location: 442, 443					
14	2WSSDEXXL30L60BELX X	<p>120° Electric height adjustable table c/w digital display, horizontal and flexible vertical wire management</p> <p>NOTE: upgrade allowance after contract award will be used to supply 72x72 L-shaped top c/w curved corner as shown below.</p> <ul style="list-style-type: none"> • Front surface 72x30 width • Side Return 42x24 width • Overall size 72x72 • <u>Left handed</u> to suit floor plan  <p>Location: Office - 429, 430, 439, 440, 441, 447, 449, 451</p> <p>Also see drawing IDSK 02 / 03 Note: size noted here is correct – Ignore size shown on furniture floor plan</p>	8	Yes – provide information showing that requested upgrade is available		\$	\$
15	2WSSDEXXL30L60BELX X	<p>120° Electric height adjustable table c/w digital display, horizontal and flexible vertical wire management</p> <p>NOTE: upgrade allowance after contract award will be used to supply 72x72 L-shaped top c/w curved corner as shown below.</p> <ul style="list-style-type: none"> • Front surface 72x30 width • Side Return 42x24 width • Overall size 72x72 • Right handed to suit floor plan  <p>Location: Office – 460, 465, 466 Also see drawing IDSK 02 & 03 Note: size noted here is correct – Ignore size shown on furniture floor plan</p>	3	Yes – provide information showing that requested upgrade is available		\$	\$
16	2WSSDEXXL30L60BELX X	120° Electric height adjustable table c/w digital display, horizontal and flexible vertical wire management	2	Yes – provide information showing			

		<p>NOTE: upgrade allowance after contract award will be used to supply 66x72 L-shaped top c/w curved corner as shown below.</p> <ul style="list-style-type: none"> • Front surface 66x30 width • Side Return 42x24 width • Overall size 72x66 • Right handed to suit floor plan  <p>Location: Office – 453, 454 Also see drawing IDSK 02 & 03 Note: size noted here is correct – ignore size shown on furniture floor plan</p>		that requested upgrade is available			
17	2WSSREXXL30L42BELX X	<p>42x30 Electric height adjustable table c/w digital display, horizontal and flexible vertical wire management</p> <p>Location: 411, 433, 468, 469, 470</p>	15	No		\$	\$
18	2WSSREXXL30L72BELX X	<p>72x30 Electric height adjustable table c/w digital display, horizontal and flexible vertical wire management</p> <p>Location: 410</p>	2	No		\$	\$
19	2WSSREXXL30L48BELX X	<p>48x30 Electric height adjustable table c/w digital display, horizontal and flexible vertical wire management</p> <p>Location: 432</p>	3	No		\$	\$
20	2WSSREXXL30L30BELX X	<p>30x30 Electric height adjustable table c/w digital display, horizontal and flexible vertical wire management</p> <p>Location: 469</p>	2	No		\$	\$
Category 5							
21	5MOASGARMCLPMTX XXXX	<p>Single monitor arms.</p> <p>NOTE: Client monitors vary in sizes. Monitor arms must be able to accommodate up to 24" monitors</p> <p>Locations: Install two arms on each height adjustable desk except one per table in 411, 433 (2), 468 (3), 469 (4), 470</p> <p>NOTE: No monitor arms required on 'Touch Down' tables in areas 432 (3) or 410 (2)</p>	209	No		\$	\$


		<p>Install locations on workstation & offices as shown:</p> 					
22	5PMOWKSMTACUSBX XXXX	<p>Power modules c/w one duplex outlet and two USB outlets</p> <p>Locations:</p> <ul style="list-style-type: none"> - Install one on each height adjustable table throughout the project - 404 (1) meeting table – install at back wall 	97	No		\$	\$


****Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

NSA products

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
#	NSA Product(s) Description	QTY	** Provide additional Information Yes/No	Supplier Name, Series and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
23	<p>CAT 1b - Wall mounted furniture panel 1829mm W x 1448mm H panel (tolerance of +51mm allowed – panel to align with width of height adjustable table) one vertical half to be plastic laminate with two 254-305mm (10-12) deep height adjustable shelves and one vertical half to be writeable magnetic whiteboard.</p> <ul style="list-style-type: none"> • Provide a min. of four magnets. • Must meet Supply Arrangement standards for materials and construction quality. <p>See drawing IDSK 02 & 03 for additional information and wall blocking locations. To be the same finishes as CAT 2 height adjustable tables line item # 11 & 12</p> <p>Location: Offices 429, 430, 439, 440, 441, 447, 449,451, 460, 464, 465, 454, 453</p> 	13	<p>Yes Detailed product information required – provide sketch or cut sheet with dimensions</p>			

<p>24</p>	<p>CAT 1b - Mobile ped / bag drop similar to 1bSPBMCAA1518XXYSXX with the following modifications:</p> <ul style="list-style-type: none"> • 330-508mm / 13-20 deep • 305-406mm / 12-16 wide • Both metal or laminate allowed • Must have two compartments <ul style="list-style-type: none"> ○ one open compartment for larger bag / back-pack type items ○ one smaller open or closed compartment for items such as phones etc. • Must ensure bags etc. are off the floor • Unit must be usable under standard SA height adjustable desks • Non-locking • No top cushion • Examples below:  <p>Location: All open office area workstations with height adjustable tables and Focus Rooms 418, 420, 421, 436, 437, 442, 443, 463, 464 & 472</p>	<p>82</p>	<p>Yes</p>			
<p>25</p>	<p>CAT 2 - 78x78 electric height L-shaped adjustable tables c/w digital display and horizontal and flexible vertical wire management equivalent to 2WSSREXXL30L72BELXX with the following modifications:</p> <ul style="list-style-type: none"> • L-shaped <ul style="list-style-type: none"> ○ Front surface 78x30 width ○ Side Return 48x24 width ○ Overall size 78x78 ○ Curved inside corner  <p>Location: 432 / WSG4-7 on Drawing 1-11 425 / WSG4-3 on Drawing 1-11</p>	<p>8</p>	<p>Yes Detailed product information required – provide sketch or cut sheet with dimensions</p>		<p>\$</p>	<p>\$</p>
<p>26</p>	<p>CAT 2 - 72x72 electric height L-shaped adjustable tables c/w digital display and horizontal and flexible vertical wire management equivalent to 2WSSREXXL30L72BELXX with the following modifications:</p> <ul style="list-style-type: none"> • L-shaped <ul style="list-style-type: none"> ○ Front surface 72x30 width ○ Side Return 42x24 width ○ Overall size 72x72 ○ Curved inside corner  <p>Location: 456 / WSG4-5 on Drawing 1-11</p>	<p>4</p>	<p>Yes Detailed product information required – provide sketch or cut sheet with dimensions</p>		<p>\$</p>	<p>\$</p>


27	<p>CAT 2 - 72x60 electric height L-shaped adjustable tables c/w digital display and horizontal and flexible vertical wire management equivalent to 2WSSREXXL30L72BELXX with the following modifications:</p> <ul style="list-style-type: none"> L-shaped <ul style="list-style-type: none"> Front surface 72x30 width Side Return 30x24 width Overall size 72x60 End gable style leg emulating a free standing desk <p>To be the same series and finishes as the CAT 1b credenza. See line item # 2</p>  <p>Location: 455</p>	1	<p>Yes Detailed product information required – provide sketch or cut sheet with dimensions</p>		\$	\$
					Product Total	\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	4th Floor, 145 Hobson Lake Dr., Bayer's Lake, Halifax, NS, B3S 0J1	2022/01/17	Normal – note daytime hours are 7am– 3pm however, special arrangements can be made with the landlord	____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Delivery Total:	\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	4th Floor, 145 Hobson Lake Dr., Bayer's Lake, Halifax, NS, B3S 0J1	Completed by February 2, 2022	Normal – note daytime hours are 7am–3pm however, special arrangements can be made with the landlord	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Table 4 – Optional Product

 Not Applicable

Table 5 – Optional Delivery

 Not Applicable

Table 6 – Optional Installation

 Not Applicable**Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications**

1.	Standard Finishes
1.1	<p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer's standard finishes included in this bid if different that listed on the SA holders website and links provided under 'standard', 'Grade A' or 'Grade 1' finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p>
2.	Canada's Facilities to Accommodate the Delivery
	<p><i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>
2.1	Loading Dock/Location
A	Location
B	Dock
C	Lift
D	Door
E	Freight Elevator
F	Other (specify, if any)
	4th Floor, 145 Hobson Lake Dr., Bayer's Lake, Halifax, NS, B3S 0J1
	no
	no
	914mm / 36" w
	no
	There are two passenger elevators only, booking required through (Lilit Manukyan, 902-809-3006) who will make arrangements with building ops

3.	Continuance of Certifications
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.
3.1	Integrity Provisions
3.2	Federal Contractor's Program for Employment Equity
3.4	Product Conformance
3.5	Price Certification (In accordance with the SA, Part 6B)

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA (if Applicable)	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.


Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

PART 2: Product Category: 3

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	Q T Y	** Provide additional Information Yes/No	Supplier Name, Series and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
2 8	3LSL1HXXPM18D18XHXS Size variance as per Supply Arrangement specifications PQ992.E60PQ-140003 Version C.5 (July 2020)	<p>Full lockers for Employee - 457mm x 457mm X 1676mmH (18X18x66H);keyless battery operated digital lock c/w accessible pull; <u>Storage side</u>: top shelf, height adjustable 102-153mm deep drawer, two hooks in lower storage section, boot tray <u>Wardrobe side</u>: full height c/w two hooks one high and one at accessible height; boot tray</p> <p>Anchor to floor as well as side to side and back to back (where applicable) to ensure stability of lockers.</p> <p>Note: Allow for a min of three colours to be used throughout the project (door may be different colour from locker body)</p> 	92	Yes <i>Detailed product information required – provide sketch or cut sheet with dimensions</i>		\$	\$



****Provide additional information:**
 Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

NSA products
 The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Name, Series and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
2 9	Storage locker the same as 3LSL1HXXPM18D18XHXS at line #28 with size modification to 457.2mm wide x 610mm deep x 1676mm / 18x24x66	8	No		\$	\$
3 0	Metal Storage locker, two high, keyless battery operated equivalent to 3LSL2HXXPM18D20XHXS With size modification 356mm wide x 610mm deep x 1829mm high (15x24x72). Include two hooks (one on each side) and a boot tray in each compartment.  Anchor to floor as well as side to side to ensure stability of lockers. NOTE: <ul style="list-style-type: none"> - Keyless digital lock suitable for shared use – lock must reset after each use and be programmable by each user - Allow for a min of three colours to be used throughout the project (door may be different colour from locker body) Location: 474 Please note the lockers must fit within the critical dimensions shown below: 3200mm clear width for lockers	8	No		\$	\$


<p>NOTE: Locker count on floor plan is incorrect – a quantity of 8 is required</p>  <p>The diagram shows a locker unit with a width of 660 and a depth of 660. A 'CLEAR FOR LOCKERS' area is indicated below the locker. A note above the locker indicates a quantity of 8 is required.</p>					
			Product Total	\$	\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	4th Floor, 145 Hobson Lake Dr., Bayer's Lake, Halifax, NS, B3S 0J1	2022/01/17	Normal – note daytime hours are 7am– 3pm however, special arrangements can be made with the landlord	____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p>				Delivery Total:	\$
<p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>					

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	4th Floor, 145 Hobson Lake Dr., Bayer's Lake, Halifax, NS, B3S 0J1	Completed by February 2, 2022	Normal – note daytime hours are 7am–3pm however, special arrangements can be made with the landlord	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Table 4 – Optional Product Not Applicable**Table 5 – Optional Delivery** Not Applicable**Table 6 – Optional Installation** Not Applicable**Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications**

1.	Standard Finishes
1.1	<p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer's standard finishes included in this bid if different that listed on the SA holders website and links provided under 'standard', 'Grade A' or 'Grade 1' finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p>
2.	Canada's Facilities to Accommodate the Delivery
	<p><i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>
2.1	Loading Dock/Location
A	Location
B	Dock
C	Lift
D	Door
E	Freight Elevator
F	Other (specify, if any)
3.	Continuance of Certifications

	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.
3.1	Integrity Provisions
3.2	Federal Contractor's Program for Employment Equity
3.4	Product Conformance
3.5	Price Certification (In accordance with the SA, Part 6B)

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

PART 3: Product Category: 6A**Table 1 – Product Table**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	Q T Y	** Provide additional Information Yes/No	Supplier Name, Series and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
3 1	6MMTSMROPL36XXXW NNX	Round 36 table, laminate, flat disc base  Location: 402 (3), 414	4	No		\$	\$
3 2	6MMTSMREPL24L48WN NX	24x48 table, laminate, flat square bases or one rectangular base with two support posts.  Location: 402	2	No			
3 3	6SBATWXXLUW3G19LM YN	Banquette seating: Seat height must be appropriate for use with table above line #32 Size to be between 1778-1905mm / 70-75 width Allow for two fabrics to be used (separate seat / back) <u>Combined with of benches to be as close to but not exceed 4267mm /169 wide</u>  Location: 402	3	No			
3 4	6SBATHXXBUW5G19LM YY	Sofa Three seater  Location: 414	1	No		\$	\$
3 5	6SLCWAXXFUXXXXXMX X	Lounge Chair c/w arms, four legs	4	No		\$	\$

		 Location: 414					
3 6	6CCTVAREGL24L48JNXX	Coffee table 508-660mm / 20-26 deep, 1219mm / 48 long Chrome angles legs  Location: 414	1	No		\$	\$
3 7	6SUOPRXXLUXXXXXLNN N	Upholstered Stool c/w with casters for carpet No legs Size: 508-635mm / 20-25  Location: 418, 420, 436, 437, 421, 442, 443, 463, 464, 471, 472	11	No		\$	\$
3 8	6STCWRXXLUXXXXXXNN X	Soft Seating with Pivoting Tablet on Castors, Right- Hand Allow for two fabrics to be used (separate seat / back)  Location: 410	4	No		\$	\$
3 9	6STCWLXXLUXXXXXXNN X	Soft Seating with Pivoting Tablet on Castors, Left- Hand Allow for two fabrics to be used (separate seat / back)  Location: 410	1	No		\$	\$
4 0	6KKCSAxxSY16XXXMONX	Kitchenette chair, min. of four colour choices Location: 402 (11), 414 (2) 	13	No		\$	\$

4 1	6KKCSAxxSY16XXXMIYX	<p>Kitchenette chair, min. of four colour choices</p>  <p>Location: 405, 406, 407 (3), 444 (4)</p>	9	No			
4 2	6SLCWAXXWUXXXXMX XX	<p>Lounge chair Chrome base Max back height from floor 915mm (36)</p>  <p>Location: 438</p>	1	No		\$	\$
4 3	6SUSSQXXLUX8XXXLXXX	<p>Upholstered Stool from the same series and style of lounge chair line #42</p>  <p>Location: 438</p>	1	No		\$	\$
4 4	6SLCWAXXWUXXXXMX XX	<p>Lounge chair Four legs High back and arms Max. back height from floor 1270mm / 50</p>  <p>Location: 412, 413, 427, 428, 458</p>	5	No		\$	\$
4 5	6SMORBXXLU25G19LNN N	<p>Bench Size: Max. depth 508mm / 20 Width range 762-915 / 30-36</p>  <p>Location: 403</p>	9	No		\$	\$
4 6	6SMORBXXLU25G19LYN N	<p>Benching Critical dimension: all benches to be installed in a space shown below. Overall width of all benches together to be 3962-4114mm / 156- 162 Quantity of benches can change to accommodate this requirement</p>	4	No		\$	\$

		<p>Location: 411</p>				
4 7	6MMTMDREN42L96WY NX	<p>Rectangular Meeting Room Table Panel base</p> <p>Location: 457</p>	1	No		
4 8	6LWBFWWSXXXXXXXXN NN	<p>Mobile whiteboard</p>	5	No		\$

****Provide additional information:**
Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

NSA products (must not exceed 30% of the firm quantity by category)
The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	Q T Y	** Provide additional Information Yes/No	Supplier Name, Series and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
4 9	<p>Rectangular modular bench equivalent to 6SMORBXXLU25G19LNN with modification:</p> <ul style="list-style-type: none"> Depth: Max. 534mm / 21 Width: 1524mm +/- 51mm / 60 +/- 3 <p>Location: 408</p>	2	No		\$	\$
				Product Total	\$	\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	4th Floor, 145 Hobson Lake Dr., Bayer's Lake, Halifax, NS, B3S 0J1	2022/01/17	Normal – note daytime hours are 7am– 3pm however, special arrangements can be made with the landlord	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	4th Floor, 145 Hobson Lake Dr., Bayer's Lake, Halifax, NS, B3S 0J1	Completed by February 2, 2022	Normal – note daytime hours are 7am– 3pm however, special arrangements can be made with the landlord	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Installation Total:	\$

- Table 4 – Optional Product
- Table 5 – Optional Delivery
- Table 6 – Optional Installation

- Not Applicable
- Not Applicable
- Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada’s Facilities to Accommodate the Delivery	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	4th Floor, 145 Hobson Lake Dr., Bayer’s Lake, Halifax, NS, B3S 0J1
B	Dock	no
C	Lift	no
D	Door	914mm / 36”w
E	Freight Elevator	no
F	Other (specify, if any)	There are two passenger elevators only, booking required through (Lilit Manukyan,902-809-3006) who will make arrangements with building ops
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA (if Applicable)	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

PART 4: Product Category: 6B

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	Q T Y	** Provide additional Information Yes/No	Supplier Name, Series and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
50	6STCWRXXLUXXXXXXNN X	Tablet chair c/w chrome swivel base, flexible back shell  Location: Focus Room: 471 (2) Project Room: 468 (2), 469 (2), 470 (2)	8	No		\$	\$
51	6CLTVAREXLW7<36ONX X	Laptop Table 457-559mm / 18-22 long 254-356mm / 10-14 wide U shaped Metal base  Meeting Room 408 (4) Project Room 433 (3), 411(3) Phone booths – 412, 413, 427, 428	14	No		\$	\$
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
					Product Total	\$	\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	4th Floor, 145 Hobson Lake Dr., Bayer's Lake, Halifax, NS, B3S 0J1	2022/01/17	Normal – note daytime hours are 7am– 3pm however, special arrangements can be made with the landlord	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	4th Floor, 145 Hobson Lake Dr., Bayer's Lake, Halifax, NS, B3S 0J1	Completed by February 2, 2022	Normal – note daytime hours are 7am– 3pm however, special arrangements can be made with the landlord	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Table 4 – Optional Product

Not Applicable

Table 5 – Optional Delivery

Not Applicable

Table 6 – Optional Installation

Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada’s Facilities to Accommodate the Delivery	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	4th Floor, 145 Hobson Lake Dr., Bayer’s Lake, Halifax, NS, B3S 0J1
B	Dock	no
C	Lift	no
D	Door	914mm / 36”w
E	Freight Elevator	no
F	Other (specify, if any)	There are two passenger elevators only, booking required through (Lilit Manukyan,902-809-3006) who will make arrangements with building ops
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA (if Applicable)	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

PART 5: Product Category: 6C

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	Q T Y	** Provide additional Information Yes/No	Supplier Name, Series and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
5 2	6SMPCBXXLU37G19LYN N	<p>Standard Back Height Inside Curved Two Seat Banquette, Back Shelf or table at Standard Height, Shelf Depth +/- 254mm / 10") Size of all components must be accommodated in space shown below with adequate circulation. Min. (1) simplex and two (2) USB power required at back shelf or table (1) simplex and two (2) USB power outlet on end face located on left side when seated</p> <p>NOTE: All soft seating and side table product in this table are to be the same series. Quantities may change to suite manufactures proposed product as long as <u>the overall size of all seats in this product table fit within the space shown and with adequate circulation and accommodates five (5) people.</u></p> <p>Location: 426</p>  	1	Yes <i>Detailed product information required – provide sketch or cut sheet with dimensions</i>		\$	\$
5 3	6SMPCBXXLU37G19LYN N	<p>Standard Back Height Inside Curved Banquette, Back Shelf or table at Standard Height, Shelf Depth +/- 254mm / 10")</p>	3	Yes <i>Detailed product information</i>		\$	\$

		<p>Size of all components must be accommodated in space shown below with adequate circulation. Min one (1) simplex and two (2) USB power required at back shelf or table Location: 426</p> 		required – provide sketch or cut sheet with dimensions			
5 4	6SMOCBXXLU37G19LYN N	<p>Standard Back Height Inside Curved Banquette Size of all components must be accommodated in space shown below with adequate circulation. Min. (1) simplex and two (2) USB power required at back shelf or table (1) simplex and two (2) USB power outlet on end face located on right side when seated Location: 426</p> 	1	Yes Detailed product information required – provide sketch or cut sheet with dimensions		\$	\$
5 5	6CCTVAROLW36XXXJNX X	<p>Coffee table, veneer top, chrome or black, three or four flared legs similar to images below. Height 431-457mm / 17-20 Size / shape to suite banquette in this product table Location: 426</p> 	1	No		\$	\$
5 6	6KKCSAxxLY16XXXMIYX	<p>Chair Seat height must be suitable for sitting at shelf or table in this product table.</p>	4	No		\$	\$

		Min. of four colour choices					
		Location: 426					
**Provide additional information:							
Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
					Product Total	\$	\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	4th Floor, 145 Hobson Lake Dr., Bayer's Lake, Halifax, NS, B3S 0J1	2022/01/17	Normal – note daytime hours are 7am– 3pm however, special arrangements can be made with the landlord	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	4th Floor, 145 Hobson Lake Dr., Bayer's Lake, Halifax, NS, B3S 0J1	Completed by February 2, 2022	Normal – note daytime hours are 7am–3pm however, special arrangements can be made with the landlord	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Table 4 – Optional Product Not Applicable**Table 5 – Optional Delivery** Not Applicable**Table 6 – Optional Installation** Not Applicable**Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications**

1.	Standard Finishes
1.1	<p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer's standard finishes included in this bid if different that listed on the SA holders website and links provided under 'standard', 'Grade A' or 'Grade 1' finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p>
2.	Canada's Facilities to Accommodate the Delivery
	<p><i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>
2.1	Loading Dock/Location
A	Location
B	Dock
C	Lift
D	Door
E	Freight Elevator
F	Other (specify, if any)
3.	Continuance of Certifications

	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.
3.1	Integrity Provisions
3.2	Federal Contractor's Program for Employment Equity
3.4	Product Conformance
3.5	Price Certification (In accordance with the SA, Part 6B)

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Product Category: 6D (NON-SA)**Table 1 – Product Table**

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	Q T Y	** Provide additional Information Yes/No	Supplier Name, Series and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
5 7	Mobile Storage Unit - 482mm x 482mm x 737mm high (19 x 19 x 29 high) Tolerance allowance +/- 50.8mm / 2 <ul style="list-style-type: none"> • One (1) top drawer • One (1) closed compartment • Lockable casters (Min 2) • Non-locking • Laminate or metal construction or combination  Location : 431, 409, 408	3	No		\$	\$
5 8	Mobile Lectern - 695.96mm deep x 571.5mm wide x 1168mm high (22.5 deep x 27 wide x 46 high) <ul style="list-style-type: none"> • Tolerance allowance +/- 50.8mm / 2 • Lockable casters (min 2) • Angles top with lip to ensure stability of laptop of paper media • One (1) open shelf • One (1) closed compartment <ul style="list-style-type: none"> ○ Non-locking door • Laminate or metal construction or combination  Location: 448	1	No		\$	\$
				Product Total	\$	\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	4th Floor, 145 Hobson Lake Dr., Bayer's Lake, Halifax, NS, B3S 0J1	2022/01/17	Normal – note daytime hours are 7am– 3pm however, special arrangements can be made with the landlord	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	4th Floor, 145 Hobson Lake Dr., Bayer's Lake, Halifax, NS, B3S 0J1	Completed by February 2, 2022	Normal – note daytime hours are 7am– 3pm however, special arrangements can be made with the landlord	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Table 4 – Optional Product

 Not Applicable

Table 5 – Optional Delivery

 Not Applicable

Table 6 – Optional Installation

 Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada’s Facilities to Accommodate the Delivery	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	4th Floor, 145 Hobson Lake Dr., Bayer’s Lake, Halifax, NS, B3S 0J1
B	Dock	no
C	Lift	no
D	Door	914mm / 36”w
E	Freight Elevator	no
F	Other (specify, if any)	There are two passenger elevators only, booking required through (Lilit Manukyan,902-809-3006) who will make arrangements with building ops
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA (if Applicable)	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

PART 7: Product Category: 6E

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	Q T Y	** Provide additional Information Yes/No	Supplier Name, Series and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
59	6CMUSHTZRL54L72WYX X	Standard height media table Note: no back shroud or monitor support required – monitors will be wall mounted by others Note: <ul style="list-style-type: none"> • End support gable etc. must accommodate existing wall electrical & data without leaving a gap between the wall and the table. • D-shaped top also acceptable  Location: 416, 419	2	No		\$	\$
60	6CMUSHTZRL54L84WYX X	Standard height media table Note: no back shroud or monitor support required – monitors will be wall mounted by others Note: <ul style="list-style-type: none"> • End support gable etc. must accommodate existing wall electrical & data without leaving a gap between the wall and the table. • D-shaped top also acceptable  Location: 404	1	No		\$	\$
61	6MMTSMSQLL48L48WN NX	Square meeting table, square post legs Location: 415	1	No			
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
					Product Total	\$	\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	4th Floor, 145 Hobson Lake Dr., Bayer's Lake, Halifax, NS, B3S 0J1	2022/01/17	Normal – note daytime hours are 7am– 3pm however, special arrangements can be made with the landlord	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	4th Floor, 145 Hobson Lake Dr., Bayer's Lake, Halifax, NS, B3S 0J1	Completed by February 2, 2022	Normal – note daytime hours are 7am– 3pm however, special arrangements can be made with the landlord	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Table 4 – Optional Product

 Not Applicable

Table 5 – Optional Delivery

 Not Applicable

Table 6 – Optional Installation

 Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada’s Facilities to Accommodate the Delivery	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	4th Floor, 145 Hobson Lake Dr., Bayer’s Lake, Halifax, NS, B3S 0J1
B	Dock	no
C	Lift	no
D	Door	914mm / 36”w
E	Freight Elevator	no
F	Other (specify, if any)	There are two passenger elevators only, booking required through (Lilit Manukyan,902-809-3006) who will make arrangements with building ops
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA (if Applicable)	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

PART 8: Product Category: 6F

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	Q T Y	** Provide additional Information Yes/No	Supplier Name, Series and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
6 2	6OIWWSFSLXC1H47XYX X	Semi Private Focus Pod c/w worksurface suitable for use with separate task chair c/w desktop power monument (1) simplex and two (2) USB power Handed as shown on plan  Location: 459	2	No		\$	\$
6 3	6OIWWSFSLXC1H47XYX X	Semi Private Focus Pod c/w L- shaped worksurface suitable for use with separate task chair c/w desktop power monument (1) simplex and two (2) USB power Handed as shown on plan  Location: 461	3	no			
6 4	6OGWWFFSLXC2H47XYX X	Group Work Pod c/w monitor support for one monitor Note: Locations with two (2) pods must fit within the critical dimensions shown below  Location: 410 (2), 414 (2), 438	5	No		\$	\$


							
6 5	60PLWLFLSLXC3H46XYTA	<p>Individual Private Lounge Chair c/w tablet Privacy screen on all sides and opening for access handed ash shown on the furniture plan.</p>  <p>Location: 438</p>	2	No	\$	\$	
<p>**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.</p>							
					Product Total	\$	\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	4th Floor, 145 Hobson Lake Dr., Bayer’s Lake, Halifax, NS, B3S 0J1	2022/01/17	Normal – note daytime hours are 7am– 3pm however, special arrangements can be made with the landlord	____ : weeks Standard Lead time is between 6-10 weeks for furniture delivery and installation.	\$

*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5	Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.		

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	4th Floor, 145 Hobson Lake Dr., Bayer's Lake, Halifax, NS, B3S 0J1	Completed by February 2, 2022	Normal – note daytime hours are 7am– 3pm however, special arrangements can be made with the landlord	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Table 4 – Optional Product

 Not Applicable

Table 5 – Optional Delivery

 Not Applicable

Table 6 – Optional Installation

 Not Applicable**Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications**

1.	Standard Finishes
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>
2.	Canada’s Facilities to Accommodate the Delivery
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>
2.1	Loading Dock/Location
A	Location
	4th Floor, 145 Hobson Lake Dr., Bayer's Lake, Halifax, NS, B3S 0J1

B	Dock	no
C	Lift	no
D	Door	914mm / 36"w
E	Freight Elevator	no
F	Other (specify, if any)	There are two passenger elevators only, booking required through (Lilit Manukyan,902-809-3006) who will make arrangements with building ops
3.	Continuance of Certifications	
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA (if Applicable)	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

ANNEX B
SECURITY REQUIREMENTS

The security requirements set out in the attached Security Requirements Check List (SRCL) apply to and form part of the Contract.

Reliability status is required, however, unscreened personnel may be used for this work if escorted by screened personnel.

ANNEX C FLOOR PLAN(S)

INSTRUCTIONS TO BIDDERS:

For Category 1a products, the Bidders must provide:

- a) Completed floor plan(s) with proposed SA approved products;
- b) A product listing of proposed SA approved products offered at floor plan(s).
As a minimum the product listing must include the following information:
 - Supplier part numbers including NSA products forming part of this category;
 - brief product descriptions;
 - quantities;
 - firm unit prices

c) Bidders must provide a stackable panel system that consists of a Base panel with the required add-on module(s) as defined in the panel matrix of this requirement.

***** Products from categories other than Category 1a shown on floor plan are for information purposes only*****

By submitting a bid, the Bidder certifies that their submission includes all components and quantities for Category 1a, in accordance with the floor plans, panel details, panel matrices and/or workstation layouts stipulated in Annex C.

***At contract award, "By submitting a bid, the Bidder" becomes "The Contractor".**

Category 1a Requirement:

1) Floor Plan(s)

See attached pdf and AutoCAD floor plan

2) Panel Details

- a. All required panel heights: [Seated Privacy Add-on Height](#);
- b. When power is required, the power is located [below](#) work surface height; should a grouping of workstation types include shared panels and one side is identified as powered and the other side is non-powered, those panels affected must be powered.
- c. Type of power feed: [Base feed – see attached electrical drawings](#).

3) Workstation Layout

See attached Workstation Layout

Workstation Layout(s)

[See drawings: Workstation Group Furniture Plan I-11, Workstation Panel Details I-12](#)

- The floor plan takes precedent over any discrepancies with the workstation layouts.
- When two or more typical workstation types share a common panel spine, the finishes of the interior side of the workstation panel as outlined in the Typical Data Sheets must be followed and **NO PANELS SHALL BE DOUBLED. Where no workstation exists adjacent to typical workstation, refer to Data Sheet for finish.**

- Should one typical workstation identify power and the other does not – power will be required for both. Include Workstation Layouts (in the form of Typical Data Sheets or 3 Dimensional drawings) here or as a separate attachment to this RFB.

ANNEX D
Additional Specifications, Certifications

This Annex includes the additional Specifications, Certifications associated with NSA product forming part of the requirement.

1. Specifications

n/a

2. Certifications

.1 NSA Product Conformance

2.1 NSA Product Conformance *(Required precedent to Issuance of a contract)*

The Supplier certifies that all the NSA products offered will conform to all specifications indicated in Annex A and D of the RFB, and meet the testing and performance requirements found at ANNEX A-1 and A-2 of the Supply Arrangement, as applicable.

Supplier's Signature

Date

NSA Product Conformance Certification *(applies after contract award)*

The Supplier warrants that the NSA Product Conformance Certification submitted by the Supplier with its bid is accurate and complete. The Supplier must keep proper records and documentation relating to the NSA product conformance and the testing requirements in this Annex, as applicable. The Supplier must not, without obtaining the prior written consent of the SAA, dispose of any such records or documentation until the expiration of the Contract or the expiry date of the Warranty, whichever is later. All such records and documentation must at all times during the retention period be open to audit, inspection and examination by the representatives of Canada, who may make copies and take extracts.

In addition, the Supplier must provide representatives of the SAA access to all locations where any part of the Work is being performed at any time during working hours. Representatives of the SAA may examine and test the Work as they see fit. The Supplier must provide all assistance and access to facilities, test pieces, samples and documentation that the representatives of the SAA may reasonably require for the carrying out of the inspection, which may also include the submission of test reporting documentation as listed in Annex A and D. The Supplier must forward such test pieces, samples and/or documentation that may also include letters of certification from the laboratories to such person or location as the representatives of the SAA specifies.

**ANNEX E
COVID-19 VACCINATION REQUIREMENT CERTIFICATION**

The Contractor is to complete and submit the COVID-19 Vaccination Requirement Certification below with their bid.

COVID-19 Vaccination Requirement Certification

I, _____ (*first and last name*), as the representative of
_____ (*name of business*) pursuant to
_____ (*insert solicitation number*), warrant and certify that all personnel that
_____ (*name of business*) will provide on the resulting Contract who access
federal government workplaces where they may come into contact with public servants will be:

- (a) fully vaccinated against COVID-19;
- (b) for personnel that are unable to be vaccinated due to a certified medical contraindication, **religion or other prohibited grounds of discrimination under the *Canadian Human Rights Act***, subject to accommodation and mitigation measures that have been presented to and approved by Canada; or
- (c) partially vaccinated against COVID-19 for a period of up to 10 weeks from the date of their first dose and subject to temporary measures that have been presented to and approved by Canada, immediately after which period the personnel will meet the conditions of (a) or (b) or will no longer access federal government workplaces where they may come into contact with public servants under this Contract;

until such time that Canada indicates that the vaccination requirements of the COVID-19 Vaccination Policy for Supplier Personnel are no longer in effect.

I certify that all personnel provided by _____ (*name of business*) have been notified of the vaccination requirements of the Government of Canada's COVID-19 Vaccination Policy for Supplier Personnel, and that the _____ (*name of business*) has certified to their compliance with this requirement.

I certify that the information provided is true as of the date indicated below and will continue to be true for the duration of the Contract. I understand that the certifications provided to Canada are subject to verification at all times. I also understand that Canada will declare a contractor in default, if a certification is found to be untrue, whether made knowingly or unknowingly, during the bid or contract period. Canada reserves the right to ask for additional information to verify the certifications. Failure to comply with any request or requirement imposed by Canada will constitute a default under the Contract.

Signature: _____

Date: _____

Optional

For data purposes only, initial below if your business already has its own mandatory vaccination policy or requirements for employees in place. Initialing below **is not** a substitute for completing the mandatory certification above.

Initials: _____

Information you provide on this Certification Form and in accordance with the Government of Canada's COVID-19 Vaccination Policy for Supplier Personnel will be protected, used, stored and disclosed in accordance with the Privacy Act. Please note that you have a right to access and correct any information on your file, and you have a

right to file a complaint with the Office of the Privacy Commissioner regarding the handling of your personal information. These rights also apply to all individuals who are deemed to be personnel for the purpose for the Contract and who require access to federal government workplaces where they may come into contact with public servants.



Government of Canada / Gouvernement du Canada

81001936	Contract Number / Numéro du contrat
Unclassified	Security Classification / Classification de sécurité

SECURITY REQUIREMENTS CHECK LIST (SRCL)
LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)

PART A - CONTRACT INFORMATION / PARTIE A - INFORMATION CONTRACTUELLE

1. Originating Government Department or Organization / Ministère ou organisme gouvernemental d'origine	Canada Revenue Agency	2. Branch or Directorate / Direction générale ou Direction	Finance and Administration
---	-----------------------	--	----------------------------

3. a) Subcontract Number / Numéro du contrat de sous-traitance	3. b) Name and Address of Subcontractor / Nom et adresse du sous-traitant
--	---

4. Brief Description of Work / Brève description du travail
Expansion space for the Nova Scotia Tax Service Office - Halifax Site and the Atlantic Regional Office.

5. a) Will the supplier require access to Controlled Goods? / Le fournisseur aura-t-il accès à des marchandises contrôlées? No / Non Yes / Oui

5. b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control Regulations? / Le fournisseur aura-t-il accès à des données techniques militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques? No / Non Yes / Oui

6. Indicate the type of access required / Indiquer le type d'accès requis

6. a) Will the supplier and its employees require access to PROTECTED and/or CLASSIFIED information or assets? / Le fournisseur ainsi que les employés auront-ils accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS? (Specify the level of access using the chart in Question 7. c) / Préciser le niveau d'accès en utilisant le tableau qui se trouve à la question 7. c) No / Non Yes / Oui

6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted. / Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS n'est pas autorisé. No / Non Yes / Oui

6. c) Is this a commercial courier or delivery requirement with no overnight storage? / S'agit-il d'un contrat de messagerie ou de livraison commerciale sans entreposage de nuit? No / Non Yes / Oui

7. a) Indicate the type of information that the supplier will be required to access / Indiquer le type d'information auquel le fournisseur devra avoir accès

Canada <input type="checkbox"/>	NATO / OTAN <input type="checkbox"/>	Foreign / Étranger <input type="checkbox"/>
---------------------------------	--------------------------------------	---

7. b) Release restrictions / Restrictions relatives à la diffusion

No release restrictions / Aucune restriction relative à la diffusion <input type="checkbox"/>	All NATO countries / Tous les pays de l'OTAN <input type="checkbox"/>	No release restrictions / Aucune restriction relative à la diffusion <input type="checkbox"/>
Not releasable / À ne pas diffuser <input type="checkbox"/>		
Restricted to: / Limité à: Specify country(ies) / Préciser le(s) pays: <input type="checkbox"/>	Restricted to: / Limité à: Specify country(ies) / Préciser le(s) pays: <input type="checkbox"/>	Restricted to: / Limité à: Specify country(ies) / Préciser le(s) pays: <input type="checkbox"/>

7. c) Level of information / Niveau d'information

PROTECTED A / PROTÉGÉ A <input type="checkbox"/>	NATO UNCLASSIFIED / NATO NON CLASSIFIÉ <input type="checkbox"/>	PROTECTED A / PROTÉGÉ A <input type="checkbox"/>
PROTECTED B / PROTÉGÉ B <input type="checkbox"/>	NATO RESTRICTED / NATO DIFFUSION RESTREINTE <input type="checkbox"/>	PROTECTED B / PROTÉGÉ B <input type="checkbox"/>
PROTECTED C / PROTÉGÉ C <input type="checkbox"/>	NATO CONFIDENTIAL / NATO CONFIDENTIEL <input type="checkbox"/>	PROTECTED C / PROTÉGÉ C <input type="checkbox"/>
CONFIDENTIAL / CONFIDENTIEL <input type="checkbox"/>	NATO SECRET / NATO SECRET <input type="checkbox"/>	CONFIDENTIAL / CONFIDENTIEL <input type="checkbox"/>
SECRET / SECRET <input type="checkbox"/>	COSMIC TOP SECRET / COSMIC TRÈS SECRET <input type="checkbox"/>	SECRET / SECRET <input type="checkbox"/>
TOP SECRET / TRÈS SECRET <input type="checkbox"/>		TOP SECRET / TRÈS SECRET <input type="checkbox"/>
TOP SECRET (SIGINT) / TRÈS SECRET (SIGINT) <input type="checkbox"/>		TOP SECRET (SIGINT) / TRÈS SECRET (SIGINT) <input type="checkbox"/>



Contract Number / Numéro du contrat A1001930
Security Classification / Classification de sécurité Unclassified

PART A (continued) / PARTIE A (suite)

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS? No / Non Yes / Oui
If Yes, indicate the level of sensitivity:
Dans l'affirmative, indiquer le niveau de sensibilité :
9. Will the supplier require access to extremely sensitive INFOSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate? No / Non Yes / Oui

Short Title(s) of material / Titre(s) abrégé(s) du matériel :
Document Number / Numéro du document :

PART B - PERSONNEL (SUPPLIER) / PARTIE B - PERSONNEL (FOURNISSEUR)

10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis

- | | | | |
|---|---|---|--|
| <input checked="" type="checkbox"/> RELIABILITY STATUS
COTE DE FIABILITÉ | <input type="checkbox"/> CONFIDENTIAL
CONFIDENTIEL | <input type="checkbox"/> SECRET
SECRET | <input type="checkbox"/> TOP SECRET
TRÈS SECRET |
| <input type="checkbox"/> TOP SECRET - SIGINT
TRÈS SECRET - SIGINT | <input type="checkbox"/> NATO CONFIDENTIAL
NATO CONFIDENTIEL | <input type="checkbox"/> NATO SECRET
NATO SECRET | <input type="checkbox"/> COSMIC TOP SECRET
COSMIC TRÈS SECRET |
| <input type="checkbox"/> SITE ACCESS
ACCÈS AUX EMPLACEMENTS | | | |

Special comments:
Commentaires spéciaux: See Attachment

NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided.
REMARQUE: Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être fourni.

10. b) May unscreened personnel be used for portions of the work?
Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail? No / Non Yes / Oui
If Yes, will unscreened personnel be escorted?
Dans l'affirmative, le personnel en question sera-t-il escorté? No / Non Yes / Oui

PART C - SAFEGUARDS (SUPPLIER) / PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)

INFORMATION / ASSETS / RENSEIGNEMENTS / BIENS

11. a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or premises?
Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS? No / Non Yes / Oui
11. b) Will the supplier be required to safeguard COMSEC information or assets?
Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC? No / Non Yes / Oui

PRODUCTION

11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises?
Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ? No / Non Yes / Oui

INFORMATION TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)

11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED information or data?
Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS? No / Non Yes / Oui
11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency?
Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale? No / Non Yes / Oui



Government of Canada / Gouvernement du Canada

514
D29

Contract Number / Numéro du contrat 8100/936
Security Classification / Classification de sécurité Unclassified

PART C - (continued) / PARTIE C - (suite)

For users completing the form **manually** use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.
Les utilisateurs qui remplissent le formulaire **manuellement** doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form **online** (via the Internet), the summary chart is automatically populated by your responses to previous questions.
Dans le cas des utilisateurs qui remplissent le formulaire **en ligne** (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

Category / Catégorie	PROTECTED / PROTÉGÉ			CLASSIFIED / CLASSIFIÉ			NATO				COMSEC					
	A	B	C	CONFIDENTIAL / CONFIDENTIEL	SECRET	TOP SECRET / TRÈS SECRET	NATO RESTRICTED / NATO DIFFUSION RESTREINTE	NATO CONFIDENTIAL / NATO CONFIDENTIEL	NATO SECRET	COSMIC TOP SECRET / COSMIC TRÈS SECRET	PROTECTED / PROTÉGÉ			CONFIDENTIAL / CONFIDENTIEL	SECRET	TOP SECRET / TRÈS SECRET
											A	B	C			
Information / Assets / Renseignements / Biens	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Production	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
IT Media / Support TI	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
IT Link / Lien électronique	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED?
La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE? No / Non Yes / Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification".
Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.

12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED?
La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE? No / Non Yes / Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments).
Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquez qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).