



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions
→ TPSGC

See herein for bid submission
instructions/

Voir la présente pour les
instructions sur la presentation
d'une soumission

NA

Ontario

NA

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Address inquiries to:

Osmany.rojasgarcia@tpsgc-pwgsc.gc.ca

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Public Works and Government Services Canada
Ontario Region
10th Floor, 4900 Yonge Street
Toronto
Ontario
M2N 6A6

Title - Sujet Whitby Harbour West Pier Rehabilit	
Solicitation No. - N° de l'invitation F2930-211084/A	Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client F2930-211084	Date 2021-12-09
GETS Reference No. - N° de référence de SEAG PW-\$PWL-068-2586	
File No. - N° de dossier PWL-1-44047 (068)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Eastern Standard Time EST on - le 2021-12-16 Heure Normale du l'Est HNE	
F.O.B. - F.A.B.	
Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Rojas Garcia, Osmany	Buyer Id - Id de l'acheteur pwl068
Telephone No. - N° de téléphone (365) 292-2629 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: MAJOR CROWN PROJECTS DIR.ATE DIRECTORATE 200 ELGIN ST, 3RD FL. OTTAWA ON K2P 1L5	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Amendment No. 002

This amendment is being raised to provide an Extension of Time, to provide a response to Request for Clarification, and to include addendum 1 to the Specifications.

1. Extension of Time

Notice is hereby given that the closing date for the reception of tenders is extended to Thursday, December 16, 2021 at 2:00 p.m. EST.

2. Requests for Clarification

Q1. Could you please advise me towards which part of the document has listed information regarding the liquidity damages, construction schedule and holdback amount?

R1. As per the solicitation document, the contract terms can be found on page 11 under the list of Contract Documents. The documents identified by title, number and date above are incorporated by reference and are set out in the Standard Acquisition Clauses and Conditions (SACC) Manual, issued by Public Works and Government Services Canada (PWGSC). The SACC Manual is available on the PWGSC Web site: <https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>

With reference to the parts of the document that deal with liquidity damages, construction schedule and holdback amount, they can be found in areas of the solicitation including but not limited to, the following:

For liquidity damages, and holdback amount, please see [Section 5.R.R2850D - GC5 - Terms of Payment - Buyandsell.gc.ca](#). For example:

GC5.10 (2007-05-25) Assessments and Damages for Late Completion

1. For the purposes of this clause
 - a. the Work shall be deemed to be completed on the date of the Certificate of Completion; and
 - b. the "period of delay" means the number of days commencing on the day fixed for completion of the Work and ending on the day immediately preceding the day on which the Work is completed but does not include any day within a period of extension granted pursuant to GC6.5, "Delays and Extension of Time", and any other day on which, in the opinion of Canada, completion of the Work was delayed for reasons beyond the control of the Contractor.
2. If the Contractor does not complete the Work by the day fixed for its completion but completes it thereafter, the Contractor shall pay Canada an amount equal to the aggregate of
 - a. all salaries, wages and travelling expenses incurred by Canada in respect of persons overseeing the performance of the Work during the period of delay;
 - b. the cost incurred by Canada as a result of the inability to use the completed Work for the period of delay; and

- c. all other expenses and damages incurred or sustained by Canada during the period of delay as a result of the Work not being completed by the day fixed for its completion.
3. Canada may waive the right of Canada to the whole or any part of the amount payable by the Contractor pursuant to paragraph 2) of GC5.10 if, in the opinion of Canada, it is in the public interest to do so.

GC5.4 (2015-02-25) Progress payment

3. Subject to GC5.2, "Amount Payable", and paragraph 5) of GC5.4, Canada shall pay the Contractor an amount that is equal to
 - a. 95 percent of the value that is indicated in Canada's progress report if a labour and material payment bond has been furnished by the Contractor; or
 - b. 90 percent of the value that is indicated in Canada's progress report if a labour and material payment bond has not been furnished by the Contractor.

With respect to the construction schedule, please refer to the Specifications as well as [Section 5.R.R2830D - GC3 - Execution and Control of the Work - Buyandsell.gc.ca](#)

GC3.1 (2015-02-25) Progress schedule

The Contractor shall

- a. prepare and submit to Canada, prior to the submission of the Contractor's first progress claim, a progress schedule in accordance with the requirements set out in the Contract;
- b. monitor the progress of the Work relative to the schedule and update the schedule as stipulated by the contract documents;
- c. advise Canada of any revisions to the schedule required as the result of any extension of time for completion of the Contract that was approved by Canada; and
- d. prepare and submit to Canada, at the time of issuance of a Certificate of Substantial Performance, an update of any schedule clearly showing a detailed timetable that is acceptable to Canada for the completion of any unfinished Work and the correction of all listed defects.

Q2. Section 31 60 16 has no requirements for corrosion protection or galvanization of steel members. Can the Owner please confirm corrosion protection or galvanization of the tie rods, walers, and Steel Sheet Piling (SSP) wall cap is not required.

R2. There is no required corrosion protection. Contractor will be required to paint in accordance with the following clauses under Section 05 50 00 - Metal Fabrications. See the attached addendum to the specification.

N° de l'invitation - Solicitation No.
F2930-211084/A

N° de la modif - Amd. No.
002

Id de l'acheteur - Buyer ID
PWL068

N° de réf. du client - Client Ref. No.
C2-00229

File No. - N° du dossier
PWL-1-44047

N° CCC / CCC No./ N° VME - FMS

Q3. If it is regular carbon steel and if it is galvanized?

R3. Refer to previous question 2.

Q4. Is there any welding connection between the SSP and the new double HSS?

R4. No. Refer to Drawing MA-08 for wale bolt details.

Q5. Could you please provide spec on the threaded rods and also if they are galvanized?

R5. Refer to Specification Section 31 62 16 Paragraph 2.1.1

All other terms and conditions of the solicitation remain the same.

The following changes in the bid documents are effective immediately. This addendum will form part of the contract documents.

SECTION: 05 50 00 – METAL FABRICATIONS

PART 1 – GENERAL

1.1 REFERENCES

Add clause .2 as follows:

- .2 The Master Painters Institute (MPI): Exterior Structural Steel and Metal Fabrications, 07.
 - .1 EXT 5.1G, Polyurethane, Pigmented (over epoxy zinc rich primer and high build epoxy).

Part 2 – PRODUCTS

2.1 MATERIALS

- .1 Delete in its entirety

Replace with:

Paint for external wale transitions and ladders meeting the following requirements.

- .1 Primer: MPI EXT 5.1G, zinc rich epoxy primer. Maximum MPI E2 rating on VOC.
- .2 Epoxy: MPI EXT 5.1G, high build epoxy. Maximum MPI E2 rating on VOC.
- .3 Polyurethane: MPI EXT 5.1G, aliphatic polyurethane. Maximum MPI E2 rating on VOC. Colour traffic yellow for ladders and and light grey for wales.
- .4 Surface profile for shop coating abrasive blasting to SSPC-SP10 with 3 to 4 mils surface profile.

2.2 FABRICATION

Add clause .5

Upper channel of new wales to be drilled with 16mm Diameter holes @ 1.5m C/C.

Part 3 – EXECUTION

Add paragraph 3.5 PAINTING as follows:

- .1 Remove from site and repaint ladders and new stubs in accordance with paint manufacturer's instructions.
- .2 Paint 451mm long wale transitions either side of each new tie rod location in accordance with paint manufacturer's instructions.