



**RETURN BIDS TO:**

**RETOURNER LES SOUMISSIONS À:**

Bid Receiving Public Works and Government  
Services Canada/Réception des soumissions  
Travaux publics et Services gouvernementaux  
Canada

1713 Bedford Row  
Halifax, N.S./Halifax, (N.É.)  
Halifax  
Nova Scotia  
B3J 1T3  
Bid Fax: (902) 496-5016

**REQUEST FOR PROPOSAL  
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government  
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services  
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

**Comments - Commentaires**

THIS DOCUMENT CONTAINS A SECURITY  
REQUIREMENT

<b>Title - Sujet</b> Fabric Storage Shelter	
<b>Solicitation No. - N° de l'invitation</b> W355B-228323/A	<b>Date</b> 2021-12-09
<b>Client Reference No. - N° de référence du client</b> W355B-22-8323	
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$HAL-219-11412	
<b>File No. - N° de dossier</b> HAL-1-87072 (219)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> Atlantic Standard Time AST <b>on - le 2022-01-06</b> Heure Normale de l'Atlantique HNA	
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Richard, Linda K.	<b>Buyer Id - Id de l'acheteur</b> hal219
<b>Telephone No. - N° de téléphone</b> (902) 402-9059 ( )	<b>FAX No. - N° de FAX</b> (902) 496-5016
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> MARITIME FORCES ATLANTIC DOOR 13 BLDG D-200 W355B NOVA SCOTIA B3K 5X5 CANADA	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

**Vendor/Firm Name and Address**

**Raison sociale et adresse du  
fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**

Atlantic Region Acquisitions/Région de l'Atlantique  
Acquisitions  
1713 Bedford Row  
Halifax, N.S./Halifax, (N.É.)  
Halifax  
Nova Scot  
B3J 1T3

<b>Delivery Required - Livraison exigée</b> See Herein – Voir ci-inclus	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

## TABLE OF CONTENTS

<b>PART 1 - GENERAL INFORMATION</b>	<b>3</b>
1.1 SECURITY REQUIREMENTS	3
1.2 STATEMENT OF WORK	3
1.3 DEBRIEFINGS	3
1.4 EPOST CONNECT SERVICE	3
1.5 COVID-19 VACCINATION REQUIREMENT	3
<b>PART 2 - BIDDER INSTRUCTIONS</b>	<b>4</b>
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	4
2.2 SUBMISSION OF BIDS	4
2.3 ENQUIRIES - BID SOLICITATION	4
2.4 APPLICABLE LAWS	5
2.5 MANDATORY SITE VISIT A9040T	5
2.6 BID CHALLENGE AND RECOURSE MECHANISMS	6
<b>PART 3 - BID PREPARATION INSTRUCTIONS</b>	<b>6</b>
3.1 BID PREPARATION INSTRUCTIONS	6
<b>PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION</b>	<b>8</b>
4.1 EVALUATION PROCEDURES	8
4.2 BASIS OF SELECTION	8
<b>PART 5 - CERTIFICATIONS AND ADDITIONAL INFORMATION</b>	<b>8</b>
5.1 CERTIFICATIONS REQUIRED WITH THE BID	8
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	9
<b>PART 6 - RESULTING CONTRACT CLAUSES</b>	<b>10</b>
6.1 SECURITY REQUIREMENTS	10
6.2 STATEMENT OF WORK	10
6.3 STANDARD CLAUSES AND CONDITIONS	10
6.4 TERM OF CONTRACT	12
6.5 AUTHORITIES	12
6.7 PAYMENT	13
6.8 INVOICING INSTRUCTIONS	14
6.10 APPLICABLE LAWS	15
6.11 PRIORITY OF DOCUMENTS	15
6.12 DEFENCE CONTRACT	15
6.13 INSPECTION AND ACCEPTANCE	15
6.14 DISPUTE RESOLUTION	15
<b>ANNEX "A"</b>	<b>16</b>
STATEMENT OF WORK	16
<b>ANNEX "B"</b>	<b>23</b>
BASIS OF PAYMENT	23
<b>ANNEX "C"</b>	<b>24</b>
SECURITY REQUIREMENTS CHECK LIST	24

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

W355B-226323

HAL219

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

W355B-22-8323

HAL-1-87073

**ANNEX "1" TO PART 3 OF THE BID SOLICITATION .....25**

    ELECTRONIC PAYMENT INSTRUMENTS..... 25

**ANNEX "D" ..... 246**

    CROSS-REFERENCE TO MANDATORY REQUIREMENTS

**ANNEX "E" ..... 249**

    COVID-19 VACCINATION REQUIREMENT CERTIFICATION.....249

**ANNEX "F" ..... 30**

    SHELTER DRAWING .....30

## **PART 1 - GENERAL INFORMATION**

### **1.1 Security Requirements**

1. Before award of a contract, the following conditions must be met:
  - (a) the Bidder must hold a valid organization security clearance as indicated in Part 6 - Resulting Contract Clauses;
  - (b) the Bidder's proposed individuals requiring access to classified or protected information, assets or sensitive work sites must meet the security requirements as indicated in Part 6 - Resulting Contract Clauses;
  - (c) the Bidder must provide the name of all individuals who will require access to classified or protected information, assets or sensitive work sites;
2. Bidders are reminded to obtain the required security clearance promptly. Any delay in the award of a contract to allow the successful Bidder to obtain the required clearance will be at the entire discretion of the Contracting Authority.
3. For additional information on security requirements, Bidders should refer to the [Contract Security Program](http://www.tpsgc-pwgsc.gc.ca/esc-src/introduction-eng.html) of Public Works and Government Services Canada (<http://www.tpsgc-pwgsc.gc.ca/esc-src/introduction-eng.html>) website.

### **1.2 Statement of Work**

The Work to be performed is detailed under Annex A – Statement of Work.

### **1.3 Debriefings**

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

### **1.4 epost Connect service**

This bid solicitation allows bidders to use the epost Connect service provided by Canada Post Corporation to transmit their bid electronically. Bidders must refer to Part 2 entitled Bidder Instructions, and Part 3 entitled Bid Preparation Instructions, of the bid solicitation, for further information.

### **1.5 COVID-19 Vaccination Requirement**

This requirement is subject to the COVID-19 Vaccination Policy for Supplier Personnel. Failure to complete and provide the COVID-19 Vaccination Requirement Certification as part of the bid **will render the bid non-responsive.**

---

## PART 2 - BIDDER INSTRUCTIONS

### 2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003](#) (2020-05-28) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 5.4 of [2003](#), Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: 60 days

Insert: 90 days

### 2.2 Submission of Bids

Bids must be submitted only to the Public Works and Government Services Canada (PWGSC) Bid Receiving Unit specified below by the date and time indicated on page 1 of the bid solicitation.

**Note: For bidders choosing to submit using epost Connect for bids closing at the Bid Receiving Unit in Nova Scotia the email address is:**

**[TPSGC.RAReceptionSoumissionsNE-ARBidReceivingNS.PWGSC@tpsgc-pwgsc.gc.ca](mailto:TPSGC.RAReceptionSoumissionsNE-ARBidReceivingNS.PWGSC@tpsgc-pwgsc.gc.ca)**

**Note:** Bids will not be accepted if emailed directly to this email address. This email address is to be used to open an epost Connect conversation, as detailed in Standard Instructions [2003](#), or to send bids through an epost Connect message if the bidder is using its own licensing agreement for epost Connect.

**Facsimile: 902-496-5016**

### 2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than five (5) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

## 2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Nova Scotia.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

## 2.5 Mandatory Site Visit

It is mandatory that the Bidder or a representative of the Bidder visit the work site. Arrangements have been made for the site visit to be held at CFB Halifax FMF Cape Scott on Thursday, December 16, 2021. The site visit will begin at 9:30 a.m. Contractors are to meet at the Rainbow Gate of CFB Halifax Dockyard.

This site visit is subject to the COVID-19 Vaccination Policy for Supplier Personnel. The person(s) who attend must be fully vaccinated against COVID-19 with a Health Canada-approved COVID-19 vaccine(s), or, for personnel that are unable to be vaccinated due to a certified medical contraindication, religion or other prohibited grounds of discrimination under the Canadian Human Rights Act, subject to accommodation and mitigation measures that have been presented to and approved by Canada.

Bidders must communicate with the Contracting Authority no later than 12 noon on Tuesday, December 14 to confirm attendance and provide the name(s) of the person(s) who will attend. Bidders must also complete and submit the following certification

I, \_\_\_\_\_ (first and last name), as the representative of \_\_\_\_\_ (name of business) pursuant to \_\_\_\_\_ (insert solicitation number), warrant and certify that all personnel that will attend this site visit on this business' behalf are:

- (a) fully vaccinated against COVID-19 with Health Canada-approved COVID-19 vaccine(s); or
- (b) for personnel that are unable to be vaccinated due to a certified medical contraindication, religion or other prohibited grounds of discrimination under the Canadian Human Rights Act, subject to accommodation and mitigation measures that have been presented to and approved by Canada.

I certify that all personnel that will attend on behalf of \_\_\_\_\_ (name of business) have been notified of the vaccination requirements of the Government of Canada's COVID-19 Vaccination Policy for Supplier Personnel, and that the \_\_\_\_\_ (name of business) has certified to their compliance with this requirement.

I certify that the information provided is true as of the date indicated below and will continue to be true for the duration of the site visit. I understand that the certifications provided to Canada are subject to verification at all times. Canada reserves the right to request additional information to verify the certifications at all times. I also understand that Canada will declare a bid non-responsive or a contractor in default, if a certification is found to be untrue, whether made knowingly or unknowingly.

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

Information you provide on this Certification Form and in accordance with the Government of Canada's COVID-19 Vaccination Policy for Supplier Personnel will be protected, used, stored and disclosed in

---

accordance with the Privacy Act. Please note that you have a right to access and correct any information on your file, and you have a right to file a complaint with the Office of the Privacy Commissioner regarding the handling of your personal information. These rights also apply to all individuals who are deemed to be personnel for the purpose for the Contract and who require access to federal government workplaces where they may come into contact with public servants.

Bidders who do not confirm attendance, provide the name(s) of the person(s) who will attend, or who do not complete and submit the above certification as required will not be allowed access to the site. Bidders will be required to sign an attendance sheet. Bidders should confirm in their bid that they have attended the site visit. Bidders who do not attend the mandatory site visit or do not send a representative will not be given an alternative appointment and their bid will be declared non-responsive. Any clarifications or changes to the bid solicitation resulting from the site visit will be included as an amendment to the bid solicitation.

## 2.6 Bid Challenge and Recourse Mechanisms

- (a) Several mechanisms are available to potential suppliers to challenge aspects of the procurement process up to and including contract award.
- (b) Canada encourages suppliers to first bring their concerns to the attention of the Contracting Authority. Canada's [Buy and Sell](#) website, under the heading "[Bid Challenge and Recourse Mechanisms](#)" contains information on potential complaint bodies such as:
  - Office of the Procurement Ombudsman (OPO)
  - Canadian International Trade Tribunal (CITT)
- (c) Suppliers should note that there are **strict deadlines** for filing complaints, and the time periods vary depending on the complaint body in question. Suppliers should therefore act quickly when they want to challenge any aspect of the procurement process.

## PART 3 - BID PREPARATION INSTRUCTIONS

### 3.1 Bid Preparation Instructions

- If the Bidder chooses to submit its bid electronically, Canada requests that the Bidder submits its bid in accordance with section 08 of the 2003 standard instructions. The epost Connect system has a limit of 1GB per single message posted and a limit of 20GB per conversation.

The bid must be gathered per section and separated as follows:

Section I: Technical Bid  
Section II: Financial Bid  
Section III: Certifications

- If the Bidder chooses to submit its bid in hard copies, Canada requests that the Bidder submits its bid in separately bound sections as follows:

Section I: Technical Bid (1 hard copy)  
Section II: Financial Bid (1 hard copy)  
Section III: Certifications (1hard copy)

If there is a discrepancy between the wording of the soft copy on electronic media and the hard copy, the wording of the hard copy will have priority over the wording of the soft copy.

- If the Bidder is simultaneously providing copies of its bid using multiple acceptable delivery methods, and if there is a discrepancy between the wording of any of these copies and the electronic copy provided through epost Connect service, the wording of the electronic copy provided through epost Connect service will have priority over the wording of the other copies.

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of hard copy of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573) (<https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573>). To assist Canada in reaching its objectives, bidders should:

- 1) Include all environmental certification(s) relevant to your organization (e.g. ISO 14001, Leadership in Energy and Environmental Design (LEED), Carbon Disclosure Project, etc.)
- 2) Include all environmental certification(s) or Environmental Product Declaration(s) (EPD) specific to your product/service (e.g. Forest Stewardship Council (FSC), ENERGYSTAR, etc.)
- 3) Unless otherwise noted, bidders are encouraged to submit bids electronically. If hard copies are required, bidders should:
  - a. use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
  - b. use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

## **Section I: Technical Bid**

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

## **Section II: Financial Bid**

Bidders must submit their financial bid in accordance with the Basis of Payment.

### **3.1.1 Electronic Payment of Invoices – Bid**

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete Annex “1” Electronic Payment Instruments, to identify which ones are accepted.

If Annex "1" Electronic Payment Instruments is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

### **Section III: Certifications**

Bidders must submit the certifications and additional information required under Part 5.

## **PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION**

### **4.1 Evaluation Procedures**

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

#### **4.1.1 Technical Evaluation**

##### **4.1.1.1 Mandatory Technical Criteria**

See Annex A – Statement of Work

#### **4.1.2 Financial Evaluation**

SACC Manual Clause [A0220T](#) (2014-06-26), Evaluation of Price-Bid

### **4.2 Basis of Selection**

#### **4.2.1 Basis of Selection – Mandatory Technical Criteria**

SACC Manual Clause A0031T (2010-08-16) Basis of Selection – Mandatory Technical Criteria

## **PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION**

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

### **5.1 Certifications Required with the Bid**

Bidders must submit the following duly completed certifications as part of their bid.

### 5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

### 5.1.2 Additional Certifications Required with the Bid

#### 5.1.2.1 COVID-19 Vaccination Requirement Certification (see Annex E)

In accordance with the COVID-19 Vaccination Policy for Supplier Personnel, all Bidders must provide with their the COVID-19 Vaccination Requirement Certification attached to this bid solicitation, to be given further consideration in this procurement process. This Certification incorporated into the bid solicitation on its closing date is incorporated into, and forms a binding part of any resulting Contract.

### 5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

#### 5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real property agreement of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

#### 5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

## PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

### 6.1 Security Requirements

**6.1.1** The following security requirements (SRCL and related clauses provided by the Contract Security Program) apply and form part of the Contract.

1. The Contractor/Offeror must, at all times during the performance of the Contract/Standing Offer, hold a valid Designated Organization Screening (DOS), issued by the Contract Security Program (CSP), Public Works and Government Services Canada (PWGSC).
2. The Contractor/Offeror personnel requiring access to sensitive site(s) must EACH hold a valid RELIABILITY STATUS, granted or approved by the CSP, PWGSC.
3. Subcontracts which contain security requirements are NOT to be awarded without the prior written permission of the CSP, PWGSC.
4. The Contractor/Offeror must comply with the provisions of the:
  - a) Security Requirements Check List and security guide (if applicable), attached at Annex C;
  - b) *Contract Security Manual* (Latest Edition).

### 6.2 Statement of Work

The Contractor must perform the Work in accordance with the Statement of Work at Annex "A".

### 6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) issued by Public Works and Government Services Canada.

#### 6.3.1 General Conditions

[2010A](#) (2021-12-02), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

**Section 32 Anti-forced labour requirements** is added as follows:

1. The Contractor represents and warrants that the Work is not mined, manufactured or produced wholly or in part by forced labour. Regardless of who acts as an importer, the Contractor must not during the performance of the Contract, directly or indirectly, deliver Work to Canada or import Work into Canada the importation of which is prohibited pursuant to ss. 136(1) of the *Customs Tariff Act* and tariff item No. 9897.00.00 of the [Customs Tariff – Schedule](#) (as amended from time to time), because it is mined, manufactured or produced wholly or in part by forced labour.

2. If a tariff classification determination is made under the *Customs Act* that the importation of the Work, or any part of the Work, is prohibited, the Contractor must immediately inform the Contracting Authority in writing. Canada may terminate the Contract for default in accordance with section 2010A 23 - Default by the Contractor if the Work or any part of the Work is classified under tariff item no. 9897.00.00 of the *Customs Tariff – Schedule* as mined, manufactured or produced wholly or in part by forced labour. If the Contractor is aware that the Work, or any part of the Work, is being or has been investigated regarding whether it is prohibited from entry pursuant to tariff item No. 9897.00.00, the Contractor must immediately inform the Contracting Authority in writing of that investigation.
3. Canada may terminate the Contract for default in accordance with section 2010A 23 - Default by the Contractor if it has reasonable grounds to believe the Work was mined, manufactured or produced in whole or in part by forced labour or linked to human trafficking. Reasonable grounds for making such a determination may include:
  - a. Findings or Withhold Release Orders issued by the United States Customs and Border Protection, under the US *Trade Facilitation and Trade Enforcement Act* (TFTEA) of 2015; or
  - b. Credible evidence from a reliable source, including but not limited to non-governmental organizations.
4. Canada may terminate the Contract for default in accordance with section 2010A 23 - Default by the Contractor if the Contractor has, in the past three years, been convicted of any of the following offences under the *Criminal Code* or the *Immigration and Refugee Protection Act*:
  - Criminal Code*
    - i. section 279.01 (Trafficking in persons);
    - ii. section 279.011 (Trafficking of a person under the age of eighteen years);
    - iii. subsection 279.02(1) (Material benefit - trafficking);
    - iv. subsection 279.02(2) (Material benefit - trafficking of person under 18 years);
    - v. subsection 279.03(1) (Withholding or destroying documents - trafficking);
    - vi. subsection 279.03(2) (Withholding or destroying documents - trafficking of person under 18 years); or
  - Immigration and Refugee Protection Act*
    - vii. section 118 (Trafficking in persons).
5. Canada may terminate the Contract for default in accordance with section 2010A 23 - Default by the Contractor if the Contractor has, in the past three years, been convicted of an offence in a jurisdiction other than Canada that, in Canada's opinion, is similar to any of the offences identified in paragraphs 4(i) to (vii).
6. For purposes of determining whether a foreign offence is similar to a listed offence, PWGSC will take into account the following factors:
  - i. in the case of a conviction, whether the court acted within its jurisdiction;
  - ii. whether the supplier was afforded the right to appear during the court's proceedings or to submit to the court's jurisdiction;
  - iii. whether the court's decision was obtained by fraud; or
  - iv. whether the supplier was entitled to present to the court every defence that the supplier would have been entitled to present had the proceeding been tried in Canada.
7. Where Canada intends to terminate the Contract under this section, Canada will inform the Contractor and provide the Contractor an opportunity to make written representations before making a final decision. Written representations must be submitted within 30 days from receiving a notice of concern unless Canada establishes a different deadline.

## 6.3.2 Supplemental General Conditions

### 4013 Compliance with on-site measures, standing orders, policies and rules

The Contractor must comply and ensure that its employees and subcontractors comply with all security measures, standing orders, policies or other rules in force at the site where the Work is performed.

### 4014 Suspension of the Work

1. The Contracting Authority may at any time, by written notice, order the Contractor to suspend or stop the Work or part of the Work under the Contract for a period of up to 180 days. The Contractor must immediately comply with any such order in a way that minimizes the cost of doing so. While such an order is in effect, the Contractor must not remove any part of the Work from any premises without first obtaining the written consent of the Contracting Authority. Within these 180 days, the Contracting Authority must either cancel the order or terminate the Contract, in whole or in part, under section(s) *Default by the Contractor or Termination for convenience of general conditions 2010A*.
2. When an order is made under subsection 1, unless the Contracting Authority terminates the Contract by reason of default by the Contractor or the Contractor abandons the Contract, the Contractor will be entitled to be paid its additional costs incurred as a result of the suspension plus a fair and reasonable profit.
3. When an order made under subsection 1 is cancelled, the Contractor must resume work in accordance with the Contract as soon as practicable. If the suspension has affected the Contractor's ability to meet any delivery date under the Contract as soon as practicable. If the suspension has affected the Contractor's ability to meet any delivery date under the Contract, the date for performing the part of the Work affected by the suspension will be extended for a period equal to the period of suspension plus a period, if any, that in the opinion of the Contracting Authority, following consultations with the Contractor, is necessary for the Contractor to resume the Work. Any equitable adjustments will be made as necessary to any affected conditions of the Contract.

## 6.4 Term of Contract

### 6.4.1 Delivery Date

All the deliverables must be received on or before March 31, 2022.

## 6.5 Authorities

### 6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Linda Richard  
Title: Supply Specialist  
Public Works and Government Services Canada  
Address: 1713 Bedford Row  
Halifax, Nova Scotia B3J 1T3  
  
Telephone: 902-402-9059  
Facsimile: 902-496-5016  
E-mail address: linda.k.richard@pwgsc-tpsgc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

### 6.5.2 Project Authority

The Project Authority for the Contract is: **(To be named upon award of contract)**

Name: \_\_\_\_\_  
Title: \_\_\_\_\_  
Organization: \_\_\_\_\_  
Address: \_\_\_\_\_

Telephone: \_\_\_\_\_  
Facsimile: \_\_\_\_\_  
E-mail address: \_\_\_\_\_

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

### 6.5.3 Contractor's Representative (PLEASE COMPLETE)

Name: \_\_\_\_\_  
Title: \_\_\_\_\_  
Organization: \_\_\_\_\_  
Address: \_\_\_\_\_

Telephone: \_\_\_\_\_  
Facsimile: \_\_\_\_\_  
E-mail address: \_\_\_\_\_

## 6.6 Payment

### 6.6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm price as specified in Annex B for a cost of \$ \_\_\_\_\_ insert the amount at contract award). Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

### 6.6.2 Limitation of Price

SACC Manual clause C6000C (2017-08-17) Limitation of Price

### 6.6.3 Optional Goods and/or Services

The Contractor grants to Canada the irrevocable option to acquire the goods, services or both described at Annex A of the Contract under the same conditions and at the prices and/or rates stated in the Contract. The option may only be exercised by the Contracting Authority and will be evidenced, for administrative purposes only, through a contract amendment.

The Contracting Authority may exercise the option within 24 months after contract award by sending a written notice to the Contractor

### 6.6.4 Single Payment

SACC *Manual* clause [H1000C](#) (2008-05-12) Single Payment

### 6.6.5 Electronic Payment of Invoices – Contract

The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

- a. Visa Acquisition Card;
- b. MasterCard Acquisition Card;
- c. Direct Deposit (Domestic and International);
- d. Electronic Data Interchange (EDI);
- e. Wire Transfer (International Only);
- f. Large Value Transfer System (LVTS) (Over \$25M)

### 6.7 Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
  - a. The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

### 6.8 Certifications and Additional Information

#### 6.8.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

## 6.9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Nova Scotia.

## 6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A (2021-12-02) General Conditions: Goods (Medium Complexity);
- (c) the supplemental general conditions:
  - 4013 Compliance with on-site measures, standing orders, policies and rules
  - 4013 Suspension of the work;
- (d) Annex A, Statement of Work;
- (e) Annex B, Basis of Payment
- (f) Annex C, Security Requirements Check List;
- (g) the Contractor's bid dated \_\_\_\_\_ (*insert date of bid*)

## 6.11 Defence Contract

SACC *Manual* clause [A9006C](#) (2012-07-16) Defence Contract

## 6.12 Inspection and Acceptance

The Project Authority is the Inspection Authority. All reports, deliverable items, documents, goods and all services rendered under the Contract are subject to inspection by the Inspection Authority or representative. Should any report, document, good or service not be in accordance with the requirements of the Statement of Work and to the satisfaction of the Inspection Authority, as submitted, the Inspection Authority will have the right to reject it or require its correction at the sole expense of the Contractor before recommending payment.

## 6.13 Dispute Resolution

- (a) The parties agree to maintain open and honest communication about the Work throughout and after the performance of the contract.
- (b) The parties agree to consult and co-operate with each other in the furtherance of the contract and promptly notify the other party or parties and attempt to resolve problems or differences that may arise.
- (c) If the parties cannot resolve a dispute through consultation and cooperation, the parties agree to consult a neutral third party offering alternative dispute resolution services to attempt to address the dispute.
- (d) Options of alternative dispute resolution services can be found on Canada's Buy and Sell website under the heading "[Dispute Resolution](#)".

## ANNEX "A"

### STATEMENT OF WORK

#### 1. GENERAL DESCRIPTION

- 1.1. This purchase description is for the engineering, supply and installation of one (1) Fabric Storage Shelter. Both ends of the shelter must be constructed of Hollow Structural Steel framing and covered with fabric. The shelter must meet or exceed the specifications outlined below.
- 1.2. Drawing number 4692126 Sheet 1 and sheet 2, showing approximate location and elevations, are to be considered part of this purchase description.

#### 2. SPECIFICATIONS

##### 2.1. Dimensions

- 2.1.1. Maximum Length- 133 feet (not including foundation)
- 2.1.2. Minimum Length- 130 feet (not including foundation)
- 2.1.3. Max Outside Width- 73 feet (not including foundation)
- 2.1.4. Minimum Outside Width- 70 feet (not including foundation)
- 2.1.5. Minimum Inside Width at Base Plates- 70 feet
- 2.1.6. At a point (3) feet in from the outside edge of the baseplate there must be a minimum of 9 feet of vertical clearance. This does not include the clearance added by the foundation.
- 2.1.7. Maximum Outside Height (from bottom of Baseplate)- 30 feet (**NOT INCLUDING** foundation)
- 2.1.8. Minimum **Inside** Height (from bottom of Baseplate) - 27 feet (clear height to the inside of the truss at center, (**NOT INCLUDING** foundation))

##### 2.2. Engineering, Drawings and Permits

- 2.2.1. The Fabric Shelter and foundation must be engineered by a Professional Engineer licensed in Nova Scotia.
- 2.2.2. An engineered stamped drawing of the Fabric Shelter must be submitted to the project manager prior to construction.
- 2.2.3. The Fabric Shelter must be designed and constructed to meet the requirements of the latest edition of the National Building Code. The snow, wind and rain loads must be specific to the shelter location within HMC Dockyard.
- 2.2.4. The engineered stamped drawings must include wind, and snow loads.
- 2.2.5. Wind load pressures must also be converted to kilometers per hour.
- 2.2.6. It is the responsibility of the contractor to take site measurements and ensure suitable size, clearances and location of the shelter.

2.2.7. The manufacturer of the shelter system must have a current certification as a Steel Building Systems Manufacturer in accordance with CSA A660.

2.2.8. The Fabric Shelter must meet the requirements of CSA A660.

2.2.9. Any permits that may be required are the responsibility of the contractor.

### **2.3. Foundation**

2.3.1. The shelter will be constructed on an asphalt lot. It is the responsibility of the contractor to provide a foundation that is level within the tolerances of the shelter.

2.3.2. The Fabric Shelter must be constructed on a solid concrete or solid concrete gravity block foundation. If concrete blocks are used the size of the concrete blocks must be designed to provide the required stability while fitting into the available space and allowing for the most efficient use of inside storage space.

2.3.3. The foundation must provide adequate weight to secure the shelter. No securing devices are permitted to penetrate the ground.

2.3.4. The foundation must have openings at the asphalt level to allow water to reach the drain inside the fabric shelter.

2.3.5. An engineered stamped drawing of the foundation must be submitted to the project manager prior to construction.

### **2.4. Framing and Structural Members**

2.4.1. All welds must comply with American Welding Society (AWS) and the Canadian Welding Bureau (CWB).

2.4.2. All steel must meet or exceed 50KSI Yield Strength.

2.4.3. Only round tubing is to be used for the manufacturing of the arches.

2.4.4. All steel components, including welded components, must be hot dip galvanized in accordance with ASTM A123.

2.4.5. All truss tubing is to be hot dip galvanized after fabrication. The use of any type of pre-galvanized steel is not permitted.

2.4.6. All purlins must be a minimum 2-7/8" diameter, 14 Ga and must be Hot Dipped Galvanized after fabrication. The use of any type of pre-galvanized steel is not permitted.

2.4.7. All purlins and trusses must be suitable for the support of light fixtures. (Lighting fixtures may be added at a future date by others.)

2.4.8. All tie down pipes must be galvanized steel.

2.4.9. The truss's must have a minimum depth of 24" outside of chords to outside of chords and must be made of minimum 2-7/8" inch diameter, 10 Gauge upper and lower chord tubing.

2.4.10. Trusses must be spaced with a maximum distance of six (6) feet center to center.

2.4.11. Steel legs must be made to fit the shelter profile. Universal leg extensions with multiple fastening holes are not permitted.

2.4.12. All truss webbing must not be less than 1.25 inch, 14 gauge pre-galvanized steel.

2.4.13. Base plates, HSS end wall steel, connection plates and clips must be Hot dip Galvanized. Use of any type of pre-galvanized steel is not permitted.

2.4.14. All hardware and fasteners must be Hot Dipped Galvanized.

2.4.15. All cabling must be galvanized 7 by 19 strand commercial grade wire rope, sized to suite.

2.4.16. All tie down pipe must be secured by 10,000 pound lashing winches at every truss base.

## 2.5. Fabric

2.5.1. The shelter must be covered with a heavyweight fabric cover meeting the following specifications;

2.5.1.1. Weave: The scrim must be a woven clear high density polyethylene (HDPE).

2.5.1.2. Coating: The coating must be a Low-density polyethylene (LDPE) coating with UV protection, at 4 mil average thickness on each side (95 g/m<sup>2</sup>).

2.5.1.3. Color: The coated fabric cover must be white.

2.5.1.4. Weight: The fabric must be 12 oz./yd<sup>2</sup> (407 g/m<sup>2</sup>) +/- 5%

2.5.1.5. Thickness: The thickness must be 23 mil (0.59 mm) ASTM D1777

2.5.1.6. Grab Tensile: Warp 370 lb (1664 N) / Weft 345 lb (1532 N), ASTM D5034

2.5.1.7. Strip Tensile(N/5cm): Warp 250 lb/in (2220)/Weft 235 lb/in (2086) ASTM D5035

2.5.1.8. Tongue Tear: Warp 110 lb (488 N) / Weft 100 lb (444 N) ASTM D2261

2.5.1.9. Trapezoidal Tear: Warp 100 lb (444 N) / Weft 90 lb (400 N) ASTM D4533

2.5.1.10. Mullen Burst: 650 psi (4478 kPa) ASTM D3786

2.5.1.11. Accelerated UV Weathering<sup>1</sup>:

2.5.1.11.1. >90 % strength retention after 2000 hrs exposure @ 0.77 W/m<sup>2</sup>/nm, or

2.5.1.11.2. 1200 hrs exposure @ 1.35 W/m<sup>2</sup>/nm (ASTM G154)

2.5.1.11.3. (1 Q.U.V [A-340 Lamps]; 8 hrs UV @ 60°C; 4hrs condensation @ 50°C )

2.5.1.12. Low Temperature Bend: - 60°C ASTM D2136

2.5.1.13. Fire Rated Performance: - Must meet the requirements of NFPA 701-2015 (Method 2), NFPA-701(1989) Large Scale; CAN/ULC S109-M87 (Large Scale), and ASTM E84-00a (Class 1).

## 2.6. Man Doors

2.6.1. Two (2) man doors must be installed in the Fabric Shelter. Door size must be 36" x 84". See drawing 4692126 Sheet 1 for location.

2.6.2. Door frames must be welded steel, thermally broken with 4-3/4" jamb depth.

2.6.3. Doors must be equipped with standard weight hinges, Sargent locks keyed the same, panic bars, door closer, weather stripping, door sweep and aluminum threshold.

2.6.4. The man doors must be equipped with a 7 inch (177.8 mm) wide by 22 inch (558.0 mm) high Lite Kit and Glass to provide visibility for those entering and exiting the shelter. Visible area is not to be less than 5 inches (127 mm) by 20 inches (508 mm)

2.6.5. The man doors and frames must be primed and painted with two coats of Red enamel paint.

## **2.7. Overhead Doors**

2.7.1. The Fabric Shelter must be equipped with two (2) 16' wide x 16' high overhead doors. One (1) located in the center of each end of the shelter.

2.7.2. The doors and tracks must be designed to withstand a basic wind load while in the closed position of 0.47 kPa (10 psf).

2.7.3. Maximum deflection while the door is in open horizontal position must not exceed 1/120 of the span.

2.7.4. The door sections must have steel skins with polyurethane core sandwich type construction, thermal break and to incorporate the use of two continuous replaceable factory installed gaskets. Sections must have a minimum thermal insulating value of RSI 2.82 (R16).

2.7.5. The exterior Skin must be manufactured from structural quality hot-dipped galvanized steel, 0.48 mm (0.019") minimum embossing, factory applied baked on polyester paint finish.

2.7.6. The Interior Skin must be manufactured from structural quality hot-dipped galvanized steel, 0.41 mm (0.016") minimum, and baked-on acrylic paint finish.

2.7.7. Ends of each door section must be capped with 1.6 mm (0.0625") hot dipped galvanized steel full height end caps.

2.7.8. Door cavity must be filled on continuous process, formed-in-place, CFC and HCFC free rigid polyurethane core, interior and exterior skins must feature thermal break.

2.7.9. Door sections must have a continuous reinforcing strip, within core of door sections, for all hardware, accessories and mounting locations. Reinforcing strip must be of adequate width to enable the attachment of all fasteners and screws to penetrate both door interior skin and reinforcing strip. Fasteners or screws etc., secured only to the door skin will not be acceptable.

2.7.10. Doors must be equipped with a heavy duty, factory installed continuous top seal to seal against header, continuous replaceable seals between sections and vinyl bulb shaped astragal on the bottom edge of the bottom section. Dual Durometer vinyl jamb weather seal bolted to the continuous adjustable mounting angle for easy replacement.

2.7.11. The door hardware must be heavy duty galvanized steel.

2.7.12. Rollers must be steel rollers with inner and outer ball races of hardened steel.

2.7.13. Springs must be designed for a minimum of 10,000 cycles

2.7.14. Cables must be galvanized.

- 2.7.15. The overhead door must come complete with a Heavy-Duty Industrial Jackshaft Operator with a solenoid brake. It must incorporate a chain hoist for manual operation with a floor level engaging device. (For possible electrical connection by others at a later date)
- 2.7.16. The overhead door operator must come complete with photo eyes. (For possible electrical connection by others at a later date)
- 2.7.17. Provide a Reversing Safety Edge along the bottom edge of door to reverse on contact with an object. Hose type pneumatic safety edges will not be accepted. (For possible electrical connection by others at a later date).

## **2.8. Ventilation**

- 2.8.1. The shelter must have two (2) vents located at both ends of the shelter suitable for the removal of exhaust fumes from fork truck operation. The vents must be 4' x 4' with a fixed open louver.
- 2.8.2. The vents must be located on each end of the shelter, on each side of the overhead door, centered between the door and the end of the end wall. The bottom of vents must be located 2 feet above the baseplates.
- 2.8.3. Three (3) Industrial Wind Driven Ventilation Turbines must be evenly spaced along the roofline of the shelter.
- 2.8.4. The Industrial Wind Driven Ventilation Turbines must be capable of exhausting:
  - 2.8.4.1. 1314 Cubic Feet Per Minute (CFM), with a wind speed of 3.7 Miles per hour (620 Liters per second with 6 KM/H)
  - 2.8.4.2. 2339 Cubic Feet Per Minute (CFM), with a wind speed of 7.5 Miles per hour (1104 Liters per second with 12 KM/H)
- 2.8.5. 3009 Cubic Feet Per Minute (CFM), with a wind speed of 9.9 Miles per hour (1420 Liters per second with 16 KM/H)

## **3. ELECTRICAL CERTIFICATION**

- 3.1. The electrical equipment being supplied must be certified by an acceptable electrical certified organization. The following certified organizations are acceptable. The electrical equipment must bear a label from one of these organizations in order to be recognized as approved.
- 3.2. At least one of the organizations must be used;
  - 3.2.1. Canadian Standards Association (CSA),
  - 3.2.2. QPS/Entela,
  - 3.2.3. Intertek Testing Services,
  - 3.2.4. Underwriters Laboratories of Canada (ULC),
  - 3.2.5. Underwriters Laboratories Inc. (UL),
  - 3.2.6. Met Laboratories Inc. (MET),
  - 3.2.7. TUV Rheinland of North America,
  - 3.2.8. Quality Auditing Institute (QAI),
  - 3.2.9. TUV America Inc.,
  - 3.2.10. NSF International,
  - 3.2.11. Nemko Canada Inc.
  - 3.2.12. Curtis-Straus LLC
  - 3.2.13. OTL Omni Test Laboratories

---

### 3.2.14. FM Approvals LLC (Factory Mutual)

3.3. NOTE: Labels from all Organizations above (with the exception of CSA and ULC), must be accompanied by a small "c" at the eight o'clock position or Canadian Standard number to indicate the product has been certified to the Canadian Standard.

3.4. Electrical equipment that is not certified by one of the above agencies can only be accepted if the equipment is "field" inspected and labelled by the Canadian Standards Association (CSA), QPS/Entela, Intertek Testing Services, MET Laboratories, TUV America Inc., Underwriters Laboratories of Canada under the Special Inspection Program. This inspection must take place before equipment delivery to FMF Cape Scott and a copy of verification documentation report must accompany the machine with delivery. Identify which Organization must be used:

- 3.4.1. Canadian Standards Association (CSA),
- 3.4.2. QPS/Entela,
- 3.4.3. Intertek Testing Services,
- 3.4.4. Met Laboratories Inc. (MET),
- 3.4.5. TUV America Inc.,
- 3.4.6. Underwriters Laboratories of Canada (ULC).
- 3.4.7. ESA Electrical Safety Authority

## 4. WARRANTY

4.1. The Fabric Storage Shelter must be supplied with the following warranties.

- 4.1.1. The main fabric must have a warranty of not less than 15 years (Pro Rated)
- 4.1.2. The main steel frame must have a warranty of not less than 20 years (Pro Rated)
- 4.1.3. The End Steel Framework must have a warranty of not less than 10 years (Pro Rated)
- 4.1.4. The end fabric must have a warranty of not less than 5 years (Pro Rated)
- 4.1.5. Overhead Door Operator must have a warranty of not less than 2 years
- 4.1.6. All other items must have a warranty of not less than 1 year.

4.2. The Fabric Shelter must be warranted for tautness and other adjustments for a period of one year. The supplier will be responsible for not less than three inspections and adjustments to the shelter throughout the first year as required.

4.3. Warranty periods shall start on the day of contract completion.

## 5. DELIVERY, CONSTRUCTION AND INSTALLATION

5.1. The Fabric Shelter components must be delivered within seven (8) weeks of contract award. Construction of the shelter must be completed within three (3) weeks of material delivery.

5.2. The Fabric Shelter complete with foundation, man doors, overhead doors and vents must be delivered to, and assembled at the address below. The final location will be identified by the site authority.

CFB HALIFAX,  
Fleet Maintenance Facility Cape Scott,  
Halifax,  
Nova Scotia,  
B3K 5X5

## 6. SECURITY REQUIREMENTS

6.1. The supply of the Fabric Storage Shelter onsite installation. Therefore, the supplying organization and any contractors, sub-contractors, consultants, inspection agencies, field service representatives, or anyone else required to come on the DND site will require security screening through the Contract Security Program. The security clearance must be approved prior to any on site work or training that is a part of this contract. The program will contact your organization directly to initiate the Designated Organization Screening (DOS). You will be asked to:

6.1.1. Complete an application for registration. In the application you will provide:

6.1.1.1. Information about your organization's structure, ownership and legal status

6.1.1.2. Names of key senior officials:

6.1.1.3. *Note 1: A key senior official is a senior member of your organization who influences your organization's policies or practices in the performance of protected and classified contracts, and may be an owner, officer, director, executive, partner or board member*

6.1.1.4. *Note 2: **NOT REQUIRED IN THIS CASE** If applying for a facility security clearance, you will need to determine which of your key senior officials will require clearance. Learn more about Facility Security Clearance at <https://www.tpsgc-pwgsc.gc.ca/esc-src/organisation-organization/information-eng.html#s2b>*

6.1.2. Appoint a company security officer and alternate company security officer. If you are a sole proprietor or a consultant you will act as both a company security officer and key senior official. To learn more about appointing a Company Security Officer visit <https://www.tpsgc-pwgsc.gc.ca/esc-src/organisation-organization/ase-cso-eng.html>

6.1.3. Complete the required personnel security screening forms. These forms can be completed on line. For more information visit <https://www.tpsgc-pwgsc.gc.ca/esc-src/personnel/enquete-screening-eng.html#s7>.

6.2. The program will assess the information provided before granting or denying a clearance. The company will be contacted directly when the program has determined the results of your DOS.

## 7. OPTIONS TO PURCHASE ADDITIONAL SHELTERS

7.1. The Government of Canada must be able to exercise an option to purchase up to an additional 2 shelters of the same requirements on an as required basis for a duration of up to two years from the date of receiving the first shelter.

**ANNEX "B"**

**BASIS OF PAYMENT**

Pricing offered must be in Canadian dollars, Applicable Taxes excluded, FOB destination, Canadian customs duties and excise taxes included.

A bid must comply with the requirements of the bid solicitation outlined in Annex A and meet all mandatory criteria as outlined in Annex C to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of contract.

No further charges will be allowed.

**Table #1 Firm Requirement:**

ITEM	U of I	QTY	UNIT PRICE	EXTENDED
Fabric Storage Shelter as fully detailed in Annex A <b>Make and Model:</b>	EA	1		
Installation of Fabric Storage Shelter as fully detailed in Annex A	EA	1		
			<b>TOTAL</b>	

**Table #2 Optional Requirement: (Note that these may be ordered separately or together)**

ITEM	U of I	QTY	UNIT PRICE	EXTENDED
Fabric Storage Shelter as fully detailed in Annex A <b>Make and Model:</b>	EA	2		
Installation of Fabric Storage Shelter as fully detailed in Annex A	EA	2		
			<b>TOTAL</b>	

Solicitation No. - N° de l'invitation

W355B-226323

Client Ref. No. - N° de réf. du client

W355B-22-8323

Amd. No. - N° de la modif.

File No. - N° du dossier

HAL-1-87073

Buyer ID - Id de l'acheteur

HAL219

CCC No./N° CCC - FMS No./N° VME

---

## **ANNEX "C"**

### **SECURITY REQUIREMENTS CHECK LIST**

***(Please see attached)***

---

## **ANNEX "1" to PART 3 OF THE BID SOLICITATION**

### **ELECTRONIC PAYMENT INSTRUMENTS**

The Bidder accepts any of the following Electronic Payment Instrument(s):

- VISA Acquisition Card;
- MasterCard Acquisition Card;
- Direct Deposit (Domestic and International);
- Electronic Data Interchange (EDI);
- Wire Transfer (International Only);
- Large Value Transfer System (LVTS) (Over \$25M)

## ANNEX D

### CROSS-REFERENCE TO MANDATORY REQUIREMENTS

**Instructions:** Bidders should include two (2) copies of descriptive literature; if available, for the item(s) offered in sufficient detail to clearly indicate compliance with each of the individual requirements from the Statement of Requirement (SOR) detailed herein.

Bidders should cross reference the page number and highlight the specification in your technical data sheets or brochure to demonstrate and support your compliance for each of the Mandatory Technical Criteria within the SOR. You may add any comments to support your bid.

It will be to your advantage to furnish as much detail as possible to support your comments and your claims of compliance for each specification.

**NOTE:** The Crown is under NO obligation to seek clarification of the bid(s) or the supporting technical documentation provided. Failure to meet any of the following will render your proposal non-compliant and will be given no further consideration.

NO.	SPECIFICATIONS	PAGE NUMBER OR CROSS REFERENCE	COMMENT(S)
1.3	A site visit to confirm site measurements, sizes, clearances and Canadian Building Code exposure requirements for wind, snow and rain is mandatory before submitting bid.		
<b>2.1</b>	<b>Dimensions</b>		
2.1.1	Maximum Length- 133 feet (not including foundation)		
2.1.2	Minimum Length- 130 feet (not including foundation)		
2.1.3	Max Outside Width- 73 feet (not including foundation)		
2.1.4	Minimum Outside Width- 70 feet (not including foundation)		
2.1.5	Minimum Inside Width at Base Plates- 70 feet		
2.1.6	At a point (3) feet in from the outside edge of the baseplate there must be a minimum of 9 feet of vertical clearance. This does not include the clearance added by the foundation.		
2.1.7	Maximum Outside Height (from bottom of Baseplate)- 30 feet ( <b>NOT INCLUDING</b> foundation)		

NO.	SPECIFICATIONS	PAGE NUMBER OR CROSS REFERENCE	COMMENT(S)
2.1.8	Minimum <b>Inside</b> Height (from bottom of Baseplate) - 27 feet ( clear height to the inside of the truss at center, <b>(NOT INCLUDING</b> foundation)		
<b>2.2</b>	<b>Engineering, Drawings and Permits</b>		
2.2.1	The Fabric Shelter and foundation must be engineered by a Professional Engineer licensed in Nova Scotia.		
2.2.2	An engineered stamped drawing of the Fabric Shelter must be submitted to the project manager prior to construction.		
2.2.3	The Fabric Shelter must be designed and constructed to meet the requirements of the latest edition of the National Building Code. The snow, wind and rain loads must be specific to the shelter location within HMC Dockyard.		
2.2.4	The engineered stamped drawings must include wind, and snow loads.		
2.2.5	Wind load pressures must also be converted to kilometers per hour.		
2.2.6	It is the responsibility of the contractor to take site measurements and ensure suitable size, clearances and location of the shelter.		
2.2.7	The manufacturer of the shelter system must have a current certification as a Steel Building Systems Manufacturer in accordance with CSA A660.		
2.2.8	The Fabric Shelter must meet the requirements of CSA A660.		
<b>2.3</b>	<b>Foundation</b>		
2.3.1	The shelter will be constructed on an asphalt lot. It is the responsibility of the contractor to provide a foundation that is level within the tolerances of the shelter.		
2.3.2	The Fabric Shelter must be constructed on a solid concrete or solid concrete gravity block foundation. If concrete blocks are used the size of the concrete blocks must be designed to provide the required stability while fitting into the available space and allowing for the most efficient use of inside storage space.		
2.3.3	The foundation must provide adequate weight to secure the shelter. No securing devices are permitted to penetrate the ground.		
2.3.4	The foundation must have openings at the asphalt level to allow water to reach the drain inside the fabric shelter.		
2.3.5	An engineered stamped drawing of the foundation must be submitted to the project manager prior to construction.		

NO.	SPECIFICATIONS	PAGE NUMBER OR CROSS REFERENCE	COMMENT(S)
<b>2.4</b>	<b>Framing and Structural Members</b>		
2.4.1	All welds must comply with American Welding Society (AWS) and the Canadian Welding Bureau (CWB).		
2.4.2	All steel must meet or exceed 50KSI Yield Strength.		
2.4.3	Only round tubing is to be used for the manufacturing of the arches.		
2.4.4	All steel components, including welded components, must be hot dip galvanized in accordance with ASTM A123.		
2.4.5	All truss tubing is to be hot dip galvanized after fabrication. The use of any type of pre-galvanized steel is not permitted.		
2.4.6	All purlins must be a minimum 2-7/8" diameter, 14 Ga and must be Hot Dipped Galvanized after fabrication. The use or any type of pre-galvanized steel is not permitted.		
2.4.7	All purlins and trusses must be suitable for the support of light fixtures. (Lighting fixtures may be added at a future date by others.)		
2.4.8	All tie down pipes must be galvanized steel.		
2.4.9	The truss's must have a minimum depth of 24" outside of cords to outside of cords and must be made of minimum 2-7/8" inch diameter, 10 Gauge upper and lower chord tubing.		
2.4.10	Trusses must be spaced with a maximum distance of six (6) feet center to center.		
2.4.11	Steel legs must be made to fit the shelter profile. Universal leg extensions with multiple fastening holes are not permitted.		
2.4.12	All truss webbing must not be less than 1.25 inch, 14 gauge pre-galvanized steel.		
2.4.13	Base plates, HSS end wall steel, connection plates and clips must be Hot dip Galvanized. Use of any type of pre-galvanized steel is not permitted.		
2.4.14	All hardware and fasteners must be Hot Dipped Galvanized.		
2.4.15	All cabling must be galvanized 7 by 19 strand commercial grade wire rope, sized to suite.		
2.4.16	All tie down pipe must be secured by 10,000 pound lashing winches at every truss base.		
<b>2.5</b>	<b>Fabric</b>		
2.5.1	The shelter must be covered with a heavyweight fabric cover meeting the following specifications;		
2.5.1.1	Weave: The scrim must be a woven clear high density polyethylene (HDPE).		

NO.	SPECIFICATIONS	PAGE NUMBER OR CROSS REFERENCE	COMMENT(S)
2.5.1.2	Coating: The coating must be a Low-density polyethylene (LDPE) coating with UV protection, at 4 mil average thickness on each side (95 g/m <sup>2</sup> ).		
2.5.1.3	Color: The coated fabric cover must be white.		
2.5.1.4	Weight: The fabric must be 12 oz./yd <sup>2</sup> (407 g/m <sup>2</sup> ) +/- 5%		
2.1.5.5	Thickness: The thickness must be 23 mil (0.59 mm) ASTM D1777		
2.1.5.6	Grab Tensile: Warp 370 lb (1664 N) / Weft 345 lb (1532 N), ASTM D5034		
2.1.5.7	Strip Tensile(N/5cm): Warp 250 lb/in (2220)/Weft 235 lb/in (2086) ASTM D5035		
2.1.5.8	Tongue Tear: Warp 110 lb (488 N) / Weft 100 lb (444 N) ASTM D2261		
2.1.5.9	Trapezoidal Tear: Warp 100 lb (444 N) / Weft 90 lb (400 N) ASTM D4533		
2.1.5.10	Mullen Burst: 650 psi (4478 kPa) ASTM D3786		
2.5.1.11	Accelerated UV Weathering <sup>1</sup> :		
2.5.1.11.1	>90 % strength retention after 2000 hrs exposure @ 0.77 W/m <sup>2</sup> /nm, or		
2.5.1.11.2	1200 hrs exposure @ 1.35 W/m <sup>2</sup> /nm (ASTM G154)		
2.5.1.11.3	(1 Q.U.V [A-340 Lamps]; 8 hrs UV @ 60°C; 4hrs condensation @ 50°C )		
2.5.1.12	Low Temperature Bend: - 60°C ASTM D2136		
2.5.1.13	Fire Rated Performance: - Must meet the requirements of NFPA 701-2015 (Method 2), NFPA-701(1989) Large Scale; CAN/ULC S109-M87 (Large Scale), and ASTM E84-00a (Class 1).		
<b>2.6</b>	<b>Man Doors</b>		
2.6.1	Two (2) man doors must be installed in the Fabric Shelter. Door size must be 36" x 84". See drawing 4692126 Sheet 1 for location.		
2.6.2	Door frames must be welded steel, thermally broken with 4-3/4" jamb depth.		
2.6.3	Doors must be equipped with standard weight hinges, Sargent locks keyed the same, panic bars, door closer, weather stripping, door sweep and aluminum threshold.		
2.6.4	The man doors must be equipped with a 7 inch (177.8 mm) wide by 22 inch (558.0 mm) high Lite Kit and Glass to provide visibility for those entering and exiting the shelter. Visible area is not to be less than 5 inches (127 mm) by 20 inches (508 mm)		
2.6.5	The man doors and frames must be primed and painted with two coats of Red enamel paint.		

NO.	SPECIFICATIONS	PAGE NUMBER OR CROSS REFERENCE	COMMENT(S)
<b>2.7</b>	<b>Overhead Doors</b>		
2.7.1	The Fabric Shelter must be equipped with two (2) 16' wide x 16' high overhead doors. One (1) located in the center of each end of the shelter.		
2.7.2	1.5.2. The doors and tracks must be designed to withstand a basic wind load while in the closed position of 0.47 kPa (10 psf).		
2.7.3	1.5.3. Maximum deflection while the door is in open horizontal position must not exceed 1/120 of the span.		
2.7.4	The door sections must have steel skins with polyurethane core sandwich type construction, thermal break and to incorporate the use of two continuous replaceable factory installed gaskets. Sections must have a minimum thermal insulating value of RSI 2.82 (R16).		
2.7.5	The exterior Skin must be manufactured from structural quality hot-dipped galvanized steel, 0.48 mm (0.019") minimum embossing, factory applied baked on polyester paint finish.		
2.7.6	The Interior Skin must be manufactured from structural quality hot-dipped galvanized steel, 0.41 mm (0.016") minimum, and baked-on acrylic paint finish.		
2.7.7	Ends of each door section must be capped with 1.6 mm (0.0625") hot dipped galvanized steel full height end caps.		
2.7.8	Door cavity must be filled on continuous process, formed-in-place, CFC and HCFC free rigid polyurethane core, interior and exterior skins must feature thermal break.		
2.7.9	Door sections must have a continuous reinforcing strip, within core of door sections, for all hardware, accessories and mounting locations. Reinforcing strip must be of adequate width to enable the attachment of all fasteners and screws to penetrate both door interior skin and reinforcing strip. Fasteners or screws etc., secured only to the door skin will not be acceptable.		
2.7.10	Doors must be equipped with a heavy duty, factory installed continuous top seal to seal against header, continuous replaceable seals between sections and vinyl bulb shaped astragal on the bottom edge of the bottom section. Dual Durometer vinyl jamb weather seal bolted to the continuous adjustable mounting angle for easy replacement.		
2.7.11	The door hardware must be heavy duty galvanized steel.		
2.7.12	Rollers must be steel rollers with inner and outer ball races of hardened steel.		

NO.	SPECIFICATIONS	PAGE NUMBER OR CROSS REFERENCE	COMMENT(S)
2.7.13	Springs must be designed for a minimum of 10,000 cycles		
2.7.14	Cables must be galvanized.		
2.7.15	The overhead door must come complete with a Heavy-Duty Industrial Jackshaft Operator with a solenoid brake. It must incorporate a chain hoist for manual operation with a floor level engaging device. (For possible electrical connection by others at a later date)		
2.7.16	The overhead door operator must come complete with photo eyes. (For possible electrical connection by others at a later date)		
2.7.17	Provide a Reversing Safety Edge along the bottom edge of door to reverse on contact with an object. Hose type pneumatic safety edges will not be accepted. (For possible electrical connection by others at a later date).		
<b>2.8</b>	<b>Ventilation</b>		
2.8.1	The shelter must have two (2) vents located at both ends of the shelter suitable for the removal of exhaust fumes from fork truck operation. The vents must be 4' x 4' with a fixed open louver.		
2.8.2	The vents must be located on each end of the shelter, on each side of the overhead door, centered between the door and the end of the end wall. The bottom of vents must be located 2 feet above the baseplates.		
2.8.3	Three (3) Industrial Wind Driven Ventilation Turbines must be evenly spaced along the roofline of the shelter.		
2.8.4	The Industrial Wind Driven Ventilation Turbines must be capable of exhausting:		
2.8.4.1	1314 Cubic Feet Per Minute (CFM), with a wind speed of 3.7 Miles per hour (620 Liters per second with 6 KM/H)		
2.8.4.1.2	2339 Cubic Feet Per Minute (CFM), with a wind speed of 7.5 Miles per hour (1104 Liters per second with 12 KM/H)		
2.8.5	3009 Cubic Feet Per Minute (CFM), with a wind speed of 9.9 Miles per hour (1420 Liters per second with 16 KM/H)		
3	Electrical Certification		
4	Warranty		

## ANNEX E

### COVID-19 VACCINATION REQUIREMENT CERTIFICATION

I, \_\_\_\_\_ (*first and last name*), as the representative of  
\_\_\_\_\_ (*name of business*) pursuant to  
\_\_\_\_\_ (*insert solicitation number*), warrant and certify that all  
personnel that \_\_\_\_\_ (*name of business*) will provide on the  
resulting Contract who access federal government workplaces where they may come into contact with  
public servants will be:

- (a) \_\_\_\_\_ fully vaccinated against COVID-19 with Health  
Canada-approved COVID-19 vaccine(s); or
- (b) \_\_\_\_\_ for personnel that are unable to be vaccinated due  
to a certified medical contraindication, **religion or other prohibited grounds of discrimination under the  
Canadian Human Rights Act**, subject to accommodation and mitigation measures that have been  
presented to and approved by Canada;

until such time that Canada indicates that the vaccination requirements of the COVID-19 Vaccination  
Policy for Supplier Personnel are no longer in effect.

I certify that all personnel provided by \_\_\_\_\_ (*name of business*) have been notified of the  
vaccination requirements of the Government of Canada's COVID-19 Vaccination Policy for Supplier Personnel, and  
that the \_\_\_\_\_ (*name of business*) has certified to their compliance with this requirement.

I certify that the information provided is true as of the date indicated below and will continue to be true for  
the duration of the Contract. I understand that the certifications provided to Canada are subject to  
verification at all times. I also understand that Canada will declare a contractor in default, if a certification  
is found to be untrue, whether made knowingly or unknowingly, during the bid or contract period. Canada  
reserves the right to ask for additional information to verify the certifications. Failure to comply with any  
request or requirement imposed by Canada will constitute a default under the Contract.

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

#### Optional

For data purposes only, initial below if your business already has its own mandatory vaccination policy or  
requirements for employees in place. Initialing below **is not** a substitute for completing the mandatory  
certification above.

Initials: \_\_\_\_\_

Information you provide on this Certification Form and in accordance with the Government of Canada's COVID-19  
Vaccination Policy for Supplier Personnel will be protected, used, stored and disclosed in accordance with the  
Privacy Act. Please note that you have a right to access and correct any information on your file, and you have a  
right to file a complaint with the Office of the Privacy Commissioner regarding the handling of your personal  
information. These rights also apply to all individuals who are deemed to be personnel for the purpose for the

Solicitation No. - N° de l'invitation

W355B-226323

Client Ref. No. - N° de réf. du client

W355B-22-8323

Amd. No. - N° de la modif.

File No. - N° du dossier  
HAL-1-87073

Buyer ID - Id de l'acheteur

HAL219

CCC No./N° CCC - FMS No./N° VME

---

Contract and who require access to federal government workplaces where they may come into contact with public servants.

Solicitation No. - N° de l'invitation  
W355B-226323  
Client Ref. No. - N° de réf. du client  
W355B-22-8323

Amd. No. - N° de la modif.  
File No. - N° du dossier  
HAL-1-87073

Buyer ID - Id de l'acheteur  
HAL219  
CCC No./N° CCC - FMS No./N° VME

---

## **ANNEX F**

### **SHELTER DRAWING**

Please see attached.



Contract Number / Numéro du contrat <b>W355B-228323</b>
Security Classification / Classification de sécurité <b>UNCLASSIFIED</b>

**SECURITY REQUIREMENTS CHECK LIST (SRCL)  
LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)**

**PART A - CONTRACT INFORMATION / PARTIE A - INFORMATION CONTRACTUELLE**

1. Originating Government Department or Organization / Ministère ou organisme gouvernemental d'origine <b>DND</b>	2. Branch or Directorate / Direction générale ou Direction <b>Fleet Maintenance Facility Cape Scott</b>
3. a) Subcontract Number / Numéro du contrat de sous-traitance	3. b) Name and Address of Subcontractor / Nom et adresse du sous-traitant

4. Brief Description of Work / Brève description du travail  
The Department of Defence (DND), Fleet Maintenance Facility Cape Scott (FMF CS) has a requirement for the design, supply, and installation of up to three (3) Fabric Storage Shelters.

5. a) Will the supplier require access to Controlled Goods? / Le fournisseur aura-t-il accès à des marchandises contrôlées?  No / Non  Yes / Oui

5. b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control Regulations? / Le fournisseur aura-t-il accès à des données techniques militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques?  No / Non  Yes / Oui

6. Indicate the type of access required / Indiquer le type d'accès requis

6. a) Will the supplier and its employees require access to PROTECTED and/or CLASSIFIED information or assets? / Le fournisseur ainsi que les employés auront-ils accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS? (Specify the level of access using the chart in Question 7. c) / (Préciser le niveau d'accès en utilisant le tableau qui se trouve à la question 7. c)  No / Non  Yes / Oui

6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted. / Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS n'est pas autorisé.  No / Non  Yes / Oui

6. c) Is this a commercial courier or delivery requirement with no overnight storage? / S'agit-il d'un contrat de messagerie ou de livraison commerciale sans entreposage de nuit?  No / Non  Yes / Oui

7. a) Indicate the type of information that the supplier will be required to access / Indiquer le type d'information auquel le fournisseur devra avoir accès

Canada <input type="checkbox"/>	NATO / OTAN <input type="checkbox"/>	Foreign / Étranger <input type="checkbox"/>
---------------------------------	--------------------------------------	---

7. b) Release restrictions / Restrictions relatives à la diffusion

No release restrictions / Aucune restriction relative à la diffusion <input type="checkbox"/>	All NATO countries / Tous les pays de l'OTAN <input type="checkbox"/>	No release restrictions / Aucune restriction relative à la diffusion <input type="checkbox"/>
Not releasable / À ne pas diffuser <input type="checkbox"/>		
Restricted to: / Limité à: Specify country(ies): / Préciser le(s) pays: <input type="checkbox"/>	Restricted to: / Limité à: Specify country(ies): / Préciser le(s) pays: <input type="checkbox"/>	Restricted to: / Limité à: Specify country(ies): / Préciser le(s) pays: <input type="checkbox"/>

7. c) Level of information / Niveau d'information

PROTECTED A / PROTÉGÉ A <input type="checkbox"/>	NATO UNCLASSIFIED / NATO NON CLASSIFIÉ <input type="checkbox"/>	PROTECTED A / PROTÉGÉ A <input type="checkbox"/>
PROTECTED B / PROTÉGÉ B <input type="checkbox"/>	NATO RESTRICTED / NATO DIFFUSION RESTREINTE <input type="checkbox"/>	PROTECTED B / PROTÉGÉ B <input type="checkbox"/>
PROTECTED C / PROTÉGÉ C <input type="checkbox"/>	NATO CONFIDENTIAL / NATO CONFIDENTIEL <input type="checkbox"/>	PROTECTED C / PROTÉGÉ C <input type="checkbox"/>
CONFIDENTIAL / CONFIDENTIEL <input type="checkbox"/>	NATO SECRET / NATO SECRET <input type="checkbox"/>	CONFIDENTIAL / CONFIDENTIEL <input type="checkbox"/>
SECRET / SECRET <input type="checkbox"/>	COSMIC TOP SECRET / COSMIC TRÈS SECRET <input type="checkbox"/>	SECRET / SECRET <input type="checkbox"/>
TOP SECRET / TRÈS SECRET <input type="checkbox"/>		TOP SECRET / TRÈS SECRET <input type="checkbox"/>
TOP SECRET (SIGINT) / TRÈS SECRET (SIGINT) <input type="checkbox"/>		TOP SECRET (SIGINT) / TRÈS SECRET (SIGINT) <input type="checkbox"/>



**PART A (continued) / PARTIE A (suite)**

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets?  
Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS?  No / Non  Yes / Oui  
If Yes, indicate the level of sensitivity:  
Dans l'affirmative, indiquer le niveau de sensibilité :

9. Will the supplier require access to extremely sensitive INFOSEC information or assets?  
Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate?  No / Non  Yes / Oui  
Short Title(s) of material / Titre(s) abrégé(s) du matériel :  
Document Number / Numéro du document :

**PART B - PERSONNEL (SUPPLIER) / PARTIE B - PERSONNEL (FOURNISSEUR)**

10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis

<input checked="" type="checkbox"/> RELIABILITY STATUS COTE DE FIABILITÉ	<input type="checkbox"/> CONFIDENTIAL CONFIDENTIEL	<input type="checkbox"/> SECRET SECRET	<input type="checkbox"/> TOP SECRET TRÈS SECRET
<input type="checkbox"/> TOP SECRET- SIGINT TRÈS SECRET - SIGINT	<input type="checkbox"/> NATO CONFIDENTIAL NATO CONFIDENTIEL	<input type="checkbox"/> NATO SECRET NATO SECRET	<input type="checkbox"/> COSMIC TOP SECRET COSMIC TRÈS SECRET
<input type="checkbox"/> SITE ACCESS ACCÈS AUX EMBLEMES			

Special comments:  
Commentaires spéciaux : \_\_\_\_\_

NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided.  
REMARQUE : Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être fourni.

10. b) May unscreened personnel be used for portions of the work?  
Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail?  No / Non  Yes / Oui  
If Yes, will unscreened personnel be escorted?  
Dans l'affirmative, le personnel en question sera-t-il escorté?  No / Non  Yes / Oui

**PART C - SAFEGUARDS (SUPPLIER) / PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)**

**INFORMATION / ASSETS / RENSEIGNEMENTS / BIENS**

11. a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or premises?  
Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS?  No / Non  Yes / Oui

11. b) Will the supplier be required to safeguard COMSEC information or assets?  
Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC?  No / Non  Yes / Oui

**PRODUCTION**

11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises?  
Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ?  No / Non  Yes / Oui

**INFORMATION TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)**

11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED information or data?  
Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS?  No / Non  Yes / Oui

11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency?  
Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale?  No / Non  Yes / Oui



**PART C - (continued) / PARTIE C - (suite)**

For users completing the form **manually** use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.

Les utilisateurs qui remplissent le formulaire **manuellement** doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form **online** (via the Internet), the summary chart is automatically populated by your responses to previous questions.

Dans le cas des utilisateurs qui remplissent le formulaire **en ligne** (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

**SUMMARY CHART / TABLEAU RÉCAPITULATIF**

Category / Catégorie	PROTECTED / PROTÉGÉ			CLASSIFIED / CLASSIFIÉ			NATO				COMSEC							
	A	B	C	CONFIDENTIAL / CONFIDENTIEL	SECRET	TOP SECRET / TRÈS SECRET	NATO RESTRICTED / NATO DIFFUSION RESTREINTE	NATO CONFIDENTIAL / NATO CONFIDENTIEL	NATO SECRET	COSMIC TOP SECRET / COSMIC TRÈS SECRET	PROTECTED / PROTÉGÉ			CONFIDENTIAL / CONFIDENTIEL	SECRET	TOP SECRET / TRÈS SECRET		
											A	B	C					
Information / Assets / Renseignements / Biens / Production	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
IT Media / Support TI	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
IT Link / Lien électronique	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED?  
La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE?

No / Non  Yes / Oui

**If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification".**  
**Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.**

12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED?  
La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE?

No / Non  Yes / Oui

**If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments).**  
**Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquer qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).**




Contract Number / Numéro du contrat W355B-228323
Security Classification / Classification de sécurité UNCLASSIFIED

**PART D - AUTHORIZATION / PARTIE D - AUTORISATION**

13. Organization Project Authority / Chargé de projet de l'organisme			
Name (print) - Nom (en lettres moulées) Peter Gilbert		Title - Titre Project Manager - Industrial Engineering Division (IED)	Signature GILBERT, PETER 149
<small>Digitally signed by GILBERT, PETER 149 Date: 2021.07.15 12:03:27 -03'00'</small>			
Telephone No. - N° de téléphone 902-427-2066	Facsimile No. - N° de télécopieur 902-427-0746	E-mail address - Adresse courriel Peter.Gilbert@forces.gc.ca	Date
14. Organization Security Authority / Responsable de la sécurité de l'organisme			
Name (print) - Nom (en lettres moulées) Sasa Medjovic		Title - Titre Senior security analyst	Signature MEDJOVIC, SASHA 234
<small>Digitally signed by MEDJOVIC, SASHA 234 DN: cn=CIA, o=GC, ou=IND-MDN, ou=Personnel, ou=INTERN, cn=MEDJOVIC, s=SASHA.234 Reason: I am the author of this document Location: your signing location here Date: 2021.07.21 14:31:17-0400 File: #RandomPDF Version: 10.1.4</small>			
Telephone No. - N° de téléphone 613-996-0286	Facsimile No. - N° de télécopieur	E-mail address - Adresse courriel sasa.medjovic@forces.gc.ca	Date
15. Are there additional instructions (e.g. Security Guide, Security Classification Guide) attached? Des instructions supplémentaires (p. ex. Guide de sécurité, Guide de classification de la sécurité) sont-elles jointes? <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Non <input type="checkbox"/> Oui			
16. Procurement Officer / Agent d'approvisionnement			
Name (print) - Nom (en lettres moulées) Linda Richard		Title - Titre PWGSC Atlantic	Signature Richard, Linda
<small>Digitally signed by: Richard, Linda DN: CN = Richard, Linda C = CA OU = GC OU = PWGSC-TPSGC Date: 2021.12.09 10:48:50 -0400</small>			
Telephone No. - N° de téléphone (902-496-5170) 402-9059	Facsimile No. - N° de télécopieur 902-496-5016	E-mail address - Adresse courriel linda.k.richard@pwgsc.gc.ca	Date December 9, 2021
17. Contracting Security Authority / Autorité contractante en matière de sécurité			
Name (print) - Nom (en lettres moulées) Emmanuel Conduah Contract Security Officer Emmanuel.Conduah@pwgsc-tpsgc.gc.ca		Title - Titre	Signature <i>Emmanuel Conduah</i>
<small>Digitally signed by Conduah, Emmanuel Date: 2021.08.10 08:34:02 -04'00'</small>			
Telephone No. - N° de téléphone	Facsimile No. - N° de télécopieur	E-mail address - Adresse courriel	Date







UNCLASSIFIED

UNCLASSIFIED

- NOTES:
1. FOR THE PURPOSES OF THIS DRAWING, POINT (1) IS ASSUMED TO BE AT 0 ELEVATION, AS IT IS THE HIGHEST POINT.
  2. NUMBERS SHOWN IN BRACKETS ARE POINT DESIGNATIONS FROM TABLE ON SHEET 1.
  3. DASHED LINE INDICATES 0 ELEVATION FOR REFERENCE.

THE DEPARTMENT OF NATIONAL DEFENCE DOES NOT WARRANT OR GUARANTEE THE CORRECTNESS OR ACCURACY OF THE INFORMATION CONTAINED IN THIS DOCUMENT. IT IS USED FOR PURPOSES OTHER THAN FOR THOSE OF NATIONAL DEFENCE.

LE MINISTÈRE DE LA DÉFENSE NATIONALE NE GARANTIT PAS L'EXACTITUDE DE L'INFORMATION CONTENUE DANS LE PRÉSENT DOCUMENT POUR DES FINS AUTRES QUE CELLES DE LA DÉFENSE NATIONALE.

© Sa Majesté la Reine du chef du Canada, représentée par le ministre de la défense nationale, 2020.

**NOTE**

This documentation has been reviewed by the technical drawing control system and is hereby certified as accurate and complete. It shall not be used for any other purpose than that for which it was originally prepared without the written consent of the technical drawing control system.

**AVIS**

Cette documentation a été examinée par le système de contrôle technique des dessins et est certifiée exacte et complète. Elle ne doit pas être utilisée à d'autres fins que celles pour lesquelles elle a été préparée sans le consentement écrit du système de contrôle technique des dessins.

UNLESS OTHERWISE SPECIFIED SAUF INDICATION CONTRAIRE APPLICATION LANGUAGE: **HMCS DOCKYARD SITEWORK**

1. DIMENSIONS ARE IN MM DIMENSIONS SONT EN MM

2. TOLERANCES/TOLERANCES

DECIMALS/DIGITALES

XXX ±

XX ±

X ±

ANGLES

±

3. SURFACE FINISHES/FINISHES DE SURFACES

INTERPRETER CONF A CH-100401/ISS-000 LEVEL 2

SCALE

1:80

ECHELLE

DRAFT REV 0	21-06-10	V.R.	J.F.	D.N.
REV	NO.	REVISION AUTHORITY/DESCRIPTION	DATE	BY
1	1	INITIAL DESIGN/ISSUE FOR CONSTRUCTION FOUNDATION		
2	2	REVISED FOUNDATION FOR CONSTRUCTION FOUNDATION		
<b>Canada</b>				
DESIGNER	DESIGNER'S NO.	DESIGNER'S NAME	DESIGNER'S TITLE	DESIGNER'S ORGANIZATION
MEMBER	MEMBER'S NO.	MEMBER'S NAME	MEMBER'S TITLE	MEMBER'S ORGANIZATION
APPRAISER	APPRAISER'S NO.	APPRAISER'S NAME	APPRAISER'S TITLE	APPRAISER'S ORGANIZATION
DATE	DATE	DATE	DATE	DATE
21-06-10	21-06-10	21-06-10	21-06-10	21-06-10
TITLE/TITRE				
LAYDOWN AREA				
SHELTER SURVEY				
DRAWING NO. NO. Dessin				
4692126				
SHEET OF				
FEUILLE 2 DE 2				