

PART 1 - GENERAL

- 1.1 REFERENCES
- .1 Canadian General Standards Board (CGSB)
 - .1 CAN/CGSB 1.189-00, Exterior Alkyd Primer for Wood.
 - .2 CGSB 1.59-97, Alkyd Exterior Gloss Enamel.
 - .2 Canadian Standards Association (CSA International)
 - .1 CSA-A23.1/A23.2-04, Concrete Materials and Methods of Concrete Construction/Methods of Test and Standard Practices for Concrete.
 - .2 CSA-0121-M1978(R2003), Douglas Fir Plywood.
 - .3 CAN/CSA-S269.2-M1987(R2003), Access Scaffolding for Construction Purposes.
 - .4 CAN/CSA-Z321-96(R2001), Signs and Symbols for the Occupational Environment.
 - .3 Public Works Government Services Canada (PWGSC) Standard Acquisition Clauses and Conditions (SACC)-ID: R0202D, Title: General Conditions 'C', In Effect as of: May 14, 2004.
- 1.2 ACTION AND INFORMATIONAL SUBMITTALS
- .1 Provide submittals in accordance with Section 01 33 00 - Submittal Procedures.
- 1.3 INSTALLATION AND REMOVAL
- .1 Prepare site plan indicating proposed location and dimensions of area to be fenced and used by Contractor, number of trailers to be used, avenues of ingress/egress to fenced area and details of fence installation.
 - .2 Indicate use of supplemental or other staging area.
 - .3 Provide construction facilities in order to execute work expeditiously.
 - .4 Remove from site all such work after use.
-

1.4 SCAFFOLDING .1 Scaffolding in accordance with CAN/CSA-S269.2.

1.5 HOISTING .1 Provide, operate and maintain hoists cranes required for moving of workers, materials and equipment. Make financial arrangements with Subcontractors for their use of hoists.

.2 Hoists to be operated by qualified operator.

1.6 SITE STORAGE/LOADING .1 Confine work and operations of employees by Contract Documents. Do not unreasonably encumber premises with products.

.2 Do not load or permit to load any part of Work with weight or force that will endanger Work.

1.7 CONSTRUCTION PARKING .1 Parking will be permitted on site provided it does not disrupt performance of Work.

.2 Provide and maintain adequate access to project site.

.3 Clean runways and taxi areas where used by Contractor's equipment.

1.8 EQUIPMENT, TOOL AND MATERIALS STORAGE .1 Provide and maintain, in clean and orderly condition, lockable weatherproof sheds for storage of tools, equipment and materials.

.2 Locate materials not required to be stored in weatherproof sheds on site in manner to cause least interference with work activities.

1.9 PROTECTION AND MAINTENANCE OF TRAFFIC .1 Maintain and protect traffic on affected roads during construction period except as otherwise specifically directed by Departmental Representative.

- 1.10 CLEAN-UP
- .1 Remove construction debris, waste materials, packaging material from work site daily.
 - .2 Clean dirt or mud tracked onto paved or surfaced roadways.
 - .3 Store materials resulting from demolition activities that are salvageable.
 - .4 Stack stored new or salvaged material not in construction facilities.

PART 2 - PRODUCTS

- 2.1 NOT USED
- .1 Not Used.

PART 3 - EXECUTION

- 3.1 NOT USED
- .1 Not Used.