



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions/Travaux
publics et Services gouvernementaux Canada
See herein for bid submission
instructions/

Voir la présente pour les
instructions sur la présentation
d'une soumission

NA
Ontario

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works and Government Services Canada
Ontario Region
10th Floor, 4900 Yonge Street
Toronto
Ontario
M2N 6A6

Title - Sujet Office Furniture – SA Cat 1-6	
Solicitation No. - N° de l'invitation EQ754-221460/A	Amendment No. - N° modif. 003
Client Reference No. - N° de référence du client EQ754-22-1460	Date 2021-12-17
GETS Reference No. - N° de référence de SEAG PW-\$TOR-024-8120	
File No. - N° de dossier TOR-1-44108 (024)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Eastern Standard Time EST on - le 2021-12-22 Heure Normale de l'Est HNE	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Brewster, Shannon	Buyer Id - Id de l'acheteur tor024
Telephone No. - N° de téléphone (647) 273-1369 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: *NOTE: See Item Details*	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

SOLICITATION AMENDMENT No. 003

This solicitation amendment No. 003 is raised to:

- 1) Publish questions and answers that have been received in relation to this solicitation; and
- 2) Amend the solicitation.

- 1) The following Question and Answer has been provided:

QUESTION 1:

"This run of stations/panels is too long and requires wing panels for stability."

ANSWER 1:

We will be adding the panels and an amendment will be done through solicitation amendment 003. Updated AutoCAD's are available upon request.

QUESTION 2:

"Client is calling out panel mount privacy screens however there is no indication in the AutoCAD or panel matrices the height they require. Stations close by are seated privacy however we do ask they confirm the correct height so no incorrect assumptions are made."

ANSWER 2:

The referenced panel mounted privacy screens at Citizen Access Workstation and Production must be of the height that correspond to the panels at work surface privacy height.

QUESTION 3:

"Question about power... The legend provided on the AutoCAD provides the Government Canada workplace standards – 3x duplex per station, but the layout they are showing includes 4 powered panels per station. Or are the power stations / cubes added to that? The large Client Service Counter stations have 2 cubes each.

Should I follow the drawing and include 4 duplex per station? Or follow the standards and only provide 3 per station?

This is just on the large Client Service Counter stations – The smaller Production Workstation stations only have 1 duplex drawn."

ANSWER 3:

Please follow the drawing and panel matrix to understand power requirements, Client Service Counter stations typically will need 4 duplex total and are placed in the base of panels.

QUESTION 4:

"The screens for the CAW stations don't have a height. My assumption would be to match the 51H close to those stations?"

ANSWER 4:

The referenced panel mounted privacy screens at Citizen Access Workstations and Production must be of the height that correspond to the panels at work surface privacy height.

QUESTION 5:

“The Autocad drawing is showing a Base Panel Height of no more than 26” tall. This seems to be different than what standard SA Base panel heights. -Knoll’s SA Base Panel Height is 36” tall. (from there, the bid calls for building up to Seated Privacy with a 14” add-on which brings it to roughly 50” tall and another add-on to roughly 66” tall).

The 26” base panel seems rather low and will throw off the panel heights with add-ons. Is this 26” tall supposed to be Non-SA panels and is it to be used in odd locations only without add-ons and do not need to match the base panels on the ones with add-ons?

ANSWER 5:

The referenced 26” panel below is referring to Panel Type D, these are Non-SA panels intended to be placed underneath the workstations at Client Service Counter stations. Please refer to the images added in Amendment #1 to understand the intend of the workstation.

When base height panel are specified in drawing and furniture matrix it is referring to the panel heights range of 711mm(28”) – 955mm(38”) as stipulated in the SA master spec. .

2) Solicitation Amendment:

2a. At Annex A, Article 2, Product Category 1A, 1B, 2 and 5, of the solicitation, “**Table 1 Table Product**”,

Insert: At line item 7 and 8, Description of Product, include ‘ Worksurface Privacy Screen’

2b. At Annex C, Article 2, of the solicitation, “**Panel Matrix**”,

Delete:

12	36-G	Base Height Non-Powered Lower Element 1: Plastic Laminate Lower Element 2: Plastic Laminate Width: 914.4 mm (36 inch)
----	------	---

Insert:

14	36-G	Base Height Non-Powered Lower Element 1: Plastic Laminate Lower Element 2: Plastic Laminate Width: 914.4 mm (36 inch)
----	------	---

ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME.