



**RETURN BIDS TO:**

**RETOURNER LES SOUMISSIONS À:**

See Section 1.

Voir Section 1.

**STANDARD REQUEST FOR BID (Amendment)**

**INVITATION À SOUMISSIONNER – STANDARD (Modification)**

The Bidder offers to provide to Canada the goods, services or both listed in the bid solicitation in accordance with the conditions set out in the bid solicitation and the prices set out in the bid.

This bid solicitation is issued in accordance with the conditions of the Supply Arrangement E60PQ-140003/PQ.

Le soumissionnaire offre de fournir au Canada les biens, services ou les deux énumérés dans la demande de soumissions aux conditions prévues dans la demande de soumissions et aux prix indiqués dans la soumission. Cette demande de soumissions est émise conformément aux conditions de l'arrangement en matière d'approvisionnement E60PQ-140003/PQ.

<b>Solicitation No. - N° de la demande</b>	<b>Amendment No. - N° de modification</b>
202200784/A	002

<b>Solicitation closes – La demande prend fin :</b>	<b>File No. - N° de dossier</b>
at – à See Section 1 Voir Section 1	
on – le See Section 1 Voir Section 1	

<b>Date of Solicitation – Date de la demande</b>
January 7, 2022 Le 7 janvier 2022
<b>Address inquiries to – Adresser toute demande de renseignement à :</b>
See Section 2, Article 4.1. Voir Section 2, Article 4.1
<b>Destination</b>
See Section 2, Annex A. Voir Section 2, Annexe A.

**Instructions:**

Municipal taxes are not applicable.

Unless otherwise specified in the bid solicitation, all prices quoted must be net prices in Canadian funds including Canadian customs duties, excise taxes, must be FOB, including all delivery charges to destination(s) as indicated. The amount for Applicable Taxes is to be shown as a separate item.

**Instructions:**

Les taxes municipales ne s'appliquent pas.

Sauf indication contraire dans la demande de soumissions, tous les prix indiqués doivent être des prix nets, en dollars canadiens, comprenant les droits de douane canadiens, la taxe d'accise et doivent être FAB, y compris tous frais de livraison à la (aux) destination(s) indiqué(s). Le montant des taxes applicables doit apparaître séparément.

<b>Supplier Name and Address – Nom et adresse du fournisseur</b>
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur
<b>Name and title of person authorized to sign on behalf of supplier (type or print)</b> Nom et titre de la personne autorisée à signer au nom du fournisseur (caractère d'impression)
Signature : _____ Date : _____



This amendment is raised to address the following:

- To respond to questions received during the solicitation period; and
- To revise the solicitation accordingly, as applicable.

## **QUESTIONS AND ANSWERS**

For Q&A 1-5 See Solicitation Amendment 001

- Q6. Please supply either a CAD file, or a clearer PDF as some of the electrical and data information is difficult to read. Please ensure it contains the following information:
- a. Electrical feed locations to connect to base building which will allow for proper electrical specifications resulting in accurate pricing
  - b. Placement location of height adjustable tables
  - c. Lower offices on plan (103/104,?) showing in full
  - d. Confirm panel matrix showing a work surface privacy panel height of 42-49" (see question 7 below for further enquiry) – do I need a new pdf Appendix C for this amendment? I had made the changes in the CAD file. There's only one page of Appendix C that has changed, see attached PDF
- A6: An AutoCad File and an additional floor plan have been uploaded as attachments. Electrical outlets are provided by the General contractor. The workstations get power from below and the panels will have those whips.
- Q7. Please clarify overhead requirement versus panel heights. A worksurface privacy height panel was indicated (42-49"), with this panel height a standard overhead mounted in the locations shown on plan would cover the worksurface mounted at standard height (29") rendering it unusable.
- A7. All worksurface privacy height panels are amended to seated privacy height. See uploaded drawings/floor plans
- Q8. Lines 4-7 appear to pertain to the private office furniture and the following questions are under the assumption they are to be a U-shape for 2 offices:
- a. Would it be acceptable to submit line 5 as 1BFFHREC (worksurface with C-Legs) to allow for knee space beneath the bridge within a U-shape set up?
  - b. Would it be acceptable to submit line 6 + 7 as 1BFFHREG (worksurface with full gables) to allow for better support of the hutch?
- A8. The response to both Q8a and Q8b is yes.
- Q9. Please confirm Gocuid of line item 8 as it appears to be missing a digit.
- A9. Correct. GoCUID should be 1bSBBMCAA1524XXXXKXX



Q10. Item 10 is for a 72" hutch (qty of 2). Please confirm location of second hutch as there is only a single freestanding desk of matching size specified to mount onto, and only a single hutch shown on plan.

A10. There is one (1) 72" hutch located in 105D along left wall. Solicitation is amended to reflect one (1) additional hutch, 66", located in 105E along back wall (GoCUID 1bHHCLS15L66XBPXXKX)

**SOLICITATION REVISIONS**

1) Under Annex A, Delete Table 1 – Product Table in its entirety and replace with the following:

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
<b>Category 1A</b>							
1	Refer to Annex C and Attachment 1 to Annex C.						\$
<b>Category 1B</b>							
2	1bFFHREN24L60WNOLNY	Rectangular, Panel Mounted, 24D/W X 60L X 29H	11	Yes			\$
3	1bFFHREN24L72WNOLNY	Rectangular, Panel Mounted, 24D/W X 72L X 29H	11	Yes			
4	1bFFHDTL30L72WNOLNY	D-Top, Post Legs, 30D/W X 72L X 29H	2	Yes			
5	1bFFHREL24L48WNOLNY	Rectangular, Post Legs, 24D/W X 48L X 29H	2	Yes			
6	1bFFHREL24L66WNOLNY	Rectangular, Post Legs, 24D/W X 66L X 29H	1	Yes			
7	1bFFHREL24L72WNOLNY	Rectangular, Post Legs, 24D/W X 72L X 29H	1	Yes			
8	1bSBBMCAA1524XXXKXX	Mobile, Casters, 15W X 24D X NAH	24	Yes			
9	1bHOCLN15L36FTXXKX	Laminate, Panel Mounted 15D/W X 36L X NAH	11	Yes			
10	1bHHCLS15L72XBPXXKX	Laminate, Surface Mount with Gables 15D/W X 72L X NAH	1	Yes			
11	1bHHCLS15L66XBPXXKX	Laminate, Surface Mount with Gables 15D/W X 66L X NAH	1	Yes			



---

Category 2							
12	2WSSREXXL24L60BELXX	Rectangular, Laminate, 24D/W X 60L X 23 to 48.7H, Controls: Electric	5	Yes		\$	\$
<b>**Provide additional information:</b> Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							



2) Under Attachment 1 to Annex C, delete panel matrices and replace with the following :

<p><b>PANEL TYPE - A, B, C / TYPES DE PANNEAUX</b> November 25, 2021 / 25 novembre 2021</p>									
<p><b>PANEL TYPE TYPE DE PANNEAU A</b> PANEL HEIGHT/AUTREUR DES COLONNES: SEATED/HAUTEUR: SEATED ADD ON PANNEAU/AUTREUR POUR MONTÉ A LA CONFIDENTIALITE A888</p> <table border="1"> <tr> <td>UPPER ELEMENT 1 ELEMENT SUPERIEUR 1 PAINCO/TISSU</td> <td>UPPER ELEMENT 2 ELEMENT SUPERIEUR 2 PAINCO/TISSU</td> </tr> <tr> <td>LOWER ELEMENT 1 ELEMENT INFÉRIEUR 1</td> <td>LOWER ELEMENT 2 ELEMENT INFÉRIEUR 2</td> </tr> </table> <p>00E1/CÔTE 1      00E2/CÔTE 2</p>	UPPER ELEMENT 1 ELEMENT SUPERIEUR 1 PAINCO/TISSU	UPPER ELEMENT 2 ELEMENT SUPERIEUR 2 PAINCO/TISSU	LOWER ELEMENT 1 ELEMENT INFÉRIEUR 1	LOWER ELEMENT 2 ELEMENT INFÉRIEUR 2	<p><b>PANEL TYPE TYPE DE PANNEAU B</b> PANEL HEIGHT/AUTREUR DES COLONNES: SEATED/HAUTEUR: SEATED ADD ON PANNEAU/AUTREUR POUR MONTÉ A LA CONFIDENTIALITE A888</p> <table border="1"> <tr> <td>UPPER ELEMENT 1 ELEMENT SUPERIEUR 1 PAINCO/TISSU</td> <td>UPPER ELEMENT 2 ELEMENT SUPERIEUR 2 PAINCO/TISSU</td> </tr> <tr> <td>LOWER ELEMENT 1 ELEMENT INFÉRIEUR 1</td> <td>LOWER ELEMENT 2 ELEMENT INFÉRIEUR 2</td> </tr> </table> <p>00E1/CÔTE 1      00E2/CÔTE 2</p>	UPPER ELEMENT 1 ELEMENT SUPERIEUR 1 PAINCO/TISSU	UPPER ELEMENT 2 ELEMENT SUPERIEUR 2 PAINCO/TISSU	LOWER ELEMENT 1 ELEMENT INFÉRIEUR 1	LOWER ELEMENT 2 ELEMENT INFÉRIEUR 2
UPPER ELEMENT 1 ELEMENT SUPERIEUR 1 PAINCO/TISSU	UPPER ELEMENT 2 ELEMENT SUPERIEUR 2 PAINCO/TISSU								
LOWER ELEMENT 1 ELEMENT INFÉRIEUR 1	LOWER ELEMENT 2 ELEMENT INFÉRIEUR 2								
UPPER ELEMENT 1 ELEMENT SUPERIEUR 1 PAINCO/TISSU	UPPER ELEMENT 2 ELEMENT SUPERIEUR 2 PAINCO/TISSU								
LOWER ELEMENT 1 ELEMENT INFÉRIEUR 1	LOWER ELEMENT 2 ELEMENT INFÉRIEUR 2								
<p><b>PANEL TYPE TYPE DE PANNEAU C</b> PANEL HEIGHT/AUTREUR DES COLONNES: SEATED/HAUTEUR: SEATED ADD ON PANNEAU/AUTREUR POUR MONTÉ A LA CONFIDENTIALITE A888</p> <table border="1"> <tr> <td>UPPER ELEMENT 1 ELEMENT SUPERIEUR 1 PAINCO/TISSU</td> <td>UPPER ELEMENT 2 ELEMENT SUPERIEUR 2 PAINCO/TISSU</td> </tr> <tr> <td>LOWER ELEMENT 1 ELEMENT INFÉRIEUR 1</td> <td>LOWER ELEMENT 2 ELEMENT INFÉRIEUR 2</td> </tr> </table> <p>00E1/CÔTE 1      00E2/CÔTE 2</p>	UPPER ELEMENT 1 ELEMENT SUPERIEUR 1 PAINCO/TISSU	UPPER ELEMENT 2 ELEMENT SUPERIEUR 2 PAINCO/TISSU	LOWER ELEMENT 1 ELEMENT INFÉRIEUR 1	LOWER ELEMENT 2 ELEMENT INFÉRIEUR 2	<p><b>PANEL TYPE TYPE DE PANNEAU C</b> PANEL HEIGHT/AUTREUR DES COLONNES: SEATED/HAUTEUR: SEATED ADD ON PANNEAU/AUTREUR POUR MONTÉ A LA CONFIDENTIALITE A888</p> <table border="1"> <tr> <td>UPPER ELEMENT 1 ELEMENT SUPERIEUR 1 PAINCO/TISSU</td> <td>UPPER ELEMENT 2 ELEMENT SUPERIEUR 2 PAINCO/TISSU</td> </tr> <tr> <td>LOWER ELEMENT 1 ELEMENT INFÉRIEUR 1 CUT OUTS FOR POWER ADAPTER PAINCO - BELOW THE SURFACE - PAINCO CANTIERA/PAINCO POUR L'INSERTION DE PAINCO ELECTRIQUE/SET INFORMANTIONS - AU DESSOUS DE LA SURFACE - TISSU</td> <td>LOWER ELEMENT 2 ELEMENT INFÉRIEUR 2 CUT OUTS FOR POWER ADAPTER PAINCO - BELOW THE SURFACE - PAINCO CANTIERA/PAINCO POUR L'INSERTION DE PAINCO ELECTRIQUE/SET INFORMANTIONS - AU DESSOUS DE LA SURFACE - TISSU</td> </tr> </table> <p>00E1/CÔTE 1      00E2/CÔTE 2</p>	UPPER ELEMENT 1 ELEMENT SUPERIEUR 1 PAINCO/TISSU	UPPER ELEMENT 2 ELEMENT SUPERIEUR 2 PAINCO/TISSU	LOWER ELEMENT 1 ELEMENT INFÉRIEUR 1 CUT OUTS FOR POWER ADAPTER PAINCO - BELOW THE SURFACE - PAINCO CANTIERA/PAINCO POUR L'INSERTION DE PAINCO ELECTRIQUE/SET INFORMANTIONS - AU DESSOUS DE LA SURFACE - TISSU	LOWER ELEMENT 2 ELEMENT INFÉRIEUR 2 CUT OUTS FOR POWER ADAPTER PAINCO - BELOW THE SURFACE - PAINCO CANTIERA/PAINCO POUR L'INSERTION DE PAINCO ELECTRIQUE/SET INFORMANTIONS - AU DESSOUS DE LA SURFACE - TISSU
UPPER ELEMENT 1 ELEMENT SUPERIEUR 1 PAINCO/TISSU	UPPER ELEMENT 2 ELEMENT SUPERIEUR 2 PAINCO/TISSU								
LOWER ELEMENT 1 ELEMENT INFÉRIEUR 1	LOWER ELEMENT 2 ELEMENT INFÉRIEUR 2								
UPPER ELEMENT 1 ELEMENT SUPERIEUR 1 PAINCO/TISSU	UPPER ELEMENT 2 ELEMENT SUPERIEUR 2 PAINCO/TISSU								
LOWER ELEMENT 1 ELEMENT INFÉRIEUR 1 CUT OUTS FOR POWER ADAPTER PAINCO - BELOW THE SURFACE - PAINCO CANTIERA/PAINCO POUR L'INSERTION DE PAINCO ELECTRIQUE/SET INFORMANTIONS - AU DESSOUS DE LA SURFACE - TISSU	LOWER ELEMENT 2 ELEMENT INFÉRIEUR 2 CUT OUTS FOR POWER ADAPTER PAINCO - BELOW THE SURFACE - PAINCO CANTIERA/PAINCO POUR L'INSERTION DE PAINCO ELECTRIQUE/SET INFORMANTIONS - AU DESSOUS DE LA SURFACE - TISSU								

The referenced document is hereby revised. Unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.