
Decommissioning, Demolition and Site Restoration SSB HQ
Southside Road, St. John's, NL
Project No. R.111146.001

2020/12/01

Section 01 71 00 – Examination and Preparation

Page 1 of 2

PART 1 **GENERAL**

1.1 **SECTION INCLUDES**

- .1 Contractor survey services to measure and stake site.
- .2 Recording of subsurface conditions found.

1.2 **SURVEY REFERENCE POINTS**

- .1 Locate, confirm and protect control points prior to starting site work. Preserve permanent reference points during construction.
- .2 Make no changes or relocations without prior written notice to Departmental Representative.
- .3 Report to Departmental Representative when reference point is lost or destroyed, or requires relocation because of necessary changes in grades or locations.
- .4 Require surveyor to replace control points in accordance with original survey control.

1.3 **SURVEY REQUIREMENTS**

- .1 Establish permanent bench marks on site, referenced to established bench marks by survey control points. Record locations, with horizontal and vertical data in Project Record Documents.
- .2 Establish lines and levels, locate and lay out, by instrumentation.
- .3 Stake for grading, fill placement.

1.4 **EXISTING SERVICES**

- .1 Where work involves breaking into or connecting to existing services, carry out work at times directed by authorities having jurisdiction, with minimum of disturbance to pedestrian and vehicular traffic.
- .2 Before commencing work, establish location and extent of service lines in area of Work and notify Departmental Representative of findings.
- .3 Remove abandoned service lines within 2 m of structures. Cap or otherwise seal lines at cut-off points as directed by Departmental Representative.

1.5 **RECORDS**

- .1 Maintain a complete, accurate log of control and survey work as it progresses.
- .2 Record locations of maintained, re-routed and abandoned service lines.

Decommissioning, Demolition and Site Restoration SSB HQ
Southside Road, St. John's, NL
Project No. R.111146.001

2020/12/01

Section 01 71 00 – Examination and Preparation

Page 2 of 2

1.6 SUBMITTALS

- .1 On request of Departmental Representative, submit documentation to verify accuracy of field work.

1.7 SUBSURFACE CONDITIONS

- .1 Promptly notify Consultant in writing if subsurface conditions at Place of Work differ materially from those indicated in Contract Documents, or a reasonable assumption of probable conditions based thereon.
- .2 After prompt investigation, should Departmental Representative determine that conditions do differ materially, instructions will be issued for changes in Work.

PART 2 PRODUCTS (NOT APPLICABLE)

PART 3 EXECUTION (NOT APPLICABLE)

END OF SECTION