



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions/Travaux
publics et Services gouvernementaux Canada
See herein for bid submission
instructions/

Voir la présente pour les
instructions sur la présentation
d'une soumission

NA
Ontario

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works and Government Services Canada
Ontario Region
10th Floor, 4900 Yonge Street
Toronto
Ontario
M2N 6A6

Title - Sujet Furniture	
Solicitation No. - N° de l'invitation EQ754-221861/A	Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client EQ754-22-1861	Date 2022-01-26
GETS Reference No. - N° de référence de SEAG PW-\$TOR-016-8170	
File No. - N° de dossier TOR-1-44135 (016)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Eastern Standard Time EST on - le 2022-02-04 Heure Normale du l'Est HNE	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Harvey, Christopher	Buyer Id - Id de l'acheteur tor016
Telephone No. - N° de téléphone (519) 671-2396 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Note: See Item Details	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation Amendment 001

Solicitation Amendment 001 is raised to:

- 1) Extend the solicitation period;
- 2) Publish questions and answers that have been received in relation to this solicitation; and
- 3) Amend the solicitation.

1) Extend the solicitation period.

At Page 1, under Solicitation Closes:

Delete: 2022-01-31

Insert: 2022-02-04

2) The following Questions and Answers have been provided:

Question 1: The credenza may not fit as it may overlap with the desk legs

Answer 1: The credenza must be able to accept a short castor or 1 inch height adjuster (if necessary)

3) Solicitation Amendment:

3a. At Annex A – **Product Category 1A, 1B, 2 and 5 (SA and Non-SA Items) Table 1-Table Products**

Delete: Table 1- Table Products

Insert: Table 1- Table Products (REVISION 1) (see below)

3b. At Annex A- **Product Category 6 Group 1- Meeting and Training Room Tables**

Delete: Table 1- Meeting and Training Room Tables

Insert: Table 1- Meeting and Training Room Tables (REVISION 1) (see below)

3c. At Annex B- **1A Floor Plan(s) and Panel Matrix**

Delete: Table 1. Category 1a Requirements- Panel Matrix

Insert: Table 1. Category 1a Requirements- Panel Matrix (REVISION 1) (see below)

Product Category 1A, 1B, 2 and 5 (SA and Non-SA Items)

Table 1-Table Product (REVISION 1)

Section A - IU REQUIREMENT					Section B – SUPPLIER’S BID		
#	AutoCAD Block / GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
CATEGORY 1A - NOTE: POWER AND DATA BELOW THE WORK SURFACE CAN BE ACHIEVED BY INTEGRATING POWER AND DATA COMPONENTS INTO THE BASE RACE WAY OR ANYWHERE WITHIN THE PANEL FASCIA, PROVIDED IT IS BELOW THE WORK SURFACE.							
1	Refer to Annex C - Floor Plans and Panel Matrix for Cat. 1A						\$
CATEGORY 1B - NOTE: All drawers and doors must be lockable. All locks within a single workstation or office must be keyed alike. A minimum of three (3) sets of keyed alike keys per workstation or office must be supplied. The top drawer must have a movable pencil tray that spans the full interior width of the drawer. The file drawer must have at least two (2) removable file dividers or a hanging file rail.							
2	1bCHHLX20L 48XOSBFSX	Credenza, Partial Height, Laminate Right Side-Open Shelf, Left Side-Box-File Drawers, Keyless 508mm (20 inch) Depth, 1219mm (48 inch) Length	1	No		\$	\$
3	1bCHHLX20L 60XOSBFSX	Credenza, Partial Height, Laminate Right Side-Open Shelf, Left Side-Box-File Drawers, Keyless 508mm (20 inch) Depth, 1524mm (60 inch) Length	21	No		\$	\$

4	1bCHHLX20L 60XBFOSSX	Credenza, Partial Height, Laminate Right Side-Box- File Drawers, Left Side- Open Shelf, Keyless 508mm (20 inch) Depth, 1524mm (60 inch) Length	12	No		\$	\$
5	1bSPSCLGL2 42466XKXX	Filing and Storage, Personal Storage Tower, Closed Storage Levelling Glides, Laminate, Keyed 1676mm x 610mm x 610mm (66 inch x 24 inch x 24 inch)	6	No		\$	\$
<p>CATEGORY 2- NOTE 1: All work and meeting table surfaces with electrical and data cabling must provide wire management and routing and concealing electrical and data cabling.</p> <p>NOTE 2: Undermounted power module, and vertical and horizontal cable management. Must have five (5) power outlets.</p> <p>NOTE 3: Digital numeric switch display (Push button Adjustment)</p>							
6	HA-6024/ 2WSSREXXL2 4L60BELXX	Individual Height Adjustable Work Surfaces, Sit Stand, Rectangular Laminate, Electric Controls 1524mm x 610mm (60 inch x 24 inch)	3	No		\$	\$
7	HA-6030/ 2WSSREXXL3 0L60BELXX	Individual Height Adjustable Work Surfaces, Sit Stand, Rectangular Laminate, Electric Controls 1524mm x 762mm (60 inch x 30 inch)	6	No		\$	\$
8	HA-7230/ 2WSSREXXL3 0L72BELXX	Individual Height Adjustable Work Surfaces, Sit Stand, Rectangular Laminate, Electric Controls 1828mm x 762mm (72 inch x 30 inch)	28	No		\$	\$
9	HA-120- 4824/ 2WSSDEXXL 24L48BELXX	Individual Height Adjustable Work Surfaces, Sit Stand, 120 Degrees Laminate, Electric Controls, 1219mm x 610mm (48 inch x 24 inch)	8	No		\$	\$

Solicitation No. - N° de l'invitation
EQ754-221861/A

Client Ref. No. - N° de réf. du client
EQ754-211861

Amd. No. - N° de la modif.
001

File No. - N° du dossier
TOR-1-44135

Buyer ID - Id de l'acheteur
tor016

CCC No./N° CCC - FMS No./N° VME

CATEGORY 5- Note: Monitor arm(s) must have a 180° swivel rotation limiter with a stop to prevent interference with a back panel or obstacles behind the arm. Must provide a 120° swivel rotation limiter stop when specified.							
10	MADME/ 5MOADUAR MCLPMTXXX XX	Monitor Arms, Dual Arm, Clamp Mount	42	No		\$	\$
11	MASME/ 5MOASGAR MCLPMTXXX XX	Monitor Arms, Single Arm, Clamp Mount	3	No		\$	\$
12	E&D/ 5PMOWKSM TACUSBXXXX X	Power Module, Work Surface Mounted, AC and USB Power	80	No		\$	\$
13	TLDBT/ 5TLTDSKBAA CUSBXXXXX	Task Light, Desk Base, AC and USB Power	0	No		\$	\$
**Provide additional information: Canada is requesting bidders to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
Product Total (Sum of Line Item 1 thru Line Item 12):							\$

Product Category 6 Group 1- Meeting and Training Room Tables

Table 1. Meeting and Training Room Tables (REVISION 1)

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID		
#	AutoCAD Block / GoCUID	Description of Product	Qty	**Provide additional Information Yes/No	Supplier Part Number	Firm Price	Extended Total [Qty x Price]
CATEGORY 6 GROUP 1- NOTE: All work and meeting table surfaces with electrical and data cabling must provide wire management and routing and concealing electrical and data cabling.							
1	T-36D/ 6MMTSMROPL36XX XWNNX	Meeting and Training Room Tables, Round, Pedestal Laminate 914mm (36 inch) Diameter	1	No		\$	\$
2	T-3636/ 6MMTSMSQL36L36 WNNX	Meeting and Training Room Tables, Square, Pedestal Laminate 914mm (36 inch) Depth, 914mm (36 inch) Length	2	No		\$	\$
3	TA-6/ 6MMTMDREN136L8 4WYNNX	Meeting and Training Room Tables, Rectangular, Panel Support Laminate, Power and Data 914mm (36 inch) Depth, 2134mm (84 inch) Length	1	No		\$	\$
4	TR-1/ 6MTRFTRECL30L60 WYYY	Meeting and Training Room Tables, Training, Flip Top, Rectangular C-Legs, T-Legs or Y-Legs, Laminate, Power-Data, Modesty Panel Locking Casters 762mm (30 inch) Depth, 1524mm (60 inch) Length	8	No		\$	\$
**Provide additional information: Canada is requesting bidders to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
Product Total (Sum of Line Item 1 thru Line Item 4):							\$

Annex B- Floor Plan(s) and Panel Matrix

Table 1. Category 1a Requirements- Panel Matrix (REVISION 1)

Quantity	AutoCAD Block or Attribute	Category 1A
44	A-36	Seated Privacy Height, Non Powered Lower Element 1 - Fabric Lower Element 2 - Fabric Upper Element 1 - Tackable Surface Upper Element 2 - Tackable Surface 914mm (36 inch) Panel
15	A-42	Seated Privacy Height, Non Powered Lower Element 1 - Fabric Lower Element 2 - Fabric Upper Element 1 - Tackable Surface Upper Element 2 - Tackable Surface 1067mm (42 inch) Panel
55	B-36	Seated Privacy Height, Powered Outlets Below the Work Surface Lower Element 1 - Cut-outs for Power & Data, Fabric Lower Element 2 - Fabric Upper Element 1 - Tackable Surface Upper Element 2 - Tackable Surface 914mm (36 inch) Panel
3	B-42	Seated Privacy Height, Powered Outlets Below the Work Surface Lower Element 1 - Cut-outs for Power & Data, Fabric Lower Element 2 - Fabric Upper Element 1 - Tackable Surface Upper Element 2 - Tackable Surface 1067mm (42 inch) Panel
1	B-48	Seated Privacy Height, Powered Outlets Below the Work Surface Lower Element 1 - Cut-outs for Power & Data, Fabric Lower Element 2 - Fabric Upper Element 1 - Tackable Surface Upper Element 2 - Tackable Surface 1219mm (48 inch) Panel
12	C-42	Seated Privacy Height, Powered Outlets Below the Work Surface Lower Element 1 - Cut-outs for Power & Data, Fabric Lower Element 2 - Cut-outs for Power & Data, Fabric Upper Element 1 - Tackable Surface Upper Element 2 - Tackable Surface 1067mm (42 inch) Panel
8	C-48	Seated Privacy Height, Powered Outlets Below the Work Surface Lower Element 1 - Cut-outs for Power & Data, Fabric Lower Element 2 - Cut-outs for Power & Data, Fabric Upper Element 1 - Tackable Surface Upper Element 2 - Tackable Surface 1219mm (48 inch) Panel