



**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS A:**

Bid Receiving/ Réception des soumissions
joshua.knox@rcmp-grc.gc.ca

**Note - RCMP has the following e-mail restrictions:
The maximum e-mail message size is 5 MB.
Zip files not accepted.**
**Note - La GRC a des restrictions quant aux courriels
entrants. La taille maximale des courriels, y compris
toute pièce jointe, ne doit pas dépasser 5 Mo. Les
fichiers Zip ne seront pas acceptés.**

**REQUEST FOR
PROPOSAL**

**DEMANDE DE
PROPOSITION**

**THIS BID SOLICITATION IS ISSUED
IN ACCORDANCE WITH THE
CONDITIONS OF THE SUPPLY
ARRANGEMENT E60PQ-120001**

Proposal to: Royal Canadian Mounted Police

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

Proposition aux : Gendarmerie royale du Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux appendices ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments: - Commentaires:

THIS DOCUMENT CONTAINS A SECURITY
REQUIREMENT

LE PRÉSENT DOCUMENT COMPORTE UNE
EXIGENCE EN MATIÈRE DE SÉCURITÉ

Title – Sujet Office Seating for Training Facility located in Regina, Saskatchewan		Date March 7th 2022
Solicitation No. – N° de l'invitation 202203060/A		
Client Reference No. - No. De Référence du Client 202203060/A		
Solicitation Closes – L'invitation prend fin		
At / à :	2 :00pm	EST (Eastern Standard Time) HNE (heure normale de l'Est)
On / le :	March 22nd, 2022	
Delivery - Livraison See herein — Voir aux présentes	Taxes - Taxes See herein — Voir aux présentes	Duty – Droits See herein — Voir aux présentes
Destination of Goods and Services – Destinations des biens et services See herein — Voir aux présentes		
Instructions See herein — Voir aux présentes		
Address Inquiries to – Addresser toute demande de renseignements à joshua.knox@rcmp-grc.gc.ca		
Telephone No. – No. de téléphone	Facsimile No. – No. de télécopieur	

Delivery Required – Livraison exigée See herein — Voir aux présentes	Delivery Offered – Livraison proposée
Vendor/Firm Name, Address and Representative – Raison sociale, adresse et représentant du fournisseur/de l'entrepreneur:	
Telephone No. – No. de téléphone	Facsimile No. – No. de télécopieur
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) – Nom et titre de la personne autorisée à signer au nom du fournisseur/de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date



TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION

- 1.1 SECURITY REQUIREMENTS
- 1.2 REQUIREMENT
- 1.3 GENERAL OR PROCUREMENT STRATEGY FOR ABORIGINAL BUSINESS (PSAB)
- 1.4 DEBRIEFINGS
- 1.5 COVID-19 VACCINATION REQUIREMENT

PART 2 - BIDDER INSTRUCTIONS

- 2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS
- 2.2 SUBMISSION OF BIDS
- 2.3 ENQUIRIES - BID SOLICITATION
- 2.4 BID CHALLENGE AND RECOURSE MECHANISMS

PART 3 - BID PREPARATION INSTRUCTIONS

- 3.1 BID PREPARATION INSTRUCTIONS

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

- 4.1 EVALUATION PROCEDURES
- 4.2 BASIS OF SELECTION

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

- 5.1 CERTIFICATIONS REQUIRED WITH THE BID
- 5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION

PART 6 - RESULTING CONTRACT CLAUSES

- 6.1 SECURITY REQUIREMENTS
- 6.2 REQUIREMENT
- 6.3 STANDARD CLAUSES AND CONDITIONS
- 6.4 TERM OF CONTRACT
- 6.5 AUTHORITIES
- 6.6 PAYMENT
- 6.7 INVOICING INSTRUCTIONS
- 6.8 CERTIFICATIONS AND ADDITIONAL INFORMATION
- 6.9 APPLICABLE LAWS
- 6.10 PRIORITY OF DOCUMENTS
- 6.11 ACCESS TO FACILITIES AND EQUIPMENT
- 6.12 CANADA'S FACILITIES TO ACCOMMODATE THE DELIVERY
- 6.13 STANDARD FINISHES
- 6.14 SACC MANUAL CLAUSES

ANNEX A

REQUIREMENT

ANNEX B

BASIS OF PAYMENT

ANNEX C

ADDITIONAL SPECIFICATIONS, CERTIFICATIONS FOR NSA PRODUCT(S)

ANNEX D

SECURITY REQUIREMENTS CHECKLIST



ANNEX E

COVID-19 VACCINATION REQUIREMENT CERTIFICATION



PART 1 - GENERAL INFORMATION

1.1 Security Requirements

There is security associated with this requirement.

1. The conditions in this article must be met by the Bidder:
 - before award of a contract.
 - (a) the Bidder's proposed individuals requiring access to classified or protected information, assets or sensitive work sites must meet the security requirements as indicated in Part 6 - Resulting Contract Clauses; and
 - (b) the Bidder must provide the name of all individuals who will require access to classified or protected information, assets or sensitive work sites.
2. Bidders are reminded to obtain the required security clearance promptly. Any delay in the award of a contract to allow the successful Bidder to obtain the required clearance will be at the entire discretion of the Contracting Authority.
3. For additional information on security requirements, Bidders should refer to the [Contract Security Program](http://www.tpsgc-pwgsc.gc.ca/esc-src/introduction-eng.html) of Public Works and Government Services Canada (<http://www.tpsgc-pwgsc.gc.ca/esc-src/introduction-eng.html>) website.

1.2 Requirement

This solicitation is issued pursuant to the Supplier's Furniture for Office Seating Supply Arrangement (SA) that forms part of the series of SAs issued by PWGSC with the number E60PQ-120001/PQ. The terms and conditions in the Supplier's SA apply to and form part of this solicitation. Bidders who submit a bid agree to be bound by those terms and conditions as well as the terms and conditions in this solicitation.

The requirement is detailed under Annex A of the resulting contract clauses.

1.3 General or Procurement Strategy for Aboriginal Business (PSAB)

This requirement is a:

- General Stream Procurement

The requirement is subject to all applicable trade agreements as identified in the Notice of Proposed Procurement (NPP).

1.4 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.5 COVID-19 vaccination requirement

This requirement is subject to the COVID-19 Vaccination Policy for Supplier Personnel. Failure to complete and provide the COVID-19 Vaccination Requirement Certification as part of the bid will render the bid non-responsive.



PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003](#) (2020-05-28) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 5.4 of [2003](#), Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: 60 days
Insert: 90 days

Subsection 3.a) of Section 01, Integrity Provisions - Bid of the Standard Instructions [2003](#) incorporated by reference above is deleted in its entirety and replaced with the following:

- a. at the time of submitting an arrangement under the Request for Supply Arrangements (RFSA), the Bidder has already provided a list of names, as requested under the [Ineligibility and Suspension Policy](#). During this procurement process, the Bidder must immediately inform Canada in writing of any changes affecting the list of names.

2.2 Submission of Bids

Bids must be submitted only to RCMP Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

NOTE: The RCMP has not been approved for bid submission by epost Connect service.

The RCMP has restrictions on incoming e-mail messages. The maximum e-mail message size including all file attachments must not exceed 5MB. Zip files or links to bid documents will not be accepted. Incoming e-mail messages exceeding the maximum file size and/or containing zip file attachments will be blocked from entering the RCMP e-mail system. A bid transmitted by e-mail that gets blocked by the RCMP e-mail system will be considered not received. It is the responsibility of the Bidder to ensure receipt.

Due to the nature of the bid solicitation, bids transmitted by facsimile to RCMP will not be accepted.

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than 3 calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as



such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.4 Bid Challenge and Recourse Mechanisms

- (a) Several mechanisms are available to potential suppliers to challenge aspects of the procurement process up to and including contract award.
- (b) Canada encourages suppliers to first bring their concerns to the attention of the Contracting Authority. Canada's [Buy and Sell](#) website, under the heading "[Bid Challenge and Recourse Mechanisms](#)" contains information on potential complaint bodies such as:
- Office of the Procurement Ombudsman (OPO)
 - Canadian International Trade Tribunal (CITT)
- (c) Suppliers should note that there are **strict deadlines** for filing complaints, and the time periods vary depending on the complaint body in question. Suppliers should therefore act quickly when they want to challenge any aspect of the procurement process.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

- Canada requests that the Bidder submits its complete email bid in separately bound sections as follows:
- **Section I: Technical Bid** (one soft copy by email in PDF or MS Word format)
- **Section II: Financial Bid** (one soft copy by email in PDF or MS Word format)
- **Section III: Certifications** (one soft copy by email in PDF or MS Word format)

Important Note:

For bids transmitted by email, Canada will not be responsible for any failure attributable to the transmission or receipt of the bid including, but not limited to, the following:

- a. receipt of garbled or incomplete bid;
- b. delay in transmission or receipt of the bid to the Contracting Authority's email inbox (the date & time on the email received by the Contracting Authority is considered the date & time of receipt of the bid submission);
- c. availability or condition of the receiving equipment;
- d. incompatibility between the sending and receiving equipment;
- e. delay in transmission or receipt of the bid;
- f. failure of the Bidder to properly identify the bid;
- g. illegibility of the bid; or



h. security of bid data.

A bid transmitted electronically constitutes the formal bid of the Bidder and must be submitted in accordance with Section 05 of 2003 (2020-05-28) Standard Instructions - Goods or Services - Competitive Requirements.

Prices should appear in the Financial Bid only. No prices should be indicated in any other section of the bid.

Section I: Technical Bid

In their Technical Bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their Financial Bid in accordance with the Basis of Payment.

3.1.1 Exchange Rate Fluctuation

C3011T (2013-11-06), Exchange Rate Fluctuation

Section III: Certifications and Additional Information

Bidders must submit the certifications and additional information required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

Bids must demonstrate compliance with meeting all of the specification requirements, as identified under Annex "A", Requirement.

4.1.2 Financial Evaluation

SACC Manual Clause A0220T (2014-06-26), Evaluation of Price-Bid

4.2 Basis of Selection

A bid must comply with the requirements of the bid solicitation to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.



The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 COVID-19 Vaccination Requirement Certification

In accordance with the COVID-19 Vaccination Policy for Supplier Personnel, all Bidders must provide with their bid, the COVID-19 Vaccination Requirement Certification (attached Annex E) to this bid solicitation, to be given further consideration in this procurement process. This Certification incorporated into the bid solicitation on its closing date is incorporated into, and forms a binding part of any resulting Contract.

5.1.2 Integrity Provisions - Additional Information

Integrity checks were performed on each Supplier at time of issuance of their respective Supply Arrangement (SA). By submitting a bid, the Bidder certifies that the Bidder and its Affiliates are in compliance with the provisions as stated in Section 01 Integrity Provisions - Bid of Standard Instructions listed above.

5.1.3 Product Conformance

By submitting a bid, the Bidder certifies that all goods proposed conform, and will continue to conform throughout the period of the contract, to the requirement detailed under Annex A and to the Specifications of the series of SAs issued by PWGSC with the number E60PQ-120001/PQ.

5.1.4 Continuance of Certifications

The Bidder certifies that by submitting a bid in response to this solicitation, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the certifications submitted with its arrangement to become qualified as part of the series of SAs issued by PWGSC with the number E60PQ-120001/PQ.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social](#)



[Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the “FCP Limited Eligibility to Bid” list at the time of contract award.

5.2.2 Additional Certifications Precedent to Contract Award

5.2.2.1 Price Certification

This certification applies to Competitive and Non-Competitive Requirements when the Total Evaluated Bid Price is \$50,000.00 or more and the bid is the only responsive bid.

a. Price Certification – Canadian-based Suppliers (other than Agency and Resale Outlets)

The Bidder certifies that the price proposed

- i. is not in excess of the lowest price charged anyone else, including the Bidder's most favoured customer, for the like quality and quantity of the goods, services or both;
- ii. does not include an element of profit on the sale in excess of that normally obtained by the Bidder on the sale of goods, services or both of like quality and quantity, and
- iii. does not include any provision for discounts to selling agents.

b. Price Certification – Canadian Agency and Resale Outlets

The Bidder certifies that the price proposed

- i. is not in excess of the lowest price charged anyone else, including the Bidder's most favoured customer, for the like quality and quantity of the goods, services or both; and does not include an element of profit on the sale in excess of that normally obtained by the Bidder on the sale of goods, services or both of like quality and quantity.



PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

6.1.1 The following security requirements (SRCL and related clauses provided by the Contract Security Program) apply to and form part of the Contract:

Before Contract work begins, the following conditions must be met:

- a) The Contractor's resource(s) is required to be security cleared at the level of Facilities Access 2 (with Escort) as verified by the Personal Security Unit (PSU) of the Royal Canadian Mounted Police (RCMP).
- b) The Contractor SHALL NOT remove or make copies of any DESIGNATED or CLASSIFIED information or assets from the identified work site(s).

6.2 Requirement

6.2.1 The Contractor must provide office seating in accordance with the Requirement at Annex A.

This contract is issued against the Supplier's Furniture for Office Seating Supply Arrangement (SA) that forms part of the series of SAs issued by PWGSC with the number E60PQ-120001/PQ. The terms and conditions in the Supplier's SA apply to and form part of this contract.

6.2.2 This requirement is a:

- General Stream

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

[2010A](#) (2021-12-02), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

Section 09 - Warranty, is amended as follows:

At Sub-section 1.

- Deleted: "The warranty period will be 12 months."
Inserted: "The warranty period will be 10 years with the exception of user adjustable components, which will have a warranty of 5 years."

At Sub-section 2.

- Deleted: In its entirety
Inserted: as follows:



2. The Contractor must pay the transportation cost associated with returning the Work or any part of the Work to the Contractor's plant for replacement, repair or making good. The Contractor must also pay the transportation cost associated with forwarding the replacement or returning the Work or part of the Work when rectified to the delivery point specified in the Contract or to another location as directed by Canada. If, in the opinion of Canada, it is not expedient to remove the Work from its location, the Contractor must carry out any necessary repair or making good of the Work at that location. In such cases, the Contractor will be responsible for all Costs (including travel and living expenses) incurred in so doing, Canada will not reimburse these Costs."

All other provisions of the warranty section remain in effect.

Section 16 - Interest on Overdue Accounts

This provision will not apply to payments made by credit card at point of sale. This provision does not apply to Suppliers whose SAs do not include the provision for payment by credit card

6.3.2. Supplemental General Conditions

ID 4013 Compliance with on-site measures, standing orders, policies, and rules apply to and form part of the Contract.

The Contractor must comply and ensure that its employees and subcontractors comply with all security measures, standing orders, policies or other rules in force at the site where the Work is performed.

ID 4014 Suspension of the work apply to and form part of the Contract.

1. The Contracting Authority may at any time, by written notice, order the Contractor to suspend or stop the Work or part of the Work under the Contract for a period of up to 180 days. The Contractor must immediately comply with any such order in a way that minimizes the cost of doing so. While such an order is in effect, the Contractor must not remove any part of the Work from any premises without first obtaining the written consent of the Contracting Authority. Within these 180 days, the Contracting Authority must either cancel the order or terminate the Contract, in whole or in part, under section(s) Default by the Contractor of general conditions 2010A.
2. When an order is made under subsection 1, unless the Contracting Authority terminates the Contract by reason of default by the Contractor or the Contractor abandons the Contract, the Contractor will be entitled to be paid its additional costs incurred as a result of the suspension plus a fair and reasonable profit.
3. When an order made under subsection 1 is cancelled, the Contractor must resume work in accordance with the Contract as soon as practicable. If the suspension has affected the Contractor's ability to meet any delivery date under the Contract, the date for performing the part of the Work affected by the suspension will be extended for a period equal to the period of suspension plus a period, if any, that in the opinion of the Contracting Authority, following consultation with the Contractor, is necessary for the Contractor to resume the Work. Any equitable adjustments will be made as necessary to any affected conditions of the Contract.

6.4 Term of Contract

6.4.1 Period of the Contract

The period of the Contract is from date of Contract to the completion and acceptance of the Work.



6.4.3 Delivery Date

All deliverables must be received no later than June 1st, 2022 for first delivery and January 1st, 2023 for second delivery.

Standard Lead time is between 6-10 weeks for furniture delivery and installation.

6.4.4 Shipping Instructions

If delivery is required: Goods must be delivered DDP (Destination as specified in contract) Incoterms® rules, Applicable Taxes extra.

In addition to the above, the Contractor is to unload and move the goods to the delivery location(s) specified in the contract.

6.4.5 Delivery and Installation Points Location(s)

Delivery and Installation of the requirement will be made at the point(s) specified at Annex B of the Contract.

The Project Authority (PA) will provide the Supplier the authority to proceed prior to the finalized delivery and installation date taking into consideration the delivery and installation time provided by the Supplier. Canada will not be responsible if the Supplier chooses to proceed without the PA authorization.

6.5 Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Joshua Knox
Title: Procurement Officer
Department: Royal Canadian Mounted Police
Address: 73 Leikin Drive. Mailstop #15. Ottawa, ON. K1A 0R2.

E-mail address: Joshua.knox@rcmp-grc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Project Authority

The Project Authority for the Contract is: (to be completed at contract award)

Name:
Title:
Organization:
Address:

Telephone:
E-mail address:



The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract including the provision to approve the authority to proceed for delivery and installation and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

In addition, the PA is also responsible for ensuring that the Supplier's employees and subcontractors requiring access to the site adhere to the allocated time for the Supplier to access the site to deliver and install the furniture in accordance with the master schedule held by the General Contractor (a representative of Canada or a service provider(s) under contract with the Government of Canada).

6.5.3 Contractor's Representative

The Contractors Representative for the Contract is: (to be completed at contract award)

Name:

Title:

Telephone:

E-mail address:

6.6 Payment

6.6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid firm lot price as specified in Annex B – Basis of Payment, for a cost of \$ **(to be filled in only at contract award)**. Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.6.2 Method of Payment

SACC Manual clause [H1001C](#) (2008-05-12) Multiple Payment

6.6.3 SACC Manual Clauses

SACC Manual clause [C0100C](#) (2010-01-11) Discretionary Audit - Commercial Goods and/or Services

6.6.4 Electronic Payment of Invoices – Contract

Canada may pay invoices by credit card if the Contractor's SA indicates acceptance of such payment. Refer to Supplier's SA.

6.7 Invoicing Instructions

The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions.

Invoices must be distributed as follows:



-
- a. The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

6.8 Certifications and Additional Information

6.8.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.8.2 SACC Manual Clauses

6.9 Applicable Laws

As set out in the article “Applicable Laws” in Part 6A of the SA.

6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement of the SA E60PQ-120001;
- (b) the Articles of this Agreement;
- (c) the general conditions 2010A (2021-12-02) – General Conditions: Goods (Medium Complexity);
- (d) Annex A, Requirement;
- (e) Annex B, Basis of Payment;
- (f) Annex C, Additional Specifications and Certifications for NSA Products;
- (g) Annex D, Security Requirement;
- (h) Annex E, COVID-19 VACCINATION REQUIREMENT CERTIFICATION; and
- (i) the Contractor's bid dated _____ (date to be inserted at Contract Award).

6.11 Access to Facilities and Equipment

Canada's facilities, equipment, documentation and personnel are not automatically at the disposal of the Contractor. If access to government premises, computer systems (micro-computer network), working space, telephones, terminals, documentation and personnel for consultation is required by the Contractor to perform the Work, the Contractor must advise the Contracting Authority of the need for such access in a timely fashion. If the Contractor's request for access is approved by Canada and arrangements are made to provide access to the Contractor, the Contractor, its subcontractors, agents and employees must comply with all the conditions applicable at the Work site. The Contractor must further ensure that the facilities and equipment are used solely for the performance of the Contract.

6.12 Canada's Facilities to Accommodate the Delivery

The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.

During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe



prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule

6.13 Standard finishes

The Identified User (IU) will consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.

Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.

The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.

6.14 SACC Manual Clauses

SACC Manual clause [B7500C](#) (2006-06-16), Excess Goods

SACC Manual clause [A9068C](#) (2010-01-11), Government Site Regulations

SACC Manual clause [B4003T](#) (2011-05-16), Canadian General Standards Board – Standards


SACC Manual clause [B6802C](#) (2007-11-30), Government Property

SACC Manual clause [G1005C](#) (2016-01-28), Insurance - No Specific Requirement



**ANNEX A
REQUIREMENT**

Table A1: Stool Non SA S2.6



Side Chair	QTY: 7
-------------------	---------------

IMPORTANT:

Canada may request additional information to confirm criteria prior to contract award within a time period specified by the Identified User (IU). Suppliers must provide products that are compliant to the selected "■" Requirement Choices

	Criteria <i>Instructions</i>	Requirement Choices
B	<i>Backrest Height</i>	Standard = minimum height of 354 mm (13.9 in)
	<i>Backrest Profile</i> choose ALL that are acceptable	<input type="checkbox"/> No preference (It is recommended to select "no preference" as profiles do not affect functionality of chair.) <input checked="" type="checkbox"/> Other = No Backrest; Stool Type Chair
C	<i>Lumbar Support</i> choose only 1	<input type="checkbox"/> Yes = height adjustment between 150 mm (5.9 in.) to 250 mm (9.8 in.) <input checked="" type="checkbox"/> No (no backrest)
D	<i>Armrests</i> choose only 1	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
E	<i>Seat Depth</i> choose only 1	Fixed <input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.) <input checked="" type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.) <input type="checkbox"/> Deep = greater than 460 mm (18.1 in.)
F	<i>Seat Width</i>	Standard = minimum width of 400 mm (15.7 in.)
G	<i>Seat Height</i>	Fixed = Counter Height (610-660mm)
H	<i>Stacking:</i> choose only 1	<input type="checkbox"/> Stacking <input checked="" type="checkbox"/> Non-Stacking <input type="checkbox"/> No preference
	<i>Base Style</i> choose ALL that are acceptable	<input checked="" type="checkbox"/> Legs (4 post) <input type="checkbox"/> Casters <input checked="" type="checkbox"/> Glides <input type="checkbox"/> Sled <input type="checkbox"/> Cantilever <input checked="" type="checkbox"/> Other = Footrest




	<p><i>Finishes</i> (Upholstery / Non-Upholstery)</p> <p>choose ALL that are acceptable</p>	<p>Backrest</p>	<p><input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Other = No Backrest <input type="checkbox"/> Breathable material (Mesh)</p>
		<p>Seat</p>	<p><input checked="" type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Other = Polymer <input type="checkbox"/> Breathable material (Mesh)</p>
	<p><i>Additional Criteria:</i></p>	<p>➤ <i>Chair to be 610-660mm h counter height stool; no arms, no back, no swivel. Polymer or fabric seat finish acceptable. Images below of example of what would be acceptable stools.</i></p> <div style="text-align: center;">  </div>	



Table A2: Task Chair – Armless S2.1



CHAIR TYPE	QTY: 61
<input checked="" type="checkbox"/> Rotary Chair (up to 275 lbs) <input type="checkbox"/> Rotary Chair large occupant (up to 400 lbs) <input type="checkbox"/> Rotary Stool with backrest	

IMPORTANT:

Canada may request additional information to confirm criteria prior to contract award within a time period specified by the Identified User (IU). Suppliers must provide products that are compliant to the selected "■" Requirement Choices

Criteria <i>Instructions</i>	Requirement Choices	
A Headrest <i>choose only 1</i>	<input type="checkbox"/> Yes – Adjustable and Removable (if applicable, indicate type of adjustment in additional criteria below) Recommended with Standard Back Height <input checked="" type="checkbox"/> No	
B Backrest Height <i>choose only 1</i>	<input checked="" type="checkbox"/> Standard = height between 450 mm (17.7 in.) to 660 mm (26.0 in.) <input type="checkbox"/> High = height greater than 660 mm (26.0 in.) <input type="checkbox"/> No preference = minimum height of 450mm (17.0 in.)	
	Backrest Profile <i>choose only 1</i> <input checked="" type="checkbox"/> No preference (It is recommended to select "no preference" as profiles do not affect functionality of chair). <input type="checkbox"/> Other = _____	
C Lumbar Support <i>choose ALL that are acceptable</i>	Adjustable <input checked="" type="checkbox"/> Up/Down = min. 50 mm (2.0 in.) height adjustment between 150mm (5.9 in.) to 250 mm (9.8 in.) <input type="checkbox"/> Other = _____	
	<input type="checkbox"/> Fixed = between 150 mm (5.9 in.) to 250 mm (9.8 in.) above seat	
D Armrests <i>choose ALL that are acceptable</i>	Adjustable <input type="checkbox"/> Height adjustable = min. 63 mm (2.5 in.) adjustment between 176 mm (6.9 in.) to 289 mm (11.4 in.) <input type="checkbox"/> Width adjustable = within the range of 443 mm (17.0 in.) to 493 mm (19.4 in.) <input type="checkbox"/> Pivot adjustable = min. 20 degrees inward and min. 10 degrees outward	
	<input type="checkbox"/> Fixed = height range between 200 mm (7.9 in.) to 250 mm (9.8 in.)	
	<input checked="" type="checkbox"/> None (no arm rests)	
E Seat Depth <i>choose ALL that are acceptable</i>	<input checked="" type="checkbox"/> Adjustable = min. 50 mm (2.0 in.) adjustment within the range 420 mm (16.5 in.) to 460 mm (18.1 in.)	
	<input type="checkbox"/> Fixed	<input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.) <input type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.) <input type="checkbox"/> Deep = greater than 460 mm (18.1 in.)
F Seat Width	<u>Refer to chair type above</u> Rotary chairs and stools = min. width of 450 mm (17.7in.) Rotary Large Occupant models = min. width of 560 mm (22.0 in.)	
G Seat Height <i>choose ALL that are acceptable</i>	Rotary Chair	<input checked="" type="checkbox"/> Adjustable
		<input checked="" type="checkbox"/> Standard = includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more <input type="checkbox"/> Low = includes 376 mm (14.8 in.) to 439 mm (17.3 in.) <input type="checkbox"/> Other = _____



		<input type="checkbox"/> Fixed = <i>between 417 mm (16.4 in.) to 512 mm (20.2 in.)</i>						
	<i>Rotary Stool with backrest</i>	<input type="checkbox"/> Adjustable = <i>includes range from 580 mm (23 in.) to 840 mm (33 in.)</i> <input type="checkbox"/> Fixed = <i>equal or greater than 670 mm (27.5 in)</i>						
H	<i>Tilt Mechanism</i> choose only 1	<input checked="" type="checkbox"/> Tilt Mechanism <i>seat and backrest adjust together in a ratio that falls within $\geq 1:1$ (includes both Synchro-Tilt and Unison Tilt)</i> <input type="checkbox"/> Tilt Independently <i>seat and backrest adjust independently of each other</i> <input type="checkbox"/> No preference						
I	<i>Seat and Backrest Locks</i> choose ALL that are acceptable	<input type="checkbox"/> Setup Position = <i>chair locks or stops at one position with seat flat and backrest straight</i> <input checked="" type="checkbox"/> Multiple Positions = <i>chair locks or stops at multiple positions (including setup position)</i>						
J	<i>Casters</i>	<input type="checkbox"/> carpet <input checked="" type="checkbox"/> hard surface						
L	<i>Foot Ring</i>	<i>Standard with stool models only</i>						
	<i>Finishes (Upholstery / Non-Upholstery)</i> choose ALL that are acceptable	<table border="1"> <tr> <td>Backrest</td> <td> <input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh) </td> <td> <input type="checkbox"/> Other = _____ </td> </tr> <tr> <td>Seat</td> <td> <input checked="" type="checkbox"/> Upholstery <input type="checkbox"/> Breathable material (Mesh) </td> <td> <input type="checkbox"/> Other = _____ </td> </tr> </table>	Backrest	<input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____	Seat	<input checked="" type="checkbox"/> Upholstery <input type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____
Backrest	<input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____						
Seat	<input checked="" type="checkbox"/> Upholstery <input type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____						
	Additional Criteria:							



Table A3: Task Chair S2.5



CHAIR TYPE	QTY: 4
<input checked="" type="checkbox"/> Rotary Chair (up to 275 lbs) <input type="checkbox"/> Rotary Chair large occupant (up to 400 lbs) <input type="checkbox"/> Rotary Stool with backrest	

IMPORTANT:

Canada may request additional information to confirm criteria prior to contract award within a time period specified by the Identified User (IU). Suppliers must provide products that are compliant to the selected "■" Requirement Choices

Criteria <i>Instructions</i>	Requirement Choices				
A Headrest <i>choose only 1</i>	<input type="checkbox"/> Yes – Adjustable and Removable (if applicable, indicate type of adjustment in additional criteria below) Recommended with Standard Back Height <input checked="" type="checkbox"/> No				
B Backrest Height <i>choose only 1</i>	<input checked="" type="checkbox"/> Standard = height between 450 mm (17.7 in.) to 660 mm (26.0 in.) <input type="checkbox"/> High = height greater than 660 mm (26.0 in.) <input type="checkbox"/> No preference = minimum height of 450mm (17.0 in.)				
B Backrest Profile <i>choose only 1</i>	<input checked="" type="checkbox"/> No preference (It is recommended to select "no preference" as profiles do not affect functionality of chair). <input type="checkbox"/> Other = _____				
C Lumbar Support <i>choose ALL that are acceptable</i>	<u>Adjustable</u> <input checked="" type="checkbox"/> Up/Down = min. 50 mm (2.0 in.) height adjustment between 150mm (5.9 in.) to 250 mm (9.8 in.) <input type="checkbox"/> Other = _____ <hr/> <input type="checkbox"/> Fixed = between 150 mm (5.9 in.) to 250 mm (9.8 in.) above seat				
D Armrests <i>choose ALL that are acceptable</i>	<u>Adjustable</u> <input checked="" type="checkbox"/> Height adjustable = min. 63 mm (2.5 in.) adjustment between 176 mm (6.9 in.) to 289 mm (11.4 in.) <input checked="" type="checkbox"/> Width adjustable = within the range of 443 mm (17.0 in.) to 493 mm (19.4 in.) <input checked="" type="checkbox"/> Pivot adjustable = min. 20 degrees inward and min. 10 degrees outward <hr/> <input type="checkbox"/> Fixed = height range between 200 mm (7.9 in.) to 250 mm (9.8 in.) <hr/> <input type="checkbox"/> None				
E Seat Depth <i>choose ALL that are acceptable</i>	<input checked="" type="checkbox"/> Adjustable = min. 50 mm (2.0 in.) adjustment within the range 420 mm (16.5 in.) to 460 mm (18.1 in.) <hr/> <input type="checkbox"/> Fixed <table border="1" style="display: inline-table; vertical-align: top;"> <tr> <td><input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.)</td> </tr> <tr> <td><input type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.)</td> </tr> <tr> <td><input type="checkbox"/> Deep = greater than 460 mm (18.1 in.)</td> </tr> </table>		<input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.)	<input type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.)	<input type="checkbox"/> Deep = greater than 460 mm (18.1 in.)
<input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.)					
<input type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.)					
<input type="checkbox"/> Deep = greater than 460 mm (18.1 in.)					
F Seat Width	<u>Refer to chair type above</u> Rotary chairs and stools = min. width of 450 mm (17.7in.) Rotary Large Occupant models = min. width of 560 mm (22.0 in.)				
G Seat Height <i>choose ALL that are acceptable</i>	Rotary Chair	<input checked="" type="checkbox"/> Adjustable <input checked="" type="checkbox"/> Standard = includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more <input type="checkbox"/> Low = includes 376 mm (14.8 in.) to 439 mm (17.3 in.) <input type="checkbox"/> Other = _____			



		<input type="checkbox"/> Fixed = <i>between 417 mm (16.4 in.) to 512 mm (20.2 in.)</i>						
	<i>Rotary Stool with backrest</i>	<input type="checkbox"/> Adjustable = <i>includes range from 580 mm (23 in.) to 840 mm (33 in.)</i> <input type="checkbox"/> Fixed = <i>equal or greater than 670 mm (27.5 in)</i>						
H	<i>Tilt Mechanism</i> choose only 1	<input checked="" type="checkbox"/> Tilt Mechanism <i>seat and backrest adjust together in a ratio that falls within $\geq 1:1$ (includes both Synchro-Tilt and Unison Tilt)</i> <input type="checkbox"/> Tilt Independently <i>seat and backrest adjust independently of each other</i> <input type="checkbox"/> No preference						
I	<i>Seat and Backrest Locks</i> choose ALL that are acceptable	<input type="checkbox"/> Setup Position = <i>chair locks or stops at one position with seat flat and backrest straight</i> <input checked="" type="checkbox"/> Multiple Positions = <i>chair locks or stops at multiple positions (including setup position)</i>						
J	<i>Casters</i>	<input type="checkbox"/> carpet <input checked="" type="checkbox"/> hard surface						
L	<i>Foot Ring</i>	<i>Standard with stool models only</i>						
	<i>Finishes (Upholstery / Non-Upholstery)</i> choose ALL that are acceptable	<table border="1"> <tr> <td>Backrest</td> <td> <input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh) </td> <td> <input type="checkbox"/> Other = _____ </td> </tr> <tr> <td>Seat</td> <td> <input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh) </td> <td> <input type="checkbox"/> Other = _____ </td> </tr> </table>	Backrest	<input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____	Seat	<input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____
Backrest	<input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____						
Seat	<input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____						
	Additional Criteria:							



Table A4: Task Stool – Armless S2.7



CHAIR TYPE	QTY: 2
<input type="checkbox"/> Rotary Chair (up to 275 lbs) <input type="checkbox"/> Rotary Chair large occupant (up to 400 lbs) <input checked="" type="checkbox"/> Rotary Stool with backrest	

IMPORTANT:

Canada may request additional information to confirm criteria prior to contract award within a time period specified by the Identified User (IU). Suppliers must provide products that are compliant to the selected "■" Requirement Choices

Criteria <i>Instructions</i>	Requirement Choices			
A Headrest <i>choose only 1</i>	<input type="checkbox"/> Yes – Adjustable and Removable (if applicable, indicate type of adjustment in additional criteria below) Recommended with Standard Back Height <input checked="" type="checkbox"/> No			
B Backrest Height <i>choose only 1</i>	<input checked="" type="checkbox"/> Standard = height between 450 mm (17.7 in.) to 660 mm (26.0 in.) <input type="checkbox"/> High = height greater than 660 mm (26.0 in.) <input type="checkbox"/> No preference = minimum height of 450mm (17.0 in.)			
B Backrest Profile <i>choose only 1</i>	<input checked="" type="checkbox"/> No preference (It is recommended to select "no preference" as profiles do not affect functionality of chair). <input type="checkbox"/> Other = _____			
C Lumbar Support <i>choose ALL that are acceptable</i>	<u>Adjustable</u> <input checked="" type="checkbox"/> Up/Down = min. 50 mm (2.0 in.) height adjustment between 150mm (5.9 in.) to 250 mm (9.8 in.) <input type="checkbox"/> Other = _____ <input type="checkbox"/> Fixed = between 150 mm (5.9 in.) to 250 mm (9.8 in.) above seat			
D Armrests <i>choose ALL that are acceptable</i>	<u>Adjustable</u> <input type="checkbox"/> Height adjustable = min. 63 mm (2.5 in.) adjustment between 176 mm (6.9 in.) to 289 mm (11.4 in.) <input type="checkbox"/> Width adjustable = within the range of 443 mm (17.0 in.) to 493 mm (19.4 in.) <input type="checkbox"/> Pivot adjustable = min. 20 degrees inward and min. 10 degrees outward <input type="checkbox"/> Fixed = height range between 200 mm (7.9 in.) to 250 mm (9.8 in.) <input checked="" type="checkbox"/> None (no arm rests)			
E Seat Depth <i>choose ALL that are acceptable</i>	<input checked="" type="checkbox"/> Adjustable = min. 50 mm (2.0 in.) adjustment within the range 420 mm (16.5 in.) to 460 mm (18.1 in.) <input type="checkbox"/> Fixed <table border="1" style="margin-left: 20px;"> <tr> <td><input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.)</td> </tr> <tr> <td><input type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.)</td> </tr> <tr> <td><input type="checkbox"/> Deep = greater than 460 mm (18.1 in.)</td> </tr> </table>	<input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.)	<input type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.)	<input type="checkbox"/> Deep = greater than 460 mm (18.1 in.)
<input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.)				
<input type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.)				
<input type="checkbox"/> Deep = greater than 460 mm (18.1 in.)				
F Seat Width	<u>Refer to chair type above</u> Rotary chairs and stools = min. width of 450 mm (17.7in.) Rotary Large Occupant models = min. width of 560 mm (22.0 in.)			



G	Seat Height <i>choose ALL that are acceptable</i>	Rotary Chair	<input type="checkbox"/> Adjustable <input type="checkbox"/> Fixed = <i>between 417 mm (16.4 in.) to 512 mm (20.2 in.)</i>	<input type="checkbox"/> Standard = <i>includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more</i> <input type="checkbox"/> Low = <i>includes 376 mm (14.8 in.) to 439 mm (17.3 in.)</i> <input type="checkbox"/> Other = _____
		Rotary Stool with backrest	<input checked="" type="checkbox"/> Adjustable = <i>includes range from 580 mm (23 in.) to 840 mm (33 in.)</i> <input type="checkbox"/> Fixed = <i>equal or greater than 670 mm (27.5 in)</i>	
H	Tilt Mechanism <i>choose only 1</i>	<input checked="" type="checkbox"/> Tilt Mechanism <i>seat and backrest adjust together in a ratio that falls within $\geq 1:1$ (includes both Synchro-Tilt and Unison Tilt)</i> <input type="checkbox"/> Tilt Independently <i>seat and backrest adjust independently of each other</i> <input type="checkbox"/> No preference		
I	Seat and Backrest Locks <i>choose ALL that are acceptable</i>	<input type="checkbox"/> Setup Position = <i>chair locks or stops at one position with seat flat and backrest straight</i> <input checked="" type="checkbox"/> Multiple Positions = <i>chair locks or stops at multiple positions (including setup position)</i>		
J	Casters	<input type="checkbox"/> carpet <input checked="" type="checkbox"/> hard surface		
L	Foot Ring	Standard with stool models only		
	Finishes (Upholstery / Non-Upholstery) <i>choose ALL that are acceptable</i>	Backrest	<input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____
		Seat	<input checked="" type="checkbox"/> Upholstery <input type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____
	Additional Criteria:			



Table A5: Task Stool – No Wheels S2.8



CHAIR TYPE	QTY: 3
<input type="checkbox"/> Rotary Chair (up to 275 lbs) <input type="checkbox"/> Rotary Chair large occupant (up to 400 lbs) <input checked="" type="checkbox"/> Rotary Stool with backrest	

IMPORTANT:

Canada may request additional information to confirm criteria prior to contract award within a time period specified by the Identified User (IU). Suppliers must provide products that are compliant to the selected "■" Requirement Choices

Criteria <i>Instructions</i>	Requirement Choices			
A Headrest <i>choose only 1</i>	<input type="checkbox"/> Yes – Adjustable and Removable (if applicable, indicate type of adjustment in additional criteria below) Recommended with Standard Back Height <input checked="" type="checkbox"/> No			
B Backrest Height <i>choose only 1</i>	<input checked="" type="checkbox"/> Standard = height between 450 mm (17.7 in.) to 660 mm (26.0 in.) <input type="checkbox"/> High = height greater than 660 mm (26.0 in.) <input type="checkbox"/> No preference = minimum height of 450mm (17.0 in.)			
B Backrest Profile <i>choose only 1</i>	<input checked="" type="checkbox"/> No preference (It is recommended to select "no preference" as profiles do not affect functionality of chair). <input type="checkbox"/> Other = _____			
C Lumbar Support <i>choose ALL that are acceptable</i>	<u>Adjustable</u> <input checked="" type="checkbox"/> Up/Down = min. 50 mm (2.0 in.) height adjustment between 150mm (5.9 in.) to 250 mm (9.8 in.) <input type="checkbox"/> Other = _____ <input type="checkbox"/> Fixed = between 150 mm (5.9 in.) to 250 mm (9.8 in.) above seat			
D Armrests <i>choose ALL that are acceptable</i>	<u>Adjustable</u> <input type="checkbox"/> Height adjustable = min. 63 mm (2.5 in.) adjustment between 176 mm (6.9 in.) to 289 mm (11.4 in.) <input type="checkbox"/> Width adjustable = within the range of 443 mm (17.0 in.) to 493 mm (19.4 in.) <input type="checkbox"/> Pivot adjustable = min. 20 degrees inward and min. 10 degrees outward <input type="checkbox"/> Fixed = height range between 200 mm (7.9 in.) to 250 mm (9.8 in.) <input checked="" type="checkbox"/> None (no arm rests)			
E Seat Depth <i>choose ALL that are acceptable</i>	<input checked="" type="checkbox"/> Adjustable = min. 50 mm (2.0 in.) adjustment within the range 420 mm (16.5 in.) to 460 mm (18.1 in.) <input type="checkbox"/> Fixed <table border="1" style="margin-left: 20px;"> <tr> <td><input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.)</td> </tr> <tr> <td><input type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.)</td> </tr> <tr> <td><input type="checkbox"/> Deep = greater than 460 mm (18.1 in.)</td> </tr> </table>	<input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.)	<input type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.)	<input type="checkbox"/> Deep = greater than 460 mm (18.1 in.)
<input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.)				
<input type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.)				
<input type="checkbox"/> Deep = greater than 460 mm (18.1 in.)				
F Seat Width	<u>Refer to chair type above</u> Rotary chairs and stools = min. width of 450 mm (17.7in.) Rotary Large Occupant models = min. width of 560 mm (22.0 in.)			



G	Seat Height choose ALL that are acceptable	Rotary Chair	<input type="checkbox"/> Adjustable <input type="checkbox"/> Fixed = between 417 mm (16.4 in.) to 512 mm (20.2 in.)	<input type="checkbox"/> Standard = includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more <input type="checkbox"/> Low = includes 376 mm (14.8 in.) to 439 mm (17.3 in.) <input type="checkbox"/> Other = _____
		Rotary Stool with backrest	<input checked="" type="checkbox"/> Adjustable = includes range from 580 mm (23 in.) to 840 mm (33 in.) <input type="checkbox"/> Fixed = equal or greater than 670 mm (27.5 in)	
H	Tilt Mechanism choose only 1	<input checked="" type="checkbox"/> Tilt Mechanism seat and backrest adjust together in a ratio that falls within $\geq 1:1$ (includes both Synchro-Tilt and Unison Tilt) <input type="checkbox"/> Tilt Independently seat and backrest adjust independently of each other <input type="checkbox"/> No preference		
I	Seat and Backrest Locks choose ALL that are acceptable	<input type="checkbox"/> Setup Position = chair locks or stops at one position with seat flat and backrest straight <input checked="" type="checkbox"/> Multiple Positions = chair locks or stops at multiple positions (including setup position)		
J	Casters	<input type="checkbox"/> carpet <input type="checkbox"/> hard surface (NO CASTERS)		
L	Foot Ring	Standard with stool models only		
	Finishes (Upholstery / Non-Upholstery) choose ALL that are acceptable	Backrest	<input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____
		Seat	<input checked="" type="checkbox"/> Upholstery <input type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____
	Additional Criteria:	<p>➤ No chair casters to be included. Rotary stool to be stationary on legs and glides.</p>		



Table A6: Task Stool S2.4



CHAIR TYPE	QTY: 12
<input type="checkbox"/> Rotary Chair (up to 275 lbs) <input type="checkbox"/> Rotary Chair large occupant (up to 400 lbs) <input checked="" type="checkbox"/> Rotary Stool with backrest	

IMPORTANT:

Canada may request additional information to confirm criteria prior to contract award within a time period specified by the Identified User (IU). Suppliers must provide products that are compliant to the selected "■" Requirement Choices


Criteria <i>Instructions</i>		Requirement Choices		
A	Headrest choose only 1	<input type="checkbox"/> Yes – Adjustable and Removable (if applicable, indicate type of adjustment in additional criteria below) Recommended with Standard Back Height <input checked="" type="checkbox"/> No		
B	Backrest Height choose only 1	<input checked="" type="checkbox"/> Standard = height between 450 mm (17.7 in.) to 660 mm (26.0 in.) <input type="checkbox"/> High = height greater than 660 mm (26.0 in.) <input type="checkbox"/> No preference = minimum height of 450mm (17.0 in.)		
	Backrest Profile choose only 1	<input checked="" type="checkbox"/> No preference (It is recommended to select "no preference" as profiles do not affect functionality of chair). <input type="checkbox"/> Other = _____		
C	Lumbar Support choose ALL that are acceptable	Adjustable <input checked="" type="checkbox"/> Up/Down = min. 50 mm (2.0 in.) height adjustment between 150mm (5.9 in.) to 250 mm (9.8 in.) <input type="checkbox"/> Other = _____		
		<input type="checkbox"/> Fixed = between 150 mm (5.9 in.) to 250 mm (9.8 in.) above seat		
D	Armrests choose ALL that are acceptable	Adjustable <input checked="" type="checkbox"/> Height adjustable = min. 63 mm (2.5 in.) adjustment between 176 mm (6.9 in.) to 289 mm (11.4 in.) <input checked="" type="checkbox"/> Width adjustable = within the range of 443 mm (17.0 in.) to 493 mm (19.4 in.) <input checked="" type="checkbox"/> Pivot adjustable = min. 20 degrees inward and min. 10 degrees outward		
		<input type="checkbox"/> Fixed = height range between 200 mm (7.9 in.) to 250 mm (9.8 in.)		
		<input type="checkbox"/> None (no arm rests)		
E	Seat Depth choose ALL that are acceptable	<input checked="" type="checkbox"/> Adjustable = min. 50 mm (2.0 in.) adjustment within the range 420 mm (16.5 in.) to 460 mm (18.1 in.)		
		<input type="checkbox"/> Fixed <table border="0" style="display: inline-table; vertical-align: top;"> <tr> <td><input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.)</td> </tr> <tr> <td><input type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.)</td> </tr> <tr> <td><input type="checkbox"/> Deep = greater than 460 mm (18.1 in.)</td> </tr> </table>	<input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.)	<input type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.)
<input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.)				
<input type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.)				
<input type="checkbox"/> Deep = greater than 460 mm (18.1 in.)				
F	Seat Width	<u>Refer to chair type above</u> Rotary chairs and stools = min. width of 450 mm (17.7in.) Rotary Large Occupant models = min. width of 560 mm (22.0 in.)		
G	Seat Height choose ALL that are acceptable	<table border="0"> <tr> <td style="vertical-align: top;"> Rotary Chair <input type="checkbox"/> Adjustable </td> <td style="vertical-align: top;"> <input type="checkbox"/> Standard = includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more <input type="checkbox"/> Low = includes 376 mm (14.8 in.) to 439 mm (17.3 in.) <input type="checkbox"/> Other = _____ </td> </tr> </table>	Rotary Chair <input type="checkbox"/> Adjustable	<input type="checkbox"/> Standard = includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more <input type="checkbox"/> Low = includes 376 mm (14.8 in.) to 439 mm (17.3 in.) <input type="checkbox"/> Other = _____
Rotary Chair <input type="checkbox"/> Adjustable	<input type="checkbox"/> Standard = includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more <input type="checkbox"/> Low = includes 376 mm (14.8 in.) to 439 mm (17.3 in.) <input type="checkbox"/> Other = _____			



		<input type="checkbox"/> Fixed = <i>between 417 mm (16.4 in.) to 512 mm (20.2 in.)</i>						
	<i>Rotary Stool with backrest</i>	<input checked="" type="checkbox"/> Adjustable = <i>includes range from 580 mm (23 in.) to 840 mm (33 in.)</i> <input type="checkbox"/> Fixed = <i>equal or greater than 670 mm (27.5 in)</i>						
H	<i>Tilt Mechanism</i> choose only 1	<input checked="" type="checkbox"/> Tilt Mechanism <i>seat and backrest adjust together in a ratio that falls within $\geq 1:1$ (includes both Synchro-Tilt and Unison Tilt)</i> <input type="checkbox"/> Tilt Independently <i>seat and backrest adjust independently of each other</i> <input type="checkbox"/> No preference						
I	<i>Seat and Backrest Locks</i> choose ALL that are acceptable	<input type="checkbox"/> Setup Position = <i>chair locks or stops at one position with seat flat and backrest straight</i> <input checked="" type="checkbox"/> Multiple Positions = <i>chair locks or stops at multiple positions (including setup position)</i>						
J	<i>Casters</i>	<input type="checkbox"/> carpet <input checked="" type="checkbox"/> hard surface						
L	<i>Foot Ring</i>	<i>Standard with stool models only</i>						
	<i>Finishes (Upholstery / Non-Upholstery)</i> choose ALL that are acceptable	<table border="1"> <tr> <td>Backrest</td> <td> <input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh) </td> <td> <input type="checkbox"/> Other = _____ </td> </tr> <tr> <td>Seat</td> <td> <input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh) </td> <td> <input type="checkbox"/> Other = _____ </td> </tr> </table>	Backrest	<input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____	Seat	<input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____
Backrest	<input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____						
Seat	<input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____						
	Additional Criteria:							



Table A7: Stool Non SA S3.2



Side Chair	QTY: 6
-------------------	---------------

IMPORTANT:	
Canada may request additional information to confirm criteria prior to contract award within a time period specified by the Identified User (IU). Suppliers must provide products that are compliant to the selected "■" Requirement Choices	
Criteria <i>Instructions</i>	Requirement Choices
B Backrest Height	Standard = minimum height of 354 mm (13.9 in)
B Backrest Profile <i>choose ALL that are acceptable</i>	<input type="checkbox"/> No preference (It is recommended to select "no preference" as profiles do not affect functionality of chair.) <input checked="" type="checkbox"/> Other = No Backrest; Stool Type Chair
C Lumbar Support <i>choose only 1</i>	<input type="checkbox"/> Yes = height adjustment between 150 mm (5.9 in.) to 250 mm (9.8 in.) <input checked="" type="checkbox"/> No (no backrest)
D Armrests <i>choose only 1</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
E Seat Depth <i>choose only 1</i>	Fixed <input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.) <input checked="" type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.) <input type="checkbox"/> Deep = greater than 460 mm (18.1 in.)
F Seat Width	Standard = minimum width of 400 mm (15.7 in.)
G Seat Height	Fixed = Counter Height (610-660mm)
H Stacking: <i>choose only 1</i>	<input type="checkbox"/> Stacking <input checked="" type="checkbox"/> Non-Stacking <input type="checkbox"/> No preference
H Base Style <i>choose ALL that are acceptable</i>	<input checked="" type="checkbox"/> Legs (4 post) <input type="checkbox"/> Casters <input checked="" type="checkbox"/> Glides <input type="checkbox"/> Sled <input type="checkbox"/> Cantilever <input checked="" type="checkbox"/> Other = Footrest
Finishes <i>(Upholstery / Non-Upholstery)</i>	Backrest <input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Other = No Backrest <input type="checkbox"/> Breathable material (Mesh)




	<i>choose ALL that are acceptable</i>	Seat	<input checked="" type="checkbox"/> Upholstery <input type="checkbox"/> Breathable material (Mesh) <input checked="" type="checkbox"/> Other = Polymer
	<i>Additional Criteria:</i>	<p>➤ <i>Chair to be 610-600mm h counter stool; no arms, no back, no swivel. Polymer or fabric seat finish acceptable. Images below of example of what would be acceptable stools.</i></p> 	



Table A8: Task Stool S3.3



CHAIR TYPE	QTY: 2
<input type="checkbox"/> Rotary Chair (up to 275 lbs) <input type="checkbox"/> Rotary Chair large occupant (up to 400 lbs) <input checked="" type="checkbox"/> Rotary Stool with backrest	

IMPORTANT:

Canada may request additional information to confirm criteria prior to contract award within a time period specified by the Identified User (IU). Suppliers must provide products that are compliant to the selected "■" Requirement Choices

Criteria <i>Instructions</i>	Requirement Choices	
A Headrest <i>choose only 1</i>	<input type="checkbox"/> Yes – Adjustable and Removable (if applicable, indicate type of adjustment in additional criteria below) Recommended with Standard Back Height <input checked="" type="checkbox"/> No	
B Backrest Height <i>choose only 1</i>	<input checked="" type="checkbox"/> Standard = height between 450 mm (17.7 in.) to 660 mm (26.0 in.) <input type="checkbox"/> High = height greater than 660 mm (26.0 in.) <input type="checkbox"/> No preference = minimum height of 450mm (17.0 in.)	
	Backrest Profile <i>choose only 1</i> <input checked="" type="checkbox"/> No preference (It is recommended to select "no preference" as profiles do not affect functionality of chair). <input type="checkbox"/> Other = _____	
C Lumbar Support <i>choose ALL that are acceptable</i>	Adjustable <input checked="" type="checkbox"/> Up/Down = min. 50 mm (2.0 in.) height adjustment between 150mm (5.9 in.) to 250 mm (9.8 in.) <input type="checkbox"/> Other = _____	
	<input type="checkbox"/> Fixed = between 150 mm (5.9 in.) to 250 mm (9.8 in.) above seat	
D Armrests <i>choose ALL that are acceptable</i>	Adjustable <input checked="" type="checkbox"/> Height adjustable = min. 63 mm (2.5 in.) adjustment between 176 mm (6.9 in.) to 289 mm (11.4 in.) <input checked="" type="checkbox"/> Width adjustable = within the range of 443 mm (17.0 in.) to 493 mm (19.4 in.) <input checked="" type="checkbox"/> Pivot adjustable = min. 20 degrees inward and min. 10 degrees outward	
	<input type="checkbox"/> Fixed = height range between 200 mm (7.9 in.) to 250 mm (9.8 in.)	
	<input type="checkbox"/> None (no arm rests)	
E Seat Depth <i>choose ALL that are acceptable</i>	<input checked="" type="checkbox"/> Adjustable = min. 50 mm (2.0 in.) adjustment within the range 420 mm (16.5 in.) to 460 mm (18.1 in.)	
	<input type="checkbox"/> Fixed	<input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.) <input type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.) <input type="checkbox"/> Deep = greater than 460 mm (18.1 in.)
F Seat Width	<u>Refer to chair type above</u> Rotary chairs and stools = min. width of 450 mm (17.7in.) Rotary Large Occupant models = min. width of 560 mm (22.0 in.)	
G Seat Height <i>choose ALL that are acceptable</i>	Rotary Chair <input type="checkbox"/> Adjustable	<input type="checkbox"/> Standard = includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more <input type="checkbox"/> Low = includes 376 mm (14.8 in.) to 439 mm (17.3 in.) <input type="checkbox"/> Other = _____



		<input type="checkbox"/> Fixed = <i>between 417 mm (16.4 in.) to 512 mm (20.2 in.)</i>						
	<i>Rotary Stool with backrest</i>	<input checked="" type="checkbox"/> Adjustable = <i>includes range from 580 mm (23 in.) to 840 mm (33 in.)</i> <input type="checkbox"/> Fixed = <i>equal or greater than 670 mm (27.5 in)</i>						
H	<i>Tilt Mechanism</i> choose only 1	<input checked="" type="checkbox"/> Tilt Mechanism <i>seat and backrest adjust together in a ratio that falls within $\geq 1:1$ (includes both Synchro-Tilt and Unison Tilt)</i> <input type="checkbox"/> Tilt Independently <i>seat and backrest adjust independently of each other</i> <input type="checkbox"/> No preference						
I	<i>Seat and Backrest Locks</i> choose ALL that are acceptable	<input type="checkbox"/> Setup Position = <i>chair locks or stops at one position with seat flat and backrest straight</i> <input checked="" type="checkbox"/> Multiple Positions = <i>chair locks or stops at multiple positions (including setup position)</i>						
J	<i>Casters</i>	<input type="checkbox"/> carpet <input checked="" type="checkbox"/> hard surface						
L	<i>Foot Ring</i>	<i>Standard with stool models only</i>						
	<i>Finishes (Upholstery / Non-Upholstery)</i> choose ALL that are acceptable	<table border="1"> <tr> <td>Backrest</td> <td> <input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh) </td> <td> <input type="checkbox"/> Other = _____ </td> </tr> <tr> <td>Seat</td> <td> <input checked="" type="checkbox"/> Upholstery <input type="checkbox"/> Breathable material (Mesh) </td> <td> <input type="checkbox"/> Other = _____ </td> </tr> </table>	Backrest	<input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____	Seat	<input checked="" type="checkbox"/> Upholstery <input type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____
Backrest	<input type="checkbox"/> Upholstery <input checked="" type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____						
Seat	<input checked="" type="checkbox"/> Upholstery <input type="checkbox"/> Breathable material (Mesh)	<input type="checkbox"/> Other = _____						
	Additional Criteria:							



ANNEX B

BASIS OF PAYMENT

1. Procurement Strategy

All-inclusive Procurement

2. Product and Pricing

INSTRUCTIONS TO BIDDERS: Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 5, 8 and 9. **Bidders must provide a complete product offering for each Subcategory or All-inclusive Procurement.** In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.

ALL-INCLUSIVE PROCUREMENT

Table 1: Summary of Chairs for All-inclusive procurement.

Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID		
Table	Title	Quantity (A)	Manufacturer/ Series/Model	Firm Unit Price (B)	Product Total (C)=(A)x(B)
A2	Task Chair – Armless S2.1	61		\$	\$
A3	Task Chair S2.5	4		\$	\$
A4	Task Stool – Armless S2.7	2		\$	\$
A5	Task Stool – No Wheels S2.8	3		\$	\$
A6	Task Stool S2.4	12		\$	\$
A8	Task Stool S3.3	2		\$	\$
Subtotal:					\$
NSA products can be added to a requirement within the allowable percentage per subcategory (currently 30% of the quantity per subcategory or 30% of the full requirement when handled as an AIP). The Supply Arrangement Holder signs and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex C					
Table	NON-SA Product(s)	Qty (A)	Manufacturer/ Series/Model	Firm Unit Price (B)	Product Total (C)=(A)x(B)
A1	Stool Non SA S2.6	7		\$	\$
A7	Stool Non SA S3.2	6		\$	\$
Subtotal					\$



Table 2 – Delivery (Standard Lead time is between 6-10 weeks for furniture delivery and installation)

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Table(s)	Location	Desired Date** (YY/MM/DD)	Desired Time*	Supplier will deliver on the date and at the time below**	Firm Lot Price \$
A1, A2, A3, A4, A5 & A6	RCMP Depot Division Attn: Sherri Kobelsky 5600 – 11 th Avenue Regina, SK S4P 3J7	23-01-01	Normal Business Hours	____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
A7 & A8	RCMP Depot Division Attn: Sherri Kobelsky 5600 – 11 th Avenue Regina, SK S4P 3J7	22-06-01	Normal Business Hours	____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours are 8:00 – 17:00 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.			Subtotal for Deliveries:		\$

Table 3 - Canada's Facilities to Accommodate the Delivery

Canada's Facilities to Accommodate the Delivery	
Loading Dock/Location	Attn: Sherri Kobelsky 5600 – 11 th Avenue Regina, SK S4P 3J7
Dock	N/A.
Lift	N/A.
Door	Standard door. If needed, a double door can be found to access facility.
Freight Elevator	N/A.
Other (specify, if any)	N/A.



Table 4 – Installation (Standard Lead time is between 6-10 weeks for furniture delivery and installation)

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Table(s)	Location	Desired Date** (YY/MM/DD)	Desired Time*	Supplier will install on the date and at the time below*	Firm Price \$
A1, A2, A3, A4, A5 & A6	RCMP Depot Division Attn: Sherri Kobelsky 5600 – 11 th Avenue Regina, SK S4P 3J7	23-01-01	Normal Business Hours	____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
A7 & A8	RCMP Depot Division Attn: Sherri Kobelsky 5600 – 11 th Avenue Regina, SK S4P 3J7	22-06-01	Normal Business Hours	____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours are 8:00 – 17:00 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.			Subtotal for Installations:		\$

Table 6 - Bid Evaluation and Contract
(Canada may complete if not completed by Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 4)	\$
4	Total Evaluated (Bid) Price* (1 + 2 + 3) <i>[to be removed at contract award]</i>	\$
5	Contract Price (1+ 2 + 3): <i>[applicable at contract award only]</i>	\$
6	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
7	Total Estimated Cost (5+6): <i>[applicable at contract award only]</i>	\$

*Applicable taxes extra.



Table 5 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		Email:	
		SA number:	
		PBN:	



ANNEX C

ADDITIONAL SPECIFICATIONS, CERTIFICATIONS FOR NSA PRODUCT(S)

This Annex includes the additional Specifications, Certifications associated with NSA product forming part of the requirement.

1. Specifications

IU to include, if applicable, additional information above the generic specifications at Annex A of the RFP such as testing and performance requirements, finishes, etc.

2. Certifications

NSA Product Conformance (*Required precedent to Issuance of a contract*)

The Supplier certifies that all the NSA products offered will conform to all specifications indicated in Annex A of the RFP, and meet the testing and performance requirements found at ANNEX A of the Supply Arrangement, as applicable.

Supplier's Signature

Date

NSA Product Conformance Certification (*applies after contract award*)

The Supplier warrants that the NSA Product Conformance Certification submitted by the Supplier with its bid is accurate and complete. The Supplier must keep proper records and documentation relating to the NSA product conformance and the testing requirements in this Annex, as applicable. The Supplier must not, without obtaining the prior written consent of the SAA, dispose of any such records or documentation until the expiration of the Contract or the expiry date of the Warranty, whichever is later. All such records and documentation must at all times during the retention period be open to audit, inspection and examination by the representatives of Canada, who may make copies and take extracts.

In addition, the Supplier must provide representatives of the SAA access to all locations where any part of the Work is being performed at any time during working hours. Representatives of the SAA may examine and test the Work as they see fit. The Supplier must provide all assistance and access to facilities, test pieces, samples and documentation that the representatives of the SAA may reasonably require for the carrying out of the inspection, which may also include the submission of test reporting documentation as listed in Annex A. The Supplier must forward such test pieces, samples and/or documentation that may also include letters of certification from the laboratories to such person or location as the representatives of the SAA specifies.



ANNEX D

SECURITY REQUIREMENTS CHECKLIST



Government of Canada /
Gouvernement du Canada

Contract Number / Numéro du contrat
Security Classification / Classification de sécurité unclassified

SECURITY REQUIREMENTS CHECK LIST (SRCL)

LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)

PART A - CONTRACT INFORMATION / PARTIE A - INFORMATION CONTRACTUELLE		
1. Originating Government Department or Organization / Ministère ou organisme gouvernemental d'origine RCMP	2. Branch or Directorate / Direction générale ou Direction CM&C/Real Property/NPDO-GGC/Biens immobiliers/BNRP	
3. a) Subcontract Number / Numéro du contrat de sous-traitance TBD	3. b) Name and Address of Subcontractor / Nom et adresse du sous-traitant TBD	
4. Brief Description of Work / Brève description du travail This SRCL covers the security requirement for the supply, delivery, installation and move of furniture, fixtures and equipment for ITC Phase 2 and 3 at Depot in Regina, SK. This SRCL will cover suppliers, delivery personnel and installers of furniture, fixtures and equipment supplied for the project as well as movers for existing furniture, fixtures and equipment.		
5. a) Will the supplier require access to Controlled Goods? Le fournisseur aura-t-il accès à des marchandises contrôlées?	<input checked="" type="checkbox"/> No / Non <input type="checkbox"/> Yes / Oui	
5. b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control Regulations? Le fournisseur aura-t-il accès à des données techniques militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques?	<input checked="" type="checkbox"/> No / Non <input type="checkbox"/> Yes / Oui	
6. Indicate the type of access required / Indiquer le type d'accès requis		
6. a) Will the supplier and its employees require access to PROTECTED and/or CLASSIFIED information or assets? Le fournisseur ainsi que les employés auront-ils accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS? (Specify the level of access using the chart in Question 7. c.) (Préciser le niveau d'accès en utilisant le tableau qui se trouve à la question 7. c.)	<input checked="" type="checkbox"/> No / Non <input type="checkbox"/> Yes / Oui	
6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted. Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS n'est pas autorisé.	<input type="checkbox"/> No / Non <input checked="" type="checkbox"/> Yes / Oui	
6. c) Is this a commercial courier or delivery requirement with no overnight storage? S'agit-il d'un contrat de messagerie ou de livraison commerciale sans entreposage de nuit?	<input checked="" type="checkbox"/> No / Non <input type="checkbox"/> Yes / Oui	
7. a) Indicate the type of information that the supplier will be required to access / Indiquer le type d'information auquel le fournisseur devra avoir accès		
Canada <input type="checkbox"/>	NATO / OTAN <input type="checkbox"/>	Foreign / Étranger <input type="checkbox"/>
7. b) Release restrictions / Restrictions relatives à la diffusion		
No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>	All NATO countries Tous les pays de l'OTAN <input type="checkbox"/>	No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>
Not releasable À ne pas diffuser <input type="checkbox"/>		
Restricted to: / Limité à: <input type="checkbox"/>	Restricted to: / Limité à: <input type="checkbox"/>	Restricted to: / Limité à: <input type="checkbox"/>
Specify country(ies): / Préciser le(s) pays:	Specify country(ies): / Préciser le(s) pays:	Specify country(ies): / Préciser le(s) pays:
7. c) Level of information / Niveau d'information		
PROTECTED A PROTÉGÉ A <input type="checkbox"/>	NATO UNCLASSIFIED NATO NON CLASSIFIÉ <input type="checkbox"/>	PROTECTED A PROTÉGÉ A <input type="checkbox"/>
PROTECTED B PROTÉGÉ B <input type="checkbox"/>	NATO RESTRICTED NATO DIFFUSION RESTREINTE <input type="checkbox"/>	PROTECTED B PROTÉGÉ B <input type="checkbox"/>
PROTECTED C PROTÉGÉ C <input type="checkbox"/>	NATO CONFIDENTIAL NATO CONFIDENTIEL <input type="checkbox"/>	PROTECTED C PROTÉGÉ C <input type="checkbox"/>
CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>	NATO SECRET NATO SECRET <input type="checkbox"/>	CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>
SECRET SECRET <input type="checkbox"/>	COSMIC TOP SECRET COSMIC TRÈS SECRET <input type="checkbox"/>	SECRET SECRET <input type="checkbox"/>
TOP SECRET TRÈS SECRET <input type="checkbox"/>		TOP SECRET TRÈS SECRET <input type="checkbox"/>
TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/>		TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/>

TBS/SCT 350-103(2004/12)

Security Classification / Classification de sécurité unclassified
--





Government of Canada
Gouvernement du Canada

Contract Number / Numéro du contrat
Security Classification / Classification de sécurité unclassified

PART A (continued) / PARTIE A (suite)

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS? No Non Yes Oui

If Yes, indicate the level of sensitivity:
Dans l'affirmative, indiquer le niveau de sensibilité :

9. Will the supplier require access to extremely sensitive INFOSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate? No Non Yes Oui

Short Title(s) of material / Titre(s) abrégé(s) du matériel :
Document Number / Numéro du document :

PART B - PERSONNEL (SUPPLIER) / PARTIE B - PERSONNEL (FOURNISSEUR)

10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis

- | | | | |
|---|---|---|--|
| <input type="checkbox"/> RELIABILITY STATUS
COTE DE FIABILITÉ | <input type="checkbox"/> CONFIDENTIAL
CONFIDENTIEL | <input type="checkbox"/> SECRET
SECRET | <input type="checkbox"/> TOP SECRET
TRÈS SECRET |
| <input type="checkbox"/> TOP SECRET – SIGINT
TRÈS SECRET – SIGINT | <input type="checkbox"/> NATO CONFIDENTIAL
NATO CONFIDENTIEL | <input type="checkbox"/> NATO SECRET
NATO SECRET | <input type="checkbox"/> COSMIC TOP SECRET
COSMIC TRÈS SECRET |
| <input checked="" type="checkbox"/> SITE ACCESS
ACCÈS AUX EMPLACEMENTS | | | |

Special comments:
Commentaires spéciaux : Facility Access level 2 with escort (FA2)

NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided.
REMARQUE : Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être fourni.

10. b) May unscreened personnel be used for portions of the work?
Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail? No Non Yes Oui

If Yes, will unscreened personnel be escorted?
Dans l'affirmative, le personnel en question sera-t-il escorté? No Non Yes Oui

PART C - SAFEGUARDS (SUPPLIER) / PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)

INFORMATION / ASSETS / RENSEIGNEMENTS / BIENS

11. a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or premises?
Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS? No Non Yes Oui

11. b) Will the supplier be required to safeguard COMSEC information or assets?
Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC? No Non Yes Oui

PRODUCTION

11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises?
Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ? No Non Yes Oui

INFORMATION TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)

11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED information or data?
Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS? No Non Yes Oui

11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency?
Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale? No Non Yes Oui



Contract Number / Numéro du contrat
Security Classification / Classification de sécurité unclassified

PART C - (continued) / PARTIE C - (suite)

For users completing the form manually use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.
Les utilisateurs qui remplissent le formulaire manuellement doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form online (via the Internet), the summary chart is automatically populated by your responses to previous questions.
Dans le cas des utilisateurs qui remplissent le formulaire en ligne (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

Category Catégorie	PROTECTED PROTÉGÉ			CLASSIFIED CLASSIFIÉ			NATO				COMSEC						
	A	B	C	CONFIDENTIAL CONFIDENTIEL	SECRET	TOP SECRET TRES SECRET	NATO RESTRICTED NATO DIFFUSION RESTREINTE	NATO CONFIDENTIAL	NATO SECRET	COSMIC TOP SECRET COSMIC TRES SECRET	PROTECTED PROTEGE			CONFIDENTIAL	SECRET	TOP SECRET TRES SECRET	
											A	B	C				
Information / Assets Renseignements / Biens																	
Production																	
IT Media / Support TI																	
IT Link / Lien électronique																	

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED?
La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE? No / Non Yes / Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification".
Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.

12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED?
La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE? No / Non Yes / Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments).
Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquer qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).



DSB Template Date: February 23, 2021

Non-Sensitive



Security Guide for SRCLs

ITC Phase 2 and 3 Furniture and Equipment
SRCL #: 2021-1117992

Prepared by:
NWR Departmental Security Section
Royal Canadian Mounted Police

DSS Physical Signature: Tamlin,Michelle Bernadette,000 247182
Digitally signed by Tamlin,Michelle Bernadette,000247182
Date: 2021.08.19 09:23:18 -06'00'





Non-Sensitive

General Security Requirements

Description of Work: This SRCL covers the security requirement for the supply, delivery, installation and move of furniture, fixtures and equipment for ITC Phase 2 and 3 at Depot in Regina, SK. This SRCL will cover suppliers, delivery personnel and installers of furniture, fixtures and equipment supplied for the project as well as movers for existing furniture, fixtures and equipment.

Security Clearance: Facility Access level 2 with escort

*****NWR DSS Internal Use ONLY*** Intake Diary Date for SRCL (Expiry): 2023-08-18**

All contractors employed on this contract must support the RCMP's security environment by complying with the directives described in this document.

1. All Protected information (hard copy documentation) or other sensitive assets for which the RCMP is responsible will be shared with the contractor through pre-approved processes.
2. The information disclosed by the RCMP will be administered, maintained, and disposed of in accordance with the Contract. At minimum the contractor must follow the Policy on Government Security.
3. The contractor will promptly notify the RCMP of any unauthorized use or disclosure of the information exchanged under this contract and will furnish the RCMP with details of the unauthorized use or disclosure. (i.e. loss of sensitive information, accidental or deliberate.)
4. Photography is not permitted. If photos are required, please contact the Organization Project Authority and Departmental Security Section.
5. The use of personal property, e.g. desktop peripherals, communication devices, portable storage media such as USB sticks, in conjunction with RCMP technology is prohibited
6. The contractor is not permitted to disclose sensitive information provided by the RCMP, to any sub-contractors, without those individuals having the proper RCMP security level required to access the protected information.
7. The RCMP's Departmental Security Section (DSS) reserves the right to:
 - conduct inspections of the contractor's site/premises. Inspections may be performed prior to sensitive information being shared and/or as required (i.e. if the contractor's work location relocates). The intent of the inspection is to ensure the quality of security safeguards.
 - request photographic verification of the security safeguards. Photographs may be requested prior to sensitive information being shared and/or as required (i.e. if the contractor's work



Non-Sensitive

location relocates). The intent of the photographs is to ensure the quality of security safeguards.

- provide guidance on mandatory safeguards (safeguards as specified in this document and possibly additional site specific safeguards).
8. To ensure Canada's sovereign control over its data, all sensitive or protected data under government control will be stored on servers that reside in Canada. Data in transit will be appropriately encrypted.



Non-Sensitive

Physical Security

- Storage:** Protected information/assets must be stored in a container acceptable to the RCMP DSS. The container must be located (at minimum) within an "Operations Zone". As such, the contractor's facility must have an area/room that meets the following criteria:

Operations Zone	
Definition	An area where access is limited to personnel who work there and to properly escorted visitors. Note: The personnel working within the Operational Zone must: <ul style="list-style-type: none"> • possess a valid RCMP Reliability Status (RRS), or • be escorted by an individual who possesses a valid RRS
Perimeter	Must be indicated by a recognizable perimeter or a secure perimeter depending on project needs. For example, the controls may be a locked office or suite.
Monitoring	Monitored periodically by authorized employees. For example, users of the space working at the location are able to observe if there has been a breach of security.

Note: Refer to Appendix A for more information on the Security Zone concept.

- Discussions:** Where sensitive conversations are anticipated, Operations Zones must have a stand off from public spaces or be designed with acoustic speech privacy properties (where the user has a reasonable expectation that they will not be overheard). For example, private room/office and/or boardroom.
- Production:** The production (generation and/or modification) of Protected information or assets must occur in an area that meets the criteria of an Operations Zone.
- Destruction:** All drafts or misprints (damaged copies and/or left over copies) must be destroyed by the contractor. Protected information must be destroyed in accordance with the RCMP's Security Manual. The equipment/system (i.e. shredder) used to destroy sensitive material is rated according to the degree of destruction. RCMP approved destruction equipment must be utilized.

Approved levels of destruction for Protected B include:

- Residue size must be less than 1 x 14.3 mm (particle cut).

Note:

- If the contractor is unable to meet the RCMP's destruction requirements, all sensitive information/assets are to be returned to the RCMP for proper destruction.
- Any sensitive drafts/misprints awaiting disposal must be protected in the agreed upon manner until destroyed.



Non-Sensitive

5. **Transport/Transmittal:** The physical exchange of sensitive information must follow the Contract. When a delivery service is used, it must offer proof of mailing, a record while in transit and of delivery.

Transport	Transport: to transfer sensitive information and assets from one person or place to another by someone with a need to know the information or need to access the asset.
Transmittal	Transmit: to transfer sensitive information and assets from one person or place to another by someone without a need to know the information or need to access the asset.

Note:

- For Transport of Protected “B” information (travel to/from neutral locations for meetings and/or interviews): In place of a single envelope, a briefcase or other container of equal or greater strength may be used. Double envelope/wrap to protect fragile contents or to keep bulky, heavy or large parcels intact.
- For Transmittal of Protected “B” information (Canada Post or registered courier): Address in a nonspecific manner. Add "To Be Opened Only By" because of the need-to-know or need-to-access principles when warranted.

IT Security

Appropriate Control of Protected A and B Information

Transport/Transmittal

1. If there is a requirement to send RCMP Protected A or Protected B information electronically, it must be sent using a FIPS 140-2 compliant portable storage device provided by the RCMP, with access restricted to RCMP security cleared contractor personnel only and the RCMP client. The FIPS 140-2 compliant portable storage device must be delivered by-hand or shipped by an approved courier to the contractor’s location. Sensitive RCMP information shall not be transmitted to or from any external email address.
2. The password for the portable storage device is to be provided verbally, either in person or by telephone to RCMP security cleared contractor personnel only.
3. IF electronic processing of Protected A or B RCMP information is required, the contractor must ensure the information is:
 - encrypted while at rest
 - encrypted while in transit; and
 - access controls are implemented.



Non-Sensitive

Note: Advanced Encryption Standard (AES) Algorithm with key lengths of 128, 192 and 256 bits is approved for encrypting Protected A and B information.

Mobile Users

1. Use only RCMP-issued equipment approved for mobile use.
2. Use an approved full-disk encryption method on laptop computers and encrypt sensitive information when not in use
3. Remove your credential/authentication token and keep it on your person, when the technology it is used with is left unattended.
4. Ensure that the laptop and/or storage media containing sensitive information are stored in an authorized security container if the information is not encrypted. See AM ch. XI.3., sec. H

Telephony

5. All voice communication by any cellular or mobile telephone must be restricted to non-sensitive information, unless the phone is specifically accredited and issued for sensitive information.
6. Use of RCMP supplied smartphones/cellphones are restricted to RCMP employees, authorized organizations and their agents working on behalf of the RCMP, and authorized organizations and their agents.
7. RCMP supplied smartphones/cellphones are only authorized to process up to and including Protected A information on the corporate workspace side for the purpose of RCMP business.
8. Only RCMP supplied external peripheral devices may be used externally with a RCMP supplied smartphone.

Printing, Scanning, and Photocopying

9. If electronic RCMP Protected information has to be printed / scanned, the contractor must have additional/dedicated computer(s), printer(s)/scanners. This equipment must not be connected to the local area network nor the Internet. This computer(s) will require RCMP approved disk drive encryption.

Storing

10. If required, backup of RCMP Protected A or B information is subject to the same security guidelines (encryption and access controls) as is the live information.
11. Electronic records must be destroyed according to ITSG-06 Clearing and Declassifying Electronic Data Storage Devices (refer to <https://www.cse-cst.gc.ca/en/node/270/html/10572> for further info). Protected information is to be cleared using the following options:



Non-Sensitive

- Media containing PROTECTED government information can only be re-used after all data areas of the media have been alternatively overwritten with any character and its complement (e.g. binary 1s then binary 0s) for a minimum of three times.
- Media containing PROTECTED government information that are not overwritten to the satisfaction of the RCMP are to be destroyed in accordance with RCMP approved methods (approved metal-destruction facility, incineration, emery wheel or disk sander, dry disintegration, pulverizing or smelting).

12. All RCMP supplied storage devices used throughout the duration of this contract must be returned to the RCMP immediately upon contract termination.

Personnel Security Requirements

RCMP Facility Access, Level I, II, III & IV

For contractors who only require access to an RCMP facility and will not have access to protected or classified information, systems, assets and facilities. In this scenario, the RCMP wishes to conduct local law enforcement checks only. For PWGSC procurement purposes, this should be identified in the contractual documents.

Contractor personnel must submit to local law enforcement verification by the RCMP, prior to admittance to the facility or site. The RCMP reserves the right to deny access to any facility or site or part thereof to any contractor personnel, at any time.

When the RCMP requires Facility Access Level 1 or 2; the successful Bidder, Contractor will submit the following to the RCMP:

1. Form TBS 330-23
2. Copy of Government issued, signature bearing photo Identification (Front and Back)

When the RCMP requires Facility Access Level 3 or 4; the successful Bidder, Contractor will submit the following to the RCMP:

1. Form TBS 330-23
2. Form TBS 330-60
3. Copy of Government issued, signature bearing photo Identification (Front and Back)
4. Two sets of fingerprints

The RCMP:

1. Will conduct local law enforcement checks.
2. is responsible for escorting requirements on its facilities or sites
3. Does not require organizational or personnel security clearances for suppliers and/or contractors providing services.



Non-Sensitive

4. Will complete the PWGSC Requisition Form 9200 to indicate the security requirement with no SRCL.

RCMP Reliability Status (RRS), Secret or Top Secret Clearance

For contractors who require access to RCMP protected information, systems, assets and/or facilities. In this scenario, the RCMP wishes to conduct all checks required for obtaining an RRS. For PWGSC procurement purposes, this should be identified in the contractual documents.

Contractor personnel must submit to verification by the RCMP, prior to being granted access to Protected or Classified information, systems, assets and/or facilities. The RCMP reserves the right to deny access to any of the above to any contractor personnel, at any time.

When the RCMP identifies a requirement for RRS or a security clearance; the successful Bidder, Contractor will submit the following to the RCMP:

1. Form TBS 330-23
2. Form TBS 330-60
3. Form 1020-1 (Security Interview)
4. Two pieces of Government issued, signature bearing, photo identification (Birth Certificate and Driver's licence)
5. Two sets of fingerprints
6. Working Visa (where applicable)
7. Two passport photographs

The RCMP:

1. will conduct personnel security screening checks above the Policy on Government Security requirements
2. is responsible for escorting requirements on its facilities or sites
3. will security screen any Key Senior Officials (KSOs) identified by CISC (requirement for Classified information)




Non-Sensitive

Appendix A – Security Zone Concept

The *Government Security Policy (Section 10.8 - Access Limitations)* stipulates that “departments must limit access to classified and protected information and other assets to those individuals who have a need to know the information and who have the appropriate security screening level”.

The *Operational Security Standard on Physical Security (Section 6.2 - Hierarchy of Zones)* states that “departments must ensure that access to and safeguards for protected and classified assets are based on a clearly discernable hierarchy of zones”.



Public Zone is where the public has unimpeded access and generally surrounds or forms part of a government facility. Examples: the grounds surrounding a building, or public corridors and elevator lobbies in multiple occupancy buildings.

Reception Zone is where the transition from a public zone to a restricted-access area is demarcated and controlled. It is typically located at the entry to the facility where initial contact between visitors and the department occurs; this can include such spaces as places where services are provided and information is exchanged. Access by visitors may be limited to specific times of the day or for specific reasons.

Operations Zone is an area where access is limited to personnel who work there and to properly-escorted visitors; it must be indicated by a recognizable perimeter and monitored periodically. Examples: typical open office space, or typical electrical room.

Security Zone is an area to which access is limited to authorized personnel and to authorized and properly-escorted visitors; it must be indicated by a recognizable perimeter and monitored continuously, i.e., 24 hours a day and 7 days a week. Example: an area where secret information is processed or stored.

High Security Zone is an area to which access is limited to authorized, appropriately-screened personnel and authorized and properly-escorted visitors; it must be indicated by a perimeter built to the specifications recommended in the TRA, monitored continuously, i.e., 24 hours a day and 7 days a week and be an area to which details of access are recorded and audited. Example: an area where high-value assets are handled by selected personnel.

Access to the zones should be based on the concept of "need to know" and restricting access to protect employees and valuable assets. Refer to [RCMP Guide G1-026, Guide to the Application of Physical Security Zones](#) for more detailed information.



ANNEX E

COVID-19 VACCINATION REQUIREMENT CERTIFICATION

COVID-19 Vaccination Requirement Certification

I, _____ (first and last name), as the representative of
_____ (name of business) pursuant to
_____ (insert solicitation number), warrant and certify that all
personnel that _____ (name of business) will provide on the
resulting Contract who access federal government workplaces where they may come into contact with
public servants will be:

(a) fully vaccinated against COVID-19;

(b) for personnel that are unable to be vaccinated due to a certified medical contraindication, religion or
other prohibited grounds of discrimination under the Canadian Human Rights Act, subject to
accommodation and mitigation measures that have been presented to and approved by Canada; or

(c) partially vaccinated against COVID-19 for a period of up to 10 weeks from the date of their first dose
and subject to temporary measures that have been presented to and approved by Canada, immediately
after which period the personnel will meet the conditions of (a) or (b) or will no longer access federal
government workplaces where they may come into contact with public servants under this Contract;

until such time that Canada indicates that the vaccination requirements of the COVID-19 Vaccination
Policy for Supplier Personnel are no longer in effect.

I certify that all personnel provided by _____ (name of business) have been notified
of the vaccination requirements of the Government of Canada's COVID-19 Vaccination Policy for Supplier
Personnel, and that the _____ (name of business) has certified to their compliance
with this requirement.

I certify that the information provided is true as of the date indicated below and will continue to be true for
the duration of the Contract. I understand that the certifications provided to Canada are subject to
verification at all times. I also understand that Canada will declare a contractor in default, if a certification
is found to be untrue, whether made knowingly or unknowingly, during the bid or contract period. Canada
reserves the right to ask for additional information to verify the certifications. Failure to comply with any
request or requirement imposed by Canada will constitute a default under the Contract.

Signature: _____

Date: _____

Optional

For data purposes only, initial below if your business already has its own mandatory vaccination policy or
requirements for employees in place. Initialing below is not a substitute for completing the mandatory
certification above.

Initials: _____

Information you provide on this Certification Form and in accordance with the Government of Canada's
COVID-19 Vaccination Policy for Supplier Personnel will be protected, used, stored and disclosed in
accordance with the Privacy Act. Please note that you have a right to access and correct any information
on your file, and you have a right to file a complaint with the Office of the Privacy Commissioner regarding
the handling of your personal information. These rights also apply to all individuals who are deemed to be



personnel for the purpose for the Contract and who require access to federal government workplaces where they may come into contact with public servants.