



**RETURN BIDS TO:**  
**RETOURNER LES SOUMISSIONS À:**  
PWGSC/TPSGC Acquisitions  
Sherwood Business Centre  
161 St. Peters Road/  
161, rue St. Peters  
2nd Floor, Suite 204/  
2ième étage, pièce 204  
Charlottetown  
Prince Edward Island  
C1A 5P7  
Bid Fax: (902) 566-7514

## SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

### Comments - Commentaires

Vendor/Firm Name and Address  
Raison sociale et adresse du  
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution  
Public Works and Government Services Canada  
Sherwood Business Centre  
161 St. Peters Road/  
2nd Floor, Suite 204  
Charlottetown  
Prince Ed  
C1A 5P7

<b>Title - Sujet</b> Skinners Pond 411 & 412 Reconstruct Skinners Pond 411 & 412 Reconstruction	
<b>Solicitation No. - N° de l'invitation</b> ED001-222122/A	<b>Amendment No. - N° modif.</b> 002
<b>Client Reference No. - N° de référence du client</b> ED001-222122	<b>Date</b> 2022-03-10
<b>GETS Reference No. - N° de référence de SEAG</b> PW-SPWC-034-4569	
<b>File No. - N° de dossier</b> PWC-1-44016 (034)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> Atlantic Daylight Saving Time ADT <b>on - le 2022-03-24</b> Heure Avancée de l'Atlantique HAA	
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Stockman (PWC), Sonia	<b>Buyer Id - Id de l'acheteur</b> pwc034
<b>Telephone No. - N° de téléphone</b> (506) 961-7412 ( )	<b>FAX No. - N° de FAX</b> (506) 851-6759
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>	

Instructions: See Herein

Instructions: Voir aux présentes

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

## Solicitation Amendment

### Skidders Pond 411 & 412 Reconstruction

Solicitation Amendment No. **002**

This solicitation is hereby amended to:

(1) Answer the following question:

***Q1- Is it acceptable to construct a temporary trestle on the berthing side or non-berthing side of the existing wharf outside of the July 15-Oct. 15 window?***

A1: Currently, there is not a permit in place for any temporary structure outside the foot print of the new structure. After the tender has been awarded, the successful proponent may submit a proposed methodology for construction to be reviewed by the internal Project Team. Any amendments required to existing permits based on the proposed methodology can be reviewed by Regulators at this time. Please note this may take several months and it would have to be on the berthing side (within basin). Furthermore, the Contractor would be responsible for preparing engineering documentation stamped by a Professional Engineer licensed to practice on PEI verifying the suitability of the proposed temporary structure.

***Q2: In the tender documents, Appendix A Geotechnical Document is listed, is it possible it was not included in the tender documents?***

A1 : Please find attached Appendix A Geotechnical Report referenced in tender documentation.

***(2) Reference Appendix 1 – Combined Price Form***

Please replace original Combined Price Form with revised Form attached (**APPENDIX 1-COMBINED PRICE FORM (REVISED MARCH 10, 2022)**) ; referencing adjustments to the measurement of payment for aggregates from cubic meter place measure (CMPM) to tonne.

***(3) Reference Specification Section 01 29 00 – Project Particulars and Measurement***

Please replace original specification section 01 29 00 with revised specification attached; referencing adjustments to the Division 31 measurement of payment for aggregates from cubic meter place measure (CMPM) to tonne.

***(4) Reference Specification Section 26 05 31 – Splitters, Junction Boxes, Pull Boxes & Cabinets; s/s 2.2.1 Electrical Shrouds:***

Please remove requirement for "A 6mm x 1032mm x 550mm door c/w stainless steel piano hinge full length on one side and 3 point latch on other side." No door required on Electrical Shrouds.

Solicitation No. - N° de l'invitation à soumissionner  
ED001-222122/A  
Client Ref. No. - N° de réf. du client  
R.118006.001

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
PWC-1-44016

Buyer ID - Id de l'acheteur  
pwc034  
CCC No./N° CCC - FMS No./N° VME

---

If your bid has already been forwarded and you wish to revise same, this revision should be sent either in a sealed envelope and mailed to the above address or by facsimile 902-566-7514 and reach the undersigned before the appropriate closing date. The solicitation number and the closing date are to be shown on the outside of the sealed envelope or on the facsimile transmission.

All other terms and conditions of the solicitation document remain unchanged.

All enquiries concerning this amendment are to be forwarded to:

Name: Sonia Stockman  
Telephone No: (506) 961-7412

**APPENDIX 1 - COMBINED PRICE FORM (REVISED MARCH 10, 2022)**

- 1) The prices per unit will govern in establishing the Total Extended Amount. Any arithmetical errors in this Appendix will be corrected by Canada.
- 2) Canada may reject the bid if any of the prices submitted do not reasonably reflect the cost of performing the part of the work to which that price applies.

**LUMP SUM**

The Lump Sum Amount designates Work to which a Lump Sum Arrangement applies.

- (a) Work included in the Lump Sum Amount represents all work not included in the unit price table.

Item	Spec Reference	Class of Labour, Plant or Material	Unit of Measurement	Estimated Quantity	Price per Unit HST Extra	Estimated Total Price HST Extra
1.1	01 10 10	Mobilization and Demobilization	LS	1		
1.2	01 35 44	Environmental Controls	LS	1		
1.3	06 05 73	Temporary Timber Transition Ramp	LS	1		
1.4	26 05 00	Electrical Work	LS	1		
1.5	31 11 00	Site work, Demolition, and Removals	LS	1		
<b>TOTAL Lump Sum Amount (LSA) – (items 1-5)</b> Excluding Applicable Taxes						

**UNIT PRICE TABLE**

The Unit Price Table designates Work to which a Unit Price Arrangement applies.

- (a) Work included in each item is as described in the referenced specification section.
- (b) The Price per Unit shall not include any amounts for Work that is not included in that unit price Item.

Item	Spec Reference	Class of Labour, Plant or Material	Unit of Measurement	Estimated Quantity	Price per Unit HST Extra	Estimated Total Price HST Extra
2.1	03 30 00	Reinforced Concrete Deck	m <sup>3</sup>	484		
2.2	03 30 00	Reinforced Concrete Pile Caps	m <sup>3</sup>	545		
2.3	03 30 00	Miscellaneous Concrete	m <sup>3</sup>	111		
2.4	03 30 00	Fiber Reinforced Concrete Pile Jackets	Ea.	187		
2.5	03 30 00	Expansion Joint	m	12		
2.6	03 41 00	Precast Structural Concrete	m <sup>2</sup>	191		
2.7	05 50 00	Steel Tie Rods	Ea.	6		
2.8	05 50 00	Galvanized HSS Wheel Guard	m	328		
2.9	06 05 73	Timber Wales	m <sup>3</sup>	15		

Solicitation No. - N° de l'invitation  
ED001-222122/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur  
pwc034

Client Ref. No. - N° de réf. du client  
R.118006.001

File No. - N° du dossier  
PWC-1-44016

CCC No./N° CCC - FMS No./N° VME

Item	Spec Reference	Class of Labour, Plant or Material	Unit of Measurement	Estimated Quantity	Price per Unit HST Extra	Estimated Total Price HST Extra
2.10	06 05 73	Timber Sheathing	m <sup>3</sup>	22		
2.11	31 23 10	R5 Random Riprap	tonne	1951		
2.12	31 23 10	R25 Random Riprap	tonne	100		
2.13	31 23 10	Class 'A' Gravel	tonne	549		
2.14	31 23 10	Armourstone	tonne	126		
2.15	31 61 13	Installation of Steel Bearing Piles (HP360x174)	Ea.	141		
2.16	31 61 13	Installation of Steel Batter Piles (HP360x174)	Ea.	46		
2.17	31 61 13	Installation of Berlin Wall Piles (HP360x152)	Ea.	28		
2.18	31 61 13	Installation of Timber Fender Piles	Ea.	46		
2.19	31 62 18	Supply of Steel Bearing Piles (HP360x174)	m	1617		
2.20	31 62 18	Supply of Steel Batter Piles (HP360x174)	m	542		
2.21	31 62 18	Supply of Berlin Wall Piles (HP360x152)	m	313		
2.22	31 62 19	Supply of Timber Fender Piles	m	372		
2.23	32 12 16	Hot Mix Asphalt Pavement	m <sup>2</sup>	1414		
2.24	35 20 24	Dredging	m <sup>3</sup>	4200		
2.25	35 70 00	Ladders	Ea.	20		
2.26	35 70 00	Mooring Holdfasts	Ea.	15		
<b>TOTAL EXTENDED AMOUNT (TEA) – (items 1-26)</b> Excluding Applicable Taxes						

<b>TOTAL BID AMOUNT (LSA +TEA)</b> Excluding applicable tax(es)
--

---

**Part 1 PROJECT PARTICULARS**

**1.1 Description of Work**

- .1 The work under this contract involves the replacement of existing structures 411 and 412 in Skinners Pond Small Craft Harbour, located in Skinners Pond, PE. The work shall be conducted in three construction phases.
- .2 The work under this contract is to be completed over three consecutive construction seasons, as shown on the drawings, with no construction activities permitted from July 15<sup>th</sup> to Oct 15<sup>th</sup> each year to accommodate the Harbour Authority's fishing activities. At the end of each phase, the contractor must provide full access of the newly completed structure, including fendering system, ladders, and mooring holdfasts to the Harbour Authority by July 15<sup>th</sup>. All transition ramps shall be installed prior to July 15<sup>th</sup> to allow unrestricted access to the remainder of the facility. All construction materials and equipment must be removed from the wharf areas to the satisfaction of the *Departmental Representative*.
- .3 The work includes but is not limited to:
  - .1 Complete removal of existing structures 411 and 412.
  - .2 Installation of steel bearing and batter H-Piles including concrete pile jackets.
  - .3 Placement of reinforced concrete pile caps and sub guards.
  - .4 Placement of reinforced concrete deck and light bases.
  - .5 Supply and installation of berlin walls.
  - .6 Supply and installation of transition ramps including retaining walls, infill, and asphalt pavement.
  - .7 Supply and installation of wharf accessories including timber fender piles, timber sheathing, timber wales, ladders, mooring holdfasts, HSS wheel guard, and expansion joints.
  - .8 Supply and installation of temporary timber transition ramp.
  - .9 Electrical work as detailed on drawings.

**Part 2 PROJECT MEASUREMENT**

**2.1 General**

- .1 This section details the measurement method to be used for payment purposes. Incidental items covered in the various sections of the Specification are to be allowed for in the pricing of each pay item.
- .2 The contractor will be requested to provide a breakdown of the lump sum items for payment purposes following award of the contract.

**2.2 Measurement For Payment**

**.1 Lump Sum Items (Accumulated Total)**

Note: All items designated as lump sum are to be combined into one accumulated lump sum total in the tender documents.

---

**Division 01**

- .1 Mobilization and Demobilization: All work associated with the mobilization and demobilization of all equipment required to perform and complete the work as outlined in the Contract Drawings, shall be measured for payment by the lump sum. This item shall include any costs associated with the removal / storage of equipment at the end of each construction phase to accommodate the seasonal fishing season.
- .2 Environment Controls: All environment controls required to complete the work shall be measured for payment by the lump sum.

**Division 06**

- .3 Temporary Timber Transition Ramp: All work associated with the supply and installation of timber transition ramp shall be measured for payment by the lump sum. All timber, bolts, and hardware required to complete the work shall not be measured but considered incidental to the work.

**Division 26**

- .4 Electrical Work: All electrical work shown on the electrical drawings shall be measured for payment by the lump sum. This includes supply and install of materials and all labour to carry out the work. Asphalt pavement required to be reinstated for underground trenching shall be measured for payment in item 2.23 – Hot Mix Asphalt Pavement. All other items related to underground trenching shall be included in this item

**Division 31**

- .5 Site Work, Demolition and Removals: All sitework, demolition, removals and disposals required to complete the work shall be measured for payment by the lump sum. Any additional demolition and removals essential to complete the work will be considered incidental to this demolition item. The supply and installation of temporary concrete jersey barriers shall be included in this item.
- .2 Unit Price Items

**Note:** The following outlines the unit of measurement of the unit price items as indicated in the tender documents.

**Division 03**

- .1 Reinforced Concrete Deck: Supply and placement of cast-in-place concrete deck (275 mm thick), including thickened portion for electrical conduits and concrete light bases, shall be measured for payment by the cubic meter (m<sup>3</sup>). Steel reinforcing, formwork, inserts and all supplementary materials will not be measured for payment but considered incidental to the work. Joint sealant at the interface of transition ramps and new wharf shall be considered incidental to this item.
- .2 Reinforced Concrete Pile Caps: Supply and placement of cast-in-place concrete for pile caps including sub guards shall be measured for payment by the cubic meter (m<sup>3</sup>). Steel reinforcing, formwork, inserts and all supplementary materials shall not be measured for payment but considered incidental to the work.

- .3 Miscellaneous Concrete: Supply and placement of miscellaneous cast-in-place concrete, not covered above, including Berlin Wall cap beams, ramp approach slabs, and ramp retaining walls shall be measured for payment by the cubic meter (m<sup>3</sup>). Steel reinforcing, steel edge angle, formwork, inserts and all supplementary materials shall not be measured for payment but considered incidental to the work.
- .4 Fiber Reinforced Concrete Pile Jackets: Supply and placement of cast-in-place fiber reinforced concrete for steel H-Piles will be measured for payment per each (Ea.) concrete jacket installed. This item shall include cleaning of piles, pile jackets or forms, concrete and all other material, labour and equipment required to complete the work.
- .5 Expansion Joint: Supply and installation of expansion joint at the interface of Phase 1/2 and Phase 3 will be measured for payment per linear meter (m) successfully installed. Any removals and installation of hardware required to complete the work shall not be measured but incidental to the work.
- .6 Precast Structural Concrete: Supply and installation of precast concrete panels for Berlin Walls shall be measured for payment per square meter (m<sup>2</sup>). Steel reinforcing, formwork, hardware, fasteners and lifting devices shall be considered incidental to the work.

#### Division 05

- .7 Steel Tie Rods: Supply and installation of steel tie rods shall be measured for payment per each (Ea.). For measurement purpose one tie rod installation will include one tie rod, nuts and washers and two tie rod connections to H-Pile as shown on drawings. The corner frames for Berlin Wall will be considered incidental to this work.
- .8 Galvanized HSS Wheel Guard: The supply and installation of new galvanized HSS steel wheel guard system shall be measured for payment by the linear meter (m). Handling, fabrication, welding, anchor bolts, cover plates and galvanizing shall be considered incidental to the work.

#### Division 06

- .9 Timber Wales: Supply and installation of 200 mm x 200 mm wales shall be measured for payment by the cubic meter (m<sup>3</sup>) successfully installed. Installation of bolts and hardware shall not be measured but considered incidental to the work.
- .10 Timber Sheathing: Supply and installation of timber sheathing shall be measured for payment by the cubic meter (m<sup>3</sup>) successfully installed. Bolts and hardware shall not be measured but considered incidental to the work.

#### Division 31

- .11 R5 Random Riprap: Supply and placement of R5 backfill shall be measured for payment by the tonne. Supply and installation of filter fabric shall be considered incidental to the work. Weigh



tickets from a certified scale shall be provided to the Departmental Representative for verification.

- .12 R25 Random Riprap: Supply and placement of R25 backfill for Berlin Wall panel plug shall be measured for payment by the tonne. Supply and installation of filter fabric shall be considered incidental to the work. Weigh tickets from a certified scale shall be provided to the Departmental Representative for verification.
- .13 Class 'A' Gravel: Supply and placement of class A gravel shall be measured for payment by the tonne. This item includes supply and placement of gravel, compaction, grading, and all other required work to prepare the finished grades as indicated on the drawings. Supply and installation of filter fabric shall be considered incidental to the work. Weigh tickets from a certified scale shall be provided to the Departmental Representative for verification.
- .14 Armourstone: Supply and placement of armourstone (200 to 400 kg) shall be measured for payment by the tonne. Supply and installation of filter fabric shall be considered incidental to the work. Weigh tickets from a certified scale shall be provided to the Departmental Representative for verification.
- .15 Installation of Steel Bearing H-Piles: The installation of steel bearing H-Piles (HP360x174) shall be measured for payment per each (Ea.). All hardware, fasteners, bolts, pile shoes and equipment required to complete the work shall be considered incidental to the work.
- .16 Installation of Steel Batter H-Piles: The installation of steel batter H-Piles (HP360x174) shall be measured for payment per each (Ea.). All hardware, fasteners, bolts, pile shoes and equipment required to complete the work shall be considered incidental to the work.
- .17 Installation of Berlin Wall Piles: The installation of steel H-Piles (HP360x152) for Berlin Walls shall be measured for payment per each (Ea.). All hardware, fasteners, bolts, pile shoes and equipment required to complete the work shall be considered incidental to the work. Panel support clips and Berlin Wall pile connections shall be considered incidental to this work.
- .18 Installation of Timber Fender Piles: The installation of timber fender piles shall be measured for payment per each (Ea.). All hardware, fasteners, bolts, pile shoes and equipment required to complete the work shall be considered incidental to the work.
- .19 Supply of Steel Bearing H-Piles: Supply of steel bearing H-Piles (HP360x174) shall be measured for payment by the linear metre (m) of piling successfully installed. Tender quantity includes 1 m cut off allowance for each pile.
- .20 Supply of Steel Batter H-Piles: Supply of steel batter H-Piles (HP360x174) shall be measured for payment by the linear metre (m) of piling successfully installed. Tender quantity includes 1 m cut off allowance for each pile.

- .21 Supply of Berlin Wall Piles: Supply of steel H-Piles (HP360x152) for Berlin Walls shall be measured for payment by the linear metre (m) of piling successfully installed. Tender quantity includes 1 m cut off allowance for each pile.
- .22 Supply of Timber Fender Piles: Supply of timber fender piles shall be measured for payment by the linear metre (m) of piling successfully installed.

#### Division 32

- .23 Hot Mix Asphalt Pavement: Supply and placement of pavement for the transition ramps shall be measured for payment by the square metre (m<sup>2</sup>). All equipment, labour, milling, and materials required will be considered incidental to this work. Asphalt pavement required to reinstate electrical underground trenching shall be included in this item.

#### Division 35

- .24 Dredging: This item shall be measured for payment by the cubic metre place measurement (CMPM) of Class “B” material removed and placed into the existing onsite containment cell. All equipment and materials required to complete this work shall be included in this item.
- .25 Ladders: Supply and installation of treated timber ladders, including holdfasts and extensions, rungs and fastenings, shall be measured for payment per each (Ea.). Bolts and hardware shall not be measured but considered incidental to the work. 150 mm x 150 mm timber wales at ladder locations shall be considered incidental to this item.
- .26 Mooring Holdfasts: Supply and installation of mooring holdfasts shall be measured for payment per each (Ea.). Bolts and hardware, surface preparation and galvanized shall not be measured, but considered incidental to the work.

**END OF SECTION**