

RETURN BIDS TO: RETOURNER LES SOUMISSIONS A:

Bid Receiving/Réception des sousmissions Joshua.knox@rcmp-grc.gc.ca

SOLICITATION AMENDMENT

MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments: - Commentaries :

THIS DOCUMENT CONTAINS A SECURITY REQUIREMENT

| Title – Suj Office Sea Regina, Sa | ting for T | raining Facility loca | Date ated in March 17th, 2022 | |
|--|---|-----------------------|---|--|
| Solicitatio 202203060 | | Nº de l'invitation | Amendment No. – Nº de la modification 01 | |
| Client Ref 202203060 | | No No. De Référe | ence du Client | |
| Solicitatio | n Close | s – L'invitation pro | end fin | |
| At /à : | 14:00 | | EST (Eastern Standard Time) HNE (heure normale de l'Est) | |
| On / le : | March | March 29th, 2022 | | |
| F.O.B. – F | .A.B | GST – TPS | Duty – Droits | |
| Destination of Goods and Services – Destinations des biens et services | | | | |
| Instructions | | | | |
| Address Inquiries to – Adresser toute demande de renseignements à | | | | |
| Telephone | Telephone No. – No. de téléphone Facsimile No. – No. de télécopieur | | | |

| Delivery Required – Livraison exigée | Delivery Offered – Livraison proposée | |
|---|--|--|
| Vendor/Firm Name, Address and Re adresse et représentant du fourniss | • | |
| Telephone No. – No. de téléphone | Facsimile No. – No. de télécopieur | |
| Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) – Nom et titre de la personne autorisée à signer au nom du fournisseur/de l'entrepreneur (taper ou écrire en caractères d'imprimerie) | | |
| Signature | Date | |



This amendment is raised to address the following:

- To respond to questions received during the solicitation period; and
- To revise the solicitation accordingly, as applicable.

QUESTIONS AND ANSWERS

Question 1: For items A1 and A7 ii) Will the CA also respectfully accept metal legs and/or ii) a partial back 2.25"H will also be accepted.

Answer 1: Metal legs are acceptable as long as they have glides on the bottom. Partial backs are not acceptable.

Question 2: For item A4, A5, and A6. We don't recommend a stool with seat depth and tilt as it presents a tipping hazard and with no arms an additional chance of injury at height, will the CA also accept a fixed seat?

Answer 2: Adjustable seat depth and tilt can be omitted, tables A4, A5 and A6 will be amended to delete this requirement. Armless seats are required where specified.

SOLICITATION REVISIONS

1) On Cover Page

DELETE: Bid submission deadline date of March 22nd, 2022 at 14:00 EST/HNE.

INSERT: Bid submission deadline date of March 29th, 2022 at 14:00 EST/HNE.



2) On page 22-27,

DELETE:

Table A4: Task Stool – Armless S2.7



| CHAIR TYPE | QTY: 2 | |
|---|--------|--|
| □ Rotary Chair (up to 275 lbs) | | |
| □ Rotary Chair large occupant (up to 400 lbs) | | |
| Rotary Stool with backrest | | |

| | Criteria Instructions | Requirement Choices | | | |
|--|--|--|---|--|--|
| A | Headrest choose only 1 | ☐ Yes – Adjustable and Removable (if applicable, indicate type of adjustment in additional criteria below) Recommended with Standard Back Height ■ No | | | |
| в | Backrest Height choose only 1 | \Box High = heig | ■ Standard = height between 450 mm (17.7 in.) to 660 mm (26.0 in.) □ High = height greater than 660 mm (26.0 in.) □ No preference = minimum height of 450mm (17.0 in.) | | |
| | Backrest Profile choose only 1 | - | ce (It is recommended to select "no preference" as profiles do not affect functionality of chair). | | |
| С | Lumbar Support Adjustable choose ALL that are \Box Up/Down = min. 50 mm (2.0 in.) height adjustment between 150mm (5.9 in.) to 250 mm (9.8 in.) \Box Other = | | | | |
| $\Box Fixed = between 150 mm (5.9 in.) to 250 mm (9.8 in.) above seat$ | | | veen 150 mm (5.9 in.) to 250 mm (9.8 in.) above seat | | |
| D | Armrests | Adjustable □ Height adjustable = min. 63 mm (2.5 in.) adjustment between 176 mm (6.9 in.) to 289 mm (11.4 in.) □ Width adjustable = within the range of 443 mm (17.0 in.) to 493 mm (19.4 in.) □ Pivot adjustable = min. 20 degrees inward and min. 10 degrees outward □ Fixed = height range between 200 mm (7.9 in.) to 250 mm (9.8 in.) ■ None (no arm rests) | | | |
| | acceptable | | | | |
| | | | | | |
| | | Adjustable = | min. 50 mm (2.0 in.) adjustment within the range 420 mm (16.5 in.) to 460 mm (18.1 in.) | | |
| E | Seat Depth choose ALL that are acceptable | □ Fixed | □ Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.) □ Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.) □ Deep = greater than 460 mm (18.1 in.) | | |



| F | Seat Width | <u>Refer to chair type above</u> Rotary chairs and stools = min. width of 450 mm (17.7in.) Rotary Large Occupant models = min. width of 560 mm (22.0 in.) | | | |
|---|---|--|-----------------------------------|---|--|
| G | Seat Height | Rotary Chair | □ Adjustable | □ Standard = includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more □ Low = includes 376 mm (14.8 in.) to 439 mm (17.3 in.) □ Other = | |
| G | choose ALL that are acceptable | Rotary Stool with backrest | ■ Adjustable = <i>ir</i> | n 417 mm (16.4 in.) to 512 mm (20.2 in.) ncludes range from 580 mm (23 in.) to 840 mm (33 in.) or greater than 670 mm (27.5 in) | |
| н | Tilt Mechanism choose only 1 | ■ Tilt Mechanism seat and backrest adjust together in a ratio that falls within ≥1:1 (includes both Synchro- Tilt and Unison Tilt) □ Tilt Independently seat and backrest adjust independently of each other □ No preference | | | |
| Ι | Seat and Backrest Locks choose ALL that are acceptable | Setup Position = chair locks or stops at one position with seat flat and backrest straight Multiple Positions = chair locks or stops at multiple positions (including setup position) | | | |
| J | Casters | □ carpet ■ hard surface | | | |
| L | Foot Ring | Standard with | Standard with stool models only | | |
| | <i>Finishes</i> (Upholstery / Non-Upholstery) | Backrest | □ Upholstery ■ Breathable mate | $\Box \text{ Other} = ___$ | |
| | choose ALL that are acceptable | Seat | ■ Upholstery □ Breathable mate | □ Other = | |
| | Additional Criteria: | | | | |

Table A5: Task Stool – No Wheels S2.8





| CHAIR TYPE | QTY: 3 |
|-------------------|-------------------------------|
| □ Rotary Chair (| up to 275 lbs) |
| □ Rotary Chair la | arge occupant (up to 400 lbs) |
| Rotary Stool w | vith backrest |

IMPORTANT:

| | Criteria Instructions | Requirement | Choices | | | |
|---|---|---|---|--|--|--|
| A | Headrest choose only 1 | ☐ Yes – Adjustable and Removable (if applicable, indicate type of adjustment in additional criteria below) Recommended with Standard Back Height ■ No | | | | |
| в | Backrest Height choose only 1 | \Box High = heig | ■ Standard = height between 450 mm (17.7 in.) to 660 mm (26.0 in.) □ High = height greater than 660 mm (26.0 in.) □ No preference = minimum height of 450mm (17.0 in.) | | | |
| | Backrest Profile choose only 1 | - | No preference (<i>It is recommended to select "no preference" as profiles do not affect functionality of chair</i>). | | | |
| С | Lumbar Support choose ALL that are acceptable | - | Adjustable_ ■ Up/Down = min. 50 mm (2.0 in.) height adjustment between 150mm (5.9 in.) to 250 mm (9.8 in.) □ Other = | | | |
| | | \Box Fixed = bet | Fixed = between 150 mm (5.9 in.) to 250 mm (9.8 in.) above seat | | | |
| D | Armrests choose ALL that are | □ Width adjus | Adjustable □Height adjustable = min. 63 mm (2.5 in.) adjustment between 176 mm (6.9 in.) to 289 mm (11.4 in.) □ Width adjustable = within the range of 443 mm (17.0 in.) to 493 mm (19.4 in.) □ Pivot adjustable = min. 20 degrees inward and min. 10 degrees outward | | | |
| | acceptable | \Box Fixed = height range between 200 mm (7.9 in.) to 250 mm (9.8 in.) | | | | |
| | | None (no arm rests) | | | | |
| | | Adjustable = | = min. 50 mm (2.0 in | a.) adjustment within the range 420 mm (16.5 in.) to 460 mm (18.1 in.) | | |
| Е | <i>Seat Depth</i> choose <i>ALL</i> that are acceptable | □ Fixed | \Box Medium = grea | mm (15.0 in.) to 420 mm (16.5 in.) uter than 420 mm (16.5 in.) to 460 mm (18.1 in.) than 460 mm (18.1 in.) | | |
| F | Seat Width | Rotary chairs d | <u>Refer to chair type above</u> Rotary chairs and stools = min. width of 450 mm (17.7in.) Rotary Large Occupant models = min. width of 560 mm (22.0 in.) | | | |
| G | Seat Height choose ALL that are acceptable | Rotary Chair | □ Adjustable | □ Standard = includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more □ Low = includes 376 mm (14.8 in.) to 439 mm (17.3 in.) □ Other = | | |



| | | | Fixed = between 417 mm (16.4 in.) to 512 mm (20.2 in.) | |
|---|---|--|---|--|
| | | Rotary Stool with backrest | Adjustable = includes range from 580 mm (23 in.) to 840 mm (33 in.) □ Fixed = equal or greater than 670 mm (27.5 in) | |
| н | Tilt Mechanism choose only 1 | ■ Tilt Mechanism seat and backrest adjust together in a ratio that falls within ≥1:1 (includes both Synchro- Tilt and Unison Tilt) □ Tilt Independently seat and backrest adjust independently of each other □ No preference | | |
| Ι | Seat and Backrest Locks choose ALL that are acceptable | Setup Position = chair locks or stops at one position with seat flat and backrest straight Multiple Positions = chair locks or stops at multiple positions (including setup position) | | |
| J | Casters | □ carpet □ hard surface (NO CASTERS) | | |
| L | Foot Ring | Standard with stool models only | | |
| | Finishes (Upholstery / Non-Upholstery) | Backrest | □ Upholstery □ Other = ■ Breathable material (Mesh) | |
| | choose ALL that are acceptable | Seat | ■ Upholstery □ Other = □ Breathable material (Mesh) | |
| | Additional Criteria: | ► No ch | air casters to be included. Rotary stool to be stationary on legs and glides. | |

Table A6: Task Stool S2.4



Royal Canadian Gendarmerie royale Mounted Police du Canada



| CHAIR TYPE | QTY: 12 |
|------------------|-------------------------------|
| 🛛 Rotary Chair (| up to 275 lbs) |
| 🛛 Rotary Chair l | arge occupant (up to 400 lbs) |
| Rotary Stool w | vith backrest |

IMPORTANT:

| | Criteria Instructions | Requirement | Choices | | |
|---|---|--|--|--|--|
| A | Headrest choose only 1 | □ Yes – Adjustable and Removable (if applicable, indicate type of adjustment in additional criteria below) Recommended with Standard Back Height ■ No | | | |
| В | Backrest Height choose only 1 | ■ Standard = height between 450 mm (17.7 in.) to 660 mm (26.0 in.) □ High = height greater than 660 mm (26.0 in.) □ No preference = minimum height of 450mm (17.0 in.) | | | |
| 2 | Backrest Profile choose only 1 | ■ No preference (<i>It is recommended to select "no preference" as profiles do not affect functionality of chair</i>). | | | |
| С | <i>Lumbar Support</i> choose <i>ALL</i> that are acceptable | | Adjustable \blacksquare Up/Down = min. 50 mm (2.0 in.) height adjustment between 150mm (5.9 in.) to 250 mm (9.8 in.) \Box Other = | | |
| | | \Box Fixed = bet | ween 150 mm (5.9 in | n.) to 250 mm (9.8 in.) above seat | |
| Armrests Adjustable B Armrests Choose ALL that are acceptable Pivot adjustable = min. 63 mm (2.5 in.) adjustment between 176 mm (6.9 in Width adjustable = within the range of 443 mm (17.0 in.) to 493 mm (19.4 in Pivot adjustable = min. 20 degrees inward and min. 10 degrees outward | | | ange of 443 mm (17.0 in.) to 493 mm (19.4 in.) ees inward and min. 10 degrees outward | | |
| | ucceptuble | | | 200 mm (7.9 in.) to 250 mm (9.8 in.) | |
| | | □ None (no arm rests) | | | |
| | Seat Depth | ■ Adjustable = | = min. 50 mm (2.0 ir | n.) adjustment within the range 420 mm (16.5 in.) to 460 mm (18.1 in.) | |
| E | choose ALL that are acceptable | □ Fixed | Fixed $\Box \text{ Shallow} = 380 \text{ mm} (15.0 \text{ in.}) \text{ to } 420 \text{ mm} (16.5 \text{ in.})$ $\Box \text{ Medium} = greater \text{ than } 420 \text{ mm} (16.5 \text{ in.}) \text{ to } 460 \text{ mm} (18.1 \text{ in.})$ $\Box \text{ Deep} = greater \text{ than } 460 \text{ mm} (18.1 \text{ in.})$ | | |
| F | Seat Width | Refer to chair type aboveRotary chairs and stools = min. width of 450 mm (17.7in.)Rotary Large Occupant models = min. width of 560 mm (22.0 in.) | | | |
| G | Seat Height choose ALL that are acceptable | Rotary Chair | □ Adjustable | □ Standard = includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more □ Low = includes 376 mm (14.8 in.) to 439 mm (17.3 in.) □ Other = | |
| | иссерните | | \Box Fixed = betwee | en 417 mm (16.4 in.) to 512 mm (20.2 in.) | |



| | | Rotary Stool with backrest | Adjustable = includes range from 580 mm (23 in.) to 840 mm (33 in.) □ Fixed = equal or greater than 670 mm (27.5 in) | |
|---|---|--|---|--|
| H | Tilt Mechanism choose only 1 | ■ Tilt Mechanism seat and backrest adjust together in a ratio that falls within ≥1:1 (includes both Synchro- Tilt and Unison Tilt) □ Tilt Independently seat and backrest adjust independently of each other □ No preference | | |
| Ι | Seat and Backrest Locks choose ALL that are acceptable | Setup Position = chair locks or stops at one position with seat flat and backrest straight Multiple Positions = chair locks or stops at multiple positions (including setup position) | | |
| J | Casters | □ carpet ■ hard surface | | |
| L | Foot Ring | Standard with stool models only | | |
| | Finishes (Upholstery / Non-Upholstery) | Backrest | □ Upholstery □ Other = ■ Breathable material (Mesh) | |
| | choose ALL that are acceptable | Seat | □ Upholstery □ Other = ■ Breathable material (Mesh) | |
| | Additional Criteria: | | | |

INSERT:

Table A4: Task Stool – Armless S2.7





| CHAIR TYPE | QTY: 2 |
|-------------------|-------------------------------|
| □ Rotary Chair (| up to 275 lbs) |
| □ Rotary Chair la | arge occupant (up to 400 lbs) |
| Rotary Stool w | vith backrest |

IMPORTANT:

| | Criteria Instructions | Requirement | Requirement Choices | | |
|---|---|--|---|--|--|
| A | Headrest choose only 1 | □ Yes – Adjustable and Removable (if applicable, indicate type of adjustment in additional criteria below) Recommended with Standard Back Height ■ No | | | |
| в | Backrest Height choose only 1 | Standard = height between 450 mm (17.7 in.) to 660 mm (26.0 in.) □ High = height greater than 660 mm (26.0 in.) □ No preference = minimum height of 450mm (17.0 in.) | | | |
| | Backrest Profile choose only 1 | ■ No preference (It is recommended to select "no preference" as profiles do not affect functionality of chair). □ Other = | | | |
| С | Lumbar Support choose ALL that are acceptable | Adjustable \blacksquare Up/Down = min. 50 mm (2.0 in.) height adjustment between 150mm (5.9 in.) to 250 mm (9.8 in.) \square Other = | | | |
| | | \Box Fixed = bet | □ Fixed = between 150 mm (5.9 in.) to 250 mm (9.8 in.) above seat | | |
| D | <i>Armrests</i> choose <i>ALL</i> that are acceptable | Adjustable □ Height adjustable = min. 63 mm (2.5 in.) adjustment between 176 mm (6.9 in.) to 289 mm (11.4 in.) □ Width adjustable = within the range of 443 mm (17.0 in.) to 493 mm (19.4 in.) □ Pivot adjustable = min. 20 degrees inward and min. 10 degrees outward □ Fixed = height range between 200 mm (7.9 in.) to 250 mm (9.8 in.) | | | |
| | | ■ None (no arm rests) | | | |
| | <i>Seat Depth</i> choose <i>ALL</i> that are acceptable | \Box Adjustable = min. 50 mm (2.0 in.) adjustment within the range 420 mm (16.5 in.) to 460 mm (18.1 in.) | | | |
| E | | Fixed $ \begin{array}{ c c c c c c } \blacksquare & \textbf{Shallow} = 380 \ mm \ (15.0 \ in.) \ to \ 420 \ mm \ (16.5 \ in.) \\ \blacksquare \ \textbf{Medium} = greater \ than \ 420 \ mm \ (16.5 \ in.) \ to \ 460 \ mm \ (18.1 \ in.) \\ \blacksquare \ \textbf{Deep} = greater \ than \ 460 \ mm \ (18.1 \ in.) \\ \end{array} $ | | | |
| F | Seat Width | Rotary chairs d | <u>Refer to chair type above</u> Rotary chairs and stools = min. width of 450 mm (17.7in.) Rotary Large Occupant models = min. width of 560 mm (22.0 in.) | | |
| G | Seat Height choose ALL that are acceptable | Rotary Chair | □ Adjustable | □ Standard = includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more □ Low = includes 376 mm (14.8 in.) to 439 mm (17.3 in.) □ Other = | |



| | | | Fixed = between 417 mm (16.4 in.) to 512 mm (20.2 in.) | | |
|---|---|--|---|--|--|
| | | Rotary Stool with backrest | Adjustable = includes range from 580 mm (23 in.) to 840 mm (33 in.) □ Fixed = equal or greater than 670 mm (27.5 in) | | |
| н | Tilt Mechanism choose only 1 | □ Tilt Mechanism seat and backrest adjust together in a ratio that falls within ≥1:1 (includes both Synchro- Tilt and Unison Tilt) □ Tilt Independently seat and backrest adjust independently of each other ■ No preference | | | |
| Ι | Seat and Backrest Locks choose ALL that are acceptable | Setup Position = chair locks or stops at one position with seat flat and backrest straight Multiple Positions = chair locks or stops at multiple positions (including setup position) | | | |
| J | Casters | \Box carpet \blacksquare hard surface | | | |
| L | Foot Ring | Standard with stool models only | | | |
| | Finishes (Upholstery / Non-Upholstery) | Backrest | □ Upholstery □ Other = ■ Breathable material (Mesh) | | |
| | choose ALL that are acceptable | Seat | ■ Upholstery □ Other = □ Breathable material (Mesh) | | |
| | Additional Criteria: | | | | |

Table A5: Task Stool – No Wheels S2.8





CHAIR TYPE QTY: 3

□ Rotary Chair (up to 275 lbs)

- □ Rotary Chair large occupant (up to 400 lbs)
- Rotary Stool with backrest

IMPORTANT:

| | Criteria Instructions | Requirement Choices | | | | |
|---|---|--|---|--|--|--|
| A | Headrest choose only 1 | ☐ Yes – Adjustable and Removable (if applicable, indicate type of adjustment in additional criteria below) Recommended with Standard Back Height ■ No | | | | |
| В | Backrest Height choose only 1 | ■ Standard = height between 450 mm (17.7 in.) to 660 mm (26.0 in.) □ High = height greater than 660 mm (26.0 in.) □ No preference = minimum height of 450mm (17.0 in.) | | | | |
| | Backrest Profile choose only 1 | ■ No preference (<i>It is recommended to select "no preference" as profiles do not affect functionality of chair</i>). □ Other = | | | | |
| С | Lumbar Support choose ALL that are acceptable | Adjustable \blacksquare Up/Down = min. 50 mm (2.0 in.) height adjustment between 150mm (5.9 in.) to 250 mm (9.8 in.) \Box Other = | | | | |
| | | \Box Fixed = bet | \Box Fixed = between 150 mm (5.9 in.) to 250 mm (9.8 in.) above seat | | | |
| D | Armrests | Adjustable □ Height adjustable = min. 63 mm (2.5 in.) adjustment between 176 mm (6.9 in.) to 289 mm (11.4 in.) □ Width adjustable = within the range of 443 mm (17.0 in.) to 493 mm (19.4 in.) | | | | |
| | acceptable | □ Pivot adjustable = min. 20 degrees inward and min. 10 degrees outward □ Fixed = height range between 200 mm (7.9 in.) to 250 mm (9.8 in.) | | | | |
| | | $\blacksquare \text{ None (no arm rests)}$ | | | | |
| | Seat Depth choose ALL that are acceptable | \Box Adjustable = min. 50 mm (2.0 in.) adjustment within the range 420 mm (16.5 in.) to 460 mm (18.1 in.) | | | | |
| E | | Fixed $\Box \text{ Shallow} = 380 \text{ mm} (15.0 \text{ in.}) \text{ to } 420 \text{ mm} (16.5 \text{ in.})$ $\Box \text{ Medium} = greater \text{ than } 420 \text{ mm} (16.5 \text{ in.}) \text{ to } 460 \text{ mm} (18.1 \text{ in.})$ $\Box \text{ Deep} = greater \text{ than } 460 \text{ mm} (18.1 \text{ in.})$ | | | | |
| F | Seat Width | <u>Refer to chair type above</u> Rotary chairs and stools = min. width of 450 mm (17.7in.) Rotary Large Occupant models = min. width of 560 mm (22.0 in.) | | | | |
| | Seat Height choose ALL that are acceptable | Rotary Chair | □ Adjustable | □ Standard = includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more □ Low = includes 376 mm (14.8 in.) to 439 mm (17.3 in.) □ Other = | | |
| G | | | \Box Fixed = between 417 mm (16.4 in.) to 512 mm (20.2 in.) | | | |
| | | Rotary Stool with backrest | Adjustable = includes range from $380 \text{ mm} (23 \text{ m})$ to $840 \text{ mm} (33 \text{ m})$ | | | |



| H | Tilt Mechanism choose only 1 | □Tilt Mechanism seat and backrest adjust together in a ratio that falls within $\geq 1:1$ (includes both Synchro- Tilt and Unison Tilt) □ Tilt Independently seat and backrest adjust independently of each other ■No preference | | |
|---|---|---|--|--|
| Ι | Seat and Backrest Locks choose ALL that are acceptable | Setup Position = chair locks or stops at one position with seat flat and backrest straight Multiple Positions = chair locks or stops at multiple positions (including setup position) | | |
| J | Casters | \Box carpet \Box hard surface (NO CASTERS) | | |
| L | Foot Ring | Standard with stool models only | | |
| | Finishes (Upholstery / Non-Upholstery) | Backrest Upholstery Other = Breathable material (Mesh) Other = | | |
| | choose ALL that are acceptable | Seat \square Upholstery \square Other = \square Breathable material (Mesh) \square Other = | | |
| | Additional Criteria: | > No chair casters to be included. Rotary stool to be stationary on legs and glides. | | |

Table A6: Task Stool S2.4





CHAIR TYPE QTY: 12

□ Rotary Chair (up to 275 lbs)

- □ Rotary Chair large occupant (up to 400 lbs)
- Rotary Stool with backrest

IMPORTANT:

| | Criteria Instructions | Requirement Choices | | | |
|---|---|---|--|--|--|
| A | Headrest choose only 1 | Yes – Adjustable and Removable (if applicable, indicate type of adjustment in additional criteria below) Recommended with Standard Back Height No | | | |
| в | Backrest Height choose only 1 | ■ Standard = height between 450 mm (17.7 in.) to 660 mm (26.0 in.) □ High = height greater than 660 mm (26.0 in.) □ No preference = minimum height of 450mm (17.0 in.) | | | |
| D | Backrest Profile choose only 1 | ■ No preference (<i>It is recommended to select "no preference" as profiles do not affect functionality of chair</i>). □ Other = | | | |
| Lumbar Support choose ALL that are acceptableAdjustable \square Up/Down = min. 50 mm (2.0 in.) height adjustment between 150mm (5.9 in.) to D COther = | | | | | |
| | | \Box Fixed = bet | \Box Fixed = between 150 mm (5.9 in.) to 250 mm (9.8 in.) above seat | | |
| D | <i>Armrests</i> choose <i>ALL</i> that are acceptable | Adjustable ■Height adjustable = min. 63 mm (2.5 in.) adjustment between 176 mm (6.9 in.) to 289 mm (11.4 in.) ■ Width adjustable = within the range of 443 mm (17.0 in.) to 493 mm (19.4 in.) ■ Pivet adjustable = min. 20 decrease inward and min. 10 decrease suttaged | | | |
| | | Pivot adjustable = min. 20 degrees inward and min. 10 degrees outward Fixed = height range between 200 mm (7.9 in.) to 250 mm (9.8 in.) | | | |
| | | □ None (no arm rests) | | | |
| | Seat Depth choose ALL that are acceptable | \Box Adjustable = min. 50 mm (2.0 in.) adjustment within the range 420 mm (16.5 in.) to 460 mm (18.1 in.) | | | |
| E | | Fixed \Box Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.) \Box Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.) \Box Deep = greater than 460 mm (18.1 in.) | | | |
| F | Seat Width | Refer to chair type above Rotary chairs and stools = min. width of 450 mm (17.7in.) Rotary Large Occupant models = min. width of 560 mm (22.0 in.) | | | |
| C | Seat Height choose ALL that are acceptable | Rotary Chair | □ Adjustable | □ Standard = includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more □ Low = includes 376 mm (14.8 in.) to 439 mm (17.3 in.) □ Other = | |
| G | | | \Box Fixed = betwee | ixed = between 417 mm (16.4 in.) to 512 mm (20.2 in.) | |
| | | Rotary Stool with backrest | Adjustable = includes range from 580 mm (23 in.) to 840 mm (33 in.) \Box Fixed = equal or greater than 670 mm (27.5 in) | | |



| н | Tilt Mechanism choose only 1 | □ Tilt Mechanism seat and backrest adjust together in a ratio that falls within ≥1:1 (includes both Synchro- Tilt and Unison Tilt) □ Tilt Independently seat and backrest adjust independently of each other ■ No preference | | |
|---|---|--|--|--|
| Ι | Seat and Backrest Locks choose ALL that are acceptable | Setup Position = chair locks or stops at one position with seat flat and backrest straight Multiple Positions = chair locks or stops at multiple positions (including setup position) | | |
| J | Casters | □ carpet ■ hard surface | | |
| L | Foot Ring | Standard with stool models only | | |
| | Finishes (Upholstery / Non-Upholstery) | Backrest | □ Upholstery □ Other = ■ Breathable material (Mesh) | |
| | choose ALL that are acceptable | Seat | □ Upholstery □ Other = ■ Breathable material (Mesh) | |
| | Additional Criteria: | | | |