

SCALE: AS NOTED

seals



PROVINCE OF NEWFOUNDLAND AND LABRADOR
PETER J. FLOWER
 PERMIT HOLDER
 This Permit Allows
STANTEC CONSULTING LTD.
 To practice Professional Engineering in Newfoundland and Labrador.
 Permit No. as issued by PEG J0291 which is valid for the year 2022.

3 - ISSUED FOR TENDER	CZ	PF	21.05.11
2 - ISSUED FOR TENDER	CZ	MB	21.02.04
1 - REVISED DESIGN	CZ	MB	21.01.08
0 - ISSUED FOR CLIENT REVIEW	CZ	MB	20.11.17
Revision	By	Appd.	YY.MM.DD
ISSUED FOR TENDER	CZ	PF	21.05.11
ISSUED FOR TENDER	CZ	MB	21.02.04
ISSUED FOR CLIENT REVIEW (REVISED DESIGN)	CZ	MB	21.01.08
ISSUED FOR CLIENT REVIEW	CZ	MB	20.11.17
Issued	By	Appd.	YY.MM.DD

revisions	date
project	projct

STEPHENVILLE AIRPORT ASPHALT REPAIRS

drawing dessin

DETAILS

designed **C.ZETTEL** conçu

date **2021.01.08**

drawn **C.ZETTEL** dessiné

date **2021.02.01**

approved **P.FLOWER** approuvé

date **2022.05.11**

Tender Soumission


PWGC Project Manager Administrateur de projets TPSGC

project number no. du projet


R.112134.003

drawing no. no. du dessin


C401



1 C401 ASPHALT BUTT JOINT DETAIL
N.T.S.




2 C401 STORM DRAIN TRENCH BEDDING DETAIL
N.T.S.



- NOTES:**
1. CONCRETE TO BE 35MPa TO MEET CSA A23.1, CLASS C-2 EXPOSURE
 2. FOR DR 35 PVC PIPE, OUTLET PIPE TO BE FORMED BY PRE-CAST COLLAR, GASKET TO BE PLACED AROUND PIPE.
 3. FOR OTHER PIPE, OUTLET OPENING TO BE GROUTED BOTH INSIDE & OUTSIDE.
 4. CATCHBASIN GRATING SHALL BE DEPRESSED 30mm BELOW GUTTER GRADE.
 5. LIFT HOLES ARE TO BE PARTIALLY THROUGH MANHOLE FROM OUTSIDE. HOLES TO BE GROUT FILLED BEFORE BACKFILLING.
 6. MINIMUM SUMP DEPTH 1200mm.

3 C401 SINGLE CATCH BASIN (1200mm DIA.)
N.T.S.



4 C401 ASPHALT JOINT DETAIL
(FULL DEPTH ASPHALT REMOVAL NEW & EXISTING ASPHALT INTERFACE)
N.T.S.