

1  
M82-03  
PLUMBING & DRAINAGE SECOND FLOOR DEMOLITION  
SCALE: 1:100  
0m 1m 2m 3m 4m 5m 6m 7m 8m 9m 10m

PLUMBING, DRAINAGE DEMOLITION NOTES:

1. REMOVE EXISTING SANITARY, STORM AND VENT PIPING AS INDICATED. TEMPORARY CAP WHERE REQUIRED DURING CONSTRUCTION.
2. REMOVE AND DISCARD EXISTING LAVATORY FIXTURES AS SHOWN. CAP ALL ASSOCIATED WATER AND SANITARY SERVICES AS REQUIRED (TYPICAL).
3. REMOVE ALL EXISTING WATER CLOSETS AS SHOWN. CAP ALL ASSOCIATED WATER AND SANITARY SERVICES AS REQUIRED (TYPICAL). ALLOW FOR THE REMOVAL AND REPLACEMENT OF CARRIERS.
4. REMOVE ALL EXISTING URINALS AS SHOWN. CAP ALL ASSOCIATED WATER AND SANITARY SERVICES AS REQUIRED (TYPICAL). ALLOW FOR THE REMOVAL AND REPLACEMENT OF CARRIERS.
5. REMOVE EXISTING COW & DHW SERVING LAVS, URINALS AND WATER CLOSETS.

GENERAL DEMOLITION NOTES:


1. EXISTING MECHANICAL SERVICE NOT SHOWN IN DASHED LINE TO REMAIN INTACT IN PLACE UNLESS NOTED OTHERWISE.
2. ALL MECHANICAL SERVICE, EVEN IF NOT SHOWN ON DEMOLITION PLANS) TO BE REMOVED EXCEPT WHERE NOTED. CONTRACTOR TO VISIT SITE AND CONFIRM DEMOLITION SCOPE EXTENT PRIOR TO TENDER.
3. PRIOR TO COMMENCEMENT OF DEMOLITION WORK, CONTRACTOR SHALL VERIFY ON SITE FOR THE EXACT MECHANICAL SERVICE AND REPORT TO THE ENGINEER FOR ANY DISCREPANCY.
4. ALL MATERIALS INDICATED TO BE REMOVED SHALL BE DISPOSED OF BY CONTRACTOR.
5. REMOVAL OF ALL ELECTRICAL EQUIPMENT REQUIRED FOR MECHANICAL SCOPE OF WORK SHALL BE COORDINATED WITH DIV. 26 WORK SHALL INCLUDE REMOVAL OF ALL COMPONENTS INCLUDING BUT NOT LIMITED TO TRANSFORMERS, HVA SWITCHES, WIRING, CABLES, SURFACE MOUNTED CONDUIT, RACEWAYS, MOUNTING HARDWARE, RELAYS, DISCONNECTS, ETC.
6. CONTRACTOR TO PROPOSE SOLUTIONS FOR REVIEW TO THE CONSULTANT IF ANY INTERFERENCES OCCUR DUE TO SITE CONDITIONS.
7. ALL MATERIAL USED IN THE CEILING SPACE (RETURN AIR PLENUM) SHALL MEET AND EXCEED THE N.B.C. REQUIREMENTS FLAME AND SMOKE SPREAD/DEVELOPMENT RATINGS.
8. CONTRACTOR TO PROVIDE CONNECTION TO RELOCATED EXISTING EQUIPMENT AND ADDED EQUIPMENT DIRECTLY TO BUILDING HVAC SYSTEM AND UPDATE THE BMS ARCHITECTURE AS REQUIRED.
9. CONTRACTOR TO REMOVE ALL MECHANICAL EQUIPMENT AND INSTALL NEW ONES, SALVAGE AND REINSTALL ONLY WHEN SPECIFICALLY INDICATED.
10. STORM LINES TO REMAIN. SANITARY LINES TO BE DEMOLISHED AND REPLACED IF NEEDED. OTHERWISE, INFILL AND ABANDON EXISTING SANITARY UNDERGROUND.
11. ALL UNUSED AND ABANDONED PIPING, INCLUDING PIPING NOT INDICATED ON DRAWINGS SHALL BE REMOVED AND DISCARDED.

**NORR**

NORR Architects & Engineers Limited  
An Ingenium Group Company

175 Bloor St. East  
North Tower, 15th Floor  
Toronto, ON Canada M4W 3R8  
norr.com

Key plan



project and true North



project legend

THE ASSOCIATION OF  
PROFESSIONAL ENGINEERS  
OF THE PROVINCE OF  
PRINCE EDWARD ISLAND  
VALID FOR THE YEAR 2022

P.N. Frasier  
No. 2553

DATE: 27 MAY, 2022

LICENSED  
PROFESSIONAL ENGINEER  
PROVINCE OF  
PRINCE EDWARD ISLAND

0 ISSUED FOR TENDER 2022-05-27

revisions date

project project

DANIEL J MACDONALD  
MODERNIZATION

161 GRAFTON STREET  
CHARLOTTETOWN, PEI, C1A 1L1

drawing design

PLUMBING &  
DRAINAGE - SECOND  
FLOOR DEMOLITION

designed NORR compu

date 2020-8-31

drawn NORR dessiné

date 2020-8-31

approved PF approuvé

date 2022-05-27

Tender Submission

PW/GSC Project Manager Administrateur de projets TP/GSC

project number no. du projet

R.056687.005

drawing no. no. du dessin

M82-03