

1 PLUMBING & DRAINAGE FOURTH FLOOR DEMOLITION  
M82-05  
SCALE: 1:100  
0m 1m 2m 3m 4m 5m 6m 7m 8m 9m 10m

PLUMBING, DRAINAGE DEMOLITION NOTES:

1. REMOVE EXISTING SANITARY, STORM AND VENT PIPING AS INDICATED. TEMPORARY CAP WHERE REQUIRED DURING CONSTRUCTION. ALL EXISTING ROOF DRAINS TO REMAIN AND TO BE PROTECTED DURING CONSTRUCTION.
2. REMOVE AND DISCARD EXISTING LAVATORY FIXTURES AS SHOWN. CAP ALL ASSOCIATED WATER AND SANITARY SERVICES AS REQUIRED (TYPICAL). ALLOW FOR THE REMOVAL AND REPLACEMENT OF CARRIERS.
3. REMOVE ALL EXISTING WATER CLOSETS AS SHOWN. CAP ALL ASSOCIATED WATER AND SANITARY SERVICES AS REQUIRED (TYPICAL). ALLOW FOR THE REMOVAL AND REPLACEMENT OF CARRIERS.
4. REMOVE ALL EXISTING URINALS AS SHOWN. CAP ALL ASSOCIATED WATER AND SANITARY SERVICES AS REQUIRED (TYPICAL). ALLOW FOR THE REMOVAL AND REPLACEMENT OF CARRIERS.
5. REMOVE EXISTING DCW & DHW SERVING LAVS, URINALS AND WATER CLOSETS.


GENERAL DEMOLITION NOTES:

1. EXISTING MECHANICAL SERVICE NOT SHOWN IN DASHED LINE TO REMAIN INTACT IN PLACE UNLESS NOTED OTHERWISE.
2. ALL EXISTING SERVICES SHOWN ARE APPROXIMATE AND BASED ON EXISTING DRAWINGS. CONTRACTOR SHALL VERIFY ALL LOCATIONS ON SITE.
3. CONTRACTOR TO COORDINATE INSTALLATION WITH ALL OTHER TRADES INVOLVED ON SITE. PRIOR TO TENDER.
4. ENSURE NOT TO DISTURB SERVICES COVERING AREAS NOT INCLUDED IN THE SCOPE. ALL WORK MUST BE COORDINATED WITH DEPARTMENTAL REPRESENTATIVE.
5. CONTRACTOR SHALL VISIT SITE TO EXAMINE EXISTING CONDITIONS.
6. CONTRACTOR TO PROPOSE SOLUTIONS FOR REVIEW TO THE CONSULTANT IF ANY INTERFERENCES OCCUR DUE TO SITE CONDITIONS.
7. ALL MATERIAL USED IN THE CEILING SPACE (RETURN AIR PLENUM) SHALL MEET AND EXCEED THE N.B.C. REQUIREMENTS FLAME AND SMOKE SPREAD/DEVELOPMENT RATINGS.
8. CONTRACTOR TO PROVIDE CONNECTION TO RELOCATED EXISTING EQUIPMENT AND ADDED EQUIPMENT DIRECTLY TO BUILDING HVAC SYSTEM AND UPDATE THE BMS ARCHITECTURE AS REQUIRED.
9. CONTRACTOR TO REMOVE ALL MECHANICAL EQUIPMENT AND INSTALL NEW ONES. SALVAGE AND REINSTALL ONLY WHEN SPECIFICALLY INDICATED.
10. STORM LINES TO REMAIN. SANITARY LINES TO BE DEMOLISHED AND REPLACED IF NEEDED. OTHERWISE, INFILL AND ABANDON EXISTING SANITARY UNDERGROUND.
11. ALL UNUSED AND ABANDONED PIPING, INCLUDING PIPING NOT INDICATED ON DRAWINGS SHALL BE REMOVED AND DISCARDED.


**NORR**

NORR Architects & Engineers Limited  
An Ingenium Group Company  
175 Bloor St. East  
North Tower, 15th Floor  
Toronto, ON Canada M4W 3R8  
norr.com

key plan



project and true North



project legend

THE ASSOCIATION OF  
PROFESSIONAL ENGINEER  
OF THE PROVINCE OF  
PRINCE EDWARD ISLAND  
VALID FOR THE YEAR 2022

P.N. Frasier  
No. 2553

DATE: 27 MAY, 2022

LICENSED  
PROFESSIONAL ENGINEER  
PROVINCE OF  
PRINCE EDWARD ISLAND

0 ISSUED FOR TENDER 2022-05-27

revisions date

project

DANIEL J MACDONALD  
MODERNIZATION

161 GRAFTON STREET  
CHARLOTTETOWN, PEI, C1A 1L1

drawing

dessein  
**PLUMBING &  
DRAINAGE - FOURTH  
FLOOR DEMOLITION**

designed NORR

date 2020-8-31

drawn NORR

date 2020-8-31

approved PF

date 2022-05-27

Tender

Submission

PWGSC Project Manager Administrateur de projets TPSCG

project number no. du projet

R.056687.005

drawing no. no. du dessin

M82-05