

1 M85-00 HVAC PARKING LEVEL DEMOLITION

SCALE : 1:100

0m 1m 2m 3m 4m 5m 6m 7m 8m 9m 10m

GENERAL DEMOLITION NOTES:

1. EXISTING MECHANICAL SERVICE NOT SHOWN IN DASHED LINE TO REMAIN INTACT IN PLACE UNLESS NOTED OTHERWISE.
2. ALL MECHANICAL SERVICE (EVEN IF NOT SHOWN ON DEMOLITION PLANS) TO BE REMOVED EXCEPT WHERE NOTED. CONTRACTOR TO VISIT SITE AND CONFIRM DEMOLITION SCOPE EXTENT PRIOR TO TENDER.
3. PRIOR TO COMMENCEMENT OF DEMOLITION WORK, CONTRACTOR SHALL VERIFY ON SITE FOR THE EXACT MECHANICAL SERVICE AND REPORT TO THE ENGINEER FOR ANY DISCREPANCY.
4. ALL MATERIALS INDICATED TO BE REMOVED SHALL BE DISPOSED OF BY CONTRACTOR.
5. REMOVAL OF ALL ELECTRICAL EQUIPMENT REQUIRED FOR MECHANICAL SCOPE OF WORK SHALL BE COORDINATED WITH DIV. 26 WORK SHALL INCLUDE REMOVAL OF ALL COMPONENTS INCLUDING BUT NOT LIMITED TO TRANSFORMERS, HOA SWITCHES, WIRING, CABLES, SURFACE MOUNTED CONDUIT, RACEWAYS, MOUNTING HARDWARE, RELAYS, DISCONNECTS, ETC.

GENERAL NOTES:

1. DRAWINGS SHALL BE READ IN CONJUNCTION WITH ALL FLOOR PLANS AND SPECIFICATIONS.
2. ALL EXISTING SERVICES SHOWN ARE APPROXIMATE AND BASED ON EXISTING DRAWINGS. CONTRACTOR SHALL VERIFY ALL LOCATIONS ON SITE.
3. CONTRACTOR TO COORDINATE INSTALLATION WITH ALL OTHER TRADES INVOLVED ON SITE.
4. ENSURE NOT TO DISTURB SERVICES COVERING AREAS NOT INCLUDED IN THE SCOPE. ALL WORK MUST BE COORDINATED WITH DEPARTMENTAL REPRESENTATIVE.
5. CONTRACTOR SHALL VISIT SITE TO EXAMINE EXISTING CONDITIONS.
6. CONTRACTOR TO PROPOSE SOLUTIONS FOR REVIEW TO THE CONSULTANT IF ANY INTERFERENCES OCCUR DUE TO SITE CONDITIONS.
7. ALL MATERIAL USED IN THE CEILING SPACE (RETURN AIR PLENUM) SHALL MEET AND EXCEED THE N.B.C REQUIREMENTS FLAME AND SMOKE SPREAD/DEVELOPMENT RATINGS.
8. CONTRACTOR TO PROVIDE CONNECTION TO RELOCATED EXISTING EQUIPMENT AND ADDED EQUIPMENT DIRECTLY TO BUILDING HVAC SYSTEM AND UPDATE THE BMS ARCHITECTURE AS REQUIRED.
9. CONTRACTOR TO REMOVE ALL MECHANICAL EQUIPMENT AND INSTALL NEW ONES; SALVAGE AND REINSTALL ONLY WHEN SPECIFICALLY INDICATED.

Public Works and Government Services Canada / Travaux Publics et Services gouvernementaux Canada

NORR

NORR Architects & Engineers Limited
An Ingenium Group Company

175 Bloor St. East
North Tower, 15th Floor
Toronto, ON Canada M4W 3R8
norr.com

key plan



project and true North



project legend

THE ASSOCIATION OF PROFESSIONAL ENGINEER OF THE PROVINCE OF PRINCE EDWARD ISLAND
VALID FOR THE YEAR 2022

P.N. Frasie
No. 2553
DATE: 27 MAY, 2022

LICENSED PROFESSIONAL ENGINEER PROVINCE OF PRINCE EDWARD ISLAND

Paul Frasie

Digitally signed by Paul Frasie
DN: C=CA, O=NORR Architects & Engineers Limited, CN=Paul Frasie
Date: 2022.06.01 12:47:15-04'00'

revisions		date
0	ISSUED FOR TENDER	2022-05-27

project / projet

DANIEL J MACDONALD MODERNIZATION

161 GRAFTON STREET
CHARLOTTETOWN, PEI, C1A 1L1

drawing / dessin

HVAC - PARKING LEVEL DEMOLITION

designed	NORR	conçu
date	2020-8-31	
drawn	NORR	dessiné
date	2020-8-31	
approved	PF	approuvé
date	2022-05-27	
Tender		Soumission
PWGSC Project Manager		Administrateur de projets TPSGC
project number		no. du projet
R.056687.005		
drawing no.		no. du dessin
M85-00		

PWGSC AO (2004)

E-DRM/GDD-E: 553185 v1