

GENERAL DEMOLITION NOTES

1. EXISTING MECHANICAL SERVICE NOT SHOWN IN DASHED LINE TO REMAIN INTACT IN PLACE UNLESS NOTED OTHERWISE.
2. ALL MECHANICAL SERVICE (EVEN IF NOT SHOWN ON DEMOLITION PLANS) TO BE REMOVED UNLESS OTHERWISE NOTED. CONTRACTOR TO VISIT SITE AND CONFIRM DEMOLITION SCOPE EXTENT PRIOR TO TENDER.
3. FOR COMPLETMENT OF DEMOLITION WORK, CONTRACTOR SHALL VERIFY ON SITE FOR THE EXACT MECHANICAL SERVICE AND REPORT TO THE ENGINEER FOR ANY DISCREPANCY.
4. ALL MATERIALS INDICATED TO BE REMOVED SHALL BE DISPOSED OF BY CONTRACTOR.
5. ALL MATERIALS TO BE REMOVED SHALL BE EQUIPPED WITH IDENTIFICATION TAGS WHICH SHALL BE COORDINATED WITH DIV. 26 WORK SHALL INCLUDE REMOVAL OF ALL COMPONENTS INCLUDING BUT NOT LIMITED TO TRANSFORMERS, HOA SWITCHES, WIRING, CABLES, SURFACE MOUNTED AND CONCEALED ELECTRICAL AND MECHANICAL EQUIPMENT.

DRAWING NOTES:

1. CONTRACTOR TO IMPLEMENT A FIRE WATCH PROGRAM DURING CONSTRUCTION IN ACCORDANCE WITH NFPA 25 AND AUTHORITY HAVING JURISDICTION REQUIREMENTS.


GENERAL NOTES:

1. DRAWINGS SHALL BE REIN CONJUNCTION WITH ALL FLOOR PLANS AND SPECIFICATIONS
2. ALL EXISTING SERVICES SHOWN ARE APPROXIMATE AND BASED ON EXISTING DRAWINGS. CONTRACTOR SHALL VERIFY ALL LOCATIONS ON SITE.
3. CONTRACTOR TO COORDINATE INSTALLATION WITH ALL OTHER TRADES INVOLVED ON SITE.
4. ENSURE NOT TO DISTURB SERVICES COVERING AREAS NOT INCLUDED IN THE SCOPE. ALL WORK MUST BE COORDINATED WITH DEPARTMENTAL REPRESENTATIVES.
5. CONTRACTOR SHALL VISIT SITE TO EXAMINE EXISTING CONDITIONS.
6. CONTRACTOR TO PROPOSE SOLUTIONS FOR REVIEW TO THE CONSULTANT IF ANY INTERFERENCES OCCUR.
7. ALL MATERIAL USED IN THE CEILING SPACE (RETURN AIR PLENUM) SHALL MEET AND EXCEED THE N.B.C REQUIREMENTS FLAME AND SMOKE SPREAD/DEPLETION RATINGS.
8. CONTRACTOR TO PROVIDE A PROTECTION FOR EXISTING EQUIPMENT AND ADDED EQUIPMENT DURING INSTALLATION TO BUILDING HVAC SYSTEM AND UPDATE THE BMS ARCHITECTURE AS REQUIRED.
9. CONTRACTOR TO REMOVE ALL MECHANICAL EQUIPMENT AND INSTALL NEW ONES, SALVAGE AND REINSTALL WHEN SPECIFICALLY INDICATED.



# NORR

**NORR Architects & Engineers Limited**  
An Ingenium Group Company  
175 Bloor St. East  
North Tower, 15th Floor  
Toronto, ON Canada M4W 3R8  
norr.com

long plan



erect and true North



project legend

THE ASSOCIATION OF  
PROFESSIONAL ENGINEER  
OF THE PROVINCE OF  
PRINCE EDWARD ISLAND  
VALID FOR THE YEAR 2022



P.N. Frasier  
No. 2553

DATE: 27 MAY, 2022

**LICENSED  
PROFESSIONAL ENGINEER  
PROVINCE OF  
PRINCE EDWARD ISLAND**

|   |                   |            |
|---|-------------------|------------|
| 0 | ISSUED FOR TENDER | 2022-05-27 |
|---|-------------------|------------|

| revisions |  | date |
|-----------|--|------|
|-----------|--|------|

|         |        |
|---------|--------|
| project | projet |
|---------|--------|

DANIEL J MACDONALD  
MODERNIZATION

161 GRAFTON STREET  
CHARLOTTETOWN, PEI, C1A 1L1

|         |        |
|---------|--------|
| drawing | dessin |
|---------|--------|

drawing

dessin

FIRE PROTECTION -  
MAIN FLOOR  
DEMOLITION

|               |       |
|---------------|-------|
| designed NORR | CONCU |
|---------------|-------|

date 2020-8-31

|       |      |         |
|-------|------|---------|
| drawn | NORR | dessiné |
|-------|------|---------|

|      |           |
|------|-----------|
| date | 2020-8-31 |
|------|-----------|

date 2022-05-27

| Tender | Soumission |
|--------|------------|
|--------|------------|

PWGSC Project Manager Administrateur de projets TPSGC

R.056687.005

|             |               |
|-------------|---------------|
| drawing no. | no. du dessin |
|-------------|---------------|

M84-01