

NOTES:


- ELEVATION OF ALL NEW FOOTING TO MATCH ELEVATION OF EXISTING ADJACENT COLUMN FOOTING.
- NEW FOOTING TO BE PLACED ON SOUND UNDISTURBED SOIL WITH MINIMUM SLS BEARING CAPACITY OF 335 kPa.
- SAW-CUT AND REMOVE EXISTING SLAB ON GRADE TO POUR NEW FOOTING. SEE PLAN DETAILS ON THIS DRAWING.
- THICKNESS OF NEW SLAB ON GRADE TO MATCH THICKNESS OF EXISTING SLAB ON GRADE.
- BEFORE PLACING NEW SLAB ON GRADE VERIFY THAT BEARING CAPACITY OF SUB-GRADE AND COMPACTION OF SUB-BASE ARE ADEQUATE TO SUPPORT 25 kPa OF UNIFORMLY DISTRIBUTED LOAD ON SLAB ON GRADE WITHOUT SIGNIFICANT DIFFERENTIAL SETTLEMENT OF SLAB AND EXISTING FOOTINGS.
- SEE DRAWING S01-01 FOR ADDITIONAL NOTES FOR SLAB ON GRADE.

1
S20-00
FOUNDATION / PARKING LEVEL PLAN
SCALE : 1:100
0m 1m 2m 3m 4m 5m 6m 7m 8m 9m 10m


NORR

NORR Architects & Engineers Limited
An Ingenium Group Company
175 Bloor St. East
North Tower, 15th Floor
Toronto, ON Canada M4W 3R8
norr.com

key plan



project and true North



project legend

THE ASSOCIATION OF
PROFESSIONAL ENGINEER
OF THE PROVINCE OF
PRINCE EDWARD ISLAND
VALID FOR THE YEAR 2022

Faisal Jahangir
No. 2558

DATE: 27-05-2022

LICENSED
PROFESSIONAL ENGINEER
PROVINCE OF
PRINCE EDWARD ISLAND

0 ISSUED FOR TENDER 2022-05-27

revisions date

project

DANIEL J MACDONALD
MODERNIZATION

161 GRAFTON STREET
CHARLOTTETOWN, PEI, C1A 1L1

drawing dessin

PARKING LEVEL PLAN -
FOUNDATION PLAN

designed NORR compu

date 2017-06-26

drawn NORR dessiné

date 2017-06-26

approved FJA approuvé

date 2022-05-27

Tender Soumission

PWGSC Project Manager Administrateur de projets TPSCG

project number no. du projet

R.056687.005

drawing no. no. du dessin

S20-00

E:\PM\MOD-E: 553185 v1