


project and true North

project legend



## 1 AV CONDUIT RISER

Scale: N.T.S.

### NOTES:

1. CONDUIT WIDTHS TO BE MINIMUM 27mm IF NOT STATED OTHERWISE. NON-LABELED CONDUIT CONTENTS TO BE INSTALLED WITH PULL STRING
2. DIV. 26 CONTRACTOR TO SIZE TERMINATION AND JUNCTION BOXES AS REQUIRED TO ACCOMMODATE CONDUITS.
3. JUNCTION BOX TO BE LOCATED IN ACCESSIBLE PART OF CEILING, WALL & FLOOR SPACES
4. STANDARD ELECTRICAL NOTES FROM AV-0.0 APPLY TO ALL CONDUIT AND BACK BOXES
5. CONDUIT LENGTHS SHALL NOT EXCEED 90m.

E	ISSUED FOR TENDER	2022-05-07
D	REVISED FINAL SUBMISSION	2022-05-25
C	ISSUED FOR 100% CD	2022-05-18
B	ISSUED FOR 60% CD	2022-05-10
A	ISSUED FOR 100% DD	2022-01-18

revisions

project

DANIEL J MACDONALD  
MODERNIZATION

161 GRAFTON ST.  
CHARLOTTETOWN, PEI, C1A 1L1

drawing

desch

AV RISERS

N.T.S.

designed NOVITA

compu

date 2022-01-18

drawn NOVITA

dessiné

date 2022-05-20

approved CB

approuvé

date 2022-01-19

Tender

Submission

PWGSC Project Manager Administrateur de projets TPSCG

project number

no. du projet

2014

drawing no.

no. du dessin

AV4-01

E:DRMIGDD:E: 553185 v1