

National Defence

Défense nationale

National Defence Headquarters Ottawa, Ontario K1A 0K2 Quartier général de la Défense nationale Ottawa (Ontario) K1A 0K2

REQUEST FOR PROPOSAL DEMANDE DE PROPOSITION

RETURN BIDS TO: RETOURNER LES SOUMISSIONS À:

Bid Receiving – PWGSC / Réception des soumissions – TPSGC Fax / Télécopieur: (819) 997-9776 11 Laurier St. / 11 rue Laurier Place du Portage, Phase III Core 0B2 / Noyau 0B2 Gatineau Québec K1A 0S5

Proposal To: National Defence Canada

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods and services listed herein and on any attached sheets at the price(s) set out therefore.

Proposition à : Défense nationale Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens et services énumérés ici et sur toute feuille ci-annexée, au(x) prix indique(s).

Solicitation Closes – L'invitation prend fin
At – à : 14 :00 EDT / HAE
On - le: 08 / 17 / 2022

Title/Titre	Solicitation No – No de l'invitation									
Multiple VICTORIA Class Spares :	W8482-230399/A									
Valves, Studs, Gages and Wire /										
Plusieurs Pièces de Rechange de										
Classe VICTORIA: Robinets,										
Goujons, Jauges et Câbles										
Date of Solicitation - Date de l'invitat	ion									
07-06-2022										
Address Enquiries to – Adresser toutes questions à										
Darrell Hill										
D Mar P 5-4-2-7										
Darrell.Hill@forces.gc.ca										
Telephone No. – Nº de téléphone	FAX No – Nº de fax									
N/A	N/A									
D (; (;										
Destination										
Specified Housin / Duścieć done lee puć	gontog									
Specified Herein / Précisé dans les pré	sentes									
Instructions:										

Municipal taxes are not applicable. Unless otherwise specified herein all prices quoted must include all applicable Canadian customs duties, GST/HST, excise taxes and are to be delivered FCA- Free Carrier. The amount of the Goods and Services Tax/Harmonized Sales Tax is to be shown as a separate item.

Instructions: Les taxes municipales ne s'appliquent pas. Sauf indication contraire, les prix indiqués doivent comprendre les droits de douane canadiens, la TPS/TVH et la taxe d'accise. Les biens doivent être livrés FCA franco transporteur. Le montant de la taxe sur les produits et services/taxe de vente harmonisée doit être indiqué séparément.

Delivery required - Livraison exigée	Delivery offered - Livraison proposée								
Vendor Name and Address - Raison so	ciale et adresse du fournisseur								
Name and title of person authorized to sign on behalf of vendor (type or print) - Nom et titre de la personne autorisée à signer au nom du fournisseur (caractère d'imprimerie)									
Name/Nom	Title/Titre								
Signature	Date								



W8482-230399/A

TABLE OF CONTENTS

PART	1 - GENERAL INFORMATION	2
1.1	STATEMENT OF REQUIREMENT	2
1.2	Debriefings	2
1.3	TRADE AGREEMENTS	
1.4	EPOST CONNECT SERVICE	2
PART	2 - BIDDER INSTRUCTIONS	
2.1	STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	
2.2	SACC Manual Clauses	_
2.3	SUBMISSION OF BIDS	
2.4	ENQUIRIES - BID SOLICITATION	
2.5	APPLICABLE LAWS	
PART	3 - BID PREPARATION INSTRUCTIONS	
3.1	BID PREPARATION INSTRUCTIONS	6
PART	4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	8
4.1	EVALUATION PROCEDURES	8
4.2	Basis of Selection	9
PART	5 – CERTIFICATIONS AND ADDITIONAL INFORMATION	10
5.1	CERTIFICATIONS REQUIRED WITH THE BID	
5.2	CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	10
PART	6 - RESULTING CONTRACT CLAUSES	11
6.1	SECURITY REQUIREMENTS	
6.2	STATEMENT OF REQUIREMENT	
6.3	STANDARD CLAUSES AND CONDITIONS	
6.4	AUTHORITIES	
6.5	QUALITY ASSURANCE	
6.6 6.7	SHELF LIFEPACKAGING	
6.8	PAYMENT	
6.9	INVOICING INSTRUCTIONS	
6.10	CERTIFICATIONS AND ADDITIONAL INFORMATION	
6.11	APPLICABLE LAWS	18
6.12	PRIORITY OF DOCUMENTS	18
6.13	DEFENCE CONTRACT	18
6.14	SACC Manual Clauses	18
6.15		
6.16		
6.17		
6.18		
	X "A" – LINE ITEM DETAILS	
	X "B" - ELECTRONIC PAYMENT INSTRUMENTS	
	X "C" - STATEMENT OF QUALITY REQUIREMENTS	
ANNE	X "D" - PROCUREMENT TOOLS FOR UNIQUE IDENTIFICATION (UID)	28

Amd. No. - N° de la modif.

File No. - N° du dossier W8482-230399/A

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

PART 1 - GENERAL INFORMATION

1.1 Statement of Requirement

The requirement is detailed under Annex "A" of the resulting contract clauses.

1.2 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.3 Trade Agreements

The requirement is subject to the provisions of:

Comprehensive and Progressive Agreement for Trans-Pacific Partnership (CPTPP)
The World Trade Organization Agreement on Government Procurement (WTO- AGP)
The Canada-European Union Comprehensive Economic and Trade Agreement (CETA)
Ukraine-Canada Free Trade Agreement
Peru-Canada Free Trade Agreement
Chile-Canada Free Trade Agreement
Colombia-Canada Free Trade Agreement
Honduras-Canada Free Trade Agreement
Panama-Canada Free Trade Agreement
Korea-Canada Free Trade Agreement
The Canadian Free Trade Agreement (CFTA)

1.4 epost Connect service

"This bid solicitation allows bidders to use the epost Connect service provided by Canada Post Corporation to transmit their bid electronically. Bidders must refer to Part 2 entitled Bidder Instructions, and Part 3 entitled Bid Preparation Instructions, of the bid solicitation, for further information."

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

The <u>2003</u> (2022-03-29) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

The 2003 standard instructions is amended as follows:

- Section 02, Procurement Business Number is deleted in its entirety.
- Section 08, entitled Transmission by facsimile or by epost Connect, is now as follows:
 - 1. Facsimile
 - a. Unless specified otherwise in the bid solicitation, bids may be submitted by facsimile.

Amd. No. - N° de la modif.

File No. - N° du dossier W8482-230399/A

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

i. PWGSC, National Capital Region: The only acceptable facsimile number for responses to bid solicitations issued by PWGSC headquarters is 819-997-9776 or, if applicable, the facsimile number identified in the bid solicitation.

- ii. PWGSC regional offices: The facsimile number for responses to bid solicitations issued by PWGSC regional offices is identified in the bid solicitation.
- b. For bids transmitted by facsimile, Canada will not be responsible for any failure attributable to the transmission or receipt of the faxed bid including, but not limited to, the following:
 - i. receipt of garbled, corrupted or incomplete bid;
 - ii. availability or condition of the receiving facsimile equipment;
 - iii. incompatibility between the sending and receiving equipment;
 - iv. delay in transmission or receipt of the bid;
 - v. failure of the Bidder to properly identify the bid;
 - vi. illegibility of the bid; or
 - vii. security of bid data.
- c. A bid transmitted by facsimile constitutes the formal bid of the Bidder and must be submitted in accordance with section 05.

2. epost Connect

- a. Unless specified otherwise in the bid solicitation, bids may be submitted by using the epost Connect service provided by Canada Post Corporation.
 - i. PWGSC, National Capital Region: The only acceptable email address to use with epost Connect for responses to bid solicitations issued by PWGSC headquarters is: tpsgc.dgareceptiondessoumissions-abbidReceiving.pwgsc@tpsgc-pwgsc.gc.ca, or, if applicable, the email address identified in the bid solicitation.
 - ii. PWGSC regional offices: The only acceptable email address to use with epost Connect for responses to bid solicitations issued by PWGSC regional offices is identified in the bid solicitation.
- b. To submit a bid using epost Connect service, the Bidder must either:
 - i. send directly its bid only to the specified PWGSC Bid Receiving Unit, using its own licensing agreement for epost Connect provided by Canada Post Corporation; or
 - ii. send as early as possible, and in any case, at least six business days prior to the solicitation closing date and time, (in order to ensure a response), an email that includes the bid solicitation number to the specified PWGSC Bid Receiving Unit requesting to open an epost Connect conversation. Requests to open an epost Connect conversation received after that time may not be answered.
- c. If the Bidder sends an email requesting epost Connect service to the specified Bid Receiving Unit in the bid solicitation, an officer of the Bid Receiving Unit will then initiate an epost Connect conversation. The epost Connect conversation will create an email notification from Canada

Post Corporation prompting the Bidder to access and action the message within the conversation. The Bidder will then be able to transmit its bid afterward at any time prior to the solicitation closing date and time.

- d. If the Bidder is using its own licensing agreement to send its bid, the Bidder must keep the epost Connect conversation open until at least 30 business days after the solicitation closing date and time.
- e. The bid solicitation number should be identified in the epost Connect message field of all electronic transfers.
- f. It should be noted that the use of epost Connect service requires a Canadian mailing address. Should a bidder not have a Canadian mailing address, they may use the Bid Receiving Unit address specified in the solicitation in order to register for the epost Connect service.
- g. For bids transmitted by epost Connect service, Canada will not be responsible for any failure attributable to the transmission or receipt of the bid including, but not limited to, the following:
 - i. receipt of a garbled, corrupted or incomplete bid;
 - ii. availability or condition of the epost Connect service;
 - iii. incompatibility between the sending and receiving equipment;
 - iv. delay in transmission or receipt of the bid;
 - v. failure of the Bidder to properly identify the bid;
 - vi. illegibility of the bid;
 - vii. security of bid data; or,
 - viii. inability to create an electronic conversation through the epost Connect service.
- h. The Bid Receiving Unit will send an acknowledgement of the receipt of bid document(s) via the epost Connect conversation, regardless of whether the conversation was initiated by the supplier using its own license or the Bid Receiving Unit. This acknowledgement will confirm only the receipt of bid document(s) and will not confirm if the attachments may be opened nor if the content is readable.
- i. Bidders must ensure that that they are using the correct email address for the Bid Receiving Unit when initiating a conversation in epost Connect or communicating with the Bid Receiving Unit and should not rely on the accuracy of copying and pasting the email address into the epost Connect system.
- j. A bid transmitted by epost Connect service constitutes the formal bid of the Bidder and must be submitted in accordance with section 05.
- Section 20, Further Information is deleted in its entirety.

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the <u>Standard Acquisition Clauses and Conditions Manual</u> (https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) issued by Public Works and Government Services Canada.

Amd. No. - N $^{\circ}$ de la modif.

File No. - N° du dossier W8482-230399/A

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

2.2 SACC Manual Clauses

B1000T (2014-06-26) Condition of Material – Bid

2.3 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated in the bid solicitation.

Note: For bidders choosing to submit using epost Connect for bids closing at the Bid Receiving Unit in the National Capital Region (NCR) the email address is:

tpsgc.dgareceptiondessoumissions-abbidreceiving.pwgsc@tpsgc-pwgsc.gc.ca

Note: Bids will not be accepted if emailed directly to this email address. This email address is to be used to open an epost Connect conversation, as detailed in Standard Instructions 2003, or to send bids through an epost Connect message if the bidder is using its own licensing agreement for epost Connect.

2.4 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than 7 calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.5 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in **Ontario**.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

Amd. No. - N° de la modif.

File No. - N° du dossier W8482-230399/A

Buyer ID - Id de l'acheteur 29KCCC No./N° CCC - FMS No./N° VME

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

If the Bidder chooses to submit its bid electronically, Canada requests that the Bidder submits its bid in accordance with section 08 of the 2003 standard instructions. The epost Connect system has a limit of 1GB per single message posted and a limit of 20GB per conversation.

The bid must be gathered per section and separated as follows:

Section I: Technical Bid

Section II: Financial Bid

Section III: Certifications

Section IV: Additional Information

If the Bidder chooses to submit its bid in hard copies, Canada requests that the Bidder submits its bid in separately bound sections as follows:

Section I: Technical Bid (1 hard copy)

Section II: Financial Bid (1 hard copy)

Section III: Certifications (1 hard copy)

Section IV: Additional Information (1 hard copy)

If there is a discrepancy between the wording of the soft copy on electronic media and the hard copy, the wording of the hard copy will have priority over the wording of the soft copy.

If the Bidder is simultaneously providing copies of its bid using multiple acceptable delivery methods, and if there is a discrepancy between the wording of any of these copies and the electronic copy provided through epost Connect service, the wording of the electronic copy provided through epost Connect service will have priority over the wording of the other copies.

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of hard copy of their bid:

- a. use 8.5 x 11 inch (216 mm x 279 mm) paper;
- b. use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green Procurement (https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573). To assist Canada in reaching its objectives, bidders should:

1. use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and

Buyer ID - Id de l'acheteur $29 \mathrm{K}$ CCC No./N° CCC - FMS No./N° VME

2. use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment.

Section III: Certifications

Bidders must submit the certifications and additional information required under Part 5.

3.1.1 Electronic Payment of Invoices - Bid

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete **Annex "B" Electronic Payment Instruments**, to identify which ones are accepted.

If **Annex "B" Electronic Payment Instruments** is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

3.1.2 Exchange Rate Fluctuation

C3010T (2014-11-27) Exchange Rate Fluctuation Risk Mitigation

- 1. The Bidder may request Canada to assume the risks and benefits of exchange rate fluctuations. If the Bidder claims for an exchange rate adjustment, this request must be clearly indicated in the bid at time of bidding. The Bidder must submit form PWGSC-TPSGC 450 , Claim for Exchange Rate Adjustments with its bid, indicating the Foreign Currency Component (FCC) in Canadian dollars for each line item for which an exchange rate adjustment is required.
- 2. The FCC is defined as the portion of the price or rate that will be directly affected by exchange rate fluctuations. The FCC should include all related taxes, duties and other costs paid by the Bidder and which are to be included in the adjustment amount.
- 3. The total price paid by Canada on each invoice will be adjusted at the time of payment, based on the FCC and the exchange rate fluctuation provision in the contract. The exchange rate adjustment will only be applied where the exchange rate fluctuation is greater than 2% (increase or decrease).
- 4. At time of bidding, the Bidder must complete columns (1) to (4) on form PWGSC-TPSGC 450 , for each line item where they want to invoke the exchange rate fluctuation provision. Where bids are evaluated in Canadian dollars, the dollar values provided in column (3) should also be in Canadian dollars, so that the adjustment amount is in the same currency as the payment.

Buyer ID - Id de l'acheteur 29K
CCC No./N° CCC - FMS No./N° VME

Alternate rates or calculations proposed by the Bidder will not be accepted for the purposes of this exchange rate fluctuation provision.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

- a) Bidders must indicate the Part Number and the NSCM/NCAGE they are offering.
- Bidders proposing an Equivalent or Substitute Product must indicate the brand name and model and/or Part Number and the NSCN/NCAGE.

4.1.1.2 Evaluation Procedures for Equivalent Products

- (a) This bid solicitation includes requirements to propose equipment (each, a Line Item) that has been specified by a part number in order to ensure compatibility, interoperability and interchangeability with existing equipment owned by Canada.
- (b) Where equipment has been described in this bid solicitation by part number and more than one part number is listed as associated with a single Line Item, equivalency will be assessed against the first part number, referred to as the Item of Supply. Other part numbers listed under that Line Item will be considered to meet the requirement without requiring an assessment as an equivalent product.
- (c) Proposed equipment that is a replacement part number (superseded or obsolete) from the Original Equipment Manufacturer of the Item of Supply listed under a Line Item must be assessed as an equivalent product under this Article, in order to be considered to meet the requirement.
- (d) If a bidder intends to propose a part as an equivalent to a required Item of Supply, and it has or is able to obtain complete specifications for the Item of Supply, it must provide to Canada in its bid this Item of Supply specification, along with the specification established for its proposed equivalent. Canada may instruct the bidder to use the provided Item of Supply specification, or another specification provided by Canada, for the purposes of demonstrating equivalency. If the Item of Supply specification is provided by Canada to the bidder, it will be made available to all bidders at the same time. During the evaluation period, the bidder must provide to Canada an analysis within seven business days of the request to do so, showing a comparison of the specification of its proposed equivalent part with the Item of Supply specification. The analysis must demonstrate that the proposed equivalent part is equivalent in fit, form, function, quality and performance to the required Item of Supply, that it meets any mandatory performance criteria identified in the solicitation, and that the proposed equivalent is fully compatible, interoperable and interchangeable with existing equipment identified in the bid solicitation. If the analysis submitted by the bidder does not demonstrate to the satisfaction of Canada such requirements, the bid will either be declared non-responsive, or will be subject to further evaluation if sampling is requested by Canada.

Amd. No. - N° de la modif.

File No. - N $^{\circ}$ du dossier W8482-230399/A

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

(e) It is the responsibility of the Bidder to include all information required to evaluate the proposed equivalent product as described above; however, all bidders acknowledge that Canada will have the right, but not the obligation, to request any additional information during the evaluation that it requires to make a determination regarding the product proposed.

- (f) The bidder must provide the number of samples of its proposed equivalent part requested by Canada, transportation charges prepaid, and without charge to Canada, within three business days from the date of a request by the Contracting Authority:
 - (a) if no specifications for the Item of Supply acceptable to Canada are available for the assessment above, or
 - (b) if, in addition to the evaluation of the analysis submitted under paragraph 1, Canada wishes to perform testing on the proposed equivalent part to make its determination regarding whether the part is equivalent in form, fit, function, quality and performance. Canada also reserves the right to conduct testing regarding other aspects of equivalency, such as durability and interoperability, as compared to the Item of Supply. All tests will be documented by Canada. A sample submitted by a Bidder will remain the property of Canada and will not be considered as part of the deliverables in any resulting contract. If the testing does not demonstrate equivalency with respect to the aspects tested by Canada, the bid will be declared non-responsive.
- (g) If:
- (i) at least one bid is received proposing an equivalent part,
- (ii) no acceptable specifications of the requested Item of supply are provided by the bidder proposing the equivalent,
- (iii) no acceptable specifications of the requested Item of Supply are available to Canada, and
- (iv) Canada is unable to test a sample for any reason (including that the Item of Supply being procured is new to use, or its interoperable parts are not available for use in testing),

then,

- (i) if there are two (2) or more responsive bids in respect of the Item of Supply (not an equivalent), the evaluation process will be limited to those responsive bids.
- (ii) if there are fewer than two (2) responsive bids, Canada will cancel the bid solicitation and then determine next steps, including whether specifications can reasonably be developed for the Item of Supply required by Canada.

4.1.2 Financial Evaluation

SACC Manual Clause A0220T (2014-06-26) Evaluation of Price – Bid

SACC Manual Clause A0222T (2014-06-26) Evaluation of Price - Canadian / Foreign Bidders

4.2 Basis of Selection

SACC Manual Clause A0272T (2010-08-16) Basis of Selection - Multiple Items

Amd. No. - $\ensuremath{\text{N}}^\circ$ de la modif.

File No. - N° du dossier W8482-230399/A

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price on an item by item basis will be recommended for award of a contract.

PART 5 - CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the <u>Forms for the Integrity Regime</u> website (http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html), to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real procurement agreement of the <u>Ineligibility and Suspension Policy</u> (http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the Employment and Social Development Canada (ESDC) - Labour's website (https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#).

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the

Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid "list at the time of contract award.

5.2.3 Additional Certifications Precedent to Contract Award

5.2.3.1 Integrity Provisions - List of Names

Bidders who are incorporated, including those bidding as a joint venture, must provide a complete list of names of all individuals who are currently directors of the Bidder.

Bidders bidding as sole proprietorship, as well as those bidding as a joint venture, must provide the name of the owner(s).

Bidders bidding as societies, firms or partnerships do not need to provide lists of names.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

6.1.1 There is no security requirement applicable to the Contract.

6.2 Statement of Requirement

The Contractor must provide the items detailed at Annex "A".

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the Standard
Acquisition Clauses and Conditions Manual (https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

2010A (2022-01-28) General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

"Canada", "Crown", "Her Majesty" or "the Government" means Her Majesty the Queen in right of Canada as represented by the Minister of National Defence and any other person duly authorized to act on behalf of that minister or, if applicable, an appropriate minister to whom the Minister of National Defence has delegated his or her powers, duties or functions and any other person duly authorized to act on behalf of that minister.

6.3.2 Period of the Contract

The period of the contract is from date of contract award to the end of the warranty period as described in section 09 of 2010A (2022-01-28) General Conditions- Goods (Medium Complexity).

Amd. No. - N° de la modif.

File No. - N $^{\circ}$ du dossier W8482-230399/A

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

6.3.3	Delivery	Date
-------	----------	------

All the deliverables must be received on or before ______.

DND reserves the right to negotiate the delivery date to before or after March 31st, 2023.

6.3.4 Delivery Points

Delivery of the requirement will be made to delivery points specified at Annex "A" of the Contract.

6.4 Authorities

6.4.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Darrell Hill

Title: Material Acquisition and Support Officer

Department of National Defence

Maritime Equipment Program Management

Directorate: D Mar P 5-4-2-7

Address: 101 Colonel By Drive, Ottawa, Ontario, K1A 0K2

Email: Darrell.Hill@forces.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.4.2 Technical Authority

The Technical Authority for the Contract is:

Name:

Title: Technical Authority
Department of National Defence
Maritime Equipment Program Management
Address: 101 Colonel By Drive

Ottawa, Ontario, K1A 0K2

The Technical Authority named above is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Technical Authority, however the Technical Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.4.3	Contr	actor's	Repi	resen	tative
-------	-------	---------	------	-------	--------

NIO	me:	

Amd. No. - N° de la modif.

File No. - N $^{\circ}$ du dossier W8482-230399/A

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

Title: _____
Organization: _____
Address: ____
Telephone: ___-__Facsimile: ___-___.
E-mail: _____.

6.5 Quality Assurance

A1009C (2008-05-12) Work Site Access

Authorized representatives of Canada must have access to any site where any part of the Work is being carried out at any time during working hours to make examinations and such tests of the Work as they may think fit.

For items 14 and 15:

<u>D5545C</u> (2019-05-30) ISO 9001:2015 - Quality Management Systems - Requirements (Quality Assurance Code C)

For items 1 - 13:

<u>D5540C</u> (2021-05-20) ISO 9001:2015 Quality Management Systems - Requirements (Quality Assurance Code Q)

OR

D5510C (2017-08-17) Quality Assurance Authority (DND) - Canadian-based Contractor

D5515C (2010-01-11) Quality Assurance Authority (DND) - Foreign-based and United States Contractor

D5604C (2008-12-12) Release Documents (DND) - Foreign-based Contractor

OR

D5605C (2021-05-20) Release Documents (Department of National Defence) - United States-based Contractor

OR

D5620C (2012-07-16) Release Documents - Distribution

The Contractor must prepare the release documents in a current electronic format and distribute them as follows:

D5606C (2017-11-28) Release Documents (DND) - Canadian-based Contractor

- a. One (1) copy mailed to consignee marked: "Attention: Receipts Officer";
- b. Two (2) copies with shipment (in a waterproof envelope) to the consignee;
- c. One (1) copy to the Contracting Authority;
- d. One (1) copy to:

National Defence Headquarters Mgen George R. Pearkes Building 101 Colonel By Drive

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

Ottawa, ON K1A OK2 Attention: D Mar P 5-4-2-7

- e. One (1) copy to the Quality Assurance Representative;
- f. One (1) copy to the Contractor; and
- g. For all non-Canadian contractors, one (1) copy to:

DQA/Contract Administration National Defence Headquarters Mgen George R. Pearkes Building 101 Colonel By Drive Ottawa, ON K1A OK2

E-mail: ContractAdmin.DQA@forces.gc.ca

Copy to : Darrell.Hill@forces.gc.ca

Manufacturer Certificate of Conformity: The contractor is advised that in order to have his deliveries accepted and properly receipted the manufacturer Certificate of Conformity must accompany the shipment and be signed by a duly authorized person as designated by the equipment manufacturer. In addition to the signature his or her name must be written in block letters next to or below the signature.

6.5.1 Quality Assurance Requirements - Submarine Safety

For lines 5 and 6:

D5509C (2021-05-20) Quality Assurance Requirements - Submarine Safety

The Work described in the Contract involves submarine systems or equipment classified as First Level or otherwise critical to submarine safety, as defined in *Canadian Forces Technical Order (CFTO) C-23-VIC-000/AM-001*, *Quality Assurance for Safety in Submarines VICTORIA Class*. Manufacture, repair, overhaul, installation, inspection and tests for each such item identified in the requirement must be documented in accordance with the requirements of the above mentioned CFTO.

For each such item, the Contractor must provide a Certificate of Conformity [form DND 2513 or locally produced equivalent approved by the Quality Assurance Authority (QAA)] in accordance with this CFTO. For subcontracted work, the Contractor must obtain that Certificate of Conformity from the subcontractor. Obtaining the said certificate from a subcontractor does not relieve the Contractor from its obligation to ensure compliance with the technical requirements of the Contract, nor must it be construed as authorizing any liability on the part of Canada to the subcontractor.

For each such item, the Certificate of Conformity, along with certified true copies of any deviation, waiver and all required records identified in the Statement of Quality Requirements (form DND 2328 or equivalent) attached to the Statement of Requirement, Statement of Work or Technical Specifications in Annex "C" to the Contract or otherwise attached to or forming part of the Contract, must be completed and made available for review by the designated QAA before release of such item and associated documents to the Department of National Defence. Unless otherwise directed by the QAA, those documents must be attached to, or enclosed with, the shipment they are associated to, in a waterproof envelope.

6.6 Shelf Life

B1204C (2011-05-16) Shelf Life

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

The Contractor must ensure that items **5 and 6** will contain **75** percent of the authorized shelf life as listed in ISO

DND approved shelf life for line items 5 and 6 is currently listed as 120 months.

6.7 Packaging

If items 1 – 4 and 7 - 13 ARE coming from the United Kingdom:

2230 at date of delivery to the Department of National Defence.

D3012C (2014-06-26) Preparation for Delivery - Canadian Forces Preservation, Packaging and Packing

Preservation, packaging and packing must be manufacturer's Trade Export Packaging or such packaging of a higher grade as recommended by the British Ministry.

If items 1 – 4 and 7 - 13 are NOT coming the United Kingdom:

D3018C (2014-09-25) Packaging Requirement using Specification D-LM-008-036/SF-000

The Contractor must prepare item numbers **1 – 4 and 7 -13** for delivery in accordance with the latest issue of the Canadian Forces Packaging Specification *D-LM-008-036/SF-000*, DND Minimum Requirements for Manufacturer's Standard Pack.

The Contractor must package item numbers 1 – 4 and 7 - 13 individually.

AND

For items 5 and 6:

D3013C (2007-11-30) Preparation for Delivery - Canadian-based Contractor

- 1. Preservation and packaging for items **5 and 6** must be in accordance with the Canadian Forces packaging specification *D-LM-008-001/SF-001*, and must be marked to *D-LM-008-002/SF-001*. Form Level B **Pkg Data Form Reqd** must be in accordance with *D-LM-008-011/SF-001*.
- 2. Packaging data forms previously approved by Canadian authorities are acceptable.
- 3. Approved coded packaging data is shown immediately below the description of the item to which it applies. Where no data is shown, the Contractor must submit a packaging data form for approval.

AND

For items 14 and 15:

D3016C (2014-09-25) Preparation for Delivery - Canadian Forces Packaging Specifications

The Contractor must prepare items 14 and 15 for delivery in accordance with the latest issue of the Canadian Forces packaging specifications D-LM-008-026/SF-001, Preformed Packing, Gaskets or Seals (rubber natural/synthetic, cork, asbestos or leather).

For all line items:

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

SACC Manual D2025C (2017-08-17) Wood Packaging Materials

SACC Manual D6010C (2007-11-30) Palletization

6.7.1 Additional Markings

D2016C (2010-01-11) Additional Package Markings – Different

1. The Contractor must ensure that in addition to the required interior and exterior package markings, the following information is provided:

For line items 1-4 and 7-15:

- a) Manufacturer's name;
- b) drawing number/part number.

For line items 5 and 6:

- a) Manufacturer's name;
- b) drawing number/part number;
- c) Batch or lot number;
- d) Cure date of rubber components;
- e) Date of manufacture;
- f) Expiration date of shelf life.
- These markings must be applied and positioned in accordance with Canadian Forces Packaging Specification D-LM-008-002/SF-001.

6.8 Payment

6.8.1 Basis of Payment

SACC Manual Clause C0207C (2013-04-25) Basis of Payment - Firm Price or Firm Unit Price(s)

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a **firm price**, as specified in the **Annex "A"**. Customs duties are excluded and Goods and Services Tax or Harmonized Sales Tax is extra, if applicable.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

SACC Manual clause H1001C (2008-05-12) Multiple Payments

6.8.2 Limitation of Price

SACC Manual clause C6000C (2017-08-17) Limitation of Price

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

6.8.3 SACC Manual Clauses

C2000C (2007-11-30) Taxes – Foreign-based Contractor

C2605C (2008-05-12) Canadian Customs Duties and Sales Tax - Foreign-based Contractor

C2608C (2020-07-01) Canadian Customs Documentation

C2610C (2007-11-30) Customs Duties - Department of National Defence - Importer (+\$250,000.00)

G1005C (2016-01-28) Insurance - No Specific Requirement

6.8.4 Electronic Payment of Invoices - Contract

The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

- a. Direct Deposit (Domestic and International);
- b. Electronic Data Interchange (EDI);
- c. Wire Transfer (International Only).

6.9 Invoicing Instructions

SACC Manual clause H5001C (2008-12-12) Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

Invoices must be submitted on the supplier's own invoice form and must be prepared to show:

- a) The date;
- b) Name and address of the consignee(s);
- c) Item number, quantity, part number, reference number and description;
- d) Contract numbers.
- 2. Invoices must be distributed as follows:
 - a. The original and one (1) copy must be forwarded to the consignee for certification and payment.

Department of National Defence Maritime Forces Atlantic Accts Payable Bldg. S-90, Room 334 2686 Sextant Lane, Stadacona PO Box 99000 Stn Forces Halifax, NS B3K 5X5 Canada

AND

Department of National Defence Base Logistics Officer CFB Esquimalt

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

STN Forces, P.O. Box 17000 Victoria, BC V9A 7N2 Canada

b. One (1) digital copy must be emailed to the Contracting Authority identified under the section entitled "Authorities" of the Contract.

Email to: Darrell.Hill@forces.gc.ca

6.10 Certifications and Additional Information

6.10.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.11 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in **Ontario**.

6.12 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the DND Contract;
- (b) 2010A (2022-01-28) General conditions: Goods (medium complexity);
- (c) The contractor's bid dated .

6.13 Defence Contract

SACC Manual clause A9006C (2012-07-16) Defence Contract

6.14 SACC Manual Clauses

B7500C (2006-06-16) Excess Goods

D9002C (2007-11-30) Incomplete Assemblies

D2000C (2007-11-30) Marking - see ANNNEX "C" for details

D2001C (2007-11-30) Labelling

Amd. No. - N° de la modif.

File No. - N $^{\circ}$ du dossier W8482-230399/A

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

A9062C (2011-05-16) Canadian Forces Site Regulations

A9068C (2010-01-11) Government Site Regulations

6.15 Shipping Instructions

D0037C (2016-01-28) Shipping Instructions (DND) Canadian-Based Contractor

- 1. Delivery will be FCA Free Carrier at ______ Incoterms 2000. The Contractor must load the goods onto the carrier designated by the Department of National Defence (DND). Onward shipment from the delivery point to the consignee will be Canada's responsibility.
- 2. Before shipping the goods, the Contractor must contact the following DND Inbound Logistics Coordination Center by facsimile or e-mail, to arrange for shipment, and provide the information detailed at paragraph 3.

Inbound Logistics Co-ordination Center (ILCC)

Telephone: 1-877-877-7423 (toll free) Facsimile: 1-877-877-7409 (toll free) E-mail: ILHQOttawa@forces.gc.ca

- 3. The Contractor must provide the following information to the DND Inbound Logistics Coordination Center when arranging for shipment:
 - a. the Contract number;
 - b. consignee address (for multiple addresses, items must be packaged and labelled separately with each consignee address);
 - c. description of each item;
 - d. the number of pieces and type of packaging (i.e., carton, crate, drum, skid);
 - e. actual weight and dimensions of each piece type, including gross weight;
 - f. full details of dangerous material, as required for the applicable mode of transportation, signed certificates for dangerous material as required for shipment by the International Maritime Dangerous Goods Code, the International Air Transport Association regulations or the applicable Canadian Dangerous Goods Shipping Regulations, and a copy of the material safety data sheet.
- 4. Following receipt of this information by Canada, Canada will provide the appropriate shipping instructions, which may include the requirement for specific consignee address labeling, and the marking of each piece with a Transportation Control Number.
- The Contractor must not ship the goods before receiving shipping instructions from the DND Inbound Logistics contact.
- If the Contractor delivers the goods at a place and time which are not in accordance with the given delivery instructions or fail to fulfill reasonable delivery instructions given by Canada, the Contractor must reimburse Canada any additional expenses and costs incurred.

Amd. No. - N° de la modif.

File No. - N $^{\circ}$ du dossier W8482-230399/A

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

7. If Canada is responsible for delays in delivering the goods, ownership and risk will be transferred to Canada upon expiry of either thirty (30) days following the date on which a duly completed shipping application is received by Canada or by its appointed forwarding agent, or thirty (30) days following the delivery date specified in the Contract, whichever is later.

OR

D0035C (2020-07-01)	Shipping	Instructions	(Department of	f National Defence): Foreig	n-Based Contractors

- 1. Delivery will be FCA Free Carrier at ______ Incoterms 2000. The Contractor must load the goods onto the carrier designated by the Department of National Defence (DND). Onward shipment from the delivery point to the consignee will be Canada's responsibility.
- Before shipping the goods, the Contractor must contact the following DND Inbound Logistics
 Coordination Center by facsimile or e-mail, to arrange for shipment, and provide the information detailed
 at paragraph 3.
 - a. Insert the following when the Contractor is located in the United States (U.S.): Inbound Logistics Coordination Center (ILCC):

Telephone: 1-877-447-7701 (toll free) Facsimile: 1-877-877-7409 (toll free) E-mail: ILHQOttawa@forces.gc.ca

OR

b. Insert the following when the Contractor is located in United Kingdom (UK) and Ireland: Inbound Logistics United Kingdom (ILUK):

Telephone: 011-44-1895-613023, or 011-44-1895-613024, or

Facsimile: 011-44-1895-613046

E-mail: CFSUEDetUKMovements@forces.gc.ca

In addition, the Contractor must send to ILUK the completed form "Shipping Advice and Export Certificate" by e-mail to: CFSUEDetUKMovements@forces.gc.ca.

The shipment of any items above the value of 600 GBP (pound sterling) being exported from the United Kingdom and Ireland will be cleared by DND using Her Majesty's Customs & Excise (HMCE) New Export Systems (NES). The Contractor must comply with HMCE requirements by registering with HMCE or by having a freight forwarder complete the entry. A printed copy of the NES entry Export Declaration clearly displaying the Declaration Unique Consignment Reference Number must be provided by the Contractor and attached to the consignment. The Contractor must ensure that this procedure is carried out for all stores whether they be initial purchase or repair and overhaul export items. HMCE will authorize Canadian Forces Support Unit (Europe) to ship the goods only if the procedure has been adhered to completely and properly by the Contractor. **Note:** To ensure you receive a reply on any contracting information such as Incoterms etc, always include the e-mail address: LLHQcontract- ILHQcontract- in carbon copy (cc).

OR

c. Insert the following when the Contractor is located in a country other than Canada, the U.S., the UK and Ireland:

Inbound Logistics Europe Area (ILEA):

Telephone: +49-(0)-2203-908-1807 or 2748 or 5304

Facsimile: +49-(0)-2203-908-2746

Email: ILEA@forces.gc.ca

Note: To ensure you receive a reply on any contracting information such as Incoterms etc, always include the e-mail address: ILHQcontract-ILHQcontrat@forces.gc.ca in carbon copy (cc).

OR

d. Insert the following for U.S. Foreign Military Sales (FMS):

Inbound Logistics Coordination Center (ILCC):

Telephone: 1-877-447-7701 (toll free) Facsimile: 1-877-877-7409 (toll free) Email: ILHQOttawa@forces.gc.ca

Canada is responsible for the carrier selection for shipments of the goods supplied under this FMS contract. Instructions on how to obtain carrier selection from Canada are contained in U.S. Department of Defense 4000.25-8-M, Military Assistance Program Address Directory, and Canadian Special Instructions Indicator (SII). The Contractor must not ship the goods until the SII has been complied with.

- 3. The Contractor must provide the following information to the DND Inbound Logistics contact when arranging for shipment:
 - a) the Contract number;
 - b) consignee address (if multiple addresses, items must be packaged and labeled separately with each consignee address);
 - c) description of each item;
 - d) the number of pieces and type of packaging (e.g. carton, crate, drum, skid);
 - e) actual weight and dimensions of each piece type, including gross weight;
 - f) copy of the commercial invoice (in accordance with clause <u>C2608C</u>, section 4, of the <u>Standard</u> <u>Acquisition Clauses and Conditions Manual</u>) or a copy of the Canada Border Services Agency form <u>CI1 Canada Customs Invoice</u> (PDF 429KB) - (<u>Help on File Formats</u>);
 - g) Schedule B codes (for exports) and the Harmonized Tariff Schedule codes (for imports);
 - h) Canada-United States-Mexico Agreement Certification of Origin (in accordance with clause C2608C, section 2) for the U.S. and Mexico only;
 - full details of dangerous material, as required for the applicable mode of transportation, signed certificates for dangerous material as required for shipment by the International Maritime Dangerous Goods Code, or International Air Transport Association regulations or the applicable <u>Canadian</u> <u>Dangerous Goods Shipping Regulations</u> and a copy of the material safety data sheet.
- 4. Following receipt of this information by Canada, Canada will provide the appropriate shipping instructions, which may include the requirement for specific consignee address labeling, the marking of each piece with a Transportation Control Number and customs documentation.
- 5. The Contractor must not ship goods before receiving shipping instructions from the DND Inbound Logistics contact.

Amd. No. - N° de la modif.

File No. - N° du dossier W8482-230399/A

Buyer ID - Id de l'acheteur 29K
CCC No./N° CCC - FMS No./N° VME

6. If the Contractor delivers the goods at a place and time that are not in accordance with the given delivery instructions or fail to fulfill reasonable delivery instructions given by Canada, the Contractor must reimburse Canada any additional expenses and costs incurred.

7. If Canada is responsible for delays in delivering the goods, ownership and risk will be transferred to Canada upon expiry of either thirty (30) days following the date on which a duly completed shipping application is received by Canada or by its appointed forwarding agent, or thirty (30) days following the delivery date specified in the Contract, whichever is later.

6.16 Exchange rate fluctuation adjustment

C3015C (2017-08-17) Exchange rate fluctuation adjustment

- 1. The foreign currency component (FCC) is defined as the portion of the price or rate that will be directly affected by exchange rate fluctuation. The FCC should include all related taxes, duties and other costs paid by the Bidder and which are to be included in the adjustment amount.
- For each line item where a FCC is identified, Canada assumes the risks and benefits for exchange rate fluctuation, as shown in the Basis of Payment. For such items, the exchange rate fluctuation amount is determined in accordance with the provision of this clause.
- 3. The total price paid by Canada on each invoice will be adjusted at the time of payment. The exchange rate adjustment amount will be calculated in accordance with the following formula: Exchange rate adjustment = FCC x Qty x (i₁ i₀) / i₀ where formula variables correspond to:

FCC

Foreign currency component (per unit)

Qty

quantity of units

İ٨

Initial exchange rate (CAN\$ per unit of foreign currency [for example US\$1]).

The initial exchange rate is set as the Bank of Canada rate on the solicitation closing date. The Bank of Canada publishes its rates each business day by 16:30 Eastern Time.

İ1

Exchange rate for adjustments (ERA) (CAN\$ per unit of foreign currency [for example US\$1]). The Bank of Canada publishes its rates each business day by 16:30 Eastern Time.

- a. The ERA for goods will be the Bank of Canada rate on the date the goods were delivered.
- b. The ERA for services will be the Bank of Canada rate on the last business day of the month for which the services were performed.
- c. The ERA for advance payments will be the Bank of Canada rate on the last business day prior to the payment. The last published business day rate will be used for non-business days.
- 4. The Contractor must indicate the total exchange rate adjustment amounts (whether they are upward, downward or present no change) as a separate item on each invoice or claim for payment submitted

under the Contract. Where an adjustment applies, the Contractor must submit with their invoice form PWGSC-TPSGC 450 . Claim for Exchange Rate Adjustments.

- 5. The exchange rate adjustment will only impact the payment to be made by Canada where the exchange rate fluctuation is greater than 2% (increase or decrease), calculated in accordance with column 8 of form PWGSC-TPSGC 450 (that is [i₁ i₀) / i₀]).
- 6. Canada reserves the right to audit any revision to costs and prices under this clause.

6.17 Serialized Material

For lines 3 and 4- See ANNEX "D" for more details

- (1) The contractor shall record the Materiel Identification Data Set (MIDS) elements for the following Materiel scheduled for delivery under this contract in the format provided in the MIDS document. Lines 3 and 4: NSN 99-7289412
- (2) The contractor shall electronically deliver the MIDS document as part of or prior to submission of the Advanced Shipping Notice to the Procurement Authority listed in the contract.
- (3) The MIDS shall be electronically submitted as an XLS file.

6.18 Equivalent Products - Contract

- (a) The Contractor guarantees that the equipment to be delivered under the Contract is:
 - (i) equivalent in form, fit, function, quality and performance to the equipment requested by Canada that was described in the bid solicitation that resulted in the Contract;
 - (ii) if required by DND in the documentation submitted by the Contractor to obtain this Contract, Technical Airworthiness Cleared through the Technical Airworthiness Certification process, and that the original equipment manufacturer of such equipment has been certified as an Acceptable Manufacturing Organization, all in accordance with the DND C-05-005-001/AG-001 Technical Airworthiness Manual, and the DND C05-005-P12/AM-001 AEPM Division Engineering Process Manual; and
 - (iii) fully compatible, interchangeable and interoperable with the existing equipment owned by Canada identified in the bid solicitation that resulted in this Contract.
- (b) The Contractor also guarantees that any warranties with third parties concerning the existing equipment owned by Canada will not be adversely affected by Canada's use of the equipment delivered under the Contract (for example, by interconnecting the equipment) or by any other services provided by the Contractor under the Contract. If Canada determines in its sole discretion that any such warranty has been adversely affected, at Canada's sole option, the Contractor must:
 - (i) pay to Canada the amount that Canada must pay to the original supplier (or an authorized reseller of that supplier) to re-certify Canada's existing equipment for warranty purposes and any other amounts paid by Canada to a third party in order to restore the equipment to full warranty status:
 - (ii) perform all warranty work on Canada's existing equipment in place of the original supplier; or
 - (iii) pay to Canada the amount that Canada must pay to the original supplier (or an authorized reseller of that supplier) to perform maintenance work on the equipment that otherwise would have been covered by the warranty.

Amd. No. - $\ensuremath{\text{N}^{\circ}}$ de la modif.

 $\begin{array}{l} \text{File No. - N}^{\circ} \text{ du dossier} \\ W8482\text{--}230399/A \end{array}$

Buyer ID - Id de l'acheteur $29 \mathrm{K}$ CCC No./N° CCC - FMS No./N° VME

(c) The Contractor agrees that, during the Contract Period, if Canada determines that any of the equipment is not equivalent in form, fit, function and quality to the existing equipment owned by Canada or is not fully compatible, interchangeable and interoperable with the existing equipment owned by Canada, the Contractor must immediately and entirely at its own expense take all steps necessary to ensure that the equipment satisfies these requirements (for example, by implementing any additional software or firmware), failing which Canada will have the immediate right to terminate the Contract for default. The Contractor agrees that, if Canada terminates the Contract for this reason, the Contractor must pay to Canada the costs of reprocuring the equipment from a third party and the difference, if any, in price paid by Canada to the third party. The Contractor acknowledges that its failure to deliver equivalent equipment that satisfies the above requirements may result in the Contractor (as well as its affiliates and any other entities with whom the Contractor or its principals do not deal at arm's length) being unable to propose equivalent substitutes in response to future DND bid solicitations.

Note to Bidders: This article will only be included in a resulting contract if equivalent products have been proposed.

W8482-230399/A

ANNEX A - LINE ITEMS DETAILS / ANNEXE A - DÉTAILS DES ARTICLES

Item / Article	item Details/ Détails de l'article	Unit of Issue / Unité de distribution	Quantity / Quantité	Destination Address / Adresse de la destination	Invoice Address / Adresse de facturation	Security Requirement / Besoin de Sécurité	Quality Assurance Code / Code de l'Assurance de la Qualité	SOQR Required / EDEDQ Requis	Controlled Goods (CTAT or ITAR) / Marchandises Contrôlées (ATTC ou ITAR)	Trade Agreements / Accords commerciaux	Part Offered / Pièce Offerte	Estimated Delivery Date / Date de livraison estimée	Firm Unit Price (Taxes Extra) / Prix Unitaire Ferme (taxes applicable un sus)
1	NSN / NNO: 4810-99-5418818 Item / Article: VALVE,BALL / ROBINET,A TOURNANT SPHERIQUE PN / N: SU33040 NCAGE / EEPO: K5682 MANUFACTURER / FABRICANT: TRUFLO MARINE LTD PN / N: MV/00361/AZ/043 NCAGE / EEPO: K6451 MANUFACTURER / FABRICANT: BAE SYSTEMS MARINE LID PN / N: MV/00361/AZ/043 NCAGE / EEPO: K6451 NCAGE / EEPO: K6451 MANUFACTURER / FABRICANT: BAE SYSTEMS MARINE LIMITED PN / N: MV00361AZ043 NCAGE / EEPO: K4244 MANUFACTURER / FABRICANT: BAE SYSTEMS GCS INTERNATIONAL LTD Or equivalent / Ou Equivalent	ЕА/СН	3	FORMATION COMMANDER CFB Esquimalt Attr. Receiving Bldg 66 Colwood VICTORIA BC V9C 1B0 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFB Esquimals STM Forces, P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	No/Non	Q	No/Non	No/Non	Yes/Oui	PN/N: NCAGE / EEPO: Manufacturer / Fabricant:		XXXXXXX
2	NSN / NNO: 4810-99-5418818 Item / Article: VALVE, BALL / ROBINET, A TOURNANT SPHERIQUE PN / N: SU33040 NCAGE / LEPD: KS632 MANUFACTURER / FABRICANT: TRUFLO MARINE LTD PN / N: MV/00361/AZ/043 NCAGE / EEPD: K631 MANUFACTURER / FABRICANT: BAE SYSTEMS MARINE LIMITED PN / N: MV00361AZ/043 NCAGE / EEPD: K4244 MANUFACTURER / FABRICANT: BAE SYSTEMS GCS INTERNATIONAL LTD Or equivalent / Ou Equivalent	EA/CH	3	Formation Commander HMC Dockyard Bidg D206 Door 1 thru 13 Halifax, NS B3K SXS Canada	Department of National Defence Maritime Forces Atlantic Accts Payable Bldg. 5-90, Room 334 2586 Sextant Lane, Stadacona PO Box 99000 Stn Forces Halifax, NS B3K SXS Canada	No/Non	Q	No/Non	No/Non	Yes/Oui	PN/N: NCAGE / EEPO: Manufacturer / Fabricant:		XXXXXXX
3	NSN / NNO: 4810-99-7289412 REM / Article: VALVE, BALL / ROBINET, A TOURNANT SPHERIQUE PN / N: MV/00361/AZ/044 NCAGE / EEPO: K6451 MANUFACTURER / FABRICANT: BAE SYSTEMS MARINE LIMITED PN / N: SU.31080 NCAGE / EEPO: K5682 MANUFACTURER / FABRICANT: TRUFLO MARINE LTD PN / N: 1.2103796 NCAGE / EEPO: K5682 MANUFACTURER / FABRICANT: TRUFLO MARINE LTD Or equivalent / Ou Equivalent	EA/CH	18	FORMATION COMMANDER CFB Esquimalt Attr: Receiving Bldg 66 Colwood VICTORIA BC V9C 1B0 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFB Esquimalt STM Forces, P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	No/Non	q	No/Non	No/Non	Yes/Oui	PN/N: NCAGE / EEPO: Manufacturer / Fabricant:		XXXXXXX

							-		7	,		
4	NSN / NNO: 4810-99-7289412 Item / Article: VALVE, BALL / ROBINET, A TOURNANT SPHERIQUE PN / N: MV/00361/AZ/044 NCAGE / EEPO: K6651 MANUPACTURER / FABRICANT: BAE SYSTEMS MARINE LIMITOR PN / N: SU.31080 NCAGE / EEPO: K5682 MANUFACTURER / FABRICANT: TRUFLO MARINE LID PN / N: 12'103796 NCAGE / EEPO: K5682 MANUFACTURER / FABRICANT: TRUFLO MARINE LTD Or equivalent / Ou Equivalent	ЕА/СН	1	Formation Commander HMC Dockyard Bldg D206 Door 1 thru 13 Halifax, NS B3K 5X5 Canada	Department of National Defence Maritime Forces Atlantic Accts Payable Bigls, 3-90, Room 334 2686 Sextant Lane, Stadacona PO Box 99000 Stn Forces Halifax, NS B3K SXS Canada	No/Non	q	No/Non	No/Non	Yes/Oui	PN/N: NCAGE / EEPO: Manufacturer / Fabricant:	x00000X
5	NSN / NNO: 4820-99-5286510 Item / Article: SEAT ASSEMBLY,VALVE / SIÈGE ÉQUIPÉ,VANNE PN / N: OCA/SUD115-25 NCAGE / EEPD: K6451 MANUFACTURER / FABRICANT: BAE SYSTEMS MARINE LIMITED Or equivalent / Ou Equivalent	EA/CH	10	FORMATION COMMANDER CFB Esquimalt Attn: Receiving Bldg 66 Colwood VICTORIA BC V9C 1B0 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFB Equimant STN Forces, P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	No/Non	Q	Yes/Oui	No/Non	Yes/Oui	PN/N: NCAGE / EEPO: Manufacturer / Fabricant:	 X0000X
6	NSN / NNO: 4820-99-5286510 Item / Article: SEAT ASSEMBLY,VALVE / SIÈGE ÉQUIPÉ,VANNE PN / N: QCA/SU0115-25 NCAGE / EEPO: K6451 MANUFACTURER / FABRICANT: BAE SYSTEMS MARINE LIMITED Or equivalent / Ou Equivalent	EA/CH	10	Formation Commander HMC Dockyard Bidg D206 Door 1 thru 13 Halifax, NS B3K 5X5 Canada	Department of National Defence Maritime Forces Atlantic Accts Payable Bidg. 5-90, Room 334 2685 Sextant Lane, Stadacona PO Box 99000 Stn Forces Halifas, NS B3K SXS Canada	No/Non	Q	Yes/Oui	No/Non	Yes/Oui	PN/N: NCAGE / EEPO: Manufacturer / Fabricant:	 X00000X
7	NSN / NNO: 4820-99-5601055 Item / Article: VALVE,GLOBE / ROBINET,A SOUPAPE PN / N: MV/00002/AZ/015 NCAGE / FERD: K6451 MANUFACTURER / FABRICANT: BAE SYSTEMS MARINE LIMITED Or equivalent / Ou Equivalent	EA/CH	8	FORMATION COMMANDER CFB Esquimalt Attr: Receiving Bldg 66 Colwood VICTORIA BC V9C 180 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFB Esquimalt STH ForesS, P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	No/Non	Q	No/Non	No/Non	Yes/Oui	PN/N: NCAGE / EEPO: Manufacturer / Fabricant:	X00000X
8	NSN / NNO: 5307-99-9436437 Item / Article: STUD,PLAIN / GOUJON PN / N: BS2693:PART 1 NCAGE / EEPO: K7766 MANUFACTURER / FABRICANT: BSI STANDARDS LIMITED Or equivalent / Ou Equivalent Part Numbers included for reference only. Must be accompanied by a drawing. / Numéros de pièces inclus pour référence seulement. Doit être accompagniée par un dessin.	EA/CH	8	FORMATION COMMANDER CFB Esquimalt Attr. Receiving Bldg 66 Colwood VICTORIA BC V9C 1B0 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFB Esquimalt STN Forces, P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	No/Non	Q	No/Non	No/Non	Yes/Oui	PN/N: NCAGE / EEPO: Manufacturer / Fabricant:	XXXXXXXX

							_		_			
9	NSM / NNO: 5307-99-9436437 Item / Article: STUD,PLAIN / GOUJON PN /N: BS2693:PART 1 NCAGE / EEPO: K7766 MANUFACTURER / FABRICANT: BSI STANDARDS LIMITED Or equivalent / Ou Equivalent Part Numbers included for reference only. Must be accompanied by a drawing. / Numéros de pièces inclus pour référence seulement. Doit être accompagniée par un dessin.	ЕА/СН	8	Formation Commander HMC Dockyard Bldg D206 Door 1 thru 13 Halfax, NS B3K 5XS Canada	Department of National Defence Maritime Forces Atlantic Acts Payable Bidg. 5-90, Room 334 2686 Sextant Lane, Stadacona PO Box 99000 Stn Forces Halifax, NS B3K SYS Canada	No/Non	Q	No/Non	No/Non	Yes/Oui	PN/N: NCAGE / EEPO: Manufacturer / Fabricant:	XXXXXXXX
10	NSN / NNO: 6685-99-5230029 Item / Article: GAGE,VACUUM, INDICATING / VACUOMETRE, ALECTURE DIRECTE PN / N: TOIBLAD3E NCAGE / JEEPO: KS983 MANUFACTURER / FABRICANT: THE BRITISH ROTOTHERM COMPANY LTD PN / N: FGS1410 NCAGE / JEEPO: KCQ24 MANUFACTURER / FABRICANT: TVS SUPPLY CHAIN SOLUTIONS LIMITED Or equivalent / Ou Equivalent	EA/CH	3	FORMATION COMMANDER CFB Esquimalt Attr: Receiving Bldg 66 Colwood VICTORIA BC V9C 180 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFB Esquimait STN Forces, P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	No/Non	q	No/Non	No/Non	Yes/Oui	PN/N: NCAGE / EEPO: Manufacturer / Fabricant:	X00000X
11	NSN / NNO: 6685-99-5230029 Item / Article: GAGE,VACUUM, INDICATING / VACUOMETRE, A LECTURE DIRECTE PN / N: T01BL4D3E NCAGE / EEPO: K8983 MANUFACTURER / FABRICANT: THE BRITISH ROTOTHERM COMPANY LTD PN / N: FGS1410 NCAGE / EEPO: KCQ24 MANUFACTURER / FABRICANT: TVS SUPPLY CHAIN SOLUTIONS LIMITED Or equivalent / Ou Equivalent	EA/CH	3	Formation Commander HMC Dockyard Bldg D206 Door 1 thru 13 Halifax, NS B3K SXS Canada	Department of National Defence Maritime Forces Atlantic Accts Payable Bldg. 5-90, Room 33 2586 Sextant Lane, Stadacona PO Box 99000 Stn Forces Halifax, NS B3K SXS Canada	No/Non	Q	No/Non	No/Non	Yes/Oui	PN/N: NCAGE / EEPO: Manufacturer / Fabricant:	XXXXXXX
12	NSN / NNO: 9505-99-5584516 Item / Article: WIRE,NONELECTRICAL / FIL,METALLIQUE PN / N: B3075NA18 NCAGE / EEPO: K7766 MANUFACTURER / FABRICANT: BSI STANDARDS LIMITED Or equivalent / Ou Equivalent Part Numbers included for reference only. Must be accompanied by a drawing. / Numéros de pièces inclus pour référence seulement. Doit être accompagniée par un dessin.	EA/CH	6	FORMATION COMMANDER CFB Esquimalt Attn: Receiving Bidg 66 Colwood VICTORIA BC V9C 180 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFB Esquimalt STN Forces, P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	No/Non	Q	No/Non	No/Non	NoNon	PN/N: NCAGE / EEPO: Manufacturer / Fabricant:	хохоох
13	NSM / NNO: 9505-99-5S84516 Item / Article: WIRE,NONELECTRICAL / FIL,METALLIQUE PN / N: B3075NA18 NCAGE / EEPO: K7766 MANUFACTURER / FABRICANT: BSI STANDARDS LIMITED Or equivalent / Ou Equivalent Part Numbers included for reference only. Must be accompanied by a drawing. / Numéros de pièces inclus pour référence seulement. Doit être accompagniée par un dessin.	EA/CH	4	Formation Commander HMC Dockyard Bldg D266 Door 1 thru 13 Halifax, NS B3K 5X5 Canada	Department of National Defence Maritime Forces Atlantic Accts Payable Bidg. 5-90, Room 334 2686 Sextant Lane, Stadacona PO Box 99000 Stn Forces Halifax, NS B3K SXS Canada	No/Non	Q	No/Non	No/Non	NoNon	PN/N: NCAGE / EEPO: Manufacturer / Fabricant:	ΧΟΧΧΟΧΟΧ

14	NSN / NNO: 5330-99-5600076 Item / Article: GASKET / JOINT PN / N: IT20560-21 NCAGE / EEPO: U8616 MANUFACTUREN / FABRICANT: JAMES WALKER & CO LTD PN / N: 20560-21 NCAGE / EEPO: U8616 MANUFACTUREN / FABRICANT: JAMES WALKER & CO LTD Or equivalent / Ou Equivalent All proposed reference numbers must be asbestos free. / Tous les numéros de référence doivent être exempts d'amiante.	EA/CH	30	FORMATION COMMANDER CFB Esquimalt Attr. Receiving Bldg 66 Colwood VICTORIA BC V9C 180 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFB Esquimalt STN Forces, P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	No/Non	с	No/Non	No/Non	Yes/Oui	PN/N: NCAGE / EEPO: Manufacturer / Fabricant:	XXXXXXXXX
15	NSN / NNO: 5330-99-5600076 Item / Article: GASKET / JOINT PN / N: JT20560-21 NCAGE / EEPO: U8616 MANUFACTUREN / FABRICANT: JAMES WALKER & CO LTD PN / N: 20560-21 NCAGE / EEPO: U8616 MANUFACTUREN / FABRICANT: JAMES WALKER & CO LTD Or equivalent / Ou Equivalent All proposed reference numbers must be asbestos free. / Tous les numéros de référence doivent être exempts d'amiante.	ЕА/СН	50	Formation Commander HMC Dockyard Bidg D206 Door 1 thru 13 Halifax, NS B3K SXS Canada	Department of National Defence Maritime Forces Atlantic Accts Payable Bidg. 5-90, Room 334 2686 Sextant Lane, Stadacona PO Box 95000 Stn Forces Halifax, NS B3K 5KS Canada	No/Non	c	No/Non	No/Non	Yes/Oui	PN/N: NCAGE / EEPO: Manufacturer / Fabricant:	XXXXXXX

NOTE: To receive the Excel Format of this Annex, please contact me at Darrell.Hill@forces.gc.ca

REMARQUE: Pour recevoir le format Excel de cette annexe, veuillez communiquer avec moi à l'adresse suivante: Darrell.Hill@forces.gc.ca

 $\label{eq:solution} \begin{tabular}{ll} Solicitation No. - N^o de l'invitation \\ W8482-230399/A \\ \hbox{Client Ref. No. - N^o de réf. du client } \\ W8482-230399/A \\ \end{tabular}$

Amd. No. - N° de la modif.

 $\begin{array}{c} \text{File No. - N}^{\circ} \text{ du dossier} \\ W8482\text{-}230399/A \end{array}$

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

ANNEX "B" - ELECTRONIC PAYMENT INSTRUMENTS

The Bidder accepts any of the following Electronic Payment Instrument(s):	
() Direct Deposit (Domestic and International);	
() Electronic Data Interchange (EDI);	
() Wire Transfer (International Only).	

Statement of Quality Requirements (SOQR)

Guidance Notes on the use of this form	his form		NATO) Stock	NATO Stock Number	Seri	Serial Number	34				ontact, (Order, or	Contact, Order, or Tracking No.	No.		Line	Line Item As Per Order	Per Orc	ter	
a) Supplier/sub-contractor may require	Supplier/sub-contractor may require inspections or tests in addition to those shown (A,B,C or D – see key below).	,B,C or D – see key below).	995	995286510	10							ζ(A/	W848	QCA/ W8482-230399	399		0 /	, 005		/	
 b) Each item shall be positively identified with its quality records. c) Contracting Authority will provide requirement for third party. d) SOQR shall be raised by the organization nominated by the D 	 Each item shall be positively identified with its quality records. Contracting Authority will provide requirement for third party release inspection of SOQR inspections and tests. SOQR shall be raised by the organization nominated by the Design Authority (DA) responsible for the quality assurance 	QR inspections and tests. oonsible for the quality assurance	Desc SEA .	Description SEAT ASSI	Description SEAT ASSEMBLY						=	nitial Dat	:е (DD-ММ-ҮҮҮ 26/05/2022	Initial Date (DD-MM-YYYY) 26/05/2022		Previou 60005	Previous Enquiry/ RFQ 6000573479	y/ RFQ			
requirements, e.g., DA LCMM, Design Agent, Main Contractor. e) The SOQR originator may amend the 5 year retention period to 17 the QCA number is structured as QCA/ contract order number 17 the QCA number is to be marked on the component or assen	requirements, e.g., DA LCMM, Design Agent, Main Contractor. The SOQR originator may amend the 5 year retention period to meet their requirements. The QCA number is structured as QCA/ contract order number, or tracking number / line item on order/ number of item. The QCA number is to be marked on the component or assembly IAW C-23-MC-000/AM-001 part 3, para 27, 28, 29, and 30.	nts. ne item on order/ number of item. AM-001 part 3, para 27, 28, 29, and 30.		PM(SI	LCMM DMEPM(SM) 4-4-7		Cont	Contractor				ontractor	Contractor Address								
g) The standards quoted on this SOQR are current to the SOQR initial date. (h) Objective Quality Evidence to be supplied in English) All process listed on process form 4560-E/F to be supplied to Canada bef	The standards quoted on this SOQR are current to the SOQR initial date. Objective Quality Evidence to be supplied in English All process listed on process form 4560-E/F to be supplied to Canada before commencing work	ng work		LCMM Phone Number (819) 939-3104	Number 104		Conti	Contractor Phone Number	ne Number												
								Ď	nemen	Documentation Requirements / Type of Test	Redu	ireme	nts /	Type o	f Test						
Notes					Material and Components	and Cc	mpone	suts		Š	Welding and Brazing	and Br	azing		Tests		Asse	Assembly / Order Item	/ Orde	ır Iten	_
1. Cure date of any rubber item shall be indicated on the Certificate of Conf. 2. Test pressure for item 38 shall be indicated in the box below (if required) 3. Surface flaw examination to be IAW BS IN ISO 9934 (DEF STAN 02-729) BS EN ISO 3452 (DEF STAN 02-729 Part 4), or DEF STAN 08-171 as per m 4. As provided as an attachment 5. Ultrasonic Examination of Bar Material is to be an approved procedure we DEF STAN 08-171 or DEF STAN 02-729 Part 5 6. A heat treatment certificate is required if raw material is heat treated fror if null then at minimum a comment on the Certificate of Conformity, is e. - Fasteners IAW D STN 02-862 Part 3 clause 6.6.4, a mill certification m - NAB items IAW material specifications or if not required by the specifications of material and passivated IAW DEF STAN 02-862 Part 3 8. Wall thickness values are to be recorded on a wall thickness recording shall be supplied that states the heat treatment condition: 3. Zinc plated and passivated IAW DEF STAN 02-872 Part 3 9. Wall thickness values are to be recorded on a wall thickness recording shall a gard based sketch IAW DEF STAN 02-872 Part 2, clause 3.4b	1. Cure date of any rubber item shall be indicated on the Certificate of Conformity 2. Test pressure for item 38 shall be indicated in the box below (if required) 3. Surface Haw examination to be IAW BS EN ISO 9934 (DEF STAN 02-729 Part 2), DEF STAN 02-729 Part 3, BS EN ISO 3452 (DEF STAN 02-729 Part 4), or DEF STAN 08-171 as per material specifications 4. As provided as an attachment 5. Ultrasonic Examination of Bar Material is to be an approved procedure written to the general requirements of DEF STAN 08-171 or DEF STAN 02-729 Part 5 6. A heat treatment certificate is required if raw material is heat treated from supply condition or post manufacturing/plating, if null then at mainmum a comment on the Certificate of Conformity is equired - Fasteners IAW D STN 02-862 Part 3 clause 6.6.4; a mill certification must be supplied - NAB items IAW material specifications or if not required by the specifications then as a minimum a heat treatment - certificate shall be supplied that states the heat treatment condition such as "hot worked" - NAB items IAW material specifications or if not required by the specifications then as a minimum a heat treatment - certificate shall be supplied that states the heat treatment condition such as "hot worked" - NAB items IAW DEF STAN 02-862 Part 3 - Surface and passivated IAW DEF STAN 02-862 Part 3 - Surface and passivated IAW DEF STAN 02-862 Part 3 - Surface and passivated IAW DEF STAN 02-872 Part 2, clause 3.4b	AN 02-729 Part 3, ations seneral requirements of tion or post manufacturing/plating, as a minimum a heat treatment oxed" vay that they are cross referenced to	Chemica Item Identification	Heat Treatment Mechanica	Radiographic Ultrasonic Surface Treatment Material Control	Validation / Re-validation Class of Casting	Pressure Surface Finish, Visual and Dimensional Surface Flaw (Mag Part., Dye Pen.)	Continuity and condition identification Certificate of Conformity Loac	Hydraulic and Insulation Insulation Resistance	Welding - Procedure Welding - General / Records High Voltage Ionisation	Brazing - Records Weld Repair Records NAB (If applic.) Welding - Acceptance Class	Surface Flaw (Mag Part., Dye Pen.) Visua	Loac Radiographic Ultrasonic	High and Low Temp Cycling Hydraulic and Insulation Cable Certificate	Open Cable Destruction	Customer's QASOR (or SOQR) Process Form Shock Test	Performance / Functional Pressure Customer's QASOR (or SOQR)	Dimensiona Cleanliness	Preservation and Packing Calibration	Concessions / Deviations / Waivers Miscellaneous Certificates Certificate of Conformity	Class of Documentation Release Inspection
Drawing no. / Part no.	Description	Material	Ref. 1 2	3 4	2 6 7 8	01 01 1	11 12 13	14 15 16	. 81 /1 91	19 20 21	22 23 24	1 25 26	27 28 29	30 31	32 33 34	35 36 3.	37 38 39	40 41	42 43 4	44 45 46	6 47 48
SU0115/25	SEAT ASSEMBLY	SUB ASSEMBLY	U ∢													۵	U	U		U	OCA
SU0115-25-1	SEAT HOUSING	DSTAN 02-833 PT2 CL1/GR1	B C C	CC	С		CA							E					\vdash		QCA
SU0115-25-3	SEAT	FLUORINOID 232	2 2	Ы			∢	U										Е		Ħ	ŏ

Key to Documentation Requirements/Type of Tests	Tests	3 4 5 6 7 8 9 10 11 12 13	24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45
A. Certification to be retained by the manufacturer for a period of 5 years and copies to be distribute contract requirements. B. Certification to be retained by the manufacturer for a period of 5 years. C. Certification to be copied to the Records Authority for retention in the Quality Assurance Live File. D. Documentation to be copied to the Records Authority for retention as required. X. (written over A, B, C, or D) Re-used item. Original Certificates JAW C-23-VIC-000/AM-001	Certification to be retained by the manufacturer for a period of 5 years and copies to be distributed in accordance with contract requirements. 3. Certification to be repaired by the manufacturer for a period of 5 years. 3. Certification to be expected to the Records Authority for retention in the Quality Assurance Live File. 3. Documentation to be copied to the Records Authority for retention in the Quality Assurance Live File. 4. (written over A, B, C, or D) Re-used item. Original Certificates IAW C-23-WC-000/AM-001	Supplier's Certificate 35 1726 PT 1 / Drawing Drawing / If NAB: Note Note 3 DSTAN 02-872 PT 2 / DSTAN 02-745 / DSTAN DSTAN 02-729 PT 1 DSTAN 02-729 PT 5 Note 7 or Drawing Material Specification, Material Specification Material Specification Material Specification Material Specification Material Specification Material Specification Material Specification Material Specification Material Specification Material Specification Material Specification Material Specification	See Miscellaneous Cer See Miscellaneous Cer See Miscellaneous Cer DND 2513 or Equivaler DSTAN 02-341 PT 1 Gr Drawing DSTAN 02-797 PT 1/02 Note 4 DSTAN 08-171 Test#20 DSTAN 08-171 Test#14 DSTAN 08-171 Test#18 DSTAN 08-171 Test#18 DSTAN 02-719 PT 1 DSTAN 02-729 PT 1 DSTAN 02-729 PT 5 Note 3 DSTAN 02-706 DSTAN 02-738 DSTAN 02-738 DSTAN 02-739 DSTAN 02-766 DSTAN 02-766 DSTAN 02-776 DSTAN 08-171 Test#2 DSTAN 08-171 Test#2 DSTAN 08-171 Test#2 DSTAN 08-171 Test#2
Miscellaneous Notes:	Miscellaneous Certificates:	PT 3 N 02-863	2-375 (14299#15) 0 (14299#10) (14299#10) (14299#8) (14299#6)
	(none)	te 1)	D
Sheet Issue: Rev Date (DD-MM-YYYY Init.	NOTICE This documentation has been reviewed by the technical		
A 20/03/2022	authority and does not contain controlled goods.	Test Pressure (Item 38 If required)	This form meets the requirements of C-23-VIC-000/AM-001 Revision Dated 01-11-2013
Comments: Initial Issue	Disclosure notices and handling instructions originally received with the document shall continue to apply.	DDSTP	The French form is provided for information purposes only and DND does not guarantee the accuracy of the translated terminology. Some notes and descriptions are in English only because of the origins of the equipment (United Kingdom and United States).


Énoncé des Exigences de Qualité (EDEDQ)

Notes d'Orientation sur l'Utilisation de ce Formulaire	Numéro de Nomendature OTAN Numéro de Série	Numéro de Série	Contrat, Commande ou Numéro d	Contrat, Commande ou Numéro de Suivi Poste de Dépense selon la Commande
a) Le fournisseur/sous-traitant peut exiger des inspections ou des essais en plus de ceux indiqués (A. B. C. ou D voir la clé ci-dessous).	995286510		QCA/ W8482-230399	/ 005 /
 Lhaque point devia etre normenement jumere a ses enregistrements de qualitie. D'Autorité Contractante fournira l'obligation d'inspecter les inspections et les essais de l'EDEDQ par une tierce partie. 	Description		Date Initiale (JJ-MM-AAAA)	Demande d'information Précédente-DDQ
 d) L'EDEDQ sera initié par l'organisation responsable pour les evigences de qualité, Celle-là sera nommée par l'Autorité de Conception(AC) soit lui-même (gérer par le GCVM), ou l'Agent de Conception, ou même l'Entrepreneur Principal. 	SEAT ASSEMBLY		26/05/2022	6000573479
 e) De rédacteur de l'EDEDQ peut modifier la période de conservation de 5 années pour mieux répondre à ses besoins. f) Le code QCA est composé de trois partis, après 'QCAI', séparés par 'V': i) contrait, commande ou numéro de suivi, ii) poste de dépense selon i), et iii) quantité. Ce code doit être marqué sur le composant ou l'assemblage conformément au C-23-VIC-000/AM-001, partie 3, para, 27, 28, 29 et 30. 	GCVM DMEPM(SM) 4-4-7	Entrepreneur	Adresse de l'Entrepreneur	
 g) Les normes citées sur cette EDEDQ sont à jour à la date initiale. h) Les Preuves Documentaires de Qualité doit être soumises en anglais. i) Tous les documents de processus soumis sur le formulaire de processus 4560-E/F doivent être soumis au Canada avant le début des travaux. 	Numéro du Téléphone GCVM (819) 939-3104	Numéro du Téléphone de l'Entrepreneur	1	
Nices		Evidon ob popular	Eviagorate de Decumentation / Tune d'Errai	

Assemblage / Article command	Concessions / Déviations/Exepmtions	46				L
틾	Certificats Divers	45				L
S	Certificat de Conformite	44	O			L
≝.	Conservation Et Emballage	43				L
爿	Étalonnage	42				L
)	Contrôle Dimensionnel	41				L
age	Propreté	40)			L
a	Rendement - Fonctionnalité	68				
ser	Pression	38	С			
Ä	EDEDQ Original du Client	37				Γ
1	Formulaire de Processus	36	D			Γ
	Résistance aux Chocs	35				T
1	Résistance au Feu	34				t
=	Destruction de Câble Rompu	33				t
ESSa	Cycle à Haute et Basse Temperature	32				t
1	Hydraulique et Isolant	31				t
1	Certificat de Câble	30		\vdash	\vdash	t
7	Charge	6		\vdash	\vdash	H
1	Radiographique	28 2		\vdash	\vdash	H
ge		2 2		\vdash	\vdash	H
asa.	Vérification par U l trasons Détection de Défauts en Surface (Part. Mag.,Ressuage)	56 2				H
Br		25 2			-	H
et.	Inspection Visuelle			\vdash	\vdash	H
soudage et Brasage	Brasage - Dossiers	3 24		H	\vdash	H
ğ	Soudage - Dossiers de Reparation NAB (si nécessaire)	2 23		\vdash	\vdash	H
ž	Soudage - Catégorie d'Admission	1 22		\vdash	\vdash	H
ł	Soudage - Procédure	0 2.		\vdash	\vdash	H
4	Soudage - Généralités et Dossiers	9 20		\vdash	\vdash	H
ł	Ionisation à Haute Tension	8 19		\vdash	\vdash	H
ļ	Hydraulique et Isolant	2 18		\vdash	\vdash	H
ļ	Isolation Électrique	17		\vdash	\vdash	H
ļ	Continuité et Identifcation de l'État Électrique	91 9		H	H	L
ļ	Certificat de Conformité	115		\vdash	C	Ľ
ş	Charge	3 14		H	L	Ļ
sar	Pression	13		_	_	L
ğ	Finition de Surface, Visuelle et Dimensionnelle	12		⋖	⋖	Ŀ
ĕ	Détection deDéfauts en Surface (Part. Mag.,Ressuage)	ш		C	_	L
וא	Validation / Re-Validation	10		<u> </u>	<u> </u>	L
ē	Classe de Moulage	6		_	_	L
Materiel et Composants	Radiographique	8		\vdash	_	L
ĭ.	Vérification par U l trasons	7		C	_	L
4	Traitement de Surface	9		_	_	H
1	Contrôle des Matériaux	. 2			\vdash	┞
4	Traitement Thermique	4		J	_	L
4	Mécanique	3)		H
4	Chimique	2	U	CC	C	H
	Identification de l'Article		_	\vdash	\vdash	F.
		Ref	⋖	В	U	1
	<u>ي</u>					t
	pression d'essai de l'artide 38 doit être indiquée dans la case d'dessous (si nécessaire) tie 3, BS EN ISO 3452 (DEF STAN 02-729 partie 2), perment des déstants de surface doit se conforme à BS EN ISO 9934 (DEF STAN 02-729 partie 2), DEF STAN 02-729 trie a, BS EN ISO 3452 (DEF STAN 02-710 partie 4), ou DEF STAN 08-171 selon les spécifications du matériau une infection par utrasons du matériau de la barre doit être une procédure approuvée et conformément aux exigences réflecate de DEF STAN 08-171 or de DEF STAN 08-171 or de DEF STAN 08-170 partie de la chaleur comme livré ou après la mication/placage. Sans certificat, il faut au moins mettre un commentaire sur le Certificat de Conformité du certificat dessai en usins mettre un commentaire sur le Certificat de Conformité du certificat dessai en usins ex conformer à DEF STAN 02-862, partie s, article .6.6.4 et doivent au moins de fination doivent se conformer à DEF STAN 02-862, partie à sans des doivent ex conformer à DEF STAN 02-862, partie à sans de passive doivent et conformer à DEF STAN 02-862, partie à pouvoir être croisées avec une quisse basée sur une grille tout en se conformer à DEF STAN 02-862, partie à pouvoir être croisées avec une quisse basée sur une grille tout en se conformer à DEF STAN 02-862, partie à pouvoir être croisées avec une quisse basée sur une grille tout en se conformer à DEF STAN 02-872 partie 2, article 3.4b			CL1/GR1		
	gence gence comp tau m te à ch		>-	L)	232	
	exige exige accoractions aille		MBL	T2.	D 2	1
	TAN térii é é itre itrav. Trav.		SSE	33 F	Š	1
mité	EFS maa mute intermite intermite is cross ecross cross cross ecross ecross ecross ecross ecross ecross ecross ecro		SUB ASSEMB	2-8	FLUORINOID	
John	indision of the second of the		S	DSTAN 02-833 PT2	3	
Č	on con con con con con con con con con c	ЭÜ		STA		ĺ
9	oarti ficat onfc onfc 6.4 (5.7 pa 5 pa 5 pa 5 pa 5 pa 5 pa 5 ba 6 b	√atériau				ĺ
ifical i	péci ppéci chal chal chal chal chal chal chal chal	Ĭ		L	L	L
Į,	ess si ess ess					ĺ
<u>a</u>	nnék AN on I vrou tée. 3, a si nc is nc la c					ĺ
, SILI	s (si) sell sell sell sell sell sell sell sel					ĺ
ήÓρ	sou (DEF 1771) ure est part part part part part part					ĺ
plo	des 341 108 108 céd céd céd atér atér atér atér atér 862 862		IBLY	8		ĺ
T.	TAN TAN TAN OUT: 0.02-0.02-0.02-0.02-0.02-0.02-0.02-0.02		SEAT ASSEMBLY	SEAT HOUSING	_	1
ή	Casson and Casson and		AS	Ιĭ	SEAT	1
6	s la street la s		EAT	SEA.		ĺ
j	dan dan dan dan dan dan dan dan dan dan	ċ	S			ĺ
th	ner ner life 4 e dc 02-02-02-03 ik ins i ppéc e la la sult is	烏				ĺ
200	dique v s	crip				ĺ
d U	ee in. 729 729 729 11a k F ST t rec 1.au 1.onfa	Description				ĺ
ints	:êtr :8e- :02-7 :02-7 :DEl :put :se c			\vdash	\vdash	H
2000	La pression d'essai de l'article 38 doit être indiquée dans la case ci-dessous (si nécessaire) L'examen des défauts de surface doit es conformer à BS EN ISO 9934 (DEF STAN 02-729 partie 2), DEF STAN 02-020 partie 3, BS EN ISO 945 (DEF STAN 02-729 partie 2), DEF STAN 02-0710 selon les spécifications du matériau de une procédure approuvée et conformément aux exigénciales de DEF STAN 02-722 partie 5, DEF STAN 02-722 partie 6, DEF STAN 02-022 partie 6, DEF STAN 02-022 partie 6, DEF STAN 02-022 partie 3, article 6.6.4 et doivent étre acconformer à DEF STAN 02-862, partie 3, article 6.6.4 et doivent étre acconformer à DEF STAN 02-862, partie 3, article 6.6.4 et doivent être acconformer à DEF STAN 02-862, partie 3, article 6.6.4 et doivent être acconformer à DEF STAN 02-862, partie 3, article 6.6.4 et doivent être acconformer à DEF STAN 02-862, partie 3, article 6.6.4 et doivent être acconformer à DEF STAN 02-862, partie 6 de partie doivent se conformer à DEF STAN 02-862, partie 6. Atticle 3.4b catter croisées. Les epaisseurs de partic divent être enconformer à DEF STAN 02-872 partie 2, article 3.4b					ĺ
uc.	ression d'essai de l'article 38 de men des défauts de surface de e. 9, BS EN ISO 3452 (DEF TSA et l'article plantes de l'article plantes de l'article plantes de l'article plantes de l'article plantes de l'article plantes de l'article de traitement à la châl cation/placage. Sans certificat de noments de fixation doiven d'un certificat de cation/placage. Sans certificat es deliments de fixation doiven se con pagnés d'un certifice NAB doivent se con pagnés d'un certific de paroi doivent se con pagnés de pasoive doivent fétri plaisseurs de paroi doivent fétri plaisseurs de paroi doivent fétri plaisseurs de paroi doivent fétri plaisseurs de paroi doivent fétri plaisseurs de paroi doivent fétri plaisse basée sur une grille tout e	(I)				1
Š	tick (DE du du du du du du du du du du du du du	No de Dessin /No d'Article				ĺ
o uc	452 de l'alian de l'al	Άr	25	5-1	5-3	1
Sati	ini de autris O 3. O 3. STZ STZ STZ STZ STZ STZ STZ STZ STZ STZ	0 0	115/2	15-2	5-2	1
Jan.	deficess defices and defices and defices and defices and defices and defices and defices and defices and defices and defices defices and d	Z	SU0115/25	SU0115-25-1	SU0115-25-3	1
1	SS 日 des SS 日 des SS 日 des SS 日 des SS 日 de des SS 日 de de de de de de de de de de de de de	ssin	"	Š	S	1
9	3, E said said said said said said said said	De				ĺ
ŧ	in the definition of the defi	в				1
-0	, _ 9 # 5 # # c =					•
1 La date de vulcanisation des composants en caoutchour doit être indicuée sur le Certificat de Conformité	2. La pression d'essai de l'article 38 doit être indiquée dans la case ci-dessous (si nécessaire) 3. L'examen des détauts de surface doit se conformer à BS EN ISO 9934 (DEF STAN 02-729 partie 2), DEF STAN 02-729 partie 3, BS EN ISO 3452 (DEF STAN 02-729 partie 4), ou DEF STAN 08-171 selon les spécifications du matériau un partie de la présente 5. Vérification par ultrasons du matériau de la barre doit être une procédure approuvée et conformément aux evigences générales de DEF STAN 08-171 ou de DEF STAN 02-1729, partie 5. 6. Di certificat de traitement à la châleur est requis is la matière première est traitée à la châleur comme livre ou après la fabrication/placage. Sans certificat, il faut au moins mettre un commentaire sur le Certificat de Conformité - Les élements de fination doivent se conformer à DEF STAN 02-862, partie 3, article. 6 6.4 et doivent être accompac, d'un certificat d'essai en usine aconformer à DEF STAN 02-862, partie 3, article. 6 6.4 et doivent et mo être accompagnés d'un certificat qui indique la condition du traitement à la châleur, par exemple, « travaille à cha 7. Articles zingués et passivées doivent se conformer à DEF STAN 02-862, partie 3. R. Res épaisseurs de paroit dévine traitement à DEF STAN 02-862, partie 3. R. Res épaisseurs de paroit dévinent être conformer à DEF STAN 02-872 partie 3, article 3, abouvoir être croisées avec un esquisse basée sur une grille tout en se conformer à DEF STAN 02-872 partie 2, article 3,4b	9				

Categorie de Documents & Contrôle de Validation

Clé pour Exigences de Documentation/Type d'Essai	Essai	2 3 4 5 6 7 8 9 10 11 12 13	17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 37 38 39 40 41 42 43 44 45 45 45 45 45 45
Les certificats doivent être conservés par le fabricant pendant 5 ans, et des copies diffusées selon le contrat. 1. Les certificats doivent être conservés par le fabricant pendant 5 ans. 1. Une copie des certificats sera remise au Responsable des Enregistrements pour qu'il soit conservé dans les Fic l'Assu-ance de la Quille des Équipements Installat Des Capie des documents oblit être remis au Responsable des Dossiers aux fins de conservation, si nécessaire. 1. Dire copie des documents doit être remis au Responsable des Dossiers aux fins de conservation, si nécessaire. 1. Chipprimé sur A, B, C ou D). L'artide a réutilisé les certificats originaux conformément à C-23-WC-000 / AM-001.	. Des certificats doivent être conservés par le fabricant pendant 5 ans, et des copies diffusées selon le contrat. 1. Les certificats doivent être conservés par le fabricant pendant 5 ans. 1. Une copie des certificats sera remise au Responsable des Enregistrements pour qu'il soit conservé dans les Fichiers de l'Assurance de la Qualité des Équipements Installés. 1. Une copie des documents doit être remis au Responsable des Dossiers aux fins de conservation, si nécessaire. 1. Une copie des documents doit être remis au Responsable des Dossiers aux fins de conservation, si nécessaire. 1. Cou D. L'article a réutilisé les certificats originaux conformément à C-23-VIC-000 / AM-001	Certificat du fournisses SS 1726 PT 1 / Dessin Dessin / SI NAB: Voir Iz DESSIN / SI NAB: Voir	Poir certificats erroné Poir certificats erroné Poir certificats erroné Poir certificats erroné Poir certificats erroné Poir certificats erroné Poir certificats erroné Poir certificats erroné Poir Dostan 02-341 PT 1 Qu Poessin Postan 02-797 PT 1/02 Poir la note 4 Postan 08-171 Test#21 Postan 08-171 Test#18 Postan 08-171 Test#18 Postan 08-171 Test#15 Postan 02-729 PT 1 Postan 02-729 PT 5 Poir la note 3 Postan 02-729 PT 5 Poir la note 3 Postan 02-739 PT 5 Poir la note 3 Postan 02-739 PT 5 Postan 02-730 POSTAN 02-738 PT 5 Postan 02-730 POSTAN 02-766 POSTAN 02-706 POSTAN 08-171 Test#19 POSTAN 08-171 Test#9 POSTAN 08-171 Test#9 POSTAN 08-171 Test#6
Notes Divers:	Certificats Divers:	a note 8 PT 3 N 02-863 n e / Voir la n	(14299#10) (14299#1) (14299#14) (14299#14) (14299#11) (14299#10) (14299#8) (14299#8)
	(none)	/a l ent (Note 1	
		1)	D
Feuille Série Date Rév. (JJ-MM-AAAA) Initiales	AVIS Cette documentation à été revisée par l'Autorité		
_	ś	Pression d'épreuve (article 38, si nécessaire)	Ce formulaire satisfait aux exigences de C-23-VIC-000/AM-001 Révision en date du 2013-11-01
Commentaires: Initial Issue	Les avis de divulgation et les instructions de manutention reçues originalement doivent continuer de s'appliquer.	DDSTP	Le formulaire en français est fourni à titre d'information seulement et le MDN ne garantit pas l'exactitude de la terminologie traduite. Certaines notes et descriptions sont uniquement en anglais en raison des origines de l'équipement (le Royaume-Uni et les États-Unis



1st Level Submarine Certificate of Conformity and Index of Documentation Certificat de conformité de sous-marin de 1^{er} niveau et index des documents

Unique identif	icatio	n number - Nui	méro d'iden	tification unio	que				contract number			
QCA									lu contrat de TI ine item:	PSGC :		
Description							Ligne	d'ar	ticle de TPSG	0:		
							NATO Numér	sto o d	ck number: le nomenclatur	e OTAN :		
									order number: le commande :			
Comments - 0	Comn	nentaires										
Raised by: Demandé par	:											
Assembly de	tails	- Détails d'ass	emblage									
Quantity - Qu	antité		Serial no.	- N° de série					Deviations / V	Vaivers - Dév	viations / Exem	ptions
Component of	letail	s - Details des	composa	ntes								
SOQR sheet no.	ļ.,	Serial no. /	Deviations	/ Waivers	 M	laterial ID / N	laterial spe	ec/	Batch lot no.	X-Ray no.	Cure date	Validation date
N° de feuille EEQ	Let	N° de série / [Déviations /	Exemptions	ID	du matériel /	Spéc du m	naté	ériel / N° de lot	N° de rayons X	Date de vulcanisation	Date de validation
Certification	state	ment - Énonce	é de certific	cation								
										nts of the pu	rchase order or	contract.
Nous certifion	s par		que les prod		ocur	ments décrits	sur le pré	sen	nt formu <mark>l</mark> aire so		s aux exigences	
Date	ou a	Name (printed				Title - Titre			et seroi	Signature	s à des fins de	vermeation.
Date		Traine (printer	a) 140111 (IC	co modice	١,	nuo nuo				Signature		

DND 2513 (11-2008)

Design: Forms Management 613-993-4050 Conception: Gestion des formulaires 613-993-4062



Comments/Instructions

Unique identification number: A number unique to the assembly or part referenced on the SOQR requisition number. This number shall be preceded by the letter QCA and must include the line number of the item on the SOQR. This unique identification number shall be etched on the materiel IAW C-23-VIC-000/AM-00.

QCA: Quality Control Assured. Acronym used to precede unique number for all 1st level parts

Description: Proper item name IAW CGCS

PWGSC contract number: Contract Number

PWGSC line item: Line number of item from the PWGSC contract

NATO stock number: Self explanatory

Purchase order number: Self explanatory

Comments: Any and all comments/concerns regarding item being

provided under this certificate

Raised by: Who raised the comments and under what authority

Quantity: Quantity of items manufactured under this specific number.

See "Batch Identification" in C-23-VIC-000/AM-001

Serial no.: Any serial number associated with this assembly

Deviations / Waivers: Any and all deviations or waivers associated with

the manufacture of this item

SOQR sheet no.: Multiple SOQR sheets may sometimes be necessary

Let: Letter of line associated with SOQR sheet

Serial no. / Deviations / Waivers: Component specific serial numbers

or deviations/waivers

Material ID: Numbers associated to the raw manufactured materiel

or stock

Material Spec: Specification number used in the manufacture of this

materiel

Batch lot no.: Number assigned to specific batches of materiel

X-Ray no.: Component specific x-ray numbers to include with x-rays

taken for NAB castings or similar

Cure date: The date that rubber components were cured

Validation date: Completion date of all NAB casting certifications

Certification statement: To be certified and stamped by approved

QA/QC cell

Commentaires /Instructions

Numéro d'identification unique : Un numéro unique pour l'assemblage ou la pièce ou cité en référence sur l'EEQ. Ce numéro doit être gravé sur l'équipement/matériel conformément à C-23-VIC-000/AM-001 cité en référence sur l'EEQ.

CQA : Contrôle de la qualité assure. Acronyme employé qui précède un nombre unique pour toutes les pièces de 1er niveau

Description : Appellation de l'article conformément au SCGC

Numéro du contrat de TPSGC: Numéro du contrat

Ligne d'article de TPSGC : Numéro de l'article provenant du contrat

Numéro de nomenclature OTAN : Explicite

Numéro de commande : Explicite

Commentaires : Tout commentaire concernant l'article fourni conformément

au présent certificat.

Demandé par : Qui a soulevé les commentaires et sous quelle autorité.

Quantité : Quantité d'articles fabriqués sous ce numéro spécifique.

Voir "Identification du lot " dans le C-23-VIC-000/AM-001

N° de série : Tout numéro de série associé avec cet assemblage

Déviations / Exemptions : Toute déviation ou exemption associée à la

fabrication de cet article

N° de feuille EEQ: Plusieurs feuilles EEQ sont parfois nécessaires

Let : Lettre de ligne associée avec la feuille EEQ

 N° de série / Déviations / Exemptions : Numéros de séries spécifiques des composantes ou des déviations / exemptions

ID du matériel : Numéros associés aux matières premières manufacturées ou

aux stocks

Spéc. du matériel : Numéros des spécifications utilisées dans la fabrication de ce

matériel

N° de lot : Numéros assignés à des lots spécifiques de matériel

N° de rayons X : Composantes de numéros de rayons X spécifiques et incluant

les rayons X provenant des coulages NAB ou similaires

Date de vulcanisation : Date à laquelle les composants en caoutchouc ont été

vulcanisés

Date de validation : Date d'achèvement de toutes les certifications des coulages

Énoncé de certification : Le fait d'être certifié et estampillé par une cellule

AQ/CQ approuvée

efense tionale

Processing Procedures RecordCompleted form to be returned with Quote or Strip & Survey report, any first level processes which are used with the referenced order are to be listed

		tion document	Method										
Order number:	Telephone number:	Parent specification document	Specification										
			Issue / Rev. of publication										
		Submitted process document	Process owner										
			Identification										
Company:	Contact name:	DMEPM(SM)	Date reviewed by DND (yyyy-mm-dd)										

DND 4560-E (08-2019) Design: Forms management: 613-901-6396 / 613-901-6397

Process Form - Issue 1.2

Défense	nationale
3	

Entreprise:

National Defence

Enregistrement des Procédures de Traitement
Formulaire rempli à renvoyer avec le rapport de devis ou de démontage et d'évaluation, tous les processus de premier niveau utilisés avec la commande référencée doivent être listés

Numéro de commande :

	écification parent	Méthode										
léphone :	Document de spécification parent	Spécification										
Numéro de téléphone :		Numéro de révision de la publication										
	Document de traitement soumis	Propriétaire du processus										
		Identification										
Nom du contact :	DGestPEM(SM)	Date de revue par MND (aaaa-mm-jj)										

DND 4560-F (08-2019) Conception : Gestion des formulaires : 613-901-6397 / 613-901-6396

Formulaire de traitement - Publication 1.2

Canadä

Statement of Quality Requirements (SOQR)

Guidance Notes on the use of this form	this form		NAT	O Stoc	NATO Stock Number	er	Seri	Serial Number	ber					Contac	t, Orde	Contact, Order, or Tracking No.	acking	No.		_	Line Item As Per Order	m As F	er Ord	ь	
a) Supplier/sub-contractor may requi	Supplier/sub-contractor may require inspections or tests in addition to those shown (A,B,C or D – see key below).	A,B,C or D – see key below).	66	995286510	310									QCA	/ W8	QCA/ W8482-230399	2303	66			, 006			/	
 b) Each item shall be positively identified with its quality records. c) Contracting Authority will provide requirement for third party. 	 b) Each item shall be positively identified with its quality records. c) Contracting Authority will provide requirement for third party release inspection of SOQR inspections and tests. 	QR inspections and tests.	Desc	Description		,								Initia I	Date (D	Initial Date (DD-MM-YYYY)	YYYY)		Previ	Previous Enquiry/ RFQ	quiry/	RFQ			
d) SOQR shall be raised by the organi	SOQR shall be raised by the organization nominated by the Design Authority (DA) responsible for the quality assurance	sponsible for the quality assurance	SE/	I AS:	SEAT ASSEMBLY	٠,									707	26/05/2022	777		900	60005/34/9	4/9				
requirements, e.g., DA LCMM, Design Agent, Main Contractor, e) The SOQR originator may amend the 5 year retention period te f) The QCA number is structured as QCA/ contract order number if The QCA number is to be marked on the component or assen	requirements, e.g., DA LCMM, Design Agent, Main Contractor. The SOQR originator may amend the 5 year retention period to meet their requirements. The QCA number is structured as QCA/ contract norder number, or tracking number / line item on order/ number of item. The QCA number is to be marked on the component or assembly IAW C-23-WC-000/MAH-001 part 3, para 27, 28, 29, and 30.	nts. ine item on order/ number of item. 'AM-001 part 3, para 27, 28, 29, and 30		EPM(s	LCMM DMEPM(SM) 4-4-7	1-7		0	Contractor					Contra	Contractor Address	dress									
g) The standards quoted on this SOQR are current to the Objective Quality Evidence to be supplied in English i) All process listed on process form 4560-E/F to be sup	g) The standards quoted on this SOQR are current to the SOQR initial date. h) Objective Quality Evidence to be supplied in English i) All process listed on process form 4560-E/F to be supplied to Canada before commencing work	ing work	<u> </u>	.CMM Phone Num (819) 939-3104	.CMM Phone Number (819) 939–3104	Je.		S	ntractor F	Contractor Phone Number	ımber														
									۵	Documentation Requirements / Type of Test	nent	ation	ו Red	uiren	nents	۰/ Tyl	pe of	f Test	بر						
Notes					Ma	eria	Material and Components	oduc	nents			Š	elding	Welding and Brazing	Brazin	ρί	🖺	Tests		۹	Assembly / Order Item	bly /	Orde	r Iter	_
1. Cure date of any rubber item shall be indicated on the Certifica 2. Test pressure for item 38 shall be indicated in the box below (i. S. Arridace Flaw warnimation to be IAWW BS FN ISO 9934 (DEF STA BS EN ISO 9452 (DEF STAN 02-729 Part 4), or DEF STAN 08-174 4. As provided as an attachment 5. Ultrasonic Examination of Bar Material is to be an approved proper STAN 08-177 or DEF STAN 02-729 Part 5 6. A heat treatment certificate is required if raw material is heat to find Ithen at minimum a comment on the Certificate of Conficeration and the Conficeration of Material STAN 08-174 or DEF STAN 02-189 Part 5 6. A heat treatment certificate is required if raw material is heat the found of the states the Heaft treatment certificate shall be supplied that states the heat treatment 7. Zinc plated and passivated IAW DEF STAN 02-862 Part 3 8. Wall thickness values are to be recorded on a wall thickness reagind based sketch IAW DEF STAN 02-872 Part 2, clause 3.4b. a grid based sketch IAW DEF STAN 02-872 Part 3, clause 3.4b.	1. Cure date of any rubber item shall be indicated on the Certificate of Conformity 2. Test pressure for item 38 shall be indicated in the box below (if required) 3. Surface Hake examination to be IAW BS EN ISO 9934 (DEF STAN 02-729 Part 3, BS EN ISO 3452 (DEF STAN 02-729 Part 4), or DEF STAN 08-171 as per material specifications 4. As provided as an attachment 5. Ultrasonic Examination of Bar Material is to be an approved procedure written to the general requirements of DEF STAN 08-171 or DEF STAN 08-172 Part 5 6. A heat treatment certificate is required if raw material is heat treated from supply condition or post manufacturing/plating, if null then at minimum a comment on the Certificate of Conformity is required 5. Fasteners IAW D STN 02-862 Part 3 clause 6.6.4; a mill certification must be supplied 6. Alse items IAW mererial specifications or if not required by the specifications then as a minimum a heat treatment certificate shall be supplied that states the heat treatment condition such as "hot worked" 7. Zinc plated and passivated IAW DEF STAN 02-862. Part 3 8. Wall thickness values are to be recorded on a wall thickness recording sheet in such a way that they are cross referenced to a grid based sketch IAW DEF STAN 02-872 Part 2, clause 3.4b	AN 02-729 Part 3, rations returned requirements of teneral requirements of fittion or post manufacturing/plating, ed as a minimum a heat treatment rorked" way that they are cross referenced to	Chemical Item Identification	Heat Treatment Mechanical	Surface Treatment Material Control	Radiographic U l trasonic	Validation / Re-validation Class of Casting	Pressure Surface Finish, Visual and Dimensional Surface Flaw (Mag Part., Dye Pen.)	Certificate of Conformity Load	Insulation Resistance Continuity and condition identification	High Voltage Ionisation Hydraulic and Insulation	Welding - Procedure Welding - General / Records	Weld Repair Records NAB (If applic.) Welding - Acceptance Class	Visual Brazing - Records	Ultrasonic Surface Flaw (Mag Part., Dye Pen.)	Cable Certificate Load Radiographic	High and Low Temp Cycling Hydraulic and Insulation	Fire Open Cable Destruction	Process Form Shock Test	Pressure Customer's QASOR (or SOQR)	Cleanliness Performance / Functional	Calibration Dimensional	Certificate of Conformity Preservation and Packing	Miscellaneous Certificates	Release Inspection Concessions / Deviations / Waivers
Drawing no. / Part no.	Description	Material	Ref. 1	2 3 4	2	7	9 10 1	11 12 11	13 14 15	5 16 17	18 19	20 21	22 23	24 25	26 27 2	28 29 30	31 32	33 34	1 35 36	37 38	39 40	41 45	43 44	45	46 47
SU0115/25	SEAT ASSEMBLY	SUB ASSEMBLY	∨ ∢																Δ	U	U			U	
SU0115-25-1	SEAT HOUSING	DSTAN 02-833 PT2 CL1/GR1	O	0 0 0		С	É	C																	
SU0115-25-3	SEAT	FLUORINOID 232	2 2					∢	O																
SU0115-25-4	SEAL	VITON 'B'	D C	H				∢	C		E		E				F								


Key to Documentation Requirements/Type of Tests	A. Certification to be retained by the manufacturer for a period of 5 years and copies to be distributed in accordance with contract requirements. B. Certification to be retained by the manufacturer for a period of 5 years. C. Certification to be exposed by the manufacturer for a period of 5 years. C. Decurification to be exposed to the Records Authority for retention in the Quality Assurance Live File. D. Documentation to be copied to the Records Authority for retention as required. X. (written over A, B, C, or D) Re-used item. Original Certificates IAW C-23-WC-000/AM-001	Miscellaneous Notes: Miscellaneous Certificates: (none)	Rev Date (DD-MM-YYYY Init.	2 / 2 A 26/05/2022 GCI authority and does n	Comments: Initial Issue
	distributed in accordance with Live File.	(cates;	NOTICE Notice by the technical	authority and does not contain controlled goods.	Uisclosure notices and handling instructions originally received with the document shall continue to apply.
2 M W 4 M	Material Specification / Material Specification Material Specification ecord on DND 2513 c			Test Pressure (Item 38. If required)	
0 0: 0 0: 0 0:	STAN 02-872 PT 2 / F STAN 02-745 / DSTA STAN 02-729 PT 1 STAN 02-729 PT 5 lote 7 or Drawing			If required)	DDSTP
12 Di 13 Di 14 Bi 15 Sr	upplier's Certificate S 1726 PT 1 / Drawing rawing rawing / If NAB: Note lote 3				
17 18 19 20 21 DE DE DE	STAN 02-773 STAN 02-706 STAN 02-706 STAN 08-171 Test#12 STAN 08-171 Test#6 (STAN 08-171 Test#6 (STAN 08-171 Test#3 (14299#8) 14299#6)		This form	The French form is provid
23 24 25 26 27	STAN 02-729 PT 5 lote 3 STAN 02-706 STAN 02-743 PT 5 STAN 02-863 Iss 2			This form meets the requirements of C-23-VIC-000/AM-001 Revision Dated 01-11-2013	The French form is provided for information purposes only and DND does not guarantee the accuracy of the translated terminology
29 30 31 32	STAN 08-171 Test#14 STAN 08-171 Test#15 ertificate of Conformi STAN 02-729 PT 1	(14299#12) (14299#11)		ents of C-23-VIC	oses only and DND
34 35 C	lote 4 STAN 08-171 Test#21 STAN 08-171 Test#20 STAN 08-171 Test#18	(14299#14)		C-000/AM-001	does not guarantee
Я D	STAN 02-341 PT 1 Gr. rawing STAN 02-797 PT 1/02	-375	D	Revision Date	the accuracy of
	ee Miscellaneous Cer ND 2513 or Equiva l er			d 01-11-2013	the translated t
	ee Miscellaneous Cer ee Miscellaneous Cer			-	erminolog

Énoncé des Exigences de Qualité (EDEDQ)

Notes d'Orientation sur l'Utilisation de ce Formulaire	ion de ce Formulaire		Nume	iro de	Numéro de Nomenclature OTAN	ature O		Numér	Numéro de Série	śrie			Ō	ntrat, Co	Contrat, Commande ou Numéro de Suivi Poste de Dépense selon la Commande	de ou	Numéro	o de Sui	ivi Pos	ite de [Jépens	e selor	la Co	mman
a) Le fournisseur/sous-traitant peut exiger de). Le fournisseur/sous-traitant peut exiger des inspections ou des essais en plus de ceux indiqués (A, B, C, ou D voir la clé ci-dessous)	B, C, ou D voir la clé ci-dessous).	995	995286510	01								ŏ	CA/ \	QCA/ W8482-230399	2-23	0399		/	900			/	
 Unaque point devia et de formetement/unnele a ses erregistrements de qualite. D'Autorité Contractante fournira l'obligation d'inspecter les inspections et les ess et l'EDEDO sera initié par l'organisation responsable pour les exigences de qualité soit fui-même (gérer par le GCVM), ou l'Agent de Conreption, ou même l'Entre! 	D. Unaque point dava acte formelement jurine a ses emegistraments de qualite. O Butuorité Contradrante fournira l'obligation d'inspecter les inspections et les essais de l'EDEDQ par une tierce partie. D' L'EDEDQ ser ainité par l'organisation responsable pour les evigences de qualite, Celle-là sera nommée par l'Autorité de Conception (AC) soit lui-même (gérer par le GCVM), ou l'Agent de Conception, ou même l'Entrepreneur Principal.	une tierce partie. nmée par l'Autorité de Conception(AC)	Descr SEA1	Description SEAT ASSI	Description SEAT ASSEMBLY								Dat	te Initia	Date Initiale (JJ-MM-AAAA) 26/05/2022	M-AA/	(V)	90 Pe	Demande d'information Précédente- DDQ 6000573479	d'infor 3479	matior	ו Précé	dente-	DDG
e) De rédacteur de l'EDEDQ peut modifier la p f) Le code QCA est composé de trois partis, selon i), et iii) quantité. Ce code doit être r para. 27, 28, 29, et 30	De rédacteur de l'EDEDQ peut modifier la période de conservation de 5 années pour mieux répondre à ses besoins. cocé oCA est composé de trois partis, après 'OCA', separés par V'. i) contrat, commande ou ruméro de suivi, ii) poste de dépense selon i), et iii) quantité. Ce code doit être marqué sur le composant ou l'assemblage conformément au C-23-WC-000/AM-001, partie s, para. 27, 28, 29, et 30.	fre à ses besoins. numéro de suivi, ii) poste de dépense nt au C-23-VIC-000/AM-001, partie 3,	GCVM DMEI	PM(SI	GCVM DMEPM(SM) 4-4-7			Entrep	Entrepreneur				Adr	ep esse.	Adresse de l'Entrepreneur	reneur								
g). Les normes citées sur cette EDEDO sont à jour à la date initiale. Ih). Les Preuves Documentaires de Qualité doit être soumises en anglais. I). Tous les documents de processus soumis sur le formulaire de proces.	Les normes citées sur rette EDEDO sont à jour à la date initiale. Les Preuves Documentaires de Qualité doit être soumiese en anglais Tous les documents de processus soumis sur le formulaire de processus 4560-E/F doivent être soumis au Canada avant le début des travaux	ımis au Canada avant le début des travaux.	Numé (819)	Numéro du Téléph (819) 939-3104	Numéro du Téléphone GCVM (819) 939-3104	GCVM		Numéi	ro du Télk	éphone d	Numéro du Téléphone de l'Entrepreneur	reneur	1											
Notes:									Ex	igenc	Exigences de Documentation / Type d'Essa	Doc	ume	ntatic	L/ uc	ype	d'Ess	ai						
so the second se	a parte de un cominacione des commences de servicios de la parte de la parte de servicios de servicios.	4 do 0 do 14			Ma	Matériel et		Composants				Sou	dage e	Soudage et Brasage	de		Essai		As	Assemblage	_	Article commandé	ommo	andé
Le pression d'essai de l'article 38 doit étre indiquée dans la case de de désair de sufface doit et en indiquée dans la case 3. L'examen des défauts de surface doit se conformer à BS EN LSO 3 de 18 EN LSO 3 de 18 EN LSO 3 partie à 18 EN LSO 3 de 18 EN LSO 4 EN LSO 3 de 18 EN LSO 3 de 18 EN LSO 3 de 18 EN LSO 3 de 18 EN	Le vaecur d'essai de l'article 88 doit étre indiquée dans la case c'dessouis (si nécessaire) L'examen des défauts de surface doit se conformer à BS EN ISO 9934 (DEF STAN 02-729 partie 2). DEF STAN 02-729 partie 2) partie 3, DEF STAN 02-729 partie 2). DEF STAN 02-729 partie 2). DEF STAN 02-729 partie 3, DEF STAN 02-729 partie 3, DEF STAN 02-729 partie 3, DEF STAN 02-729 partie 3, DEF STAN 02-729 partie 3, DEF STAN 02-729, Partie 3, DEF STAN 02-729, Partie 3, DEF STAN 02-729, Partie 3, DEF STAN 02-729, Partie 3, DEF STAN 02-729, Partie 3, DEF STAN 02-729, Partie 3, DEF STAN 02-729, Partie 3, DEF STAN 02-729, Partie 3, DEF STAN 02-729, Partie 3, DEF STAN 02-729, Partie 5, DEF STAN 02-729, Partie 6, DEF STAN 02-729, Partie 6, DEF STAN 02-729, Partie 7, DEF STAN 02-729,	real of committee (19) 9 partie 2), DEF STAN 02-729 scriftcations du matériau t conformément aux exigences haleur comme livré ou après la firat de Conformité 6.6.4 et doivent être accompagnées fuits par celles-là doivent au moins ir, par exemple, « travaille à chaud » à pouvoir être croisées avec une 3.4b	Chimique Identification de l'Artide	Traitement Thermique Mécanique	Vérification par Ultrasons Traitement de Surface Contrôle des Matériaux	Classe de Moulage Radiographique	Détection deDéfauts en Surface (Part. Mag.,Ressuage) Validation / Re-Validation	Pression Finition de Surface, Visuelle et Dimensionnelle	Continuité et Identifcation de l'État Électrique Certificat de Conformité Charge	Hydraulique et Isolant Isolation Électrique Continuité et Identification de l'État Électrique	Soudage - Généralités et Dossiers Ionisation à Haute Tension	Soudage - Catégorie d'Admission Soudage - Procédure	Brasage - Dossiers Soudage - Dossiers de Reparation NAB (si nécessaire)	Détection de Défauts en Surface (Part. Mag.,Ressuage) Inspection Visuelle	Charge Radiographique Vérification par Ultrasons	Hydraulique et Isolant Certificat de Câble	Destruction de Câble Rompu Cycle à Haute et Basse Temperature	Résistance aux Chocs Résistance au Feu	EDEDQ Original du Client Formulaire de Processus	Rendement - Fonctionnalité Pression	Contrôle Dimensionnel Propreté	Conservation Et Emballage Étalonnage	Certificats Divers Certificat de Conformite	Categorie de Documents Contrôle de Validation Concessions /Déviations/Exepmtions
No de Dessin /No d'Article	Description	Matériau	Ref. 1 2	3 4	2 6 7		10 11	12 13 1	14 15 16		3 19 20	21 22	23 24 ;	25 26 2		9 30 31	1 32 33	34 35	36 37	38 39	40 41	42 43	44 45	46 47
SU0115/25	SEAT ASSEMBLY	SUB ASSEMBLY	U 4																۵	U	U		U	
SU0115-25-1	SEAT HOUSING	DSTAN 02-833 PT2 CL1/GR1	B C C	CC	C		O	A																
SU0115-25-3	SEAT	FLUORINOID 232	0 0					A	С															

SU0115-25-4

Clé pour Exigences de Documentation/Type d'Essai	Essai	2 3 4 5 6 7 8 9 10 11 12 13 14 8 9 0 0 0 0 0 0 0 0 0 0	
A. Des certificats doivent être conservés par le fabricant pendant 5 ans, et des copies diffusées selon le contrat. B. Les certificats doivent être conservés par le fabricant pendant 5 ans. C. Une copie des certificats sera remise au Responsable des Enregistrements pour qu'il soit conservé dans les Fici l'Assurance de la Oughté des Équipements Installés. D. One copie des documents doit étre remis au Responsable des Dossiers aux fins de conservation, si nécessaire. D. One copie des documents doit étre remis au Responsable des Dossiers aux fins de conservation, si nécessaire. X. (imprimé sur A. B. C ou D). L'article a réutilisé les certificats originaux conformément à C-23-WC-000 / AM-001	4. Bes certificats doivent être conservés par le fabricant pendant 5 ans, et des copies diffusées selon le contrat. 9. Les certificats doivent être conservés par le fabricant pendant 5 ans. C. Une copie des certificats sera ermise au Responsable des Enregistrements pour qu'il soit conservé dans les Fichiers de l'Assurance de la Qualité des Équipements Installand des Dossiers aux fins de conservation, si nécessaire. D. One copie des documents doit être remis au Responsable des Dossiers aux fins de conservation, si nécessaire. X. (imprimé sur A, B, C ou D), L'artide a réutilisé les certificats originaux conformément à C-23-VIC-000 / AM-001	ertificat du fournisseu. S 1726 PT 1 / Dessin tessin tessin / Si NAB: Voir la toir la note 3 STAN 02-872 PT 2 / F STAN 02-745 / DSTA STAN 02-729 PT 1 STAN 02-729 PT 5 toir la note 7 or Dessir pécification matérielle pécif	oir certificats erroné oir certificats erroné oir certificats erroné inD 2513 ou Équivalei STAN 02-341 PT 1 Qu Jessin STAN 02-797 PT 1/02 Oir la note 4 STAN 08-171 Test#12 STAN 08-171 Test#18 STAN 02-729 PT 5 Oir la note 3 STAN 02-729 PT 5 STAN 02-73 STAN 02-743 PT 5 STAN 02-743 PT 5 STAN 02-743 PT 5 STAN 02-76 STAN 02-76 STAN 02-776 STAN 02-706 STAN 02-706 STAN 08-171 Test#12 STAN 08-171 Test#12 STAN 08-171 Test#12 STAN 08-171 Test#12 STAN 08-171 Test#18 STAN 08-171 Test#18 STAN 08-171 Test#18 STAN 08-171 Test#18
Notes Divers:	Certificats Divers:	PT 3 N 02-863	alité -375 (14299#15) (14299#14) (14299#17) (14299#18) (14299#18) (14299#18) (14299#18) (14299#18)
	(none)	alent (Note 1)	e 4)
Date Rév. (JJ-MM-AAAA)	AVIS Cette documentation à été revisée par l'Autorité		D
2/12/2022 GCI	Technique et ne contient pas de marchandises contr6lées.	Pression d'épreuve (article 38. si nécessaire)	Ce formulaire satisfait aux exigences de C-23-VIC-000/AM-001 Révision en date du 2013-11-01
Commentaires: Initial Issue	Les avis de divulgation et les institucions de frantitement reçues originalement doivent continuer de s'appliquer.	DDSTP	Le formulaire en français est fourni à titre d'information seulement et le MDN ne garantit pas l'exactitude de la terminologie traduite. Certaines notes et descriptions sont uniquement en anglais en raison des origines de l'équipement (le Royaume-Uni et les États-Unis).



1st Level Submarine Certificate of Conformity and Index of Documentation Certificat de conformité de sous-marin de 1^{er} niveau et index des documents

Unique identif	icatio	n number - Nui	méro d'iden	tification unio	que				contract number			
QCA									lu contrat de TI ine item:	PSGC :		
Description							Ligne	d'ar	ticle de TPSG	0:		
							NATO Numér	sto o d	ck number: le nomenclatur	e OTAN :		
									order number: le commande :			
Comments - 0	Comn	nentaires										
Raised by: Demandé par	:											
Assembly de	tails	- Détails d'ass	emblage									
Quantity - Qu	antité		Serial no.	- N° de série					Deviations / V	Vaivers - Dév	viations / Exem	ptions
Component of	letail	s - Details des	composa	ntes								
SOQR sheet no.	ļ.,	Serial no. /	Deviations	/ Waivers	 M	laterial ID / N	laterial spe	ec/	Batch lot no.	X-Ray no.	Cure date	Validation date
N° de feuille EEQ	Let	N° de série / [Déviations /	Exemptions	ID	du matériel /	Spéc du m	naté	ériel / N° de lot	N° de rayons X	Date de vulcanisation	Date de validation
Certification	state	ment - Énonce	é de certific	cation								
										nts of the pu	rchase order or	contract.
Nous certifion	s par		que les prod		ocur	ments décrits	sur le pré	sen	nt formu <mark>l</mark> aire so		s aux exigences	
Date	ou a	Name (printed				Title - Titre			et seroi	Signature	s à des fins de	vermeation.
Date		Traine (printer	a) 140111 (IC	co modice	١,	nuo nuo				Signature		

DND 2513 (11-2008)

Design: Forms Management 613-993-4050 Conception: Gestion des formulaires 613-993-4062



Comments/Instructions

Unique identification number: A number unique to the assembly or part referenced on the SOQR requisition number. This number shall be preceded by the letter QCA and must include the line number of the item on the SOQR. This unique identification number shall be etched on the materiel IAW C-23-VIC-000/AM-00.

QCA: Quality Control Assured. Acronym used to precede unique number for all 1st level parts

Description: Proper item name IAW CGCS

PWGSC contract number: Contract Number

PWGSC line item: Line number of item from the PWGSC contract

NATO stock number: Self explanatory

Purchase order number: Self explanatory

Comments: Any and all comments/concerns regarding item being

provided under this certificate

Raised by: Who raised the comments and under what authority

Quantity: Quantity of items manufactured under this specific number.

See "Batch Identification" in C-23-VIC-000/AM-001

Serial no.: Any serial number associated with this assembly

Deviations / Waivers: Any and all deviations or waivers associated with

the manufacture of this item

SOQR sheet no.: Multiple SOQR sheets may sometimes be necessary

Let: Letter of line associated with SOQR sheet

Serial no. / Deviations / Waivers: Component specific serial numbers

or deviations/waivers

Material ID: Numbers associated to the raw manufactured materiel

or stock

Material Spec: Specification number used in the manufacture of this

materiel

Batch lot no.: Number assigned to specific batches of materiel

X-Ray no.: Component specific x-ray numbers to include with x-rays

taken for NAB castings or similar

Cure date: The date that rubber components were cured

Validation date: Completion date of all NAB casting certifications

Certification statement: To be certified and stamped by approved

QA/QC cell

Commentaires /Instructions

Numéro d'identification unique : Un numéro unique pour l'assemblage ou la pièce ou cité en référence sur l'EEQ. Ce numéro doit être gravé sur l'équipement/matériel conformément à C-23-VIC-000/AM-001 cité en référence sur l'EEQ.

CQA : Contrôle de la qualité assure. Acronyme employé qui précède un nombre unique pour toutes les pièces de 1er niveau

Description : Appellation de l'article conformément au SCGC

Numéro du contrat de TPSGC: Numéro du contrat

Ligne d'article de TPSGC : Numéro de l'article provenant du contrat

Numéro de nomenclature OTAN : Explicite

Numéro de commande : Explicite

Commentaires : Tout commentaire concernant l'article fourni conformément

au présent certificat.

Demandé par : Qui a soulevé les commentaires et sous quelle autorité.

Quantité : Quantité d'articles fabriqués sous ce numéro spécifique.

Voir "Identification du lot " dans le C-23-VIC-000/AM-001

N° de série : Tout numéro de série associé avec cet assemblage

Déviations / Exemptions : Toute déviation ou exemption associée à la

fabrication de cet article

N° de feuille EEQ: Plusieurs feuilles EEQ sont parfois nécessaires

Let : Lettre de ligne associée avec la feuille EEQ

 N° de série / Déviations / Exemptions : Numéros de séries spécifiques des composantes ou des déviations / exemptions

ID du matériel : Numéros associés aux matières premières manufacturées ou

aux stocks

Spéc. du matériel : Numéros des spécifications utilisées dans la fabrication de ce

matériel

N° de lot : Numéros assignés à des lots spécifiques de matériel

N° de rayons X : Composantes de numéros de rayons X spécifiques et incluant

les rayons X provenant des coulages NAB ou similaires

Date de vulcanisation : Date à laquelle les composants en caoutchouc ont été

vulcanisés

Date de validation : Date d'achèvement de toutes les certifications des coulages

Énoncé de certification : Le fait d'être certifié et estampillé par une cellule

AQ/CQ approuvée

efense tionale

Processing Procedures RecordCompleted form to be returned with Quote or Strip & Survey report, any first level processes which are used with the referenced order are to be listed

		tion document	Method										
Order number:	Telephone number:	Parent specification document	Specification										
			Issue / Rev. of publication										
		Submitted process document	Process owner										
			Identification										
Company:	Contact name:	DMEPM(SM)	Date reviewed by DND (yyyy-mm-dd)										

DND 4560-E (08-2019) Design: Forms management: 613-901-6396 / 613-901-6397

Process Form - Issue 1.2

Défense	nationale
4	-

Entreprise:

National Defence

Enregistrement des Procédures de Traitement
Formulaire rempli à renvoyer avec le rapport de devis ou de démontage et d'évaluation, tous les processus de premier niveau utilisés avec la commande référencée doivent être listés

Numéro de commande :

	Document de spécification parent	Méthode										
léphone :	Document de sp	Spécification										
Numéro de téléphone :		Numéro de révision de la publication										
	Document de traitement soumis	Propriétaire du processus										
		Identification										
Nom du contact :	DGestPEM(SM)	Date de revue par MND (aaaa-mm-ij)										

Formulaire de traitement - Publication 1.2

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

ANNEX "D" - PROCUREMENT TOOLS FOR UNIQUE IDENTIFICATION (UID)

- 1. Unique Identification (UID) Marking Requirements:
 - For the purposes of this Unique Identification Marking Requirements clause, definitions shall be as follows:
 - Automatic Identification & Data Capture (AIDC) Methods of automatically identifying objects, and entering the identification data attributed directly into computer systems; without human involvement.
 - (2) Automatic Identification Technology (AIT) Rapid and accurate data capture and processing technology for cognitive recognition, identification or verification purposes.
 - (3) Bar Code A bar code is an optical machine readable representation of data, which shows certain data on certain items of supply.
 - (4) CAGE (NCAGE) A unique identifier for manufacturers, suppliers, agencies and government departments.
 - (5) Concatenation The joining of two or more strings of data end-to-end.
 - (6) Enterprise Identifier Unique code assigned by the Issuing Agency to an entity (organization or group). The entity is the one that is responsible for ensuring the unique identification of all qualified items.
 - (7) Human Readable Interpretation / Information (HRI) The interpretation of elements of the encoded bar code presented in a humanreadable form.
 - (8) Imaging Device An AIDC device that recognises, captures and interprets encoded data through use of an image (Bar Code or Data Matrix symbol) scanned with a laser or other capable means.
 - (9) Issuing Agency Code A code that identifies the Issuing Agency for the UII (defined in STANAG 2290).
 - (10)Machine Readable Interpretation/ Information (MRI) The interpretation of the encoded bar code through use of an automatic data capture device.
 - (11)Recognized UII-Equivalent Unique identification methods in commercial use that have been recognized by DND as UID equivalents. These are: Global Individual Asset Identifier (GIAI); the Global Returnable Asset Identifier (GRAI) when serialized; a vehicle identification number (VIN); and Electronic Serial Number (ESN) used only when applied to cell phones.
 - (12) Serial Number A unique alphanumeric assigned for the purposes of identification, which varies from its predecessor or successor by a fixed discrete alphanumeric.
 - (13)Unique Identification (UID) A system of establishing unique identifiers to assets and other entities distinguishing it from other like and unlike entities.
 - (14)Unique Item Identifier (UII) A set of data elements that, when concatenated, form a globally unique and unambiguous identifier.
 - (15)Unique Item Identifier (UII) Mark Machine readable data carrier that contains the encoded data elements necessary to form a UII.

(16)Unique Item Identifier Type - Designator to indicate which method has been used to uniquely identify an item.

- (17) Validation The process for determining that the machine readable UII Mark contains the required information and has been encoded correctly with the proper semantics and syntax. Validation is performed using an electronic /optical imaging device capable of reading the UII Mark.
- (18) Verification The process for assessing the quality of a machine readable UII Mark and assigning a grade to the results or otherwise indicating acceptance in accordance with the applicable specification or MRI protocol quality control document. Verification is performed using an electronic/optical verification device.
- b. The contractor must:
- (1) Originate and assign Unique Item Identifiers or Recognized UII-Equivalents in accordance with STANAG 2290 to each of the following items delivered under the contract:
 - (a) Items identified by the Technical Authority as subject to serial management including:

Line 3	99-7289412
Line 4	99-7289412

- (b) Any item not included in paragraph 1.b.(1)(a) of this section which the contractor supplies with a UII mark that was created and applied as a part of the contractor or their subcontractor's processes.
- (2) Ensure the assigned Unique Item Identifiers or Recognized UII-Equivalents assigned in paragraph 1.b.(1) above:
 - (a) Have been originated in accordance with STANAG 2290, using the component data elements as prescribed therein to allow production of a compliant UII Mark.
 - (b) Are not duplicated on any other item marked by the Contractor;
 - (c) Are not duplicated on any other item registered in the DND Item Unique Identification Registry;
 - (d) Comply with the UII construction rules set out in STANAG 2290 Annex A; and
 - (e) Do not exceed 50 characters in length in their concatenated form.
- (3) Prepare and deliver Unique Identification (UID) Marking Specifications for Technical Authority approval consisting of the following:
 - (a) Provide the following data for each Line Item in the contract which is subject to UID Marking:
 - i. Describe which type of marking methodology will be used (i.e., Direct or Indirect Part Marking, Data Plate Modification, etc.).
 - ii. Describe the Imprint Method / Type of Label / Nameplate (i.e., Chemical Etch, Dot Peen, Laser, Thermal Transfer, Ink Jet, Photo Etch, etc.).

(b) Marking Specifications.

- i. Identify applicable engineering drawings requiring UID marking.
- ii. Machine Readable Mark Generation Instructions.
- iii. Define the UID construct method.
- iv. Identify format code, ISO/IEC syntax, and Data Qualifiers contained.
- v. Identify the Enterprise Identifier (EID) (i.e. Cage, DUNS, or GS1).
- vi. Identify the level of serialization (i.e., Part, Lot, Batch, Enterprise, etc.).
- vii. If using Construct 1 18S, identify the sequence number generation process.
- viii. Determine other data elements (if required) in the data matrix symbol (i.e. 30P and 30T).
- ix. Identify the Human Readable Mark Generation elements to be included on the label.
- x. For labels/nameplates, identify which type of material will be used for the creation of the Mark (i.e., Aluminum, Polyacrylic, Metal Foil, Polyester, Polyvinyl, Aluminum Foil, Stainless Steel, etc.).
- xi. Describe the overall layout of the Mark including (Reference Tech Data as applicable).
- xii. Size (Length, Width, Thickness, etc.).
- xiii. Shape (Circle, Square, Rectangle, Rounded Corners, etc.).
- xiv. Layout/Order (Location of Human and Machine Readable elements).
- xv. Marking Location on Asset.
- xvi. Type of Lettering (Font, Font Size, Color, etc.).
- xvii. Attachment Method (Adhesive, Screws, Rivets, Tags, Bag and Tag, Tags and Bands, etc.). For Tag, and Bag/Band and Tag items, provide evidence of why part could not be marked and Government concurrence.
- (c) Data File Format:
 - i. The data must be delivered in "PDF" format.
- (d) If DND has provided the Contractor with an approved UID Marking Specification for the item to be marked, the Contractor may use this specification to apply UID markings instead of developing a new UID Marking Specification.
- (4) Prior to shipment of any UID-subject items, prepare and deliver a UID Data Submission for approval. The submission must include the following data for each UID-subject item:
 - (a) Description (English)*
 - (b) Description (French)*

File No. - N $^{\circ}$ du dossier W8482-230399/A

Buyer ID - Id de l'acheteur 29K CCC No./N° CCC - FMS No./N° VME

- (c) CAGE of item manufacturer*
- (d) Manufacturer current part number*
- (e) Manufacturer serial number*
- (f) Item Weight β
- (g) Unit of Weight †
- (h) Acquisition Value β
- (i) Acquisition Currency†
- (j) Country of Manufacture β
- (k) Year of Manufacture β
- (I) Month of Manufacture †
- (m) Embedded item (Y/N)*
- (n) NCAGE of parent item manufacturer (if an embedded item)†
- (o) Manufacturer part number (if an embedded item)†
- (p) Manufacturer serial number (if an embedded item)†
- (q) Unique item identifier of parent item (if an embedded item)†
- (r) Unique item identifier of item*
- (s) Unique Item Identifier Type*
- (t) Issuing Agency Code*
- (u) Enterprise Identifier of entity assigning UII (if concatenated UII is used)†
- (v) Item Original Part number (if UII is serialized within the part number)†
- (w) Item Lot or Batch Number (if UII is serialized within the batch or lot)+
- (x) Serial number used in UII (if concatenated unique item identifier is used)†
- (y) CAGE or DUNS of organization submitting the data*
- (z) Name of the person or office submitting the data*
- (aa)E-mail address of the submitter*
- (ab) Phone number of the submitter*
- (ac)Contract Number under which the item is to be delivered*

File No. - N $^{\circ}$ du dossier W8482-230399/A

Buyer ID - Id de l'acheteur $29 \mathrm{K}$ CCC No./N° CCC - FMS No./N° VME

NOTES

- (*) indicates a Mandatory Field
- (β) indicates an Optional Field
- (†) indicates a Conditional Field

NOTES

The data must be delivered in a ".CSV" or ".XLS" format

For questions related to the data submission or to obtain a data submission template, please contact: UniqueIdentification-Identification-Inique@forces.gc.

- (5) Upon approval of proposed Unique Item Identifiers, mark each UID-subject item with:
 - (a) Its Unique Item Identifier component data elements (as approved in 2.d above), using an ECC200 Data Matrix Symbol in accordance with AAITP-09 and STANAG 4329;
 - (b) UII Marks applied in accordance with approved UID Marking Specifications (as described in section 2.c of this clause);
 - (c) UII Marks that conform to the syntax and semantics described in STANAG 2290 Annex B, Para 4:
 - (d) UII Marks having a minimum Symbol Quality as described in STANAG 2290 Annex B Para 5; and
 - (e) UII Marks that are accomplished in a manner that will not adversely affect the item's ability to meet its required performance.
- (6) Ensure that any UID-subject items that are delivered in unit-level and bulklevel packaging for which said packaging obstructs access to the item UII Marks have UII package labels that:
 - (a) Have been applied on the outside of the package with UII information in a machinereadable PDF417 bar code symbol which contains the UII (unit-level) and UIIs (bulklevel) contained within said package, as applicable;
 - (b) Utilize a PDF417 packaging symbol is in conformance with STANAG 4281 / AAITP-05; and
 - (c) Utilize syntax and semantics in conformance with STANAG 2495 / AAITP-03;

NOTE

The PDF417 label containing the UII data must be either part of the other required packaging labels set out in this Statement of Work, or affixed as a separate label adjacent to the other required packaging labels.

- (7) Prepare and deliver a UID Validation and Verification report in accordance with the following:
 - (a) A representative sample of UII marks on items for each distinct UIDapplicable item type procured shall be verified. Verification for mark quality of the first article for each item type is required. Each UII mark shall be validated for data contents. Verification and validation results shall include at a minimum the data set out in 10.4 below (with exception of Verifications). Marks failing verification or validation must be replaced with compliant marks prior to acceptance of the items.

2-230399/A W8482-230399/A

- (b) The tabular report shall include the following alphanumeric fields:
 - i. Unique Item Identifier (UII).
 - ii. UII Type (Construct).
 - iii. Enterprise Identifier (EID).
 - iv. EID Type (CAGE/NCAGE, DUNS, etc).
 - v. Original Equipment Manufacturer (OEM) Part Number.
 - vi. Service Assigned Serial Number (if assigned).
 - vii. Original Equipment Manufacturer (OEM) serial number.
 - viii. Equipment Nomenclature (name and type).
 - ix. NATO Stock Number (NSN).
 - x. Validation Date.
 - xi. Validation Result (Pass/Fail).
 - xii. Verification Date.
 - xiii. Verification Result (Pass/Fail).
 - xiv. Other Event/Activity Date* (optional).
 - xv. Other Event/Activity* (optional).
 - xvi. For items marked that "Fail" IUID validation or verification, identify corrective action (whether the item has been re-marked or scrapped).
- (c) A "Pass" validation value shall be assigned to records whose data matrix symbol(s) properly encode Item Unique Identification data as prescribed in STANAG 2290 requirements for machine readable information (MRI) marking.
- (d) A "Pass" verification value shall be assigned to records whose data matrix symbol(s) meet or exceed the Symbol Quality standards set out in STANAG 2290 for data matrix symbol quality. These must be accompanied with a detailed Verification report for each mark that was verified.
- (e) The Contractor shall ensure machinereadable UII marks required under this contract are permanently placed on the items subjected to contractually-required performance testing prior to that testing; and further shall include all mark serviceability problems in the item's test report(s).
- (f) The Contractor shall ensure machinereadable UII marks required under this contract are permanently placed on the items subjected to contractually-required performance testing prior to that testing; and further shall include all mark serviceability problems in the item's test report(s).