



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions
Travaux publics et Services gouvernementaux
Canada

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scotia

B3J 1T3

Bid Fax: (902) 496-5016

REQUEST FOR PROPOSAL DEMANDE DE PROPOSITION

Proposal To: Public Works and Government Services Canada

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

Proposition aux: Travaux Publics et Services Gouvernementaux Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du

fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Atlantic Region Acquisitions/Région de l'Atlantique
Acquisitions

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scot

B3J 1T3

Title - Sujet Bedford Row Workplace Furniture	
Solicitation No. - N° de l'invitation EB129-230180/A	Date 2022-07-21
Client Reference No. - N° de référence du client EB129-23-0180	
GETS Reference No. - N° de référence de SEAG PW-\$HAL-207-11551	
File No. - N° de dossier HAL-2-89019 (207)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Atlantic Daylight Saving Time ADT on - le 2022-08-11 Heure Avancée de l'Atlantique HAA	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Grieve, Bronwen	Buyer Id - Id de l'acheteur hal207
Telephone No. - N° de téléphone (902) 943-2394 ()	FAX No. - N° de FAX (902) 496-5016
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: DEPARTMENT OF PUBLIC WORKS AND GOVERNMENT SERVICES CANADA DOMINION PUBLIC BUILDING FLOORS 4, 5, 6, 7 1713 BEDFORD ROW HALIFAX NOVA SCOTIA B3J 1T3 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée See Herein – Voir ci-inclus	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date



Public Works and
Government Services
Canada

Travaux publics et
Services gouvernementaux
Canada

RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

See Section 1.

Voir Section 1.

STANDARD REQUEST FOR BID

INVITATION À SOUMISSIONNER - STANDARD

The Bidder offers to provide to Canada the goods, services or both listed in the bid solicitation in accordance with the conditions set out in the bid solicitation and the prices set out in the bid.

This bid solicitation is issued in accordance with the conditions of the Supply Arrangement E60PQ-140003/PQ.

Le soumissionnaire offre de fournir au Canada les biens, services ou les deux énumérés dans la demande de soumissions aux conditions prévues dans la demande de soumissions et aux prix indiqués dans la soumission.

Cette demande de soumissions est émise conformément aux conditions de l'arrangement en matière d'approvisionnement E60PQ-140003/PQ.

Solicitation No. - N° de la demande	Amendment No. - N° de modification
Supplier SA No. - N° de l'AMA de fournisseur : E60PQ-140003/___	

Solicitation closes – La demande prend fin :	File No. - N° de dossier
at – à See Section 1 Voir Section 1 on – le See Section 1 Voir Section 1	

No of Page/

N° de page _____

Date of Solicitation – Date de la demande

Address inquiries to – Adresser toute demande de renseignement à :

See Section 2, Article 4.1.

Voir Section 2, Article 4.1

Destination

See Section 2, Annex A.

Voir Section 2, Annexe A.

Instructions:

Municipal taxes are not applicable.

Unless otherwise specified in the bid solicitation, all prices quoted must be net prices in Canadian funds including Canadian customs duties, excise taxes, must be FOB, including all delivery charges to destination(s) as indicated. The amount for Applicable Taxes is to be shown as a separate item.

Instructions:

Les taxes municipales ne s'appliquent pas.

Sauf indication contraire dans la demande de soumissions, tous les prix indiqués doivent être des prix nets, en dollars canadiens, comprenant les droits de douane canadiens, la taxe d'accise et doivent être FAB, y compris tous frais de livraison à la (aux) destination(s) indiqué(s). Le montant des taxes applicables doit apparaître séparément.

Supplier Name and Address – Nom et adresse du fournisseur

Telephone No. - N° de téléphone

Facsimile No. - N° de télécopieur

Name and title of person authorized to sign on behalf of supplier (type or print)

Nom et titre de la personne autorisée à signer au nom du fournisseur (caractère d'impression)

Signature : _____ Date : _____



THIS DOCUMENT CONTAINS A SECURITY REQUIREMENT

TABLE OF CONTENTS

Section 1 – Invitation and Instructions to Bidders

Section 2 – Resulting Contract including a list of required goods and services

SECTION 1 – INVITATION AND INSTRUCTIONS TO BIDDERS

Step 1. For Tier 2 and Tier 3 only (If Tier 1, skip this step and proceed with step 2)

Is this a Manufacturer Product Specific Procurement?

Step 2. ☒ **Competitive** or ☐ **Non-Competitive**

For competitive Requirements when only one bid is received:

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

For Competitive Requirements when only one bid is received:

The Bidder must provide the following information AFTER bid closing, if requested to do so by Canada:

- One or more of the following price justifications:
 1. a current published price list indicating the percentage discount available to Canada; or
 2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
 3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
 4. any other supporting documentation as requested by Canada.

For Non-Competitive Requirements:

The Bidder must provide the following information WITH the bid:

- One or more of the following price justifications:
 1. a current published price list indicating the percentage discount available to Canada; or
 2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
 3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
 4. any other supporting documentation as requested by Canada.

Step 3. ☒ **General** or ☐ **PSIB**

Terms of the RFB:

This RFB is issued pursuant to the Supplier's Furniture for Workspaces Supply Arrangement (SA) that forms part of the series of SAs issued by PWGSC with the number E60PQ-140003/PQ. The terms and conditions in the Supplier's SA apply to and form part of this RFB. Bidders who submit a bid agree to be bound by those terms and conditions as well as the terms and conditions in this RFB.

The WTCM is the Workspaces Terms and Conditions Manual that contains all terms and conditions in full text that form part of individual RFBs under this SA.

The Bidder must provide the following information WITH the bid:

- The information requested by Canada in Annex A herein.

The Bidder must also provide the information at article 4 below at the time indicated in article 3.

Security Requirement:

1. Conditions
 - a. the Bidder must hold a valid organization security (VOS) clearance as indicated in Annex B;
 - b. the Bidder's proposed individuals requiring access to classified or protected information, assets or sensitive work site(s) must meet the security requirement as indicated in Annex B.
2. For additional information on security requirements, bidders should refer to the Canadian Industrial Security Directorate (CISD), Industrial Program of Public Works and Government Services Canada (<http://ssi-iss.tpsgc-pwgsc.gc.ca/index-eng.html>) website.
3. The conditions in article 1 above must be met by the Bidder:

Before the award of a contract. Bidders are reminded to obtain the required security clearance promptly. Any delay in the award of a contract to allow the successful bidder to obtain the required clearance will be at the entire discretion of the Contracting Authority.
4. Bidders are to supply the following information, as a minimum, to demonstrate compliance with the Security Requirement.
 - a. The Bidder's valid VOS clearance number issued by CISD;
 - b. The name of all individuals who will require access to classified or protected information, assets or sensitive work sites. It is desirable to also include their date of birth, their middle name, and their security clearance number issued by CISD.

RFB Issued by:	
Identified User's (IU) Department/Agency/Crown Corporation: Contact for this RFB:	See Section 2, article 4.1 below.
RFB Closing - Submit Bid:	
Bids must be submitted on the date and at the time indicated below.	
By no later than date and time:	a. 2022-08-11 14:00 ADT
To physical location:	Bid Receiving Public Works and Government Services Canada / Réception des soumissions Travaux publics et services gouvernementaux 1713 Bedford Row Halifax, NS B3J 1T3
Facsimile number:	(902) 496-5016
To epost Connect service:	TPSGC.RAReceptionSoumissionsNE-ARBidReceivingNS.PWGSC@tpsgc-pwgsc.gc.ca
RFB Enquiries:	
Unless a different period is listed in the adjacent column, Bidders may submit enquires about the RFB to the Contracting Authority five business days prior to the RFB closing date. Enquiries received after the timeline indicated may not be answered.	Five (5) business days

SECTION 2 - RESULTING CONTRACT CLAUSES

1.	Terms and Conditions of the Contract The terms and conditions of Parts 6B and 6C of the Supplier's SA within the series E60PQ-140003/PQ apply to and form part of this Contract.	
2.	Security Requirement (the checked article applies)	
2.1	The applicable security requirement(s) is (are) set out in the Security Requirement Check List attached as Annex B of this contract. The Contractor must fulfill the security requirements by meeting the terms below.	
a.		Contractor may be escorted; possession of security clearance not required. Contractor personnel MAY NOT ENTER NOR PERFORM WORK ON sites where PROTECTED or CLASSIFIED information or assets are kept, without an escort provided by the department or agency for which the work is being performed.
b.	X	Possession of security clearance(s) is required. The Contractor must meet the security clearance requirements contained in the clausing in Annex B herein.
c.		There is no security requirement associated with this contract.
3.	Requirement	
3.1	The Contractor must perform the Work listed in Annex A herein.	
4.	Authorities	
4.1	Contracting Authority (IU)	
	Name:	Bronwen Grieve
	Title:	Supply Officer
	Department/Agency/Crown Corporation:	Public Services and Procurement Canada
	Address:	1713 Bedford Row, Halifax, NS B3J 1T3
	Telephone No.:	902-943-2394
	E-mail address:	Bronwen.Grieve@tpsgc-pwgsc.gc.ca
4.2	Project Authority [To be completed at contract award] <i>The Project Authority (PA) is the representative of the department or agency for whom the Work is being carried out under the Contract including the provision to approve the authority to proceed for delivery and installation and is responsible for all matters concerning the technical content of the Work under the Contract.</i> <i>In addition, the PA is also responsible for ensuring that the Supplier's employees and subcontractors requiring access to the site adhere to the allocated time for the Supplier to access the site to deliver and install the furniture in accordance with the master schedule held by the General Contractor (a representative of Canada or a service provider(s) under contract with the Government of Canada).</i>	
	Name:	
	Title:	
	Department/Agency/Crown Corporation:	
	Address:	
	Telephone No.:	
	E-mail address:	
4.3	Contractor's Representative	
	As set out in Annex A, Table 9 below.	
5.	Method of Payment	
	The checked box applies. If the Contractor's SA indicates acceptance for payment by credit card, that method may be used in conjunction with the following.	
X		Single Payment
		Multiple Payment
6.	Invoicing	
	Further to the Invoicing terms of the WTCM document, the Contractor will deliver the original and one copy of the invoice to the following address for certification and payment:	

	Name of the organization and contact: <i>[To be completed at contract award]</i>
	Address:

ANNEX A
REQUIREMENT and BASIS OF PAYMENT

1. Category Selection

Combined Categories Rule:

For reasons of compatibility, the following categories will be combined for evaluation and contract award purposes:

The rule only applies to the categories below that are checked. The unchecked categories will be evaluated separately and may be awarded to multiple suppliers;

☒ **Category 1**

☒ **Category 2**

☒ **Category 5**

*** Exception: when using the Cat 1, 2, 5 combined categories rule, IU's may calculate the percentage of NSA product allowed (as defined in their solicitation document) against the total quantity of the combined categories.**

Design Upgrade Rule:

The IU may exercise an option to upgrade products up to 20% of each Category product total before Applicable Taxes after contract award.

The Design Upgrade amount is used at the discretion of the Project Authority (PA) **prior to the manufacturing/ordering of the products**, the PA will provide the Contractor with a written notice of Canada's Design Upgrade choices for each of the product(s) to be upgraded. The Contractor will provide the pricing of the upgraded product(s) to a maximum of 20% of each Category Contract Price of Table 8. The Contracting Authority will issue an amendment to the contract with the Design Upgrades and pricing.

The Supplier certifies that all the Design Upgraded products offered will conform to all specifications and meet the testing requirements detailed in the Specifications of the Supply Arrangement.

Design Upgrade: is the process of replacing a product with a more innovative or enhanced version of the same product.

NSA:

NSA products can be incorporated in the RFB and must not exceed 30% of the firm quantity by category. NSA items must be added to the category that is most closely related and must be generic.

The requirement includes the following category (ies) of work:

a. Category 1 – Interconnecting Panels and Freestanding Systems

☒ Category 1a – Interconnecting Panels (Refer to Annex C)

☒ Category 1b – Supporting components and freestanding furniture

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when the metal storage products will be part of a requirement for a workstation(s)/work point(s). If this rule does not apply, Category 3 must be used for the metal storage products forming part of this category.

b. ☒ Category 2 – Freestanding Height Adjustable Desk / Table Products

c. ☒ Category 3 – Metal Filing and Storage Cabinets

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable as per 6B. 4.1 of the SA (table 1 Additional product details)

d. ☐ Category 4 – Wood Veneer – Freestanding Products

e. ☒ Category 5 – Ancillary and Lighting Products

f. ☒ Category 6 - Support Space – Collaborative Furniture

RULE: Category 6 can be further subdivided by space or like product in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like products are defined as products with similar design and construction. If NSA products form part of the requirement, the IU must validate the 30% NSA prior to subdividing the category. NSA products can be added to any subdivide or in its own subdivide.

The IU must identify how Category 6 will be subdivided in the Product Table for Category 6.

g. ☒ NSA Product(s) – Category(ies):

1B, 5B (separate table), 6-G4, 6-G5, 6-G7, 6-G9, 6-G11, 6-G15, 6-G16, 6-G17, 6-G23, 6-G24, 6-G26, 6-G27, 6-G28, 6-G29

2. Product and Pricing Tables

Site Inspection Date: To be coordinated with Project Authority after contract award. *(Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.)*

INSTRUCTIONS TO BIDDERS: Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 8 and 9. **Bidders must provide a complete product offering for each category, or CAT 6 sub-divide they wish to submit a bid in order to be compliant.**

****Refer to article 6A.7 for instructions on how to submit products that are not approved in product listing.****

In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.

Contents

PART 1: CAT 1, 2 & 5 11

PART 2: CAT 5 – SPECIAL PRODUCT 25

PART 3: CAT 3 29

PART 4: CAT 6-G1 33

PART 5: CAT 6-G2 39

PART 6: CAT 6-G3 43

PART 7: CAT 6-G4 46

PART 8: CAT 6-G5 50

PART 9: CAT 6-G6 54

PART 10: CAT 6-G7 59

PART 11: CAT 6-G9 63

PART 12: CAT 6-G11 70

PART 13: CAT 6-G12 75

PART 14: CAT 6-13 79

PART 15: CAT 6-G15 NON-COMBUSTIBLE PRODUCT 83

PART 16: CAT 6-G16 NON-COMBUSTIBLE PRODUCT 88

PART 17: CAT 6-G17 NON-COMBUSTIBLE PRODUCT 92

PART 18: CAT 6-G23 96

PART 19: CAT 6-G24 100

PART 20: CAT 6-G26 104



PART 21: CAT 6-G27 108





PART 22: CAT 6-G28 112

PART 23: CAT 6-G29 118

PART 1: CAT 1, 2 & 5

Table 1 – Product Table CAT 1,2 & 5



Section A - IU REQUIREMENT					Section B – SUPPLIER’S BID		
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
Category 1A							
Refer to Annex C and Floor Plans.							\$
Category 1B							
1	1bCFHLX20L42XOSOSSX	ID# OST2 Credenza, 20d 42w laminate Open shelves, no locks, Reverse sides for 2 persons access as per image, raised from floor with legs *Must be same finish as OST3  Location: Workstation Typical WS2.2-F Room 4048	2	No		\$	\$
2	1bCFHAX20L48XOSDD SX	ID# OST8R Credenza, 20d 48w Open on right, Door on left Legs Painted Metal No digital or manual lock. Free access  Location: Workstation Typical WS-8.1, WS11.1, WS4.1 Room 4053, 4044, 7031, 6034	10	No		\$	\$
3	1bCFHAX20L48XDDOS SX	ID# OST8L Credenza, 20d 48w Open on let, Door on right Legs Painted Metal No digital or manual lock. Free access	10	No		\$	\$



		 <p>Location: Workstation Typical WS-8.1, WS11.1, WS4.1 Room 4053, 4044, 7031, 6034</p>					
4	1bCFHLX20L48XOSDDSX	<p>ID# OST11R</p> <p>Credenza, 20d x 48l Full Height Laminate Open shelf right side Door left side Legs No digital or manual lock. Free access</p>  <p>Location: Workstation Typical WS13.1 Room 6029</p>	3	No		\$	\$
5	1bCFHLX20L48XDDOSX	<p>ID# OST11R</p> <p>Credenza, 20d x 48l Full Height Laminate Open shelf left side Door right side Legs No digital or manual lock. Free access</p>  <p>Location: Workstation Typical WS10.4 Room 5032</p>	1	No		\$	\$
6	1bCFHLX20L60XOSDDSX	<p>ID# OST5R</p> <p>Credenza, 20d x 60l Full Height Laminate Open shelf right side Door left side Legs No digital or manual lock. Free access</p> 	1	No		\$	\$



		Location: Workstation Typical WS 10.3 Room 5028					
7	1BSBCXLGL3615MEXXX X	ID# BS3 Bookcase Shelves High 3-4 (1016-1067mm) 40-42" H x 36" (915mm) W x 15"D (381mm) Preferred with 2-3" H legs but not mandatory Location: Room 5036, 5029	2	No		\$	\$
8	3S2RHHXXPM36D20HI XS	ID# BS4 5 Shelves High (1117-1371mm) 44"-54" H x 36" (915mm) 36" W x 20"D (381mm) *To be anchored to wall in room 7037 Location: Room 7037(x3), 4023(x2)	5	No		\$	\$
9	1bCPSXXSXXL30XFANN N	ID# APS-F28 Worksurface Mounted Privacy Screen Fabric To be compatible with modular 3- long desking Clamped or fastened to side of worksurface as to not interfere with height adjustability between desks Workstation Typical: WS13.1 Location: 6029	5	No			
Category 2							
10	2B2LREXXL30L54BELFA	ID# HAD2-3054 / NPS Two work surface length Modular Height Adjustable Benching, 30 x 54 *No privacy screen required on centre spine. Location: Workstation Typical WS-5.6 & WS2.1-F Room 4040, 7023	7	No		\$	\$
11	2B2LREXXL30L60BELFR	ID# HAD2-3060 / PS-G54 Two work surface length Modular Height Adjustable Benching, 30 x 60	16	No		\$	\$

		<p><u>Existing Teknion 54" Glass privacy screen (4) to be installed on each HA Table.</u></p> <p>*No privacy screen required on centre spine.</p> <p>Location: Workstation Typicals WS1.1-G & WS3.8 Room 7022, 7023, 6020, 6047, 5017, 5015, 4045, 4048</p>					
13	2B2LREXXL30L60BELFA	<p>ID# HAD2-3060 / PS-F58</p> <p>Two work surface length Modular Height Adjustable Benching, 30 x 60, fabric privacy screen</p> <p>Location: Workstation Typical WS1.1-F WS2.2-F WS3.3-F WS3.7-F Room 6040, 5039, 4042, 4043, 4048, 4056, 4056, 4052,</p>	16	No		\$	\$
14	2B2LREXXL30L60BELFA	<p>ID# HAD2-3060 / PS-F58</p> <p>Two work surface length Modular Height Adjustable Benching, 30 x 60, *No privacy screen required on centre spine or tables.</p> <p>Location: Workstation Typical WS-5.3 Room 4055</p>	1	No		\$	\$
15	2B2LREXXL24L54BELFA	<p>ID# HAD2-2454 / PS-F52</p> <p>Two work surface length Modular Height Adjustable Benching, 24 x 60, fabric privacy screen</p> <p>Location: Workstation Typical WS2.1-F Room 6021, 6019, 5016</p>	12	No		\$	\$
16	2B3LREXXL30L60BELFR	<p>ID# HAD3-3060 / PS-G54</p> <p>Three work surface length Modular Height Adjustable Benching, 30 x 60</p> <p><i>*Existing Teknion 54" Glass privacy screen (4) to be installed on each HA Table worksurface. No privacy screen required on centre spine.</i></p> <p>Location: Workstation Typical WS3.1-G, WS3.2-G Room 7030, 6040, 6036</p>	8	No		\$	\$
17	2B3LREXXL30L60BELFA	ID# HAD3-3060 / PS-F58	2	No		\$	\$

		Three work surface length Modular Height Adjustable Benching, 30 x 60, Fabric privacy screen Location: Workstation Typical WS3.1-F Room 5039					
18	2WSSREXXL30L48BELX X	ID# HAD1-3048 / NPS Height adjustable table, 30 x 48 Location: Workstation Typical WS-5.1 Room 5025, 5048	2	No		\$	\$
19	2WSSREXXL30L66BELX X	ID# HAD1-3066 Height adjustable table, 30 x 66 Location: Workstation Typical WS-4.1 Room 7031	21	No		\$	\$
20	2WSSREXXL30L72BELX X	ID# HAD1-3072 Height adjustable table, 30 x 72 Location: Workstation Typical WS10.1, WS10.2, WS10.3, WS13.1 Room 5029, 5036, 5030, 5028	8	No		\$	\$
Category 5							
21	5MOADUARMCLPMTX XXXX	ID# MA1 Dual monitor arms Clamp Mount Monitor arm(s) must have a 180° swivel rotation limiter with a stop to prevent interference with a back panel or obstacles behind the arm. Silver Must provide a swivel rotation limiter stop. Location: Install on height adjustable tables. Locations: Rooms 4040 (2), 4049, 4050, 4051 and open office areas 4042 – 4056 (40)	45	No		\$	\$
22	5PMOWKSMTACUSBX XXXX	ID# PM1 Minimum of 2AC & 2USB Power Colour: White Work Surface Clamp Mounted Location: Install on height adjustable tables and on tables in Room 6047. See Workplace Typical Document for additional information.	201	No		\$	\$

**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.						
NSA products The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.						
Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
23	ID# OST3 Credenza, laminate with open shelves equivalent to 1bCFHLX20L42XOSOSSX with modifications: <ul style="list-style-type: none"> no locks, L: 735-760MM (30-33") W: 380-508mm (15-20") H: 711-762mm (28-30") Reverse sides for 2 persons access as per image, raised from floor with legs  Location: Workstation Typical WS2.1-F Room 7023, 6021, 6019, 5016	18	No		\$	\$
25	CAT 1b / ID# AP1 Privacy screen, clamp mount equivalent to 1bCPSXXSXXL54XFANNN: Modification: <ul style="list-style-type: none"> 72 width (actual size +/- 70) Installation height of panel on worksurface (height from top of panel to worksurface) to be determined on site. Desk used as a reception function.  Location: Workstation Typical WS10 Room 5028	1	Yes – provide info ensure custom installation height can be provided		\$	\$
26	ID# LAM1 Worksurface top to cover 6 Lateral files CAB 3H 915 grouping in Rm 4043/4048	2	No		\$	\$

	<ul style="list-style-type: none"> Two piece Laminate worksurface secured to filing top 10-12" clear overhang for seating Overhang support as needed Length: 2998-3048 mm (118"-120") Width: 914 mm (36") Thickness: 25-38 mm (1"-1.5") To accommodate bar height seating at overhang  <p>Location: Room 4043, 4048</p>				
27	<p>ID# LAM2</p> <p>Continuous worksurface top to cover 3 Lateral files CAB 3H 762 grouping in Rm 6035</p> <ul style="list-style-type: none"> Laminate worksurface secured to filing top 450 mm minimum clear leg space for seating on side opposite to filing Central support not to obstruct filing or seating space Length: 2438 mm (96") max Width: 1067 mm (42") max Height: 1041mm (41") Thickness: 25-38 mm (1"-1.5") top Waterfall edges *Sizes to be confirmed and to suite new 3 high file cabinets – exact sizing & product information available after contract awards. To accommodate bar height seating ST4 at overhang On site cut-out required for access to wall electrical c/w grommet above outlet for access from countertop 	1	No	\$	\$

	Location: Room 6035					
28	<p>ID# LAM3</p> <p>Worksurface top to cover 8 Lateral files CAB 3H 915 grouping in Rm 7026</p> <p>Two piece Laminate worksurface secured to filing top</p> <p>Total Length: 3660 mm (144")</p> <p>Length: 1830 mm (72")</p> <p>Width: 914 mm (36")</p> <p>Thickness: 25-38 mm (1"-1.5")</p>  <p>Location: 7026, 6036, 5039</p>	6	No		\$	\$
29	<p>ID# HAD3-3072 / NPS</p> <p>Benching tables</p> <p>3 work-surfaces in length</p> <p>Worksurfaces: 1828mm (72") W x 762mm (30") D EA.</p> <p>Laminate Finish</p> <p>Rectangular Shape</p> <p>Electric Controls</p> <p>Similar to 2WSSREXXL30L72BELXX with modifications:</p> <ul style="list-style-type: none"> • Single sided with a total of three worksurfaces (not six) • NO PRIVACY SCREENS  <p>Location: WS13.1, Room 6029</p>	1	No		\$	\$
30	<p>ID# OST4L</p> <p>'Full Height' Credenza</p> <p>Laminate</p> <p>508mm (20") D X 915mm (36") Length</p> <p>Height: 711-762MM (28-30")</p> <p>Door right side</p> <p>Open shelf left side</p> <p>Similar to: 1bCFHLX20L42XDDOSSX with modifications:</p> <ul style="list-style-type: none"> • 508mm (20") D X 915mm (36") Length • No digital or manual lock. Free access 	1	No		\$	\$




	 <p>Location: Workstation Typical WS10.2 Room 5030</p>					
31	<p>ID# OST4R</p> <p>'Full Height' Credenza Laminate 508mm (20") D X 915mm (36") Length Height: 711-762MM (28-30") Door left side Open shelf right side Similar to: 1bCFHLX20L42XDDOSSX modifications:</p> <ul style="list-style-type: none"> • 508mm (20") D X 915mm (36") Length • No digital or manual lock. Free access  <p>Location: Workstation Typical WS10.2 Room 5030</p>	1	No		\$	\$
32	<p>CAT 5 / ID# WMV1</p> <p>Vertical cable manager to be installed on all existing height adjustable tables WS-5.2 being reused in the project. Wire manager must include:</p> <ul style="list-style-type: none"> • interlocking blocks with 1 to 4 separate channels to manage cables • Flexible • Cables to be fed into the channel through the length of the manager (not required to be feed from only the top) • Must be able to be used on CAT 2 height adjustable tables • Allow extra installation time to place cords from HA table, power module etc. in wire manager <p>Location: See Workstation Typical WS 5.2</p> 	40	Yes		\$	\$
				Product Total	\$	

Table 2a – Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7 All new product in this request for bid.	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Delivery Total:	\$

Table 3a – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7 All new product in this request for bid.	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <ul style="list-style-type: none"> All electrical outlets to be checked to ensure connectivity prior to installation completion. This may require an additional site visit once base building electrical has been connected. Feed all electrical cords associated with the furniture system (lamps, desk-top power modules, etc.) through vertical wire managers allowing sufficient slack for height adjustable table movement without putting stress on the cables. Ensure all electric height adjustable tables are celebrated and functioning. Attached Drawings supersede Category 1a Product listings. 				Installation Total:	\$

<ul style="list-style-type: none"> Ensure all height adjustable tables are installed with a gap at all sides to avoid finger pinch and hitting other surfaces, panels or trims. 		
--	--	--

Table 4 – Optional Product Required

Section A - IU REQUIREMENT					Section B – SUPPLIER’S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
32 A	5TLTDSKBAUSBPWXXX	Desk Lamp Locations: install at same location as new and existing monitor arms on height adjustable tables	197	No		\$	\$
					Product Total		\$

Table 5 – Optional Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7 All new product in this request for bid.	TBD	7am - 4:30pm weekdays	_____ : weeks Standard Lead time is between 6-10 weeks for furniture delivery and installation.	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 6 – Optional Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7 All new product in this request for bid.	TBD	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <ul style="list-style-type: none"> • All electrical outlets to be checked to ensure connectivity prior to installation completion. This may require an additional site visit once base building electrical has been connected. • Feed all electrical cords associated with the furniture system (lamps, desk-top power modules, etc.) through vertical wire managers allowing sufficient slack for height adjustable table movement without putting stress on the cables. • Ensure all electric height adjustable tables are celebrated and functioning. • Attached Drawings supersede Category 1a Product listings. • Ensure all height adjustable tables are installed with a gap at all sides to avoid finger pinch and hitting other surfaces, panels or trims. 				Installation Total:	\$

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. <u>If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</u></p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>
2.1	Loading Dock/Location

A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	There is no Lift. There is a Mechanical Dock Leveler. The dock leveler has a 25,000lb capacity. The dock leveler measures 6' X 6'.
D	Door	145" X 198"
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52", width: 71", height: 93.5" Door opening dimensions: width: 52", height: 83" Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3. Continuance of Certifications		
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total

(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4) <i>(Applicable if Option is exercised)</i>	\$
5	Optional Delivery Total (Table 5) <i>(Applicable if Option is exercised)</i>	\$
6	Optional Installation Total (Table 6) <i>(Applicable if Option is exercised)</i>	\$
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	
		Ariba #:	

PART 2: CAT 5 – Special Product

Table 1 – Product Table 5B – Special Product (not grouped with CAT 1,2 & 5)


NSA products						
The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.						
Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
3 3	ID# L1 Lamp equivalent to 5TLTDSKBAACPWRXXXXX with modifications: <ul style="list-style-type: none">• Floor Lamp• Black powder coated metal upper• Round base in stone or metal 304-508 mm (12-20") Dia,• singular leg component• and Rotating cone light 177-279mm (7"-11") Dia to allow for direct or indirect illumination• Overall Height: 1524-1625 mm (60-64")• Overall Diameter: 304-508 mm (12-20")  Location: 7033 (x2), 7015, 6004, 6043 (x2), 5041 (x2), 5045, 5001, 4001, 4040	12	No		\$	\$
				Product Total	\$	

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Installation Total:	\$

Table 4 – Optional Product Required

☒ Not Applicable

Table 5 – Optional Delivery

☒ Not Applicable

Table 6 – Optional Installation

☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. <u>If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</u></p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	<p>There is no Lift. There is a Mechanical Dock Leveler.</p> <p>The dock leveler has a 25,000lb capacity.</p> <p>The dock leveler measures 6’ X 6’.</p>
D	Door	145” X 198”
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52”, width: 71”, height: 93.5” Door opening dimensions: width: 52”, height: 83” Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total*(Canada may complete if not completed by the Bidder)*

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:
		Ariba #:

PART 3: CAT 3

Table 1 – Product Table 3

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
NOTE:		Provide the following as per SA for each digital lock type: <ul style="list-style-type: none"> Two (2) tools or keys for accessing the battery compartment or charging port when battery fails while in the locked position (if compartment or port is located inside the unit). Two (2) master keys or fobs for re-programming user codes. 	N/A	No		\$	\$
34	3FLT3DXXPM30D18X XXS (Same as line below)	ID# CAB-3H-760 Lateral File Cabinet 3 Drawers High Painted metal Keyless *Each drawer to lock independently / digital lock on each drawer Location: Room 5048	1	No		\$	\$
35	3FLT3DXXPM30D18X XXS (Same as line above)	ID# CAB-3H-762 Lateral File Cabinet 3 Drawers High Painted metal *To be grouped underneath laminate worksurface LAM2 (See CAT 1b NON-SA product) Keyless *Each drawer to lock independently / digital lock on each drawer Location: Room 6035	3	No		\$	\$
36	3FLT3DXXPM36D18X XXS	ID# CAB-3H-915 Lateral File Cabinet 3 Drawers High Painted metal Keyless *Each drawer to lock independently / digital lock on each drawer Location: Room 7026(x8), 7032(x4), 6042(x4), 6036(x8), 5039(x3), 5029(x1), 5036(x1),	56	No		\$	\$

		5032(x2), 5040(x4), 048(x1), 5039(x8), 043(x6), 4048(x6)					
36A	3FLT2DXXPM36D18X XXS	Lateral File Cabinet 2 Drawers High Painted metal *Keyless – One lock required for entire cabinet Location: Room 7036	1				
38	3S2RHHXXPM36D18 HIXS	ID# CAB-ST-915 Storage Cabinet 2 doors painted metal (915mm) 36" W x 18"D (457mm) keyless Location: Room7036	1	No		\$	\$
**Provide additional information: Canada is requesting bidders to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
					Product Total	\$	

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	____ : weeks Standard Lead time is between 6-10 weeks for furniture delivery and installation.	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required ☒ Not Applicable

Table 5 – Optional Delivery ☒ Not Applicable

Table 6 – Optional Installation ☒ Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer's standard finishes included in this bid if different that listed on the SA holders website and links provided under 'standard', 'Grade A' or 'Grade 1' finishes. If finish selection varies from information on the manufacturer's Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada's Facilities to Accommodate the Delivery</p> <p><i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	There is no Lift. There is a Mechanical Dock Leveler. The dock leveler has a 25,000lb capacity.

		The dock leveler measures 6' X 6'.
D	Door	145" X 198"
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52", width: 71", height: 93.5" Door opening dimensions: width: 52", height: 83" Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total

(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$



* Applicable taxes extra.




Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	
		Ariba #:	

PART 4: CAT 6-G1

Table 1 – Product Table 6-G1

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
39	6CLTVAREXLW7<36ONX X	ID# LP1 Laptop Table Rectangular or softened rectangle shape Painted metal base Laminate *559 mm (22") long max  Location: 7033 (x2), 7043 (x2), 7042, 7015, 7024, 6004, 6028, 6034, 6037, 6042, 6043 (x2), 6047, 6053, 6052, 6051, 6050, 5001, 5023, 5041 (x2), 5045, 4001, 4023, 4022(x2), 4059(x3), 4066(x4), 4063(x3), 4062, 4031, 4053, 4046	42	No		\$	\$
40	6SLCWAXXWUXXXXXXM XXX	ID# LC1 Lounge chair Mid back Dimensions: Width: 711-787mm (28-31") Depth: 762-838mm (30-33") Overall Height: 711-812mm (28-32") Base: Four leg swivel hardwood base Upholstery: Upholstered seat, front, and back. *From same series as LC4  Location: 7033 (x2), 7015, 6042(x2), 6043 (x2), 6047, 6004, 5001(x2), 5041(x2), 4001	14	No		\$	\$
41	6SLCWAXXWUXXXXXXM XXX	ID# LC4 Lounge Chair	11	No		\$	\$

		<p>High back Dimensions: Width: 711-787 mm (28-31") Depth: 736-838 mm (29-33") Height: 1016-1219 mm (40-48") Base: Four leg swivel hardwood base Upholstery: Upholstered seat, front, and back. *From same series as LC1</p>  <p>Location: 7033(x3), 6044(x3), 5041 (x3), 4059 (x2)</p>					
4 2	6KKCSAxxLY16X XXMIYX	<p>ID# LC5</p> <p>Side Chair For use with Laptop Table Width: 558-660 mm (22-26") Depth: 533-635 mm (21-25") Overall Height: 685-812 mm (27-32") Base: Fixed 4 leg base in wood or black painted metal Upholstery: Upholstered seat, front, and back. Molded one piece back and arms</p>  <p>Location: 6028, 6034, 6037, 6053, 6052, 6051, 6050</p>	7	No		\$	\$
4 3	6SUOLRXXLUXXXXLNN N	<p>ID# OP7</p> <p>Large Round Ottoman Painted metal or Wooden Legs (7" max height) or low profile glides Upholstered top Diameter: 1168-1270mm (48-50")</p>  <p>Location: 4022, 4059, 4063(x2)</p>	4	No		\$	\$



4 4	6SSOTWXXLUW4XXXQN NY	ID# SF1 Two seater sofa Dimensions: Width: 1549- 1626mm (61"-64") Depth: 711-787mm (28-31") Overall Height: 685-812mm (27-32") Upholstery: Fully upholstered seat, back, sides and top. Molded arms connect with back  Location: 7015, 7033 (x2), 7043, 6042, 6043(x2), 5046(x2), 5041 (x2), 4040, 4060	13	No		\$	\$
4 5	6SBBTWXXLUW3G19LM NN	ID# SF8 Sofa / Banquette Mid back no arms Upholstered back and seat Wood or powder coated metal legs Depth: 610-762 mm (24-30") Width: 1219-1346 mm (48-53")  Location: 6034	2	No		\$	\$
					Product Total	\$	

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required

☒ Not Applicable

Table 5 – Optional Delivery

☒ Not Applicable

Table 6 – Optional Installation

☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. <u>If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</u></p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	<p>There is no Lift. There is a Mechanical Dock Leveler.</p> <p>The dock leveler has a 25,000lb capacity.</p> <p>The dock leveler measures 6’ X 6’.</p>
D	Door	145” X 198”
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52”, width: 71”, height: 93.5” Door opening dimensions: width: 52”, height: 83” Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total*(Canada may complete if not completed by the Bidder)*

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:
		Ariba #:

PART 5: CAT 6-G2

Table 1 – Product Table 6-G2

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
46	6OPLWLFSLXC3H46XY TA	ID# IP1-R Individual Work Pod Right-hand tablet Left hand opening *Size restraints due to space limitations: Depth: 1118 mm (44") Max Length: 1727-1879 mm (68-74") Height: 1168 mm (46") Minimum. Intergraded worksurface and chair *High panels required on four sides with opening Location: 7032, 6023, 4056(x2)	4	No		\$	\$
47	6OPLWLFSLXC3H46XY TA	ID# IP1-L Individual Work Pod Left-hand tablet Right hand opening *Size restraints due to space limitations: Depth: 1118 mm (44") Max Length: 1727-1879 mm (68-74") Height: 1168 mm (46") Minimum. Intergraded worksurface and chair *High panels required on four sides with opening Location: 6022, 6039, 5017(x3), 4053(x2)	7	No		\$	\$
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
					Product Total	\$	

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required

☒ Not Applicable

Table 5 – Optional Delivery

☒ Not Applicable

Table 6 – Optional Installation

☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. <u>If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</u></p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	<p>There is no Lift. There is a Mechanical Dock Leveler.</p> <p>The dock leveler has a 25,000lb capacity.</p> <p>The dock leveler measures 6’ X 6’.</p>
D	Door	145” X 198”
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52”, width: 71”, height: 93.5” Door opening dimensions: width: 52”, height: 83” Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total*(Canada may complete if not completed by the Bidder)*

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:
		Ariba #:

PART 6: CAT 6-G3

Table 1 – Product Table 6-G3

Section A - IU REQUIREMENT				** Provide additional Information Yes/No	Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY		Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
48	6OGWWFFSLXC2H47X YXX	ID# GP1 4 to 6 Seater Group pod With sofa on each side , privacy screen on a min of 3 sides, and work surface table in centre *Allow for two screen colours – inside and outside of screen *Size restraints due to space limitations: <ul style="list-style-type: none"> Depth: 2250 mm (89") Max Length: 2463mm (97")Max Location: 7032	2	No		\$	\$
					Product Total	\$	

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	____ : weeks Standard Lead time is between 6-10 weeks for furniture delivery and installation.	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required ☒ Not Applicable

Table 5 – Optional Delivery ☒ Not Applicable

Table 6 – Optional Installation ☒ Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer's standard finishes included in this bid if different that listed on the SA holders website and links provided under 'standard', 'Grade A' or 'Grade 1' finishes. If finish selection varies from information on the manufacturer's Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada's Facilities to Accommodate the Delivery</p> <p><i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	There is no Lift. There is a Mechanical Dock Leveler. The dock leveler has a 25,000lb capacity.

		The dock leveler measures 6' X 6'.
D	Door	145" X 198"
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52", width: 71", height: 93.5" Door opening dimensions: width: 52", height: 83" Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total

(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$



* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	
		Ariba #:	

PART 7: CAT 6-G4

Table 1 – Product Table 6-G4

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
49	6ZFHLXX24L66HSSSSKX	ID# OST7 Open credenza / bookcase end 1624mm (63-66") W x 610mm (24") D EA Height: 711mm-762mm (28"-30") Located at end of workstation 4 Compartments Laminate Finish Rectangular Shape Raised from floor with legs  Location: Workstation Typical WS3.7 Room 4056, 4052	2	No		\$	\$
**Provide additional information: Canada is requesting bidders to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
NSA products The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.							
Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$	
50	ID# OST1 Credenza, full height, laminate equivalent to 6ZFHLXX20L66HSSSSSX with modifications: <ul style="list-style-type: none">• 6 open compartments• Height to pair with average desk height• Open shelves. Closed back.• Legs preferred but not mandatory  Location: Workstation Typical WS3.2-G Room 7030	2	Yes		\$	\$	

		Product Total	\$
--	--	---------------	----

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required ☒ Not Applicable

Table 5 – Optional Delivery ☒ Not Applicable

Table 6 – Optional Installation ☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	<p>There is no Lift. There is a Mechanical Dock Leveler.</p> <p>The dock leveler has a 25,000lb capacity.</p> <p>The dock leveler measures 6’ X 6’.</p>
D	Door	145” X 198”
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52”, width: 71”, height: 93.5” Door opening dimensions: width: 52”, height: 83” Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total*(Canada may complete if not completed by the Bidder)*

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:
		Ariba #:

PART 8: CAT 6-G5

Table 1 – Product Table 6-G5


Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
5 1	ID# CL1 Collaborative Table / High-Low – special use Similar to 6CCMVASQLL30L30PNXX with modifications: <ul style="list-style-type: none"> • Laminate • Long portion: 685- 762 mm (27-30") High • Long portion must seat at least 4 people • Secondary portion: 990-1067 mm (39- 42") High • Overall size: <ul style="list-style-type: none"> ○ 965-1092 mm (38-43") Deep ○ x 2641-2769 mm (104-109") Long ○ Desktop power module to be included by supplier  Location: 7017, 6008, 5040, 5046	4	Yes		\$	\$
				Product Total	\$	\$

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

--	--	--

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required ☒ Not Applicable

Table 5 – Optional Delivery ☒ Not Applicable

Table 6 – Optional Installation ☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. <u>If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</u></p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>

2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	There is no Lift. There is a Mechanical Dock Leveler. The dock leveler has a 25,000lb capacity. The dock leveler measures 6' X 6'.
D	Door	145" X 198"
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52", width: 71", height: 93.5" Door opening dimensions: width: 52", height: 83" Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total

(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:
		Ariba #:

PART 9: CAT 6-G6

Table 1 – Product Table 6-G6

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
52	6MMTSMSQL30L30 WNNX	ID# KT1 Kitchenette Table Laminate square top White or Black painted metal pedestal base Location: 7035 (x3), 6045 (X3), 5042(x3) 4037(x11), 4035(x4)	24	No		\$	\$
53	6MMTSMSQL42L42 WNNX	ID# KT2 Kitchenette Table Laminate square top White or Black painted metal pedestal base Location: 4035	3	No		\$	\$
54	6MMTSMROPL36XXX WNNX	ID3 MT2 Round meeting table Laminate top Powder coated metal pedestal base Location: 6034, 5030, 5050, 5053, 4023 , 4046, 4053	6	No		\$	\$
55	6MMTSMROPL54XXX WNNX	ID# MT3 Round meeting table Laminate top Powder coated metal pedestal base Location 6030	1	No		\$	\$
56	6MTRFTRECL30L60WY YY	ID# FL1 Flip Top Table Rectangular Laminate top Legs: C-Legs, T-Legs or Y-Legs Legs in black or white painted metal Locking casters *no modesty panel * Provide power outlets to be daisy chain connection and connected to floor box. Connection for daisy chain to include wire management and support to underside of table as	32	No		\$	\$

		Product Total	\$
--	--	---------------	----

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required ☒ Not Applicable

Table 5 – Optional Delivery ☒ Not Applicable

Table 6 – Optional Installation ☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	<p>There is no Lift. There is a Mechanical Dock Leveler.</p> <p>The dock leveler has a 25,000lb capacity.</p> <p>The dock leveler measures 6’ X 6’.</p>
D	Door	145” X 198”
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52”, width: 71”, height: 93.5” Door opening dimensions: width: 52”, height: 83” Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total*(Canada may complete if not completed by the Bidder)*

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:
		Ariba #:

PART 10: CAT 6-G7

Table 1 – Product Table 6-G7



Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
59	6KBSCHxxLY15XXXPON X	ID# ST3 Counter Height Stool Armless Low back Molded back and seat 4 Leg powder coated metal base Seat height: 610- 686 mm (24"- 27") Overall Height: 940 mm (37") Max  Location: 6047(x2)	2	No		\$	\$
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
NSA products The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.							
Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$	
60	ID# ST6 Perching Stool Bar Height or Height Adjustable Stool No back. No arms Seat Height 762-864 mm (30-34") Overall Width: 508 mm (20") Max Diameter  Location: 6047(x2), 4043 (x2)	4	NO		\$	\$	
					Product Total	\$	

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required

☒ Not Applicable

Table 5 – Optional Delivery

☒ Not Applicable

Table 6 – Optional Installation

☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. <u>If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</u></p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	<p>There is no Lift. There is a Mechanical Dock Leveler.</p> <p>The dock leveler has a 25,000lb capacity.</p> <p>The dock leveler measures 6’ X 6’.</p>
D	Door	145” X 198”
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52”, width: 71”, height: 93.5” Door opening dimensions: width: 52”, height: 83” Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total*(Canada may complete if not completed by the Bidder)*

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$



* Applicable taxes extra.


Table 9 – Bidder's Authorized Representative




1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:
		Ariba #:



PART 11: CAT 6-G9

Table 1 – Product Table 6-G9

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
61	6SMORBXXLU25G19LY NN	ID# M26-without power Modular Sofa, Single seat Mid Back: 889 mm (35") max high Seat to be 610-686mm (24-27") max wide Legs of Wood or painted metal legs All MS modular sofas must be from same series  Location: See Typical MS1-MS8 in floor plan legend Room 6031(x3), 6033(x3), 6049(x3)	9	No		\$	\$
62	6SMORBXXLU25G19LY NN	ID# M26-with power Modular Sofa, Single seat Integrated or add-on USB and outlet combination to be provided by supplier. See plan for desired location details Mid Back: 889 mm (35") max high Seat to be 610-686mm (24-27") max wide Legs of Wood or painted metal legs All MS modular sofas must be from same series  Location: See Typical MS1-MS8 in floor plan legend Room 6004(x2), 5052(x2), 5027(x3), 4063(x3), 4062(x3),	28	No		\$	\$

		4059(x7), 4022(x3), 4023(x4) , 4046(x3), 4001 (x2)					
63	6SMOCBXXLU37G19LY NN	ID# M37 – without power Modular Sofa Curved 90 Degree Concave Mid Back: 889 mm (35") max high 762-990 mm (30-39") max wide legs Wood or painted metal legs modular sofas must be from same series No Power  Location: See Typical MS1-MS7 in floor plan legend Rooms 4063(x2), 4062, 4059, 4059, 4022, 4023 , 4046	7	No		\$	\$
64	6SBATWXXLUW3G19L MNN	ID# M52 – without power Banquette without backrest bolster Double seat Mid Back: 889 mm (35") max	2	No		\$	\$

		<p>Dimensions: 1300-1400mm (51-55") W x 762- 864mm (30-34") D</p> <p>legs of Wood or painted metal legs</p>  <p>Location: See typical MS9 in floor plan legend Room 4031</p>					
65	6SMORBXXLU25G19L NNN	<p>ID# MB27– without power</p> <p>Modular Bench Single Seat Linear No back Dimensions: 610-711 mm (24-28") W x 711- 863mm (28-34") D Must have legs, wood or painted metal All MS modular sofas must be from same series</p>  <p>Location: See typical MS2 in floor plan legend Room 4062</p>	2	No		\$	\$
66	6SMOCBXXLU37G19L NNN	<p>ID# MB38– without power</p> <p>Modular Sofa Curved 90 Degree Concave No Back 762-990 mm (30-39") W x 762-990 mm (30-39") D Sizes required? Must have legs, wood or painted metal legs All MS modular sofas must be from same series</p>  <p>Location: See typical MS2 in floor plan legend Room 4062</p>	1	No		\$	\$
67	6SMORBXXLU25G19LY NN	<p>ID# MB52– with power</p> <p>Modular Sofa Modular Bench Double seat Linear</p>	3	No		\$	\$

		<p>No back Dimensions: 1270-1422 mm (50"-56") W 711- 863mm (28-34") D Must have legs Wood or painted metal legs Integrated or add-on USB and outlet combination to be provided by supplier. See plan for desired location details Must have legs, wood or painted metal legs All MS modular sofas must be from same series</p>  <p>Location: See typical MS1 & 3 in floor plan legend 4063 (x2), 4059</p>					
68	6CNTLHRELLW8606NYXX	<p>ID# TM15 – without power</p> <p>Modular Sofa Table End Table Wood or laminate top 4 Wood or powder coated metal leg Must be from same series as MS modular sofas, gang</p>  <p>Location: See typical MS4, 5 & 7 in floor plan legend Room 4059, 4022 (x2), 4046</p>	4	No		\$	\$

****Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

NSA products

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
69	<p>ID# M78 – with power</p> <p>Modular Sofa Triple Seat Mid Back: 889 mm (35") max Seat Height: 432-482mm (17-19") Must have legs, Wood or painted metal</p>	1	No		\$	\$


<p>All MS modular sofas must be from same series Similar to 6SMORBXXLU25G19LYNN with modifications:</p> <ul style="list-style-type: none"> • Dimensions: 1879-1981 mm (74-78") W x 762-863mm (30-34") D • See plan for power location and quantity. Integrated or add-on USB and outlet combination to be provided by supplier.  <p>Location : See typical MS5 in floor plan legend Room 4022</p>					
				Product Total	\$

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required ☒ Not Applicable

Table 5 – Optional Delivery ☒ Not Applicable

Table 6 – Optional Installation ☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	There is no Lift. There is a Mechanical Dock Leveler. The dock leveler has a 25,000lb capacity.

		The dock leveler measures 6' X 6'.
D	Door	145" X 198"
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52", width: 71", height: 93.5" Door opening dimensions: width: 52", height: 83" Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total

(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$



* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	
		Ariba #:	

PART 12: CAT 6-G11

Table 1 – Product Table 6-G11

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
70	6SSOTHXXLUW6XXXQNNY	ID# SF4 Sofa High- back, two arms Width: 2065-2200mm (81"-87") Back angle, height and legs to allow space for counter height sofa table CL3 to be placed tight behind sofa. Note CL3 will be a counter height table – sofa back must be Counter Height 863-940 mm (34-37")  Location: 7047	1	No		\$	\$
71	6SLCWAXXFUXXXXXMXXX	ID# LC6 Lounge Chair Width: 736-813 mm (29-32") Depth: 711- 812 mm (28-32") Height: 762- 863 mm (30 -34") Upholstery: Fully upholstered arms, seat and back. Base: 4 Powder coated metal legs in Basket style frame / base to extend approx. half way up arm and wrap around back. Full closed upholstered arm  Location: 6005, 4058(x2), 4063(x2)	5	No		\$	\$


7 2	6SUOPRXXLUXXXXXLNN N	ID# OP1 Ottoman/ Stool For use as side stool and with Laptop Table Location: 7015, 7016, 7024, 7025, 7028, 7027, 7042, 7043, 7033(x2), 6004(x2), 6005, 6031, 6033, 6034, 6042, 6043 (x2), 6047, 6049, 5001, 5026, 5033, 5034, 5037, 5039 (x2), 5041 (x2), 5045, 5049, 5051, 5052, 5053 (x2), 4001, 4022, 4023, 4059(x2), 4052 (x2), 4053, 4044, 4039, 4062(x6), 4031	53	No		\$	\$
--------	-------------------------	---	----	----	--	----	----

****Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

NSA products

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
7 3	ID# SF2 Sofa / Banquette Length: 1879-2159 mm (74- 85") Depth: 863-940 mm (34-37") Seat height: 406-457 mm (16-18") Overall Height: 685-813 mm (27-32") 1 arm on right side when seated in upholstery or wood Left side no arm 4-6" H minimum Leg support in wood or powder coated metal  Location: 7016, 6005	2	No		\$	\$
7 4	ID# LC7 Lounge style swivel guest chair equivalent to 6SLCWAXXWUXXXXMXXX with modifications: <ul style="list-style-type: none"> • Width: 584-660 mm (23-26") • Depth: 584-660 mm (23-26") • Overall Height: 812-889 mm (32-35") • Wooden base with 4 legs centrally mounted at underside chair seat • Seat swivel - 360 degrees 	3	No		\$	\$



						
	Location: 4023(x3), 4046(x3)					
7 5	ID# OP2 Footstool Similar to 6SUOMRXXLUXXXXXLNNN with modifications: <ul style="list-style-type: none"> • Height: 304-407mm (12 -16") • Diameter: 559- 712mm (22-28") • Upholstered  Location: 6005, 6034, 6047, 5041, 4062, 4059, 4031	7	No		\$	\$
				Product Total	\$	

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required ☒ Not Applicable

Table 5 – Optional Delivery ☒ Not Applicable

Table 6 – Optional Installation ☒ Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer's standard finishes included in this bid if different that listed on the SA holders website and links provided under 'standard', 'Grade A' or 'Grade 1' finishes. If finish selection varies from information on the manufacturer's Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada's Facilities to Accommodate the Delivery</p> <p><i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	There is no Lift. There is a Mechanical Dock Leveler. The dock leveler has a 25,000lb capacity.

		The dock leveler measures 6' X 6'.
D	Door	145" X 198"
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52", width: 71", height: 93.5" Door opening dimensions: width: 52", height: 83" Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total

(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$



* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	
		Ariba #:	

PART 13: CAT 6-G12

Table 1 – Product Table 6-G12

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
76	6MMTMDREOL30120 WYNX	ID# CL5 Collaborative table <ul style="list-style-type: none"> • Laminate top • Polished aluminum, powder coated metal, or chrome post legs • Power cables to run through leg • 2AC & 2USB Power per module • Integrated bottom tray on underside of tabletop to conceal cables • clearance for seating  Location: 4058	1	No		\$	\$
77	6MMTLGREOW48120 WYNX	ID# Mt8 Large Conference Table Rectangular shape Polished aluminum, powder coated metal, or chrome post legs Power cables to run through leg Integrated power modules on table top Integrated bottom tray on underside of tabletop to conceal cables Wood veneer top  Location: 4025, 4029	1	No		\$	\$
78	6MMTLGREOW60120 WYNX	ID# MT1 Large Conference Table Rectangular shape	1	No		\$	\$


		Polished aluminum, powder coated metal, or chrome post legs Power cables to run through leg Integrated bottom tray on underside of tabletop to conceal cables Wood veneer top Width: 2997-3048mm (118-120") Depth: 1473-1524 mm (58-60") Height: 711-762 mm (28-30") Integrated power module on table top 				
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.						
					Product Total	\$

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required ☒ Not Applicable

Table 5 – Optional Delivery ☒ Not Applicable

Table 6 – Optional Installation ☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	There is no Lift. There is a Mechanical Dock Leveler. The dock leveler has a 25,000lb capacity.

		The dock leveler measures 6' X 6'.
D	Door	145" X 198"
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52", width: 71", height: 93.5" Door opening dimensions: width: 52", height: 83" Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total

(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$


* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	
		Ariba #:	

PART 14: CAT 6-13

Table 1 – Product Table 6-13

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
79	6KKCSAxxLY16XXXMINX	ID# KC1 Kitchenette chair Stackable With Armrest Molded polymer, 4 legs For use w/ KT2 table Min of four colour choices must be available Location: 4035(x16)	16	No		\$	\$
80	6KKCSAxxSY16XXXMONX	ID# KC2 Kitchenette chair Stackable Without Armrest Molded polymer seat, sled base For Use with KT1 Table Min of four colour choices must be available Location: 7035 (x3), 6045(X3), 5042 (x3), 4037(x22)	31	No		\$	\$
81	6KBSCHxxSY15XXXPONX	ID# ST1 Counter height stool To coordinate w/ Millwork Table. Seat height 610- 660mm (24"-26") *Round seat No back No arms Material: single piece molded shell Powder Coated metal base  Location: 7037, 4022(x3), 4059(x6), 4037(x5)	15	No		\$	\$

****Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

		Product Total	\$
--	--	---------------	----

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required ☒ Not Applicable

Table 5 – Optional Delivery ☒ Not Applicable

Table 6 – Optional Installation ☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	<p>There is no Lift. There is a Mechanical Dock Leveler.</p> <p>The dock leveler has a 25,000lb capacity.</p> <p>The dock leveler measures 6’ X 6’.</p>
D	Door	145” X 198”
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52”, width: 71”, height: 93.5” Door opening dimensions: width: 52”, height: 83” Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total*(Canada may complete if not completed by the Bidder)*

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$



* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:
		Ariba #:

PART 15: CAT 6-G15 Non-Combustible Product

Table 1 – Product Table 6-G15 Non-Combustible Product

NSA products The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.						
Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
82	ID# AC1 Armless chair, four legs equivalent to 6KKCSAxxLY16XXXMINX with modifications: <ul style="list-style-type: none"> To be non-combustible material: painted metal Must be from same series/ collection and same colour selection as AT4, AC4 AND AC2 Dimensions: 480w x 533d x 457h*seat height (19x21x18.1 *seat height) (size variance allowed : +/- 102mm (3) but seat height must work with AT4 table) Min. three colours to select from  Location: 4067	8	No		\$	\$
83	ID# AC2 Arm chair, four legs equivalent to 6KKCSAxxLY16XXXMINX with modifications: <ul style="list-style-type: none"> To be non-combustible material: painted metal Open style arm Must be from same series/ collection and same colour selection as AT4, AC4 AND AC1 Dimensions: 480w x 533d x 457h*seat height (19x21x18.1 *seat height) (size variance allowed : +/- 102mm (3) but seat height must work with AT4 table) Min. three colours to select from  Location: 4067	6	No		\$	\$
84	ID# AC4 Linear bench equivalent to 6SBATHXXLUW5G19LLNN with modifications: <ul style="list-style-type: none"> To be non-combustible material: painted metal 	6	No		\$	\$




	<ul style="list-style-type: none"> Must be from same series/ collection and same colour selection as AT4, AC1 AND AC2 Dimensions: 1700w x 330d x 457h (66x15x18)) (size variance allowed : +/- 51mm (2) Min. three colours to select from  <p>Location: 4067</p>					
85	<p>ID# AT2</p> <p>Collaborative round table equivalent to 6MMTSMROPL36XXXWNNX with modifications:</p> <ul style="list-style-type: none"> To be non-combustible material: painted metal Base to have a min of three colours to select from Top in metal, glass, or stone To be used with AC2 chairs Top can be metal or stone Dimensions: <ul style="list-style-type: none"> 939-1168mm Dia (37"-46") x 29-31"H (736-787mm)  <p>Location: 4067</p>	2	No		\$	\$
86	<p>ID# AT4</p> <p>Collaborative table equivalent to 6MTRXTRELL24L72WYYY with modifications:</p> <ul style="list-style-type: none"> To be non-combustible material: painted metal Must be from same series/ collection and same colour selection as AC4 and AC1 Dimensions: 2000w x 787w x 457h (79 x 31 x 29) (size variance allowed : +/- 51mm (2) Min. three colours to select from  <p>Location: 4067</p>	4	No		\$	\$
				Product Total	\$	

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required

☒ Not Applicable

Table 5 – Optional Delivery

☒ Not Applicable

Table 6 – Optional Installation

☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. <u>If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</u></p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	<p>There is no Lift. There is a Mechanical Dock Leveler.</p> <p>The dock leveler has a 25,000lb capacity.</p> <p>The dock leveler measures 6’ X 6’.</p>
D	Door	145” X 198”
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52”, width: 71”, height: 93.5” Door opening dimensions: width: 52”, height: 83” Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total*(Canada may complete if not completed by the Bidder)*

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:
		Ariba #:

PART 16: CAT 6-G16 Non-Combustible Product

Table 1 – Product Table 6-G16 Non-Combustible Product



NSA products						
The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.						
Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
8 7	ID# AT3 Round coffee table equivalent to 6CCTVAROPA36XXXJNXX with modifications: <ul style="list-style-type: none">• 356 – 406mm (14-16”) high.• To be non-combustible material: painted metal• May have a metal, stone or quartz• Minimum Three colours to select from  Location: 4067	1	No		\$	\$
8 8	ID# AT1-1 Laptop table equivalent to 6CLTVARZXLW7<36ONXX with modifications: <ul style="list-style-type: none">• To be non-combustible material: painted metal• Minimum Three colours to select from or Chrome• Preferred shape is round. Note alternative shapes or a small side table at the same height suitable for using with a laptop is acceptable  Location: 4067	2	No		\$	\$
				Product Total		\$

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Installation Total:	\$

Table 4 – Optional Product Required

☒ Not Applicable

Table 5 – Optional Delivery

☒ Not Applicable

Table 6 – Optional Installation

☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. <u>If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</u></p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	<p>There is no Lift. There is a Mechanical Dock Leveler.</p> <p>The dock leveler has a 25,000lb capacity.</p> <p>The dock leveler measures 6’ X 6’.</p>
D	Door	145” X 198”
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52”, width: 71”, height: 93.5” Door opening dimensions: width: 52”, height: 83” Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total*(Canada may complete if not completed by the Bidder)*

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	
		Ariba #:	

PART 17: CAT 6-G17 Non-Combustible Product

Table 1 – Product Table 6-G17 Non-Combustible Product



NSA products The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.						
Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
8 9	ID# AC6 Lounge two seater sofa equivalent to 6SSOTWXXLUW4XXXQNNN with modifications: <ul style="list-style-type: none"> To be non-combustible material: painted metal Mesh look molded bench with back and sculpted arms. Four legs with exposed structure. Minimum Three colours to select from Must be from same series/collection as AC7. Dimensions: 851mmh x 1270mmw x 685mmd (33.5x50.25x27.5) (size variance allowed : +/- 102mm (4)) Min. three colours to select from  Location: 4067	1	No		\$	\$
9 0	ID# AC7 Lounge chair equivalent to 6SLCWAXXFUXXXXXMXXX with modifications: <ul style="list-style-type: none"> To be non-combustible material: painted metal Mesh look molded seat with back and sculpted arms. Four legs and exposed structure. Minimum Three colours to select from Must be from same series/collection as AC6. Dimensions: 851h x 760w x 685d (33.5x30x27.5) (size variance allowed : +/- 102mm (4)) Min. three colours to select from  Location: 4067	2	No		\$	\$
				Product Total	\$	

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required ☒ Not Applicable

Table 5 – Optional Delivery ☒ Not Applicable

Table 6 – Optional Installation ☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	<p>There is no Lift. There is a Mechanical Dock Leveler.</p> <p>The dock leveler has a 25,000lb capacity.</p> <p>The dock leveler measures 6’ X 6’.</p>
D	Door	145” X 198”
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52”, width: 71”, height: 93.5” Door opening dimensions: width: 52”, height: 83” Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total*(Canada may complete if not completed by the Bidder)*

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:
		Ariba #:

PART 18: CAT 6-G23

Table 1 – Product Table 6-G23


NSA products The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.						
Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
9 1	ID# CL3 May move to Group 23 Sofa Table Shape: Rectangular or soft rectangle Equivalent to 6CNTCHREGLW8606UYXX wit modifications: <ul style="list-style-type: none"> Materials: laminate worksurface / Wood or painted metal legs in white or black Height: Counter Height 863-940 mm (34-37") Depth: 355-457 mm (14-18") Width: 1880- 2057 mm (74-81") With or without a foot rail is acceptable  Location: 6047	1	Yes		\$	\$
				Product Total	\$	\$

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$

<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>	Delivery Total:	\$
---	-----------------	----

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required ☒ Not Applicable

Table 5 – Optional Delivery ☒ Not Applicable

Table 6 – Optional Installation ☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. <u>If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</u></p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>
2.	Canada’s Facilities to Accommodate the Delivery

	<p><i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	<p>There is no Lift. There is a Mechanical Dock Leveler.</p> <p>The dock leveler has a 25,000lb capacity.</p> <p>The dock leveler measures 6' X 6'.</p>
D	Door	145" X 198"
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52", width: 71", height: 93.5" Door opening dimensions: width: 52", height: 83" Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total

(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:
		Ariba #:

PART 19: CAT 6-G24

Table 1 – Product Table 6-G24



Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
92	6SMORBXXLU25G19L NNN	ID# OP3 Rectangular Ottoman Must coordinate with and be from the same series as OP4 *Casters required – 20% upgrade to be used for this requirement after contract award. Upholstered top Width: 864-965mm (34-38") Overall Seat Depth: 457-559mm (18-22")  Location: 4058 (x2), 4035 (x4), 4064 (x1), 4026(X6), 4027(X7)	20	Yes – show casters can be provided with upgrade allowance		\$	\$
93	6SMORBXXLU25G19L NNN	ID# OP4 Rectangular Ottoman Painted metal or Wooden Legs (4" max height) or low profile glides Upholstered top Must coordinate with and be from the same series as OP4 Width: 914-965mm (36-38") Overall Seat Depth: 457-559mm (18-22")  Location: 7020 (x3), 6016(x3), 5043 (x3), 5008 (x2), 4064 (x2)	13	No		\$	\$
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
					Product Total	\$	

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required ☒ Not Applicable

Table 5 – Optional Delivery ☒ Not Applicable

Table 6 – Optional Installation ☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	<p>There is no Lift. There is a Mechanical Dock Leveler.</p> <p>The dock leveler has a 25,000lb capacity.</p> <p>The dock leveler measures 6’ X 6’.</p>
D	Door	145” X 198”
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52”, width: 71”, height: 93.5” Door opening dimensions: width: 52”, height: 83” Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total*(Canada may complete if not completed by the Bidder)*

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$


* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:
		Ariba #:

PART 20: CAT 6-G26

Table 1 – Product Table 6-G26

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
94	6ZFHLXX18L72HSSSSSX	ID# CR5 Credenza Rectangular Open right and left side Laminate Body and top Legs in black or white painted metal Location: 6015, 6047	2	No		\$	\$
95	Not Used						
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
NSA products The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.							
Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$	
96	ID# CF2 Round Coffee table Similar to 6CSTVAROPW24XXXJNXX with modifications: <ul style="list-style-type: none">DIA.533- 660mm (21"-26")Height:381-457mm (15"-18")Wood VeneerWood BaseTapered legsMust coordinate With CF3at a different height to nest together  Location: 7018, 6015, 5005	3	Yes		\$	\$	
97	ID# CF3 Coffee table Rounded Triangle shape Similar to 6CSTVAROPW30XXXJNXX with modifications: <ul style="list-style-type: none">533-610mm (21-24") D x762- 813mm(30"-32") WHeight:381-457mm (15"-18")	3	Yes		\$	\$	


<ul style="list-style-type: none"> • Wood Veneer • Wood Base • 3 Legs tapered legs • Must coordinate With CF2 • at a different height to nest together 					
Location: 7018, 6015, 5005					
				Product Total	\$

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required ☒ Not Applicable

Table 5 – Optional Delivery ☒ Not Applicable

Table 6 – Optional Installation ☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	There is no Lift. There is a Mechanical Dock Leveler. The dock leveler has a 25,000lb capacity.

		The dock leveler measures 6' X 6'.
D	Door	145" X 198"
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52", width: 71", height: 93.5" Door opening dimensions: width: 52", height: 83" Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total

(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	
		Ariba #:	

PART 21: CAT 6-G27

Table 1 – Product Table 6-G27





NSA products						
The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.						
Section A - IU REQUIREMENT			** Provide additional Information Yes/No	Section B – SUPPLIER'S BID		
#	NON-SA Product(s)	QTY		Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
98	<p>ID# CS1</p> <p>Collaborative Table Lounge Height Powder coated metal pedestal base Laminate top Softened rectangle or oval shape Width: 889-990 mm(35-39") Depth: 610-660mm (24-26") Height: 600mm (26") H work height for lounge seating (+/- 25.4mm (1"))</p>   <p>Location: 6031, 6033, 6049, 5052</p>	4	No		\$	\$
99	<p>ID# CS2</p> <p>Lounge Height Work Table Powder coated metal pedestal base Laminate top Softened rectangle or oval shape Width: 1270-1524mm (50-60") Depth: 711-762mm (28-30") Height: 600mm (26") H work height for lounge seating (+/- 25.4mm (1"))</p>   <p>Location: 5027, 4040</p>	2	No		\$	\$
				Product Total	\$	

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or	Supplier will supply and deliver as per below**	Firm Lot Price \$

			Outside Normal Business Hours *		
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required

☒ Not Applicable

Table 5 – Optional Delivery

☒ Not Applicable

Table 6 – Optional Installation

☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. If finish selection varies from information on the manufacturer's Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	<p>There is no Lift. There is a Mechanical Dock Leveler.</p> <p>The dock leveler has a 25,000lb capacity.</p> <p>The dock leveler measures 6’ X 6’.</p>
D	Door	145” X 198”
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52”, width: 71”, height: 93.5” Door opening dimensions: width: 52”, height: 83” Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total*(Canada may complete if not completed by the Bidder)*

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$



* Applicable taxes extra.



Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:
		Ariba #:

PART 22: CAT 6-G28

Table 1 – Product Table 6- G28

NSA products The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.						
Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
100	<p>ID# LO</p> <p>Tiered Modular Sofa Similar to: 6SMORBXXLU25G19LYNN with modifications:</p> <ul style="list-style-type: none"> Low Ottoman seating Recessed legs, with slide glides for LVT flooring. Must allow space between floor and underside edge of seating to allow for use of a laptop table Overall Height: 431-482 mm (17-19") Depth: 914-1016 mm (36-40") Width: 914-1016 mm (36-40") All components in TBS1 grouping come from same series and must be able to be ganged together.  <p>Location: See typical TBS1 in floor plan legend Room 4063</p>	1	No		\$	\$
101	<p>ID# HO</p> <p>Tiered Modular Sofa Similar to: 6SMORBXXLU25G19LYNN with modifications:</p> <ul style="list-style-type: none"> High Ottoman seating Recessed legs, with slide glides for LVT flooring. Overall Height: 610- 660 mm (24-26") Depth: 914-1016 mm (36-40") Width: 914-1016 mm (36-40") All components in TBS1 grouping come from same series and must be able to be ganged together.  <p>Location: See typical TBS1 in floor plan legend Room 4063</p>	1	No		\$	\$
102	<p>ID# 2TS</p> <p>Tiered Modular Sofa</p>	2				

	<p>Similar to: 6SMPRBXXLU25G19LYNN with modifications:</p> <ul style="list-style-type: none"> • 2 Tiered stepped Seating • recessed legs, with slide glides for LVT flooring. • Must allow space between floor and underside edge of seating to allow for use of a laptop table • Must come with integrated power built in front panel at base. Power Outlet to have 2 receptacles and 2 USB ports on lower front section. • Overall Height: 863- 914mm (34"-36") • Depth: 914-1016 mm (36-40") • Width: 914-1016 mm (36-40") • All components in TBS1 grouping come from same series and must be able to be ganged together.  <p>Location: See typical TBS1 in floor plan legend Room 4063</p>					
103	<p>ID# 2TSIC</p> <p>Tiered Modular Sofa</p> <p>Similar to: 6SMORBXXLU25G19LYNN with modifications:</p> <ul style="list-style-type: none"> • 2 Stepped Tiered Inside Corner Seating • Recessed legs, with slide glides for LVT flooring. Must allow space between floor and underside edge of seating to allow for use of a laptop table • Overall Height: 863- 914mm (34"-36") • Depth: 914-1016 mm (36-40") • Width: 914-1016 mm (36-40") • All components in TBS1 grouping come from same series and must be able to be ganged together.  <p>Location: See typical TBS1 in floor plan legend Room 4063</p>	2	No		\$	\$
104	<p>ID# 2TSOC</p> <p>Tiered Modular Sofa</p> <p>Similar to: 6SMORBXXLU25G19LYNN with modifications:</p> <ul style="list-style-type: none"> • 2 Tiered step outside corner seating • Recessed legs, with slide glides for LVT flooring. Must allow space between floor and underside edge of seating to allow for use of a laptop table • Overall Height: 863- 914mm (34"-36") • Depth: 914-1016 mm (36-40") • Width: 914-1016 mm (36-40") • All components in TBS1 grouping come from same series and must be able to be ganged together. 	2	No		\$	\$



	 <p>Location: See typical TBS1 in floor plan legend Room 4063</p>					
105	<p>ID# 3TS</p> <p>Tiered Modular Sofa</p> <p>Similar to: 6SMORBXXLU25G19LYNN with modifications:</p> <ul style="list-style-type: none">• 3 Tiered stepped Seating• recessed legs, with slide glides for LVT flooring. Must allow space between floor and underside edge of seating to allow for use of a laptop table• Overall Height: 863- 914mm (34"-36")• Depth: 914-1016 mm (36-40")• Width: 914-1016 mm (36-40")• All components in TBS1 grouping come from same series.• All components in TBS1 grouping come from same series and must be able to be ganged together.  <p>Location: See typical TBS1 in floor plan legend Room 4063</p>	2	No		\$	\$
					Product Total	\$

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required

☒ Not Applicable

Table 5 – Optional Delivery

☒ Not Applicable

Table 6 – Optional Installation

☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. <u>If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</u></p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	<p>There is no Lift. There is a Mechanical Dock Leveler.</p> <p>The dock leveler has a 25,000lb capacity.</p> <p>The dock leveler measures 6’ X 6’.</p>
D	Door	145” X 198”
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52”, width: 71”, height: 93.5” Door opening dimensions: width: 52”, height: 83” Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total*(Canada may complete if not completed by the Bidder)*

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$


* Applicable taxes extra.



Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	
		Ariba #:	

PART 23: CAT 6-G29

Table 1 – Product Table 6-G29

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
106	6CSTVAROPW18XXXJNX	ID# SB1 Height: 406-533mm (16 – 20") Diameter: 355-457 mm (14-18") Wood  Location: 7015, 7033, 6004, 6042, 6043, 5001, 5041, 4001, 4040, 4058, 4059	11	No		\$	\$
107	6CCTVAROLA36XXXJNX	ID# CF1 Coffee Table Round 3' diam Max Height: 457mm (18") H Base: 4 legs Wood, acceptable alternative:: painted MDF, stained or painted plywood Room 7016, 7015, 7033 (x2), 6042, 6043 (x2), 5001, 5041 (2), 5045, 4001, 4023 , 4046, 4062 (x3)	16	No		\$	\$
108	6KBSBHxxSY15XXXROYX	ID# ST4 Bar height sled base, polymer, armless, stool with upholstered seat and foot rest equivalent to with modification: <ul style="list-style-type: none"> • Low back • *Seat height be appropriate for table CL2 and LAM2 (countertop over three drawer file cabinets <ul style="list-style-type: none"> o 177– 203mm (7-8") between underside of table and top surface of stool seat. 	15	No		\$	\$

		 <p>Location: 6041(x4), 4062(x8) 6035 (x3)</p>					
1 0 9	6SLCWAXXFUXXXXXX XX	<p>ID# LC3</p> <p>Lounge Chair Width: 762-813 mm (30-32") Depth: 686-762 mm (27-30") Overall Height: 711-787 mm (28-31") *Back and arms to be the same height within 102mm (4") +/- Upholstery: Fully upholstered arms, seat and back. Base: 5 powder coated metal legs</p>  <p>Location: 7018 (x2), 7032 (x2), 6015(x2), 5005 (x2)</p>	8	No		\$	\$
1 1 0	6LWBFWWSXXXXXXXX NNN	<p>ID# SC1</p> <p>Freestanding mobile whiteboard Writeable on both sides On casters Width: 1422-1524mm (56- 60") Height: 1524-1727 mm (60-68")</p> <p>Location: 7033(x2), 6043(x2), 5041(x2)</p>	6	No		\$	\$

****Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

NSA products

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Manufacture, Series name and Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1 1 1	<p>ID# CL2</p> <p>Touch-down bar height table equivalent to 6CKIVAREGL30L72PNXX with modifications:</p> <ul style="list-style-type: none"> Shape: <ul style="list-style-type: none"> Soft Rectangle or rounded ends 	3	Yes		\$	\$


<ul style="list-style-type: none"> ○ White Seamless Worksurface - Laminate • 4 Wooden legs – sawhorse style • No power • Height: Bar height 1016-1092 mm (40-43") • Depth: 610-762 mm (24-30") • Width: 1600-1829 mm (63-72") • With or without a foot rail is acceptable • Tabletop height must work with ST4 stool  <p>Location: 6041, 4062(x2)</p>					
		Product Total	\$		

Table 2 – Delivery A

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Delivery Total:	\$

Table 3 – Installation A

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	1713 Bedford Row Floors 4,5,6,7	December 1, 2022 Confirmation to be provided pending status of construction at contract award.	7am - 4:30pm weekdays	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product Required ☒ Not Applicable

Table 5 – Optional Delivery ☒ Not Applicable

Table 6 – Optional Installation ☒ Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Provide a website link to all finishes included in this bid. Bidder to provide a list of all manufacturer’s standard finishes included in this bid if different that listed on the SA holders website and links provided under ‘standard’, ‘Grade A’ or ‘Grade 1’ finishes. If finish selection varies from information on the manufacturer’s Fed. Gov. of Canada website it must be clearly notes on the bid c/w a full list of finish selections.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	1713 Bedford Row Floors 4,5,6,7
B	Dock	Yes
C	Lift	There is no Lift. There is a Mechanical Dock Leveler. The dock leveler has a 25,000lb capacity.

		The dock leveler measures 6' X 6'.
D	Door	145" X 198"
E	Freight Elevator	There is a Service Elevator. Cab dimensions: depth: 52", width: 71", height: 93.5" Door opening dimensions: width: 52", height: 83" Weight capacity: 1134kg/2500lb
F	Other (specify, if any)	<ul style="list-style-type: none"> Regular hours of operations for the project 7am - 4:30pm weekdays Deliveries - 5 ton truck only unless scheduled time in advance - construction container can be moved in advance. Note: Most 5 ton trucks are too large to fit into the loading dock due to height restrictions and the incline of the parking lot surface. Most all vehicles < 5 ton can be accommodated by the loading dock. (3 ton trucks recommended) City Permit required for on-street deliveries
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total

(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	
		Ariba #:	

ANNEX B
SECURITY REQUIREMENTS

A. The security requirements set out in the attached Security Requirements Check List (SRCL) apply to and form part of the Contract.

1. The Contractor/Offeror must, at all times during the performance of the Contract/Standing Offer, hold a valid Designated Organization Screening (DOS), issued by the Contract Security Program (CSP), Public Works and Government Services Canada (PWGSC).
2. The Contractor/Offeror personnel requiring access to sensitive site(s) must EACH hold a valid RELIABILITY STATUS, granted or approved by the CSP, PWGSC. Until the security screening of the Contractor personnel required by this Contract has been completed satisfactorily by the CSP, PWGSC, the Contractor personnel MAY NOT ENTER sites without an escort.
3. Subcontracts which contain security requirements are NOT to be awarded without the prior written permission of the CSP, PWGSC.
4. The Contractor/Offeror must comply with the provisions of the:
 - a) Security Requirements Check List and security guide (if applicable), attached at Annex "B";
 - b) *Contract Security Manual* (Latest Edition).



SECURITY REQUIREMENTS CHECK LIST (SRCL)

LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)

PART A - CONTRACT INFORMATION / PARTIE A - INFORMATION CONTRACTUELLE

1. Originating Government Department or Organization / Ministère ou organisme gouvernemental d'origine		Public Works and Government Services Canada	2. Branch or Directorate / Direction générale ou Direction RPB	
3. a) Subcontract Number / Numéro du contrat de sous-traitance			3. b) Name and Address of Subcontractor / Nom et adresse du sous-traitant	
4. Brief Description of Work / Brève description du travail Refit of Dominion Public Building in Halifax, Nova Scotia which will contain 5 clients when done				
5. a) Will the supplier require access to Controlled Goods? Le fournisseur aura-t-il accès à des marchandises contrôlées?			<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
5. b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control Regulations? Le fournisseur aura-t-il accès à des données techniques militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques?			<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
6. Indicate the type of access required / Indiquer le type d'accès requis				
6. a) Will the supplier and its employees require access to PROTECTED and/or CLASSIFIED information or assets? Le fournisseur ainsi que les employés auront-ils accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS? (Specify the level of access using the chart in Question 7. c) (Préciser le niveau d'accès en utilisant le tableau qui se trouve à la question 7. c)			<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted. Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS n'est pas autorisé.			<input type="checkbox"/> No Non	<input checked="" type="checkbox"/> Yes Oui
6. c) Is this a commercial courier or delivery requirement with no overnight storage? S'agit-il d'un contrat de messagerie ou de livraison commerciale sans entreposage de nuit?			<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
7. a) Indicate the type of information that the supplier will be required to access / Indiquer le type d'information auquel le fournisseur devra avoir accès				
Canada <input type="checkbox"/>		NATO / OTAN <input type="checkbox"/>		Foreign / Étranger <input type="checkbox"/>
7. b) Release restrictions / Restrictions relatives à la diffusion				
No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>		All NATO countries Tous les pays de l'OTAN <input type="checkbox"/>		No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>
Not releasable À ne pas diffuser <input type="checkbox"/>				
Restricted to: / Limité à : <input type="checkbox"/> Specify country(ies): / Préciser le(s) pays :		Restricted to: / Limité à : <input type="checkbox"/> Specify country(ies): / Préciser le(s) pays :		Restricted to: / Limité à : <input type="checkbox"/> Specify country(ies): / Préciser le(s) pays :
7. c) Level of information / Niveau d'information				
PROTECTED A PROTÉGÉ A <input type="checkbox"/>		NATO UNCLASSIFIED NATO NON CLASSIFIÉ <input type="checkbox"/>		PROTECTED A PROTÉGÉ A <input type="checkbox"/>
PROTECTED B PROTÉGÉ B <input type="checkbox"/>		NATO RESTRICTED NATO DIFFUSION RESTREINTE <input type="checkbox"/>		PROTECTED B PROTÉGÉ B <input type="checkbox"/>
PROTECTED C PROTÉGÉ C <input type="checkbox"/>		NATO CONFIDENTIAL NATO CONFIDENTIEL <input type="checkbox"/>		PROTECTED C PROTÉGÉ C <input type="checkbox"/>
CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>		NATO SECRET NATO SECRET <input type="checkbox"/>		CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>
SECRET SECRET <input type="checkbox"/>		COSMIC TOP SECRET COSMIC TRÈS SECRET <input type="checkbox"/>		SECRET SECRET <input type="checkbox"/>
TOP SECRET TRÈS SECRET <input type="checkbox"/>				TOP SECRET TRÈS SECRET <input type="checkbox"/>
TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/>				TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/>





PART A (continued) / PARTIE A (suite)

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS? ☒ No ☐ Yes
Non Oui
If Yes, indicate the level of sensitivity:
Dans l'affirmative, indiquer le niveau de sensibilité :

9. Will the supplier require access to extremely sensitive INFOSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate? ☒ No ☐ Yes
Non Oui

Short Title(s) of material / Titre(s) abrégé(s) du matériel :

Document Number / Numéro du document :

PART B - PERSONNEL (SUPPLIER) / PARTIE B - PERSONNEL (FOURNISSEUR)

10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis

- | | | | |
|---|---|---|--|
| <input checked="" type="checkbox"/> RELIABILITY STATUS
COTE DE FIABILITÉ | <input type="checkbox"/> CONFIDENTIAL
CONFIDENTIEL | <input type="checkbox"/> SECRET
SECRET | <input type="checkbox"/> TOP SECRET
TRÈS SECRET |
| <input type="checkbox"/> TOP SECRET- SIGINT
TRÈS SECRET - SIGINT | <input type="checkbox"/> NATO CONFIDENTIAL
NATO CONFIDENTIEL | <input type="checkbox"/> NATO SECRET
NATO SECRET | <input type="checkbox"/> COSMIC TOP SECRET
COSMIC TRÈS SECRET |
| <input type="checkbox"/> SITE ACCESS
ACCÈS AUX EMPLACEMENTS | | | |

Special comments:

Commentaires spéciaux : _____

NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided.

REMARQUE : Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être fourni.

10. b) May unscreened personnel be used for portions of the work?
Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail? ☐ No ☒ Yes
Non Oui
If Yes, will unscreened personnel be escorted?
Dans l'affirmative, le personnel en question sera-t-il escorté? ☐ No ☒ Yes
Non Oui

PART C - SAFEGUARDS (SUPPLIER) / PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)

INFORMATION / ASSETS / RENSEIGNEMENTS / BIENS

11. a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or premises?
Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS? ☒ No ☐ Yes
Non Oui

11. b) Will the supplier be required to safeguard COMSEC information or assets?
Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC? ☒ No ☐ Yes
Non Oui

PRODUCTION

11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises?
Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ? ☒ No ☐ Yes
Non Oui

INFORMATION TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)

11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED information or data?
Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS? ☒ No ☐ Yes
Non Oui

11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency?
Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale? ☒ No ☐ Yes
Non Oui





PART C - (continued) / PARTIE C - (suite)

For users completing the form **manually** use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.

Les utilisateurs qui remplissent le formulaire **manuellement** doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form **online** (via the Internet), the summary chart is automatically populated by your responses to previous questions.

Dans le cas des utilisateurs qui remplissent le formulaire **en ligne** (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

Category Catégorie	PROTECTED PROTÉGÉ			CLASSIFIED CLASSIFIÉ			NATO				COMSEC					
	A	B	C	CONFIDENTIAL CONFIDENTIEL	SECRET	TOP SECRET TRÈS SECRET	NATO RESTRICTED	NATO CONFIDENTIAL	NATO SECRET	COSMIC TOP SECRET COSMIC TRÈS SECRET	PROTECTED PROTÉGÉ			CONFIDENTIAL	SECRET	TOP SECRET
							NATO DIFFUSION RESTREINTE	NATO CONFIDENTIEL		A	B	C	CONFIDENTIEL		TRÈS SECRET	
Information / Assets Renseignements / Biens Production																
IT Media / Support TI																
IT Link / Lien électronique																

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED?
La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE?

☒ No
Non ☐ Yes
Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification".

Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.

12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED?
La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE?

☒ No
Non ☐ Yes
Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments).

Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquer qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).



ANNEX C FLOOR PLAN(S)

INSTRUCTIONS TO BIDDERS:

For Category 1a products, the Bidders must provide:

- a) Completed floor plan(s) with proposed SA approved products;
- b) A product listing of proposed SA approved products offered at floor plan(s).

As a minimum the product listing must include the following information:

- Supplier part numbers including NSA products forming part of this category;
- brief product descriptions;
- quantities;
- firm unit prices

- c) Bidders must provide a stackable panel system that consists of a Base panel with the required add-on module(s) as defined in the panel matrix of this requirement.

***** Products from categories other than Category 1a shown on floor plan are for information purposes only*****

By submitting a bid, the Bidder certifies that their submission includes all components and quantities for Category 1a, in accordance with the floor plans, panel details, panel matrices and/or workstation layouts stipulated in Annex C.

***At contract award, "By submitting a bid, the Bidder" becomes "The Contractor".**

Category 1a Requirement:

1) Floor Plan(s)

See attached pdf and AutoCAD floor plan

2) Panel Details

- a. All required panel heights: [Seated Privacy Add-on Height](#);
- b. When power is required, the power is located [below](#) work surface height; should a grouping of workstation types include shared panels and one side is identified as powered and the other side is non-powered, those panels affected must be powered.
- c. Type of power feed: [Base feed](#).
- d. ***See attached Workstation Typical pdf***

3) Panel Matrix and Workstation Layout

See attached Workstation Typical pdf

a. Panel Matrix

See attached Workstation Typical pdf

b. Workstation Layout(s)

See attached Workstation Typical pdf

- The floor plan takes precedent over any discrepancies with the workstation layouts.
- When two or more Workstation Typical types share a common panel spine, the finishes of the interior side of the workstation panel as outlined in the Typical Data Sheets must be followed and **NO PANELS SHALL BE DOUBLED. Where no workstation exists adjacent to Workstation Typical , refer to Data Sheet for finish.**
- Should one Workstation Typical identify power and the other does not – power will be required for both. Include Workstation Layouts (in the form of Typical Data Sheets or 3 Dimensional drawings) here or as a separate attachment to this RFB.

ANNEX D
ADDITIONAL SPECIFICATIONS, CERTIFICATIONS

This Annex includes the additional Specifications, Certifications associated with NSA product forming part of the requirement.

1. Certifications

1.1 NSA Product Conformance *(Required precedent to Issuance of a contract)*

The Supplier certifies that all the NSA products offered will conform to all specifications indicated in Annex A and D of the RFB, and meet the testing and performance requirements found at ANNEX A-1 and A-2 of the Supply Arrangement, as applicable.

Supplier's Signature

Date

NSA Product Conformance Certification *(applies after contract award)*

The Supplier warrants that the NSA Product Conformance Certification submitted by the Supplier with its bid is accurate and complete. The Supplier must keep proper records and documentation relating to the NSA product conformance and the testing requirements in this Annex, as applicable. The Supplier must not, without obtaining the prior written consent of the SAA, dispose of any such records or documentation until the expiration of the Contract or the expiry date of the Warranty, whichever is later. All such records and documentation must at all times during the retention period be open to audit, inspection and examination by the representatives of Canada, who may make copies and take extracts.

In addition, the Supplier must provide representatives of the SAA access to all locations where any part of the Work is being performed at any time during working hours. Representatives of the SAA may examine and test the Work as they see fit. The Supplier must provide all assistance and access to facilities, test pieces, samples and documentation that the representatives of the SAA may reasonably require for the carrying out of the inspection, which may also include the submission of test reporting documentation as listed in Annex A and D. The Supplier must forward such test pieces, samples and/or documentation that may also include letters of certification from the laboratories to such person or location as the representatives of the SAA specifies.