


TYPE A (2 REQUIRED AT EACH END PER FLOAT)
TYPE A (2 REQUIS À CHAQUE BOUT PAR QUAI)




TYPE B (1 REQUIRED AT CENTER OF FLOAT)
TYPE B (1 REQUIS AU CENTRE DU QUAI)

INTERFLOAT CONNECTIONS (GALV.)
CONNEXIONS ENTRE QUAI (GALV.)

SCALE/ÉCHELLE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm


D2
1,2,3,4,5,6



FLOATING WHARVES CONNECTIONS
CONNEXION DES QUAIS FLOTTANTS

SCALE/ÉCHELLE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm




FLOAT CONTAINER
TYPE 1 - EXPANDED POLYSTYRENE FOAM (EPS)
2440x1220x506mm or 1830x1220x506mm
CONTENANT FLOTTANT
TYPE 1 - MOUSSE DE POLYSTYRÈNE EXPANSÉ (EPS)
2440x1220x506mm ou 1830x1220x506mm

TYPE 1 FLOAT CONTAINER DETAIL
DÉTAIL DU CONTENANT FLOTTANT TYPE 1

SCALE/ÉCHELLE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm




FLOAT CONTAINER
TYPE 2 - EMPTY DOUBLE FLANGE
1220x914x506mm c/w 4-20mm \varnothing HOLES ON TOP OF CONTAINER AND 4-20mm \varnothing HOLES IN BOTTOM TO ALLOW WATER TO FILL DURING INSTALLATION
CONTENANT FLOTTANT
TYPE 2 - VIDE DOUBLE SEMELLE
1220x914x506mm c/o 4 TROUS 20mm \varnothing AU DESSUS DU CONTENANT ET 4 TROUS 20mm \varnothing EN DESSOUS POUR PERMETTRE L'EAU D'ENTRER DURANT L'INSTALLATION

TYPE 2 FLOAT CONTAINER DETAIL (DOUBLE FLANGE)
DÉTAIL DU CONTENANT FLOTTANT TYPE 2 (DOUBLE SEMELLE)

SCALE/ÉCHELLE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm



SAFETY CHAIN CONNECTION DETAIL (GALV.)
DÉTAIL DE CONNEXION CHAÎNE DE SÉCURITÉ (GALV.)

SCALE/ÉCHELLE : 1:5

0mm 100mm 200mm 300mm 400mm 500mm

D5
1,2,3,4,5,6

0	FOR TENDER/POUR SOUMISSION	JUNE 24 2022
revisions		date
project	NEW FLOATING WHARVES INSTALLATION INSTALLATION DES NOUVEAUX QUAIS FLOTTANTS LORDS COVE, NB COMITÉ DE CHARLOTTE COUNTY	
drawing		dessin

SECTIONS AND DETAILS COUPES ET DÉTAILS

designed	PWGSC/TPSGC	conçu
date	FEBRUARY 2022	
drawn	P. LEBLANC	dessiné
date	JUNE 20, 2022	
approved		approuvé
date		
Tender		Soumission
project number	R.119162.001	
drawing no.		no. du dessin

QFW-6