



Sorel-Tracy Port




CCGS Mangystau-2

Canadian Coast Guard

*Asbestos Containing Material and Lead-Based
Paint Survey*

Project No. 201-10553-35
Date: January 2022
Prepared by: Chantal Soulard

WSP Canada Inc.
1135, boulevard Lebourgneuf
Québec (Québec) G2K 0M5
+1 418-623-2254
+1 418-623-2434
www.wspgroup.com



WHEELHOUSE

(12.30 m)
3.00 m

LEGEND

SHAPES

● Paint sample

COLORS


■ Lead-free paint



WHEELHOUSE




37 Paint sample
Outdoor — Floor — Green — Good — Lead-free paint
Chantal.Soulard - 2022-02-07 16:17




37 Paint sample
Outdoor — Floor — Green — Good — Lead-free paint
Chantal.Soulard - 2022-02-07 16:17



38 Paint sample
Outdoor — Wall — White — Good — Lead-free paint
Chantal.Soulard - 2022-02-07 16:18



38 Paint sample
Outdoor — Wall — White — Good — Lead-free paint
Chantal.Soulard - 2022-02-07 16:18



LEGEND

- SHAPES
- ◆ Material sample
 - Paint sample

- COLORS
- Asbestos-free material
 - Lead-free paint




BRIDGE DECK



7

Material sample
 Generator Room — Pipe — Canvas — Good — Asbestos-free material
 Chantal.Soulard - 2022-02-07 15:06




7

Material sample
 Generator Room — Pipe — Canvas — Good — Asbestos-free material
 Chantal.Soulard - 2022-02-07 15:06



8

Material sample
 Generator Room — Ceiling — Canvas — Good — Asbestos-free material
 Chantal.Soulard - 2022-02-07 15:07




8

Material sample
 Generator Room — Ceiling — Canvas — Good — Asbestos-free material
 Chantal.Soulard - 2022-02-07 15:08



34

Paint sample
 Outdoor — Floor — Green — Good — Lead-free paint
 Chantal.Soulard - 2022-02-07 16:12




34

Paint sample
 Outdoor — Floor — Green — Good — Lead-free paint
 Chantal.Soulard - 2022-02-07 16:12

BRIDGE DECK




35 Paint sample
Outdoor — Wall — White — Good — Lead-free paint
Chantal.Soulard - 2022-02-07 16:13



35 Paint sample
Outdoor — Wall — White — Good — Lead-free paint
Chantal.Soulard - 2022-02-07 16:13



36 Paint sample
Locker 210 — Wall — White — Good — Lead-free paint
Chantal.Soulard - 2022-02-07 16:15



36 Paint sample
Locker 210 — Wall — White — Good — Lead-free paint
Chantal.Soulard - 2022-02-07 16:15


LEGEND

SHAPES

- ◆ Material sample
- Paint sample

COLORS


- Asbestos-free material
- Lead-free paint



FORECASTLE DECK




5 Material sample
AC Room — Ceiling — Canvas — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 15:02



5 Material sample
AC Room — Ceiling — Canvas — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 15:03




6 Material sample
AC Room — Pipe — Canvas — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 15:04



6 Material sample
AC Room — Pipe — Canvas — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 15:04




9 Material sample
Main Room — Floor — Vinyl Tile — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 15:11





9 Material sample
Main Room — Floor — Vinyl Tile — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 15:11

FORECASTLE DECK





10 Material sample
Stairs Cage — Floor — Vinyl Tile — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 15:13

10 Material sample
Stairs Cage — Floor — Vinyl Tile — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 15:13



11 Material sample
Stairs Cage — Floor — Vinyl Tile — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 15:14


11 Material sample
Stairs Cage — Floor — Vinyl Tile — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 15:15



12 Material sample
Room 320 — Floor — Vinyl Tile — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 15:16


12 Material sample
Room 320 — Floor — Vinyl Tile — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 15:17

FORECASTLE DECK




29 Paint sample
Outdoor — Floor — Green — Good — Lead-free paint
Chantal.Soulard - 2022-02-07 16:03

29 Paint sample
Outdoor — Floor — Green — Good — Lead-free paint
Chantal.Soulard - 2022-02-07 16:03



30 Paint sample
Outdoor — Wall — White — Poor — Lead-free paint
Chantal.Soulard - 2022-02-07 16:05


30 Paint sample
Outdoor — Wall — White — Poor — Lead-free paint
Chantal.Soulard - 2022-02-07 16:05



31 Paint sample
Outdoor — Ramp — Gray — Fair — Lead-free paint
Chantal.Soulard - 2022-02-07 16:06


31 Paint sample
Outdoor — Ramp — Gray — Fair — Lead-free paint
Chantal.Soulard - 2022-02-07 16:07

FORECASTLE DECK




32 Paint sample
 Outdoor — Equipment and hull — Black — Good — Lead-free paint
 Chantal.Soulard - 2022-02-07 16:08

32 Paint sample
 Outdoor — Equipment and hull — Black — Good — Lead-free paint
 Chantal.Soulard - 2022-02-07 16:08



33 Paint sample
 Hall — Wall — White — Good — Lead-free paint
 Chantal.Soulard - 2022-02-07 16:10

33 Paint sample
 Hall — Wall — White — Good — Lead-free paint
 Chantal.Soulard - 2022-02-07 16:10



49 Material sample
 Tank — Pipe — Canvas — Good — Asbestos-free material
 Chantal.Soulard - 2022-02-07 16:52

49 Material sample
 Tank — Pipe — Canvas — Good — Asbestos-free material
 Chantal.Soulard - 2022-02-07 16:53


LEGEND

SHAPES

- ◆ Material sample
- Paint sample

COLORS

- Asbestos-containing material
- Asbestos-free material
- Lead-free paint



MAIN DECK
14.40/6.09 m
2.70 m



MAIN DECK




3

Material sample
Welding Room — Wall — Canvas — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 14:58

3

Material sample
Welding Room — Wall — Canvas — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 14:59




4

Material sample
Incinerator Room — Pipe — Canvas — Fair — Asbestos-free material
Chantal.Soulard - 2022-02-07 15:00

4

Material sample
Incinerator Room — Pipe — Canvas — Fair — Asbestos-free material
Chantal.Soulard - 2022-02-07 15:00




23

Paint sample
Deck — Floor — Green — Fair — Lead-free paint
Chantal.Soulard - 2022-02-07 15:52

23


Paint sample
Deck — Floor — Green — Fair — Lead-free paint
Chantal.Soulard - 2022-02-07 15:52

MAIN DECK




24 Paint sample
Outdoor — Ramp — Gray — Fair — Lead-free paint
Chantal.Soulard - 2022-02-07 15:53

24 Paint sample
Outdoor — Ramp — Gray — Fair — Lead-free paint
Chantal.Soulard - 2022-02-07 15:54



25 Paint sample
Outdoor — Wall — White — Poor — Lead-free paint
Chantal.Soulard - 2022-02-07 15:55


25 Paint sample
Outdoor — Wall — White — Poor — Lead-free paint
Chantal.Soulard - 2022-02-07 15:55



26 Paint sample
Outdoor — Equipment — Black — Fair — Lead-free paint
Chantal.Soulard - 2022-02-07 15:57


26 Paint sample
Outdoor — Equipment — Black — Fair — Lead-free paint
Chantal.Soulard - 2022-02-07 15:57

MAIN DECK




27 Paint sample
Air Lock — Wall — White — Good — Lead-free paint
Chantal.Soulard - 2022-02-07 15:59

27 Paint sample
Air Lock — Wall — White — Good — Lead-free paint
Chantal.Soulard - 2022-02-07 15:59



28 Paint sample
Outdoor — Equipment — Gray — Good — Lead-free paint
Chantal.Soulard - 2022-02-07 16:01


28 Paint sample
Outdoor — Equipment — Gray — Good — Lead-free paint
Chantal.Soulard - 2022-02-07 16:01



43 Material sample
Incinerator Room — Pipe — Insulating Wool — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 16:31


43 Material sample
Incinerator Room — Pipe — Insulating Wool — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 16:32

MAIN DECK



44

Material sample
Outdoor — Equipment — Good — Asbestos-containing material
Chantal.Soulard - 2022-02-07 16:33




44

Material sample
Outdoor — Equipment — Good — Asbestos-containing material
Chantal.Soulard - 2022-02-07 16:34



45

Material sample
Outdoor — Equipment — Canvas — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 16:36



45

Material sample
Outdoor — Equipment — Canvas — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 16:36

TANK TOP


LEGEND

SHAPES


- ◆ Material sample
- Paint sample

COLORS

- Asbestos-containing material
- Asbestos-free material
- Lead-based paint
- Lead-free paint




TANK TOP




1 Material sample
Bow Thruster Room — Wall — Canvas — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 14:54

1 Material sample
Bow Thruster Room — Wall — Canvas — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 14:54



2 Material sample
Engine Room — Pipe — Canvas — Fair — Asbestos-free material
Chantal.Soulard - 2022-02-07 14:56


2 Material sample
Engine Room — Pipe — Canvas — Fair — Asbestos-free material
Chantal.Soulard - 2022-02-07 14:56



13 Paint sample
Propulsion Room — Equipment — Gray — Good — Lead-based paint
Chantal.Soulard - 2022-02-07 15:19


13 Paint sample
Propulsion Room — Equipment — Gray — Good — Lead-based paint
Chantal.Soulard - 2022-02-07 15:19

TANK TOP




14 Paint sample
Bow Thruster Room — Equipment — Blue — Good — Lead-based paint
Chantal.Soulard - 2022-02-07 15:21

14 Paint sample
Bow Thruster Room — Equipment — Blue — Good — Lead-based paint
Chantal.Soulard - 2022-02-07 15:22



15 Paint sample
Engine Room — Equipment — Yellow — Good — Lead-based paint
Chantal.Soulard - 2022-02-07 15:23

15 Paint sample
Engine Room — Equipment — Yellow — Good — Lead-based paint
Chantal.Soulard - 2022-02-07 15:23



16 Paint sample
Engine Room — Equipment — Orange — Good — Lead-based paint
Chantal.Soulard - 2022-02-07 15:24


16 Paint sample
Engine Room — Equipment — Orange — Good — Lead-based paint
Chantal.Soulard - 2022-02-07 15:24

TANK TOP




17 Paint sample
 Engine Room — Equipment — Green — Good — Lead-based paint
 Chantal.Soulard - 2022-02-07 15:25

17 Paint sample
 Engine Room — Equipment — Green — Good — Lead-based paint
 Chantal.Soulard - 2022-02-07 15:26



18 Paint sample
 Engine Room — Floor — Gray — Good — Lead-based paint
 Chantal.Soulard - 2022-02-07 15:28


18 Paint sample
 Engine Room — Floor — Gray — Good — Lead-based paint
 Chantal.Soulard - 2022-02-07 15:28




19 Paint sample
 Engine Room — Wall, ceiling and pipe — White — Good — Lead-free paint
 Chantal.Soulard - 2022-02-07 15:30

19 Paint sample
 Engine Room — Wall, ceiling and pipe — White — Good — Lead-free paint
 Chantal.Soulard - 2022-02-07 15:30


TANK TOP



21 Material sample
 Propulsion Room — Equipment — Good — Asbestos-containing material
 Chantal.Soulard - 2022-02-07 15:34




22 Paint sample
 Bow Thruster Room — Floor — Gray — Good — Lead-free paint
 Chantal.Soulard - 2022-02-07 15:47



22 Paint sample
 Bow Thruster Room — Floor — Gray — Good — Lead-free paint
 Chantal.Soulard - 2022-02-07 15:49



39 Material sample
 Engine Room — Pipe — Canvas — Fair — Asbestos-free material
 Chantal.Soulard - 2022-02-07 16:21




39 Material sample
 Engine Room — Pipe — Canvas — Fair — Asbestos-free material
 Chantal.Soulard - 2022-02-07 16:21



40 Material sample
 Engine Room — Pipe — Canvas — Fair — Asbestos-free material
 Chantal.Soulard - 2022-02-07 16:23

TANK TOP




40

Material sample
 Engine Room — Pipe — Canvas — Fair — Asbestos-free material
 Chantal.Soulard - 2022-02-07 16:23



41

Material sample
 Engine Room — Pipe — Canvas — Fair — Asbestos-free material
 Chantal.Soulard - 2022-02-07 16:24




41

Material sample
 Engine Room — Pipe — Canvas — Fair — Asbestos-free material
 Chantal.Soulard - 2022-02-07 16:25




42

Material sample
 Bow Thruster Room — Equipment — Good — Asbestos-containing material
 Chantal.Soulard - 2022-02-07 16:26



42


Material sample
 Bow Thruster Room — Equipment — Good — Asbestos-containing material
 Chantal.Soulard - 2022-02-07 16:27



46

Material sample
 Engine Workshops — Pipe — Thread Packing — Good — Asbestos-free material
 Chantal.Soulard - 2022-02-07 16:45

TANK TOP




46

Material sample
Engine Workshops — Pipe — Thread Packing — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 16:45



47

Material sample
Switchboard Room — Floor — Rubber Mat — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 16:49




47

Material sample
Switchboard Room — Floor — Rubber Mat — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 16:49



48

Material sample
Switchboard Room — Floor — Rubber Mat — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 16:50



48

Material sample
Switchboard Room — Floor — Rubber Mat — Good — Asbestos-free material
Chantal.Soulard - 2022-02-07 16:50