



RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
PWGSC/TPSGC Acquisitions Bid Receiving
Box/Boîte de Réception des Soumissions
Bid Receiving Box/Boîte de Récepti
1st Floor/1^{ère} étage, Suite 1212
100-1045 Main Street
Moncton
New Brunswick
E1C 1H1
Bid Fax: (506) 851-6759

SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Acquisitions NB/PEI (Moncton Office) – Bureau
d'acquisitions N.-B./Î.-P.-É. (Moncton)
1045 Main Street / 1045, rue Main
Moncton
New Bruns
E1C 1H1

Title - Sujet Plumbing Supplies Plumbing Supplies - Gagetown, NB	
Solicitation No. - N° de l'invitation W2037-230012/A	Amendment No. - N° modif. 006
Client Reference No. - N° de référence du client W2037-230012	Date 2022-08-23
GETS Reference No. - N° de référence de SEAG PW-\$MCT-047-6225	
File No. - N° de dossier MCT-2-45004 (047)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Atlantic Daylight Saving Time ADT on - le 2022-09-01 Heure Avancée de l'Atlantique HAA	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Cyr (MCT), Maryse	Buyer Id - Id de l'acheteur mct047
Telephone No. - N° de téléphone (506) 377-4894 ()	FAX No. - N° de FAX (506) 851-6759
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

N° de l'invitation - Solicitation No.
W2037-230012/A
N° de réf. du client - Client Ref. No.
W2037-230012

N° de la modif - Amd. No.
006
File No. - N° du dossier
MCT-2-45004

Id de l'acheteur - Buyer ID
MCT047
N° CCC / CCC No./ N° VME - FMS

**Amendment 006
Plumbing Supplies
Gagetown, NB
W2037-230012/A**

THE FOLLOWING AMENDMENT TO THE TENDER DOCUMENTS IS EFFECTIVE IMMEDIATELY.
THE AMENDMENT SHALL FORM A PART OF THE CONTRACT DOCUMENTS.
All other terms and conditions remain the same.

This solicitation is hereby amended to :

(1) to provide the following questions and answers:

Q1: Item 38: Telfon - Master Orange, 1" -not available in this size and color?

A1: Item 38: Any equivalent product such as Pink Plumber PTFE Thread Seal Tape is acceptable – min 4 MIL Thickness.

Q2: Item 41: Uni- strut Cushioned - clamps - Pipe, Galvanized - NPT, 1". Not available in this size?

A2: Item 41: An equivalent product is acceptable similar to Uni-Strut 016T020

Q3: Sioux Chief:

- a) The stud guards you identified are obsolete. We no longer offer item 530-3.
- b) Regarding the Ox Box, is your PEX connection crimp or expansion?
- c) Sioux Chief Straight Floor Sleeves are only offered in ½". Part number 550-FP2. Size 1" and 3/4" are obsolete.

A3: Sioux Chief:

- a) An equivalent product such as Stud Guard - SGE-316 is acceptable
- b) PEX B – Crimp
- c) Delete this item, it is not required. (Basis of payment updated)

Q4: Item 103,104,105, Plug, Brass - NPT, NEED VALID MFG# AND/OR COMPLETE DESCRIPTION, SPECIALLY THE CORRECT CONNECTION TYPE FOR AN ACCURATE CROSS.

A4: As follows:

- a) Item 103 FAIRVIEW LFPEX121HB18.
- b) Item 104 FAIRVIEW LFPEX121HB10
- c) Item 105 FAIRVIEW LFPEX121HB14

Q5: Item 153: Plug ProPEX EP, 1" not available. On long back order

A5: Item 153: Delete this item, it is not required. (Basis of payment updated)

Q6: Item 171: Reducing Coupling ProPEX EP, 1"x1/2" couplings are not made.

A6: Item 171: Delete this item, it is not required. (Basis of payment updated)

N° de l'invitation - Solicitation No.
W2037-230012/A
N° de réf. du client - Client Ref. No.
W2037-230012

N° de la modif - Amd. No.
006
File No. - N° du dossier
MCT-2-45004

Id de l'acheteur - Buyer ID
MCT047
N° CCC / CCC No. / N° VME - FMS

Q7: Item 175: Reducing Tee: size 1x3/4x3/4" is not available.

A7: ~~Item 175: Delete this item, it is not required.~~ **(Basis of payment updated)**

(2) Reference: ANNEX "B" BASIS OF PAYMENT

DELETE: ANNEX "A" BASIS OF PAYMENT; and

INSERT: ANNEX "A" BASIS OF PAYMENT **(Revised August 23, 2022).**

If your bid has already been forwarded and you wish to revise same, this revision should be sent either in a sealed envelope and mailed to the below noted address or by facsimile (506) 851-6759 and reach the undersigned before the appropriate closing date. The solicitation number and the closing date are to be shown on the outside of the sealed envelope or on the facsimile transmission.

All enquiries concerning this amendment are to be forwarded to:

Name: Maryse Cyr

Telephone No: (506) 377-4894

Facsimile No: (506-851-6759

Email: maryse.cyr@pwgsc-tpsgc.gc.ca

N° de l'invitation - Solicitation No.
W2037-230012/A
N° de réf. du client - Client Ref. No.
W2037-230012

N° de la modif - Amd. No.
006
File No. - N° du dossier
MCT-2-45004

Id de l'acheteur - Buyer ID
MCT047
N° CCC / CCC No. / N° VME - FMS

ANNEX "B" BASIS OF PAYMENT (REVISED AUGUST 23, 2022)

It is MANDATORY that Bidders submit firm prices for all items listed below. This section, when completed, will be considered as the Bidder's financial proposal. Failure to provide prices for all items will render the bid non-responsive without further consideration.

Should there be an error in the extended pricing it shall be corrected in the evaluation. Any errors in the quantities of the Bidder's proposal will be changed to reflect the quantities stated in the Request for Proposal.

Prices MUST include ALL costs, including shipping and customs if applicable, associated with supply and delivery of goods in accordance with Annex "A" - Requirement. Pricing must be in Canadian funds and must not include taxes. Applicable taxes are extra.

Bidders are required to provide the materials listed below or equivalent products as per SACC [B3000T](#) (2006-06-16), including all delivery charges. When offering equivalent products, the bidder must fully demonstrate how the form, fit and function of suggested products are fully interchangeable with the item specified.

When equivalent products are proposed, the bidder must indicate page reference number for specifications provided supporting the equivalency of the proposed product. *Bidders are strongly encouraged to request clarifications on acceptable equivalencies no later than seven (7) calendar days before bid closing.

In situations where a minimum quantity is required (e.g. Coil in 300-ft lengths), the bidder must identify the least amount that shall be provided in order to deliver the quantity requested.

N° de l'invitation - Solicitation No.
W2037-230012/A
N° de réf. du client - Client Ref. No.
W2037-230012

N° de la modif - Amd. No.
006
File No. - N° du dossier
MCT-2-45004

Id de l'acheteur - Buyer ID
MCT047
N° CCC / CCC No./ N° VME - FMS

****Evaluation will be completed based on quantity (Column #4) multiplied by price (Column #7). Column #5 will be used at time of ordering to establish minimum quantity for ordering such as case or packaging size.****

Handwritten pricing sheets cannot be submitted. All bids must be submitted **with this Annex B in Excel format or prices must be entered digitally**. If this Annex "B" in Excel format is required, this sheet must be obtained by contacting the Contracting Authority at Public Services and Procurement Canada.

List A: LPO 0032

Ln # (C1)	Item (C2)	Size (C3)	Qty (C4)	Min Qty Offered (C5)	U of I (C6)	Price (C7)	Extended (C8)
1	Nipple, Black Iron - NPT	1"x3"	12		EA		
2		3/4"x2"	12		EA		
3		3/4"x3"	12		EA		
4		3/4"x4"	12		EA		
5		3/4"x5"	12		EA		
6		3/4"x6"	12		EA		
7	4 hole floor/mounting flange, Black Iron - NPT	1"	12		EA		
8		1/2"	12		EA		
9		3/4"	12		EA		
10	45 elbow, Black Iron - NPT	3/4"	40		EA		
11	90 elbow, Black Iron - NPT	1/2"	30		EA		
12		1-1/4"	25		EA		
13		2"	10		EA		
14		3/4"	100		EA		
15	Bag of Rags	20 lbs	3		EA		
16	Ball valve thread, Brass - NPT	1/2"	30		EA		

N° de l'invitation - Solicitation No.
W2037-230012/A
N° de réf. du client - Client Ref. No.
W2037-230012

N° de la modif - Amd. No.
006
File No. - N° du dossier
MCT-2-45004

Id de l'acheteur - Buyer ID
MCT047
N° CCC / CCC No./ N° VME - FMS

Ln # (C1)	Item (C2)	Size (C3)	Qty (C4)	Min Qty Offered (C5)	U of I (C6)	Price (C7)	Extended (C8)
17	Bi clevis hangers, Galvanized - NPT	2"	25		EA		
18	Cap, Black Iron - NPT	1/2"	30		EA		
19		1-1/2"	25		EA		
20	Check valve thread, Brass - NPT	1/2"	20		EA		
21	Gate valve, Brass - NPT	1/2"	20		EA		
22		1-1/2"	5		EA		
23	Gate valve, Brass - NPT	2"	5		EA		
24		3/4"	15		EA		
25	Masters Metallic Compound	250 mL	10		EA		
26	Pressure Gauge - NPT	0-150 psi 4"-1/4"	4		EA		
27		0-30 psi 2.5"-1/4"	6		EA		
28	Pressure Relief Valve NPT - 15 PSI (P Steam)	1-1/4"	6		EA		
29		3/4"	6		EA		
30	Split ring hangers for 3/8" threaded rod, Black Iron - NPT	1"	12		EA		
31		1/2"	12		EA		
32		3/4"	12		EA		
33	T&P Relief Valve (HOT WATER Tank) 150 Psi / 210 F	3/4"	6		EA		
34	Tee, Black Iron - NPT	1 1/4 x 1 1/4 x 3/4	50		EA		
35		2 x 2 x 3/4	15		EA		

N° de l'invitation - Solicitation No.
W2037-230012/A
N° de réf. du client - Client Ref. No.
W2037-230012

N° de la modif - Amd. No.
006
File No. - N° du dossier
MCT-2-45004

Id de l'acheteur - Buyer ID
MCT047
N° CCC / CCC No./ N° VME - FMS

36		1/2"	20		EA		
37	Telfon - Master Orange	1/2"	40		EA		
38		1"	20		EA		
39	Winters Temp gauge	(0-250F) 1/4"	4		EA		
40	Threaded 45 deg elbow, Black Iron - NPT	1"	24		EA		
41	Uni- strut Cushioned - clamps - Pipe, Galvanized - NPT	1"	100		EA		
42		1/2"	100		EA		
43		3/4"	100		EA		
44	Uni- strut lengths- Slotted, Galvanized - NPT	1-5/8" x 1-5/8"	12		EA		
45	Uni- strut Post Base for Channel (8 Hole), Galvanized - NPT	1-5/8"	25		EA		
46	Union, Black Iron - NPT	1/2"	20		EA		
47		1-1/2"	12		EA		
48		2"	15		EA		
49		3/4"	20		EA		
Total List A							

N° de l'invitation - Solicitation No.
W2037-230012/A
N° de réf. du client - Client Ref. No.
W2037-230012

N° de la modif - Amd. No.
006
File No. - N° du dossier
MCT-2-45004

Id de l'acheteur - Buyer ID
MCT047
N° CCC / CCC No./ N° VME - FMS

List B: LPO 0031

Ln # (C1)	Item (C2)	Size (C3)	Qty (C4)	Min Qty Offered (C5)	U of I (C6)	Price (C7)	Extended (C8)
50	Bell & Gossette Air Valve - steam Model 75H	Model 75H	5		EA		
51	Bell & Gossette LWCO / Pump Contol - Steam, Cast Iron - NPT	42S	2		EA		
52	McDonnell & Miller LWCO / Pump Contol - Steam w/Water Column, Cast Iron - NPT	157S	2		EA		
53	Honeywell Pressuretrol 2-15 psi (Low Pressure Steam)	2-15 PSI	5		EA		
54	Honeywell Pressuretrol 2-15 psi (LPS) - Limit	2-15 PSI	5		EA		
55	Steam pig tail, Brass - NPT	1/4"	6		EA		
56	Bell & Gossette Vacuum Valve - steam Model 76	Model 76	5		EA		
57	GrundfosVersaFlo® 3-Speed Circulator Pumps - 120volts	UPS 32 -160	2		EA		
58	Bell & Gossette Y - Strainer SCREWED NPT END, Cast Iron - NPT	1"	20		EA		
59		1/2"	10		EA		
60		3/4"	20		EA		
Total List B							

N° de l'invitation - Solicitation No.
W2037-230012/A
N° de réf. du client - Client Ref. No.
W2037-230012

N° de la modif - Amd. No.
006
File No. - N° du dossier
MCT-2-45004

Id de l'acheteur - Buyer ID
MCT047
N° CCC / CCC No./ N° VME - FMS

List C: LPO 0035

Ln # (C1)	Item (C2)	Size (C3)	Qty (C4)	Min Qty Offered (C5)	U of I (C6)	Price (C7)	Extended (C8)
61	Bell & Gossette Condensate unit - Watchman- WCS -8 - 20B, Steel Body Tank	WCS - 8 - 20B	2		EA		
62	Armstrong F&T - B - SERIES (15 - B - 1-1/4"), Cast Iron - NPT	1-1/4"	2		EA		
63	Red Hat Solenoid steam valve - N/C - 120 volt	1"	6		EA		
64		1-1/21"	6		EA		
Total List C							

List D: LPO 0033 PEX

Ln # (C1)	Item (C2)	Size (C3)	Qty (C4)	Min Qty Offered (C5)	U of I (C6)	Price (C7)	Extended (C8)
65	Sioux Chief Stud Guard Steel Plate Protectors, 18 Gauge, self-nailing	1.5" x 3"	500		EA		
66	1/2" PEX x 3/8" OD Compr. Angle Stop Valve (1/4-Turn), Chrome Plated	PEX -1/2"	40		EA		
67	90 Elbow, Brass - NPT	PEX -1"	50		EA		
68		PEX -1/2"	200		EA		
69		PEX -3/4"	200		EA		
70	Ball valve - Full port, Brass - NPT	PEX -1"	20		EA		
71		PEX -1/2"	50		EA		
72		PEX -3/4"	25		EA		

N° de l'invitation - Solicitation No.
W2037-230012/A
N° de réf. du client - Client Ref. No.
W2037-230012

N° de la modif - Amd. No.
006
File No. - N° du dossier
MCT-2-45004

Id de l'acheteur - Buyer ID
MCT047
N° CCC / CCC No./ N° VME - FMS

73	CINCH Ring, Stainless Steel	PEX -1"	200		EA		
74		PEX -1/2"	200		EA		
75		PEX -3/4"	200		EA		
76	Coupling, Brass - NPT	PEX -1"	30		EA		
77		PEX -1/2"	100		EA		
78		PEX -3/4"	100		EA		
79	Female Thread Adapter, Brass - NPT	PEX -1"x1"	40		EA		
80		PEX -1/2"x1/2"	50		EA		
81		PEX -3/4"x3/4"	50		EA		
82	Milwaukee M12 FUEL™ ProPEX® Expander w/ 1/2"-1" RAPID SEAL™ ProPEX® Expander Heads	1/2" - 1"	1		EA		
83	Peter Mangone Manual Clip Gun (PEX to Wood Stapler)	RB-5	12		EA		
84	Male Thread Adapter, Brass - NPT	PEX -1"x1"	40		EA		
85		PEX -1/2"x1/2"	50		EA		
86		PEX -3/4"x3/4"	50		EA		
87	Sioux Chief Ox Box Washing Machine Outlet Box, 1/2" PEX Crimp	1/2"	10		EA		
88	Everhot PeX Cinch Ring Tool (PXT3010)	Min 3/8" to 1"	10		EA		
89	Ever hot Pex Cutter (PXT3012)	Up to 1"	24		EA		
90	Everhot Pex Decrimping Tool - Crimp Ring removal (PXT3101)	Min ½" to ¾"	5		EA		
91	Pex to Copper adapter (Sweat) (Female), Brass - NPT	PEX -1"	20		EA		
92		PEX -1/2"	50		EA		
93		PEX -3/4"	50		EA		

N° de l'invitation - Solicitation No.
W2037-230012/A
N° de réf. du client - Client Ref. No.
W2037-230012

N° de la modif - Amd. No.
006
File No. - N° du dossier
MCT-2-45004

Id de l'acheteur - Buyer ID
MCT047
N° CCC / CCC No./ N° VME - FMS

Ln # (C1)	Item (C2)	Size (C3)	Qty (C4)	Min Qty Offered (C5)	U of I (C6)	Price (C7)	Extended (C8)
94	Pex to Copper adapter (Sweat) ELBOW, Brass - NPT	PEX -1"	20		EA		
95		PEX -1/2"	50		EA		
96		PEX -3/4"	50		EA		
97	PEX Tubing - Non - Barrier --- BLUE	1"	100		EA		
98		1/2"	500		EA		
99		3/4"	300		EA		
100	PEX Tubing - Non - Barrier --- RED	1"	100		EA		
101		1/2"	500		EA		
102		3/4"	300		EA		
103	Plug, Brass - NPT	PEX -1" (FAIRVIEW LFPEX121HB18)	30		EA		
104		PEX -1/2" (FAIRVIEW LFPEX121HB10)	100		EA		
105		PEX -3/4" (FAIRVIEW LFPEX121HB14)	40		EA		
106	Milwaukee ProPEX® Expander Grease	150g	10		EA		
107	Reducing Coupling, Brass - NPT	1" x 1/2"	50		EA		
108		3/4" x 1"	50		EA		
109		3/4" x 1/2"	100		EA		
110	Reducing Tee, Brass - NPT	1" x 1" x 3/4"	50		EA		
111		1" x 3/4" x 3/4"	50		EA		
112		3/4" x 1/2" x 1/2"	60		EA		

N° de l'invitation - Solicitation No.
W2037-230012/A
N° de réf. du client - Client Ref. No.
W2037-230012

N° de la modif - Amd. No.
006
File No. - N° du dossier
MCT-2-45004

Id de l'acheteur - Buyer ID
MCT047
N° CCC / CCC No./ N° VME - FMS

113		3/4" x 3/4" x 1/2"	60		EA		
114	Peter Mangone Stand-off Clips for PEX	1/2"	2000		EA		
115		3/4"	2000		EA		
116	Sioux Chief Straight Floor Sleeve Support for PEX tubing	1"	30	-	EA	N/A	N/A
117		1/2"	30		EA		
118		3/4"	30	-	EA	N/A	N/A
119	Tee, Brass - NPT	PEX -1"	40		EA		
120		PEX -1/2"	60		EA		
121		PEX -3/4"	50		EA		
122	Tube Talons for PEX Tubing	1"	1000		EA		
123		3/4"	500		EA		
124	Wing Back 90, Brass - NPT	PEX -1/2"	20		EA		
125		PEX -3/4"	20		EA		
Total List D							

List E: LPO 0033 ProPEX

Ln # (C1)	Item (C2)	Size (C3)	Qty (C4)	Min Qty Offered (C5)	U of I (C6)	Price (C7)	Extended (C8)
126	UPONOR EP Branch Multi-port Tee, 4 outlets (ProPEX branch outlets)	1"	20		EA		
127		3/4"	20		EA		
128	Uponor AquaPEX Blue, 300-ft. coil PEX-A	1"	1		Roll		
129		1/2"	1		Roll		
130		3/4"	1		Roll		
131	Uponor AquaPEX Red, 300-ft. coil PEX-A	1"	1		Roll		
132		1/2"	1		Roll		
133		3/4"	1		Roll		

N° de l'invitation - Solicitation No.
W2037-230012/A
N° de réf. du client - Client Ref. No.
W2037-230012

N° de la modif - Amd. No.
006
File No. - N° du dossier
MCT-2-45004

Id de l'acheteur - Buyer ID
MCT047
N° CCC / CCC No./ N° VME - FMS

134	90 Elbow, ProPEX EP	1"	50		EA		
135		1/2"	200		EA		
136		3/4"	100		EA		
137	Chrome Finishing Sleeve for 1/2" PEX (11/16" O.D.) ProPEX	1/2"	40		EA		
138	Coupling ProPEX	1"	30		EA		
139		1/2"	100		EA		
140		3/4"	50		EA		
141	Female Thread Adapter ProPEX LF Brass	1"PEX x 1"NPT	20		EA		
142		1/2"PEX x 1/2"NPT	50		EA		
143		3/4"PEX x 3/4"NPT	40		EA		
144	Male Thread Adapter ProPEX LF Brass	1"PEX x 1"NPT	20		EA		
145		1/2"PEX x 1/2"NPT	50		EA		
146		3/4"PEX x 3/4"NPT	40		EA		
147	Pex to Copper adapter (Sweat) ELBOW ProPEX LF Brass	1"	30		EA		
148		1/2"	50		EA		
149		3/4"	50		EA		
150	Pex to Copper adapter (Sweat) (Female) ProPEX LF Brass	1"	30		EA		
151		1/2"	50		EA		
152		3/4"	50		EA		
153	Plug ProPEX EP	1"	30	-	EA	N/A	N/A
154		1/2"	40		EA		
155		3/4"	30		EA		
156	ProPEX Escutcheon for 1/2" PEX (11/16" O.D.), chrome-plated	1/2"	40		EA		

N° de l'invitation - Solicitation No.
W2037-230012/A
N° de réf. du client - Client Ref. No.
W2037-230012

N° de la modif - Amd. No.
006
File No. - N° du dossier
MCT-2-45004

Id de l'acheteur - Buyer ID
MCT047
N° CCC / CCC No./ N° VME - FMS

Ln # (C1)	Item (C2)	Size (C3)	Qty (C4)	Min Qty Offered (C5)	U of I (C6)	Price (C7)	Extended (C8)
157	ProPEX LF Brass Angle Stop Valve, 1/2" PEX / 3/ Comp	1/2"	20		EA		
158	ProPEX LF Brass Commercial Ball Valve (full port)	1"	20		EA		
159		1/2"	30		EA		
160		3/4"	25		EA		
161	ProPEX LF Copper Stub Ell, 1/2" PEX LF Brass x 1/2" Copper (31/2" x 8")	1/2"	40		EA		
162	Uponor ProPEX Ring with Stop	1"	100		EA		
163		1/2"	200		EA		
164		3/4"	200		EA		
165	Uponor ProPEX Ring Blue	1"	200		EA		
166		1/2"	500		EA		
167		3/4"	500		EA		
168	Uponor ProPEX Ring Red	1"	200		EA		
169		1/2"	500		EA		
170		3/4"	500		EA		
171	Reducing Coupling ProPEX EP	1" x 1/2"	50	-	EA	N/A	N/A
172		3/4" x 1"	50		EA		
173		3/4" x 1/2"	100		EA		
174	Reducing Tee ProPEX EP	1" x 1" x 3/4"	50		EA		
175		1" x 3/4" x 3/4"	50	-	EA	N/A	N/A
176		3/4" x 1/2" x 1/2"	60		EA		
177		3/4" x 3/4" x 1/2"	60		EA		

N° de l'invitation - Solicitation No.
W2037-230012/A
N° de réf. du client - Client Ref. No.
W2037-230012

N° de la modif - Amd. No.
006
File No. - N° du dossier
MCT-2-45004

Id de l'acheteur - Buyer ID
MCT047
N° CCC / CCC No./ N° VME - FMS

178	Tee ProPEX EP	1"	40		EA		
179		1/2"	60		EA		
180		3/4"	50		EA		
181	Uponor AquaPEX White, 20-ft. straight length PEX-A	1"	10		EA		
182		3/4"	15		EA		
183		1/2"	25		EA		
184	Wing Back 90 ProPEX LF Brass	1/2"	20		EA		
Total List E							

List F: LPO 0030

Ln # (C1)	Item (C2)	Size (C3)	Qty (C4)	Min Qty Offered (C5)	U of I (C6)	Price (C7)	Extended (C8)
185	Bell & Gossette Air Valve - steam Model 75H	Model 75H	5		EA		
186	Bell & Gossette LWCO / Pump Contol - Steam, Cast Iron - NPT	42S	2		EA		
187	McDonnell & Miller LWCO / Pump Contol - Steam w/Water Column, Cast Iron - NPT	157S	2		EA		
188	Honeywell Pressuretrol 2-15 psi (Low Pressure Steam)	2-15 PSI	5		EA		
189	Honeywell Pressuretrol 2-15 psi (LPS) - Limit	2-15 PSI	5		EA		
190	Steam pig tail, Brass - NPT	1/4"	6		EA		
191	Bell & Gossette Vacuum Valve - steam Model 76	Model 76	5		EA		
192	GrundfosVersaFlo® 3-Speed Circulator Pumps - 120volts	UPS 32 -160	2		EA		

N° de l'invitation - Solicitation No.
W2037-230012/A
N° de réf. du client - Client Ref. No.
W2037-230012

N° de la modif - Amd. No.
006
File No. - N° du dossier
MCT-2-45004

Id de l'acheteur - Buyer ID
MCT047
N° CCC / CCC No./ N° VME - FMS

Ln # (C1)	Item (C2)	Size (C3)	Qty (C4)	Min Qty Offered (C5)	U of I (C6)	Price (C7)	Extended (C8)
193	Bell & Gossette Y - Strainer SCREWED NPT END, Cast Iron - NPT	1"	20		EA		
194		1/2"	10		EA		
195		3/4"	20		EA		
Total List F							

Total Pricing

Ln #	Item	Bid Price
1	List A	
2	List B	
3	List C	
4	List D	
5	List E	
6	List F	
Total Bid Price		