



**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:**

Bid Receiving - PWGSC
11 Laurier St.
Place du Portage , Phase III
Core 0B2
Gatineau
Québec
K1A 0S5
Bid Fax: (819) 997-9776

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Weapons Systems Division/Division des systèmes
d'arme
11 Laurier St. / 11, rue Laurier
8C2, Place du Portage
Gatineau
Québec
K1A 0S5

Title - Sujet Gun Laying and Positioning System Gun Laying and Positioning System	
Solicitation No. - N° de l'invitation W8486-228557/A	Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client W8486-228557	Date 2022-10-14
GETS Reference No. - N° de référence de SEAG PW-\$\$BM-040-28772	
File No. - N° de dossier 040bm.W8486-228557	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Eastern Daylight Saving Time EDT on - le 2022-11-03 Heure Avancée de l'Est HAE	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: D'Allaire (040bm), Yvonne	Buyer Id - Id de l'acheteur 040bm
Telephone No. - N° de téléphone (613) 296-2352 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

The purpose of Amendment 002 is to answer questions received, make administrative changes and extend the solicitation closing date.

1. Questions and Answers

The following questions were asked and the answers are included herein:

Question		Response
1	What are the internal dimensions of the available standard vehicle bins or compartments?	The internal rear compartment of the standard vehicle has the following dimensions: height 100cm, width 45cm & length 140 cm.
2	Is there a list of the DND in service batteries that can be provided?	There is not a list of in service batteries, but the recommended battery must be commercially available (and not company proprietary).
3	In reference to sections 2.3.3 through 2.3.6, could you please advise what horizontal and vertical errors should be assumed for the DAGR and the known reference points?	The assumed horizontal and vertical errors for the DAGR and known reference points is +/- 10 meters.
4a	In 2.3.8, can you elaborate what is meant by "and incorporating Centre of Arc (C of A) into bearings"?	The User must be able to input the Center of Arc (center of anticipated bearings of fire) into the GLPS / T-16 replacement system and the system must be able to subtract (incorporate) the Center of Arc from the grid bearing determined by system in order to produce a gun angle that is transmitted to the gun.
4b	Can you elaborate what is meant by "accuracy of +/- 1.0 and mil Probable Error"?	This is a typing error and it should read "... accuracy of +/- 1.0 mil and Probable Error (PE 50%) ...".
5	In reference 2.6.1.f, Would Canada consider reducing the storage requirement to a system tested to -40 °C?	Yes, Canada would be amenable to reducing the Low Temperature Storage requirement to -40 °C.

2. Administrative Changes

At Annex "A", Appendix 1, 2.3.8:

DELETE: 2.3.8 in its entirety

INSERT:

2.3.8 The GLPS / T-16 replacement must provide grid azimuths and incorporating Centre of Arc (C of A) into bearings from the GLPS / T-16 replacement to the howitzers, accuracy of +/- 1.0 mil and Probable Error (PE 50%) up to 65° Latitude North-South and +/- 20 m in fixation;

At Annex A, Appendix 1, 2.6.1.f):

DELETE: 2.6.1.f) in its entirety

INSERT:

2.6.1. f) Low Temperature, Storage – Within its operating temperature limits, the system must meet all performance characteristics detailed in this document after storage at temperatures down to -40 °C;

3. Extend Solicitation Closing

At the front page of the solicitation, please note the new closing date of November 3, 2022 at 2:00 PM EST.

***** All Other Terms and Conditions Remain the Same *****