



RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving Box/Boîte de Réception des
Soumissions
1st Floor/1^{ère} étage, Suite 1212
100-1045 Main Street
Moncton
New Brunswick
E1C 1H1
Bid Fax: (506) 851-6759

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Acquisitions NB/PEI (Moncton Office) – Bureau
d'acquisitions N.-B./Î.-P.-É. (Moncton)
1045 Main Street / 1045, rue Main
Moncton
New Bruns
E1C 1H1

| | |
|--|--|
| Title - Sujet Sewage Treatment Upgrades Springhil Sewage Treatment Upgrades Springhill Institution | |
| Solicitation No. - N° de l'invitation EC016-230938/A | Amendment No. - N° modif. 003 |
| Client Reference No. - N° de référence du client EC016-230938 | Date 2022-10-21 |
| GETS Reference No. - N° de référence de SEAG PW-\$PWJ-017-6261 | |
| File No. - N° de dossier PWJ-2-45054 (017) | CCC No./N° CCC - FMS No./N° VME |
| Solicitation Closes - L'invitation prend fin at - à 02:00 PM Atlantic Daylight Saving Time ADT on - le 2022-11-03 Heure Avancée de l'Atlantique HAA | |
| F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/> | |
| Address Enquiries to: - Adresser toutes questions à: Stockman (PWJ), Sonia | Buyer Id - Id de l'acheteur pwj017 |
| Telephone No. - N° de téléphone (506) 961-7412 () | FAX No. - N° de FAX (506) 851-6759 |
| Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: | |

Instructions: See Herein

Instructions: Voir aux présentes

| | |
|--|--|
| Delivery Required - Livraison exigée | Delivery Offered - Livraison proposée |
| Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur | |
| Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur | |
| Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie) | |
| Signature | Date |

Solicitation No. - N° de l'invitation
EC015-230487/A

Amd. No. - N° de la modif.
003

Buyer ID - Id de l'acheteur
pwj017

Client Ref. No. - N° de réf. du client
R.116039.001

File No. - N° du dossier
PWJ-2-45041

CCC No./N° CCC - FMS No./N° VME

Sewage Treatment Upgrades Springhill Institution

Amendment 003

This solicitation is hereby amended to:

- 1. Reference : BID AND ACCEPTANCE FORM (BA)**
Delete: BID AND ACCEPTANCE FORM (BA)
INSERT: BID AND ACCEPTANCE FORM (BA) (revised October 21, 2022)

- 2. INSERT: APPENDIX 3 - COMBINED PRICE FORM**

All other terms and conditions remain the same.

Solicitation No. - N° de l'invitation
EC016-230938/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur
pwj017

Client Ref. No. - N° de réf. du client
R.061876.001

File No. - N° du dossier
PWJ-2-45054

CCC No./N° CCC - FMS No./N° VME

BID AND ACCEPTANCE FORM (BA) (revised October 21, 2022)

BA01 IDENTIFICATION

Sewage Treatment Upgrades Springhill Institution

BA02 LEGAL NAME AND ADDRESS OF BIDDER

| | | | | | |
|---|--|------|--|------|--|
| Legal Name: | | | | | |
| Operating Name (if any): | | | | | |
| Address: | | | | | |
| Telephone: | | Fax: | | PBN: | |
| E-mail address: | | | | | |
| Contract Security Program Organisation Number (when required) | | | | | |

BA03 THE OFFER

The Bidder offers to Canada to perform and complete the Work for the above named project in accordance with the Bid Documents for the **TOTAL BID AMOUNT INDICATED IN APPENDIX 3**

BA04 BID VALIDITY PERIOD

The bid must not be withdrawn for a period of 30 days following the date of solicitation closing.

BA05 ACCEPTANCE AND CONTRACT

Upon acceptance of the Bidder's offer by Canada, a binding Contract will be formed between Canada and the Bidder. The documents forming the Contract will be the Contract Documents identified in "Contract Documents (CD)" section.

BA06 CONSTRUCTION TIME

The Contractor must perform and complete the Work within fifty (50) weeks from the date of notification of acceptance of the offer.

BA07 BID SECURITY

The Bidder must enclose bid security with its bid in accordance with GI08 - Bid Security Requirements of R2710T - General Instructions - Construction Services - Bid Security Requirements.

BA08 SIGNATURE

| | |
|--|--|
| | |
|--|--|

Name and title of person authorized to sign on behalf of Bidder (Type or print)

| |
|--|
| |
|--|

Signature

| |
|--|
| |
|--|

Date

APPENDIX 3 - COMBINED PRICE FORM

- 1) The prices per unit will govern in establishing the Total Extended Amount. Any arithmetical errors in this Appendix will be corrected by Canada.
- 2) Canada may reject the bid if any of the prices submitted do not reasonably reflect the cost of performing the part of the work to which that price applies.

LUMP SUM

The Lump Sum Amount designates Work to which a Lump Sum Arrangement applies.

- (a) Work included in the Lump Sum Amount represents all work not included in the unit price table.

| Item | Specification Reference | Class of Labour, Plant or Material | Unit of Measurement | Estimated Quantity (EQ) | Price per Unit applicable tax(s) extra (PU) | Extended amount (EQ x PU) applicable tax(s) extra |
|------|-------------------------|--|---------------------|-------------------------|---|---|
| 1 | 1.2 | Lump Sum Item | LS | 1 | | |
| 2 | 1.3.2 | Stripping And Material Disposal | LS | 1 | | |
| 3 | 1.3.3 | Common Excavation | LS | 1 | | |
| 4 | 1.3.5 | Removals - Complete | LS | 1 | | |
| 5 | 1.3.6 | Lagoon Decommissioning And Sludge Management | LS | 1 | | |
| 6 | 1.3.14 | Lagoon #2 Sub-Drain System - Complete | LS | 1 | | |
| 7 | 1.3.15 | Lagoon #2 Working Platform - Complete | LS | 1 | | |
| 8 | 1.3.16 | 60mil Aesthetic Liner (Lagoon #1) | LS | 1 | | |
| 9 | 1.3.17 | 60mil Hdpe Impervious Liner (Lagoon #2) | LS | 1 | | |
| 10 | 1.3.18 | Bentonite Liner Repair | LS | 1 | | |
| 11 | 1.3.32 | Safety Rope System, Complete | LS | 1 | | |
| 12 | 1.3.33 | Floating Baffle Curtain And Anchor Posts - Complete | LS | 1 | | |
| 13 | 1.3.34 | Boat And Trailer, C/W Electric Motor And Accessories | LS | 1 | | |
| 14 | 1.3.39 | Floating Aeration System - Complete | LS | 1 | | |
| 15 | 1.3.41 | Supply And Installation Of Blowers - Complete | LS | 1 | | |

| | | | | | | |
|------------------------------|--------|---|----|---|--|--|
| 16 | 1.3.42 | Uv Disinfection System - Complete | LS | 1 | | |
| 17 | 1.3.43 | Supply And Installation Of Fine Screen System And Washer Compactor - Complete | LS | 1 | | |
| 18 | 1.3.44 | New Operation Building – Foundation - Complete | LS | 1 | | |
| 19 | 1.3.45 | New Operation Building – Structural And Architectural - Complete | LS | 1 | | |
| 20 | 1.3.46 | New Operation Building – Building Mechanical - Complete | LS | 1 | | |
| 21 | 1.3.47 | WWTP Mechanical - Complete | LS | 1 | | |
| 22 | 1.3.48 | New Operation Building – Electrical - Complete | LS | 1 | | |
| LUMP SUM AMOUNT (LSA) | | | | | | |
| Excluding applicable tax(es) | | | | | | |

UNIT PRICE TABLE

The Unit Price Table designates Work to which a Unit Price Arrangement applies.

- (a) Work included in each item is as described in the referenced specification section.
(b) The Price per Unit shall not include any amounts for Work that is not included in that unit price Item.

| Item | Specification Reference | Class of Labour, Plant or Material | Unit of Measurement | Estimated Quantity (EQ) | Price per Unit applicable tax(es) | Extended amount (EQ x PU) applicable tax(es) extra |
|------|-------------------------|------------------------------------|---------------------|-------------------------|-----------------------------------|--|
| 1 | 1.3.1 | Clearing And Grubbing | Hectares | 0.2 | | |
| 2 | 1.3.4.1 | Reinforced Concrete Pad | Each | 3 | | |
| 3 | 1.3.4.2 | Mandoor Concrete Pad | Each | 5 | | |
| 4 | 1.3.7.1 | 100mm Bollard | Each | 8 | | |
| 5 | 1.3.7.2 | 150mm Bollard | Each | 12 | | |
| 6 | 1.3.8 | Security Fence | Lineal Meter | 510 | | |
| 7 | 1.3.9 | C2 Clear Stone | Tonne | 70 | | |
| 8 | 1.3.10 | Imported Borrow Material | Tonne | 21200 | | |

| | | | | | | |
|----|----------|--|--------------|------|--|--|
| 9 | 1.3.11 | Aggregate Base – Granular Type 1 | Tonne | 2920 | | |
| 10 | 1.3.12 | Granular Sub-Base – Granular Type 2 | Tonne | 750 | | |
| 11 | 1.3.13.1 | Type “HF-B” Asphalt Paving | Tonne | 160 | | |
| 12 | 1.3.13.2 | Type “HF-C” Asphalt Paving | Tonne | 110 | | |
| 13 | 1.3.19 | 50mm Water Service Pipe | Lineal Meter | 50 | | |
| 14 | 1.3.20 | Storm Manhole – 1050mm | Each | 2 | | |
| 15 | 1.3.21.1 | 100mm Storm Piping Including Footing Drain | Lineal Meter | 135 | | |
| 16 | 1.3.21.2 | 200mm Storm Piping | Lineal Meter | 105 | | |
| 17 | 1.3.21.3 | 250mm Storm Piping | Lineal Meter | 42 | | |
| 18 | 1.3.22.1 | 1050mm Sanitary Manholes | Each | 12 | | |
| 19 | 1.3.22.2 | 1200mm Sanitary Manholes | Each | 1 | | |
| 20 | 1.3.23.1 | 1800mm SAMH-5 (Cell#1 By-Pass Chamber) | Each | 1 | | |
| 21 | 1.3.23.2 | 1800mm Dia. SAMH-06 (Cell#1 By-Pass Chamber) | Each | 1 | | |
| 22 | 1.3.23.3 | 1800mm Dia. SAMH-9 (Lagoon #2 By-Pass Chamber) | Each | 1 | | |
| 23 | 1.3.23.4 | 1800mm Dia. SAMH-10 (Cell#2 By-Pass Chamber) | Each | 1 | | |
| 24 | 1.3.23.5 | 1800mm Dia. SAMH-12 (UV By-Pass Chamber) | Each | 1 | | |
| 25 | 1.3.23.6 | 2100mm Dia. SAMH-11 (Lagoon #2 Outlet Chamber) | Each | 1 | | |
| 26 | 1.3.23.7 | 2100mm Dia. SAMH-8 (Lagoon #1 Outlet Chamber) | Each | 1 | | |
| 27 | 1.3.23.8 | 2400mm Dia. SAMH-3 (Screen By-Pass Chamber) | Each | 1 | | |
| 28 | 1.3.24 | Uv By-Pass Metering Chamber – CH-02 - Complete | Each | 1 | | |
| 29 | 1.3.25 | Manual By-Pass Bar Screen Chamber – CH-01 – Complete With Bar Screen | Each | 1 | | |

Solicitation No. - N° de l'invitation
EC016-230938/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur
pwj017

Client Ref. No. - N° de réf. du client
R.061876.001

File No. - N° du dossier
PWJ-2-45054

CCC No./N° CCC - FMS No./N° VME

| | | | | | | |
|----|----------|---|--------------|-------|--|--|
| 30 | 1.3.26 | Security Chamber – SAMH-C – Complete With Bar Screen | Each | 1 | | |
| 31 | 1.3.27 | Pre-Cast Concrete Headwall | Each | 1 | | |
| 32 | 1.3.28.1 | 100mm Sanitary Service | Lineal Meter | 36 | | |
| 33 | 1.3.28.2 | 250mm Sanitary Service | Lineal Meter | 5 | | |
| 34 | 1.3.29.1 | 300mm Dia PVC Sanitary Sewer Main | Lineal Meter | 450 | | |
| 35 | 1.3.29.2 | 450mm Dia PVC Sanitary Sewer Main | Lineal Meter | 285 | | |
| 36 | 1.3.29.3 | 300mm Dia Hdpe DR-17 | Lineal Meter | 50 | | |
| 37 | 1.3.29.4 | 450mm Dia Hdpe Sanitary Sewer Main DR-17 | Lineal Meter | 16 | | |
| 38 | 1.3.30 | Sanitary Utility Sewerage Gravity Piping – Directional Drilling | Lineal Meter | 35 | | |
| 39 | 1.3.31 | Pipe Culvert – 450mm Dia | Lineal Meter | 18 | | |
| 40 | 1.3.35 | Concrete Splash Pad | Each | 2 | | |
| 41 | 1.3.36 | Aeration System – Hdpe Piping (Buried Main Air Header) | Lineal Meter | 120 | | |
| 42 | 1.3.37 | Air Piping System – Blow-Off Connection | Each | 1 | | |
| 43 | 1.3.38 | Air Piping System – Buried To Above Ground Piping And Valve | Each | 8 | | |
| 44 | 1.3.40.1 | Imported Topsoil - Complete | Square Meter | 12200 | | |
| 45 | 1.3.40.2 | Hydroseed C/W Hay Mulch | Square Meter | 12200 | | |

TOTAL EXTENDED AMOUNT (TEA)

Excluding applicable taxe(s)

TOTAL BID AMOUNT (LSA +TEA)