

No of Page/ N° de page	_____
---------------------------	-------

RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

See Section 1. Voir Section 1.

STANDARD REQUEST FOR BID

INVITATION À SOUMISSIONNER - STANDARD

The Bidder offers to provide to Canada the goods, services or both listed in the bid solicitation in accordance with the conditions set out in the bid solicitation and the prices set out in the bid.

This bid solicitation is issued in accordance with the conditions of the Supply Arrangement E60PQ-140003/PQ.

Le soumissionnaire offre de fournir au Canada les biens, services ou les deux énumérés dans la demande de soumissions aux conditions prévues dans la demande de soumissions et aux prix indiqués dans la soumission.

Cette demande de soumissions est émise conformément aux conditions de l'arrangement en matière d'approvisionnement E60PQ-140003/PQ.

Solicitation No. - N° de la demande Supplier SA No. - N° de l'AMA de fournisseur : E60PQ-140003/___	Amendment No. - N° de modification
---	------------------------------------

Solicitation closes – La demande prend fin : at – à See Section 1 Voir Section 1 on – le See Section 1 Voir Section 1	File No. - N° de dossier
---	--------------------------

Date of Solicitation – Date de la demande 2022-11-01
Address inquiries to – Adresser toute demande de renseignement à : See Section 2, Article 4.1. Voir Section 2, Article 4.1
Destination See Section 2, Annex A. Voir Section 2, Annexe A.

Instructions:

Municipal taxes are not applicable.

Unless otherwise specified in the bid solicitation, all prices quoted must be net prices in Canadian funds including Canadian customs duties, excise taxes, must be FOB, including all delivery charges to destination(s) as indicated. The amount for Applicable Taxes is to be shown as a separate item.

Instructions:

Les taxes municipales ne s'appliquent pas.

Sauf indication contraire dans la demande de soumissions, tous les prix indiqués doivent être des prix nets, en dollars canadiens, comprenant les droits de douane canadiens, la taxe d'accise et doivent être FAB, y compris tous frais de livraison à la (aux) destination(s) indiqué(s). Le montant des taxes applicables doit apparaître séparément.

Supplier Name and Address – Nom et adresse du fournisseur Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur
Name and title of person authorized to sign on behalf of supplier (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur (caractère d'impression) Signature : _____ Date : _____

TABLE OF CONTENTS

Section 1 – Invitation and Instructions to Bidders

Section 2 – Resulting Contract including a list of required goods and services

SECTION 1 – INVITATION AND INSTRUCTIONS TO BIDDERS

Step 1. For Tier 2 and Tier 3 only (If Tier 1, skip this step and proceed with step 2)

Is this a Manufacturer Product Specific Procurement? **NO**

Step 2. Competitive or Non-Competitive

For competitive Requirements when only one bid is received:

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

For Competitive Requirements when only one bid is received:

The Bidder must provide the following information AFTER bid closing, if requested to do so by Canada:

- One or more of the following price justifications:
 1. a current published price list indicating the percentage discount available to Canada; or
 2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
 3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
 4. any other supporting documentation as requested by Canada.

Step 3. General or PSIB

Terms of the RFB:

This RFB is issued pursuant to the Supplier’s Furniture for Workspaces Supply Arrangement (SA) that forms part of the series of SAs issued by PWGSC with the number E60PQ-140003/PQ. The terms and conditions in the Supplier’s SA apply to and form part of this RFB. Bidders who submit a bid agree to be bound by those terms and conditions as well as the terms and conditions in this RFB.

The WTCM is the Workspaces Terms and Conditions Manual that contains all terms and conditions in full text that form part of individual RFBs under this SA.

The Bidder must provide the following information WITH the bid:

- The information requested by Canada in Annex A herein.

Security Requirement:

1. Conditions
 - a. the Bidder must hold a valid organization security (VOS) clearance as indicated in Annex B;
 - b. the Bidder's proposed individuals requiring access to classified or protected information, assets or sensitive work site(s) must meet the security requirement as indicated in Annex B.
2. For additional information on security requirements, bidders should refer to the Canadian Industrial Security Directorate (CISD), Industrial Program of Public Works and Government Services Canada (<http://ssi-iss.tpsgc-pwgsc.gc.ca/index-eng.html>) website.
3. The conditions in article 1 above must be met by the Bidder:
Before the award of a contract. Bidders are reminded to obtain the required security clearance promptly. Any delay in the award of a contract to allow the successful bidder to obtain the required clearance will be at the entire discretion of the Contracting Authority.
4. Bidders are to supply the following information, as a minimum, to demonstrate compliance with the Security Requirement.
 - a. The Bidder's valid VOS clearance number issued by CISD;
 - b. The name of all individuals who will require access to classified or protected information, assets or sensitive work sites. It is desirable to also include their date of birth, their middle name, and their security clearance number issued by CISD.

Unscreened Contractor personnel may be used for portions of the work but **MUST NOT** have access to any **PROTECTED** information and must be escorted at all times while on OSFI premises, and must ensure that its personnel are made aware of and comply with this restriction.

Bid Evaluation

An evaluation team composed of representatives of the Office of the Superintendent of Financial Institutions will evaluate the bids.

RFB Issued by:	
Identified User's (IU) Department/Agency/Crown Corporation: Contact for this RFB:	See Section 2, article 4.1 below.
RFB Closing - Submit Bid:	
Bids must be submitted on the date and at the time indicated below.	
By no later than date and time:	2022-11-16 [2:00PM] [EST]
To e-mail address:	Facilities@osfi-bsif.gc.ca cc: Himani.joshi@osfi-bsif.gc.ca
RFB Enquiries:	
Unless a different period is listed in the adjacent column, Bidders may submit enquires about the RFB to the Contracting Authority two business days prior to the RFB closing date. Enquiries received after the timeline indicated may not be answered.	5 business days (2022-11-08)

SECTION 2 - RESULTING CONTRACT CLAUSES

1.	Terms and Conditions of the Contract The terms and conditions of Parts 6B and 6C of the Supplier’s SA within the series E60PQ-140003/PQ apply to and form part of this Contract.	
2.	Security Requirement (the checked article applies)	
2.1	The applicable security requirement(s) is (are) set out in the Security Requirement Check List attached as Annex B of this contract. The Contractor must fulfill the security requirements by meeting the terms below.	
a.		Contractor may be escorted; possession of security clearance not required. Contractor personnel MAY NOT ENTER NOR PERFORM WORK ON sites where PROTECTED or CLASSIFIED information or assets are kept, without an escort provided by the department or agency for which the work is being performed.
b.		Possession of security clearance(s) is required. The Contractor must meet the security clearance requirements contained in the clausing in Annex B herein.
c.	X	There is no security requirement associated with this contract.
3.	Requirement	
3.1	The Contractor must perform the Work listed in Annex A herein.	
4.	Authorities	
4.1	Contracting Authority (IU)	
	Name:	Himani Joshi
	Title:	Facilities & Materiel Services Officer
	Department/Agency/Crown Corporation:	OSFI-BSIF
	Address:	255 Albert Street, Ottawa, ON K1A 0H2
	Telephone No.:	236-334-9199
	E-mail address:	Himani.joshi@osfi-bsif.gc.ca
4.2	Project Authority	
	<p><i>The Project Authority (PA) is the representative of the department or agency for whom the Work is being carried out under the Contract including the provision to approve the authority to proceed for delivery and installation and is responsible for all matters concerning the technical content of the Work under the Contract.</i></p> <p><i>In addition, the PA is also responsible for ensuring that the Supplier’s employees and subcontractors requiring access to the site adhere to the allocated time for the Supplier to access the site to deliver and install the furniture in accordance with the master schedule held by the General Contractor (a representative of Canada or a service provider(s) under contract with the Government of Canada).</i></p>	
	Name:	
	Title:	
	Department/Agency/Crown Corporation:	
	Address:	
	Telephone No.:	
	E-mail address:	
4.3	Contractor’s Representative	
	As set out in Annex A, Table 9 below.	
5.	Method of Payment	
	The checked box applies. If the Contractor’s SA indicates acceptance for payment by credit card, that method may be used in conjunction with the following.	
	X	Single Payment
		Multiple Payment
6.	Invoicing	
	Further to the Invoicing terms of the WTCM document, the Contractor will deliver the original and one copy of the invoice to the following address for certification and payment:	

	<p>Name of the organization and contact: <i>[To be completed at contract award]</i></p> <p>Address:</p>
<p>7.</p>	<p>SACC Manual Clauses</p> <ul style="list-style-type: none"> I. The Contractor warrants that its certification of compliance is accurate and complete and in accordance with the "Requirements for the Set-aside Program for Aboriginal Business" detailed in Annex 9.4 of the Supply Manual. II. The Contractor must keep proper records and documentation relating to the accuracy of the certification provided to Canada. The Contractor must obtain the written consent of the Contracting Authority before disposing of any such records or documentation before the expiration of six years after final payment under the Contract, or until settlement of all outstanding claims and disputes, under the Contract, whichever is later. All such records and documentation must at all times during the retention period be open to audit by the representatives of Canada, who may make copies and take extracts. The Contractor must provide all reasonably required facilities for any audits. III. Nothing in this clause must be interpreted as limiting the rights and remedies which Canada may otherwise have pursuant to the Contract. <p>SACC Manual clause B7500C (2006-06-16), Excess Goods</p> <p>SACC Manual clause A9068C (2010-01-11), Government Site Regulations</p> <p>SACC Manual clause G1005C (2016-01-28), Insurance - No Specific Requirement</p>



ANNEX A REQUIREMENT and BASIS OF PAYMENT

1. Category Selection

Combined Categories Rule:

For reasons of compatibility, the following categories will be combined for evaluation and contract award purposes:

The rule only applies to the categories below that are checked. The unchecked categories will be evaluated separately and may be awarded to multiple suppliers;

- Category 1, Category 2, Category 5 (checkboxes)

* Exception: when using the Cat 1, 2, 5 combined categories rule, IU's may calculate the percentage of NSA product allowed (as defined in their solicitation document) against the total quantity of the combined categories.

Design Upgrade Rule:

The IU may exercise an option to upgrade products up to 20% of each Category product total before Applicable Taxes after contract award.

The Design Upgrade amount is used at the discretion of the Project Authority (PA) prior to the manufacturing/ordering of the products, the PA will provide the Contractor with a written notice of Canada's Design Upgrade choices for each of the product(s) to be upgraded. The Contractor will provide the pricing of the upgraded product(s) to a maximum of 20% of each Category Contract Price of Table 8. The Contracting Authority will issue an amendment to the contract with the Design Upgrades and pricing.

The Supplier certifies that all the Design Upgraded products offered will conform to all specifications and meet the testing requirements detailed in the Specifications of the Supply Arrangement.

Design Upgrade: is the process of replacing a product with a more innovative or enhanced version of the same product.

NSA:

NSA products can be incorporated in the RFB and must not exceed 30% of the firm quantity by category. NSA items must be added to the category that is most closely related and must be generic.

The requirement includes the following category (ies) of work:

a. Category 1 – Interconnecting Panels and Freestanding Systems

Category 1a – Interconnecting Panels (Refer to Annex C)

Category 1b – Supporting components and freestanding furniture

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when the metal storage products will be part of a requirement for a workstation(s)/work point(s). If this rule does not apply, Category 3 must be used for the metal storage products forming part of this category.

b. Category 2 – Freestanding Height Adjustable Desk / Table Products

c. Category 3 – Metal Filing and Storage Cabinets

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable as per 6B. 4.1 of the SA (table 1 Additional product details)

d. Category 4 – Wood Veneer – Freestanding Products

e. Category 5 – Ancillary and Lighting Products

f. Category 6 - Support Space – Collaborative Furniture

RULE: Category 6 can be further subdivided by space or like product in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like products are defined as products with similar design and construction. If NSA products form part of the requirement, the IU must validate the 30% NSA prior to subdividing the category. NSA products can be added to any subdivide or in its own subdivide.

The IU must identify how Category 6 will be subdivided in the Product Table for Category 6.

g. NSA Product(s) – Category(ies): _____

2. Product and Pricing Tables

Site Inspection Date: To be coordinated with Project Authority after contract award. *(Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.)*

INSTRUCTIONS TO BIDDERS: Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 8 and 9. **Bidders must provide a complete product offering for each category, or CAT 6 sub-divide they wish to submit a bid in order to be compliant.**

****Refer to article 6A.7 for instructions on how to submit products that are not approved in product listing.****

In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.

Product Category: 2 - Height Adjustable Tables

Table 1 – Product Table

P R O D #	Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID		
	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	Q T Y	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
Category 2							
1	2WSSREXXL30L72BELXX	Individual Height Adjustable Work Surfaces -Base will be used initially as intended on the 30” x 72” work surface as indicated. **The base must be capable of supporting different widths ranging from 48” up to 72” by either an adjustment or modification (at OSFI’s discretion).	70	*Yes **Adjustable or Modifiable Bases *** C-Legs			
2	2WSSREXXL30L60BELXX	Individual Height Adjustable Work Surfaces -Base will be used initially as intended on the 30” x 60” work surface as indicated. **The base must be capable of supporting different widths ranging from 48” up to 72” by either an adjustment or modification (at OSFI’s discretion).	40	*Yes **Adjustable or Modifiable Bases *** C-Legs			
3	2WSSREXXL30L48BELXX	Individual Height Adjustable Work Surfaces -Base will be used initially as intended on the 30” x 48” work surface as indicated. **The base must be capable of supporting different widths ranging from 48” up to 72” by either an adjustment or modification (at OSFI’s discretion).	20	*Yes **Adjustable or Modifiable Bases *** C-Legs			

***Provide additional information:**
Canada is requesting bidders to provide drawings and/or pictures including descriptive literature for these products with your bid submission.
**** Modifiable Bases**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature demonstrating how this product is made and could easily be adjusted or further modified to support surfaces ranging from, at minimum, 48in to 72in wide.

OSFI’s intent is to, at OSFI’s discretion, be able to modify the height adjustable base in the future for use in other projects which may require different width surfaces to what is defined here. We are looking to be able to re-use the existing mechanisms for surfaces ranging, at minimum, from 48in wide to 72in wide (depth would remain 30in).

Should OSFI decide to modify those height adjustable bases OSFI understands doing such modifications may void warranty and takes full responsibility.

***** C-Legs**

The height adjustable table must come a C-Leg Frame. Canada is requesting bidders to provide drawings and/or pictures including descriptive literature demonstrating that the Height Adjustable Legs are C-Legs.

Table 2 - Delivery

			Section A - IU REQUIREMENT		Section B – SUPPLIER’S BID	
Product Item # from Table 1	Qty	Location	Desired Date** (YYYY-MM-DD)	Desired Time:	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	50	255 Albert St, 8 th Floor Ottawa, ON K1A 0H2	2023-02-24	09:30-16:30 EST	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1	20	121 King St W, 14 th Floor Toronto, ON M5H 3T9	2023-02-24	18:30-23:00 EST	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
2	20	255 Albert St, 8 th Floor Ottawa, ON K1A 0H2	2023-02-24	09:30-16:30 EST	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$

2	20	121 King St W, 14 th Floor Toronto, ON M5H 3T9	2023-02-24	18:30-23:00 EST	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
3	10	255 Albert St, 8 th Floor Ottawa, ON K1A 0H2	2023-02-24	09:30-16:30 EST	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
3	10	121 King St W, 14 th Floor Toronto, ON M5H 3T9	2023-02-24	18:30-23:00 EST	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
					Delivery Total:	\$
<p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>Deliveries to the floor removed from skids and skids taken away</p>						

Table 3 – Installation

		Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID	
Product Item # from Table 1	QTY	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	30	10 th Floor 255 Albert St, ON K1A 0H2	2023-02-24	09:30-16:30 EST	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$

	<p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>	Installation Total:	\$
--	---	---------------------	----

Table 4 – Optional Product Not Applicable
If applicable, copy/paste/modify from table 1.

Table 5 – Optional Delivery Not Applicable
If applicable, copy/paste/modify from table 2.

Table 6 – Optional Installation Not Applicable
If applicable, copy/paste/modify from table 3.

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada’s Facilities to Accommodate the Delivery The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</p> <p>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</p>	
2.1	Loading Dock/Location - OTTAWA	
A	Location	255 Albert St, Ottawa, ON K1A 0H2
B	Dock	Yes, five tone truck maximum
C	Lift	Not available
D	Door	6’6” H x 7’ W
E	Freight Elevator	Main floor, Right of dock
F	Other (specify, if any)	See Annex C Loading Docks
2.2	Loading Dock/Location - TORONTO	
A	Location	121 King St W, Toronto, ON M5H 3T9
B	Dock	Yes, on York Street, Northbound
C	Lift	Yes on north side 5000lbs maximum weight capacity 7’L x 5’ W with hinged flap (16”L)
D	Door	6’6” H x 7’ W
E	Freight Elevator	Main floor, Right of dock
F	Other (specify, if any)	See Annex C Loading Docks
3.	Continuance of Certifications	

	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.
3.1	Integrity Provisions
3.2	Federal Contractor’s Program for Employment Equity
3.4	Product Conformance
3.5	Price Certification (In accordance with the SA, Part 6B)

Table 8 - Bid Evaluation and Contract Total

(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Total Evaluated (Bid) Price* (1 + 2 + 3) <i>[to be removed at contract award]</i>	\$
5	Contract Price(1 + 2 + 3): <i>[applicable at contract award only]</i>	\$
6	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
7	Total Estimated Cost (9 + 10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Product Category: 3 - Storage Lockers

Table 1 – Product Table

P R O D #	Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID		
	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	Q T Y	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
Category 2							
1	3LSL2HXXLM12D20XHXS	Storage Locker Two high 12in wide	2	*Yes **Base ***Hotel style combo code			
2	3LSL2HXXLM18D20XHXS	Storage Locker Two high 18in wide	2	*Yes **Base ***Hotel style combo code			
3	3LSL3HXXLM12D20XHXS	Storage Locker Three high 12in wide	2	*Yes **Base ***Hotel style combo code			
4	3LSL3HXXLM18D20XHXS	Storage Locker Three high 18in wide	2	*Yes **Base ***Hotel style combo code			

***Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

**** Base**

Canada is requesting an additional one-foot-high base to be installed under each locker. This additional height should be an addition to the height specified in the technical specification of Storage Lockers.

*****Hotel Safe Style Keyless locking mechanisms**

Canada is requesting that the keyless locking mechanism is of a combination lock style and includes a mode that operates similar to a hotel safe i.e. you punch in a combination to lock and unlock every time it is used.

Table 2 - Delivery

		Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID	
Product Item # from Table 1	QTY	Location	Desired Date** (YYYY-MM-DD)	Desired Time:	Supplier will supply and deliver as per below**	Firm Lot Price \$
1,2,3,4	1 ea	255 Albert St, 10 th Floor Ottawa, ON K1A 0H2	2023-02-24	09:30-16:30 EST	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1,2,3,4	1 ea	121 King St W, 15 th Floor Toronto, ON M5H 3T9	2023-02-24	18:30-23:00 EST	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>Deliveries to the floor removed from skids and skids taken away</p>					Delivery Total:	\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time:	Supplier will install as per below**	Firm Lot Price \$
1,2,3,4	255 Albert St, 10 th Floor Ottawa, ON K1A 0H2	2023-02-24	09:30-16:30 EST	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1,2,3,4	15 th Floor 121 King St W, 26 th Floor Toronto, ON M5H 3T9	2023-02-24	09:30-16:30 EST	_____ : weeks from date of supply and delivery	\$

				<i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>
<p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				<p>Installation Total: \$</p>

Table 4 – Optional Product

		Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID		
P R O D #	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	Q T Y	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
Category 2							
1	3LSL2HXXLM12D20XHXS	Locker, Two high, 12in wide	9	*Yes **Base ***Hotel style combo code			
2	3LSL2HXXLM18D20XHXS	Locker, Two high, 18in wide	9	*Yes **Base ***Hotel style combo code			
3	3LSL3HXXLM12D20XHXS	Locker, Three high, 12in wide	9	*Yes **Base ***Hotel style combo code			
4	3LSL3HXXLM18D20XHXS	Locker, Three high, 18in wide	9	*Yes **Base ***Hotel style combo code			

***Provide additional information:**
Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

**** Base**

Canada is requesting an additional one-foot-high base to go underneath each locker. This additional height should be an addition to the height specified in the technical specification of Lockers.

*****Hotel Safe Style Keyless locking mechanisms**

Canada is requesting that the keyless locking mechanism is of a combination lock style and includes a mode that operates similar to a hotel safe i.e. you punch in a combination to lock and unlock every time it is used.

Table 5 – Optional Delivery

			Section A - IU REQUIREMENT		Section B – SUPPLIER’S BID	
Product Item # from Table 1	QTY	Location	Desired Date** (YYYY-MM-DD)	Desired Time:	Supplier will supply and deliver as per below**	Firm Lot Price \$
1,2,3,4	4 ea	255 Albert St, 10 th Floor Ottawa, ON K1A 0H2	2023-02-24	09:30-16:30 EST	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1,2,3,4	3 ea	121 King St W, 15 th Floor Toronto, ON M5H 3T9	2023-02-24	18:30-23:00 EST	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1,2,3,4	1 ea	2001 Robert-Bourassa Boulevard Suite 530 Montreal, Quebec H3A 2A6	2023-02-24	09:30-16:30 EST	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1,2,3,4	1 ea	7th Floor 605 Robson Street, Vancouver BC V6B 5J3	2023-02-24	09:30-16:30 EST	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
					Delivery Total:	\$
<p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>Deliveries to the floor removed from skids and skids taken away (**All packaging to be removed upon delivery)</p>						

Table 6 – Optional Installation



Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time:	Supplier will install as per below**	Firm Lot Price \$
1,2,3,4	255 Albert St, 10 th Floor Ottawa, ON K1A 0H2	2023-02-24	09:30-16:30 EST	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1,2,3,4	15 th Floor 121 King St W, 26 th Floor Toronto, ON M5H 3T9	2023-02-24	09:30-16:30 EST	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1,2,3,4	2001 Robert-Bourassa Boulevard Suite 530 Montreal, Quebec H3A 2A6	2023-02-24	09:30-16:30 EST	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
1,2,3,4	7 th Floor 605 Robson Street, Vancouver BC V6B 5J3	2023-02-24	09:30-16:30 EST	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Quantity on each floor is subject to change and would be provided by the PA prior to installation date.</p>				Installation Total:	\$

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada’s Facilities to Accommodate the Delivery	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location - OTTAWA	
A	Location	255 Albert St, Ottawa, ON K1A 0H2
B	Dock	Yes, five tone truck maximum
C	Lift	Not available
D	Door	6’6” H x 7’ W
E	Freight Elevator	Main floor, Right of dock
F	Other (specify, if any)	See Annex C Loading Docks
2.2	Loading Dock/Location - TORONTO	
A	Location	121 King St W, Toronto, ON M5H 3T9
B	Dock	Yes, on York Street, Northbound
C	Lift	Yes on north side 5000lbs maximum weight capacity 7’L x 5’ W with hinged flap (16”L)
D	Door	6’6” H x 7’ W
E	Freight Elevator	Main floor, Right of dock
F	Other (specify, if any)	See Annex C Loading Docks
2.3	Loading Dock/Location - MONTREAL	
A	Location	2001 Robert-Bourassa Blvd, Ste 350, Montreal, PQ H3A 2A6
B	Dock	Located on Union Street (corner of Robert-Bourassa and Union)
C	Lift	Yes 4000lbs maximum weight capacity
D	Door	11’9” (335cm) H x 13’11” (396cm) W
E	Freight Elevator	Main floor
F	Other (specify, if any)	See Annex C Loading Docks
2.4	Loading Dock/Location – VANCOUVER	
A	Location	7th Floor 605 Robson Street, Vancouver BC V6B 5J3
B	Dock	Located on Granville and Robson Street;
C	Lift	No
D	Door	6 feet wide by 82 inches high Once in building there are 2 doors to get to the elevator, those doors are 43 inches wide by 82 inches high.
E	Freight Elevator	No, Elevator - 42 inches wide by 84 inches high
F	Other (specify, if any)	See Annex C Loading Docks

3.	Continuance of Certifications
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.
3.1	Integrity Provisions
3.2	Federal Contractor’s Program for Employment Equity
3.4	Product Conformance
3.5	Price Certification (In accordance with the SA, Part 6B)

Table 8 - Bid Evaluation and Contract Total

(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4) <i>(Applicable if Option is exercised)</i>	\$
5	Optional Delivery Total (Table 5) <i>(Applicable if Option is exercised)</i>	\$
6	Optional Installation Total (Table 6) <i>(Applicable if Option is exercised)</i>	\$
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1 + 2 + 3 + 7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9 + 10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

ANNEX B
SECURITY REQUIREMENTS

There is no security requirement associated with this contract.



ANNEX C - LOADING DOCKS

OTTAWA LOCATION – 255 ALBERT ST, OTTAWA, ON K1A 0H2




Picture 1: Picture from street of side of 255 Albert where loading dock is located.



Picture 2: Loading dock 255 with door open



Picture 3: Picture from loading dock door looking inside loading dock area



Picture 4: Picture from inside loading dock area Looking towards Freight elevator door



Picture 5: Picture inside freight elevator

TORONTO LOCATION - 121 KING ST W, TORONTO, ON M5H 3T9



Picture 1: Picture from street of side of 121 King Street West where loading dock is located.



Picture 2: Loading dock 121 with door open



Picture 3: Picture from loading dock door looking inside loading dock area



Picture 4: Picture from inside loading dock area looking towards Freight elevator door

VANCOUVER LOCATION - 7th Floor 605 Robson Street, Vancouver BC V6B 5J3



Picture of loading area