



<p>RETURN BIDS TO: RETOURNER LES SOUMISSIONS À:</p> <p>Bid Receiving - Environment Canada / Réception des soumissions – Environnement Canada</p> <p>Electronic Copy: soumissionsbids@ec.gc.ca</p> <p>BID SOLICITATION DEMANDE DE SOUMISSIONS</p> <p>PROPOSAL TO: ENVIRONMENT CANADA</p> <p>We offer to perform or provide to Canada the services detailed in the document including any attachments and annexes, in accordance with the terms and conditions set out or referred to in the document, at the price(s) provided.</p> <p>SOUMISSION À: ENVIRONNEMENT CANADA</p> <p>Nous offrons d'effectuer ou de fournir au Canada, aux conditions énoncées ou incluses par référence dans le document incluant toutes pièces jointes et annexes, les services détaillés dans le document, au(x) prix indiqué(s).</p>	Title – Titre Canadian Air and Precipitation Monitoring Program - CAPMoN Kejimkujik site located in Nova Scotia	
	EC Bid Solicitation No. /SAP No. – Nº de la demande de soumissions EC / Nº SAP 5000064308	
	Date of Bid solicitation (YYYY-MM-DD) – Date de la demande de soumissions (AAAA-MM-JJ) 2022-11-05	
	Bid Solicitation Closes (YEAR-MM-DD) - La demande de soumissions prend fin (AAAA-MM-JJ) at – à 15h00 on – le 2022-11-28	Time Zone – Fuseau horaire Eastern Standard Time
	F.O.B – F.A.B Not Applicable	
	Address Enquiries to - Adresser toutes questions à Mitchell Palmer mitchell.palmer@ec.gc.ca	
	Telephone No. – Nº de téléphone 1 873-499-5126	Fax No. – Nº de Fax
	Delivery Required (YEAR-MM-DD) – Livraison exigée (AAAA-MM-JJ) 2022-12-01	
	Destination - of Services / Destination des services Nova Scotia	
	Security / Sécurité There is a security requirement associated with this requirement.	
Vendor/Firm Name and Address - Raison sociale et adresse du fournisseur/de l'entrepreneur		
Telephone No. – Nº de téléphone	Fax No. – Nº de Fax	
Name and title of person authorized to sign on behalf of Vendor/Firm: (type or print) / Nom et titre de la personne autorisée à signer au nom du fournisseur/de l'entrepreneur (taper ou écrire en caractères d'imprimerie)		
Signature	Date	

**TABLE OF CONTENTS****Contents**

PART 1 – GENERAL INFORMATION.....	4
1.1 Security Requirement	4
1.2 Statement of Work.....	4
1.3 Debriefings	4
PART 2 - BIDDER INSTRUCTIONS.....	5
2.1. Standard Instructions, Clauses and Conditions.....	5
2.2. Submission of Bids.....	6
2.3. Former Public Servant – Competitive Bid	6
2.4. Enquiries - Bid Solicitation.....	7
2.5. Applicable Laws	7
2.6. Bid Challenge and Recourse Mechanisms	8
PART 3 - BID PREPARATION INSTRUCTIONS.....	9
3.1 Bid Preparation Instructions	9
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION.....	11
4.1 Evaluation Procedures	11
4.2 Evaluation of Price	11
4.3 Basis of Selection.....	11
PART 5 - CERTIFICATIONS AND ADDITIONAL INFORMATION.....	12
5.1. Certifications Required with the Bid	12
5.2. Certifications Precedent to Contract Award and Additional Information.....	12
5.3. Certifications Required Prior to Contract Award	13
PART 6 - RESULTING CONTRACT.....	14
6.1 Security Requirement	14
6.2. Insurance Requirements	14
6.3. Statement of Work.....	14
6.4. Standard Clauses and Conditions.....	14
6.5. Term of Contract.....	15
6.6. Authorities	16
6.7. Proactive Disclosure of Contracts with Former Public Servants	17
6.8. Payment.....	17
6.9. Invoicing Instructions	17



6.10. Certifications and Additional Information	18
6.11. Applicable Laws	18
6.12. Priority of Documents.....	18
6.13. Dispute Resolution.....	18

List of Annexes:

Annex A	Statement of Work
Annex B	Basis of Payment
Annex C	Security Requirements Check List
Annex D	Proposed Resources
Annex E	Additional Work Authorization form

**PART 1 – GENERAL INFORMATION****1.1 Security Requirement**

- 1.1.1** There is a security requirement associated with this requirement.
- 1.1.2** Before award of a contract, the following conditions must be met:
 - (a) the Bidder's proposed individuals requiring access to classified or protected information, assets or sensitive work site(s) must meet the security requirement as indicated in Part 6 - Resulting Contract;
 - (b) the Bidder must provide the name of all individuals who will require access to classified or protected information, assets or sensitive work sites;
- 1.1.3** Bidders are reminded to obtain the required security clearance promptly. Any delay in the award of a contract to allow the successful bidder to obtain the required clearance will be at the entire discretion of the Contracting Authority.
- 1.1.4** The Contractor's personnel requiring access to PROTECTED information, assets or work site must EACH hold a valid RELIABILITY STATUS, granted or approved by the Government of Canada.
- 1.1.5** Contractor's personnel requiring access to PROTECTED information, assets or work site(s) not already holding a valid RELIABILITY STATUS, granted or approved by the Government shall ensure that the personnel requiring access to PROTECTED information, assets or work site(s) are security screened to RELIABILITY STATUS at the Contractor's expense.
- 1.1.6** The Contractor must comply with the provisions of the Security Requirements Check List, attached at Annex C.
- 1.1.7** For additional information on security requirements, bidders should refer to the [Canadian Industrial Security Directorate \(CISD\), Industrial Security Program](http://ssi-iss.tpsgc-pwgsc.gc.ca/index-eng.html) of Public Works and Government Services Canada (<http://ssi-iss.tpsgc-pwgsc.gc.ca/index-eng.html>) website.

1.2 Statement of Work

The Work to be performed is detailed under Annex A, *Statement of Work* of the resulting contract.

1.3 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.



PART 2 - BIDDER INSTRUCTIONS

2.1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the PSPC/PWGSC *Standard Acquisition Clauses and Conditions Manual* issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2020-05-28) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

The standard instructions 2003 are modified as follows:

Under "Text" at 02:

Delete: "Procurement Business Number"

Insert: "Deleted"

At Section 02 Procurement Business Number

Delete: In its entirety

Insert: "Deleted"

At Section 05 Submission of Bids, Subsection 05 (2d):

Delete: In its entirety

Insert: "send its bid only to Environment and Climate Change Canada as specified on page 1 of the bid solicitation or to the address specified in the bid solicitation;"

At Section 06 Late Bids:

Delete: "PWGSC"

Insert: "Environment and Climate Change Canada"

At Section 07 Delayed Bids:

Delete: "PWGSC"

Insert: "Environment and Climate Change Canada"

At Section 08 Transmission by Facsimile, Subsection 08 (1):

Delete: In its entirety

Insert: "Bids may be submitted by facsimile if specified in the bid solicitation."

At Section 12 Rejection of Bid, Subsection 12 (1) a. and b.:

Delete: In their entirety

Insert: "Deleted"

At Section 17 Joint Venture, Subsection 17 (1) b.:

Delete: "the Procurement Business Number of each member of the joint venture,"

Insert: "Deleted"

At Section 20 Further Information, Subsection 20 (2):

Delete: In its entirety

Insert: "Deleted"



At Section 05 Submission of Bids, Subsection 05 (4):

Delete: "sixty (60) days"

Insert: "one hundred and twenty (120) days"

2.2 Submission of Bids

Bids must be submitted to Environment and Climate Change Canada at the address and by the date, time and place indicated on page 1 of the bid solicitation.

2.3 Former Public Servant – Competitive Bid

Contracts awarded to former public servants (FPS) in receipt of a pension or of a lump sum payment must bear the closest public scrutiny, and reflect fairness in the spending of public funds. In order to comply with Treasury Board policies and directives on contracts awarded to FPSs, bidders must provide the information required below before contract award. If the answer to the questions and, as applicable the information required have not been received by the time the evaluation of bids is completed, Canada will inform the Bidder of a time frame within which to provide the information. Failure to comply with Canada's request and meet the requirement within the prescribed time frame will render the bid non-responsive.

Definitions

For the purposes of this clause, "former public servant" is any former member of a department as defined in the Financial Administration Act, R.S., 1985, c. F-11, a former member of the Canadian Armed Forces or a former member of the Royal Canadian Mounted Police. A former public servant may be:

- a. an individual;
- b. an individual who has incorporated;
- c. a partnership made of former public servants; or
- d. a sole proprietorship or entity where the affected individual has a controlling or major interest in the entity.

"lump sum payment period" means the period measured in weeks of salary, for which payment has been made to facilitate the transition to retirement or to other employment as a result of the implementation of various programs to reduce the size of the Public Service. The lump sum payment period does not include the period of severance pay, which is measured in a like manner.

"pension" means a pension or annual allowance paid under the Public Service Superannuation Act (PSSA), R.S., 1985, c. P-36, and any increases paid pursuant to the Supplementary Retirement Benefits Act, R.S., 1985, c. S-24 as it affects the PSSA. It does not include pensions payable pursuant to the Canadian Forces Superannuation Act, R.S., 1985, c. C-17, the Defence Services Pension Continuation Act, 1970, c. D-3, the Royal Canadian Mounted Police Pension Continuation Act, 1970, c. R-10, and the Royal Canadian Mounted Police Superannuation Act, R.S., 1985, c. R-11, the Members of Parliament Retiring Allowances Act, R.S. 1985, c. M-5, and that portion of pension payable to the Canada Pension Plan Act, R.S., 1985, c. C-8.

Former Public Servant in Receipt of a Pension

As per the above definitions, is the Bidder a FPS in receipt of a pension? Yes () No ()



If so, the Bidder must provide the following information, for all FPSs in receipt of a pension, as applicable:

- a. name of former public servant;
- b. date of termination of employment or retirement from the Public Service.

By providing this information, Bidders agree that the successful Bidder's status, with respect to being a former public servant in receipt of a pension, will be reported on departmental websites as part of the published proactive disclosure reports in accordance with [Contracting Policy Notice: 2019-01](#) and the [Guidelines on the Proactive Disclosure of Contracts](#).

Work Force Adjustment Directive

Is the Bidder a FPS who received a lump sum payment pursuant to the terms of the Work Force Adjustment Directive? **Yes** **No**

If so, the Bidder must provide the following information:

- a. name of former public servant;
- b. conditions of the lump sum payment incentive;
- c. date of termination of employment;
- d. amount of lump sum payment;
- e. rate of pay on which lump sum payment is based;
- f. period of lump sum payment including start date, end date and number of weeks;
- g. number and amount (professional fees) of other contracts subject to the restrictions of a work force adjustment program.

2.4 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than seven (7) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated and the enquiry can be answered to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

2.5 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Nova Scotia.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.



2.6 Bid Challenge and Recourse Mechanisms

- a) Several mechanisms are available to potential suppliers to challenge aspects of the procurement process up to and including contract award.
- b) Canada encourages suppliers to first bring their concerns to the attention of the Contracting Authority. Canada's [Buy and Sell](#) website, under the heading [Bid Challenge and Recourse Mechanisms](#)" contains information on potential complaint bodies such as:

Office of the Procurement Ombudsman (OPO)
Canadian International Trade Tribunal (CITT)

- c) Suppliers should note that there are strict deadlines for filing complaints, and the time periods vary depending on the complaint body in question. Suppliers should therefore act quickly when they want to challenge any aspect of the procurement process.



PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

Canada requests that bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (1 electronic copy)

Section II: Financial Bid (1 electronic copy)

Section III: Certifications (1 electronic copy)

Section IV: Additional Information (1 electronic copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Note for electronic submission of bids:

In order to be considered, bids must be received by the date and time indicated on the cover page to herein as the "Closing Date." Bids received after the Closing Date will be considered non-responsive and will not be considered for contract award. Bids submitted by email must be submitted ONLY to the following email address:

Email Address: soumissionsbids@ec.gc.ca

Attention: Mitchell Palmer

Solicitation Number: 5000064308

Bidders should ensure that their name, address, Closing Date of the solicitation and Solicitation Number are clearly indicated in the body of their email. Bids and supporting information may be submitted in either English or French.

The total size of the email, including all attachments, must be less than 15 megabytes (MB). It is each Bidder's responsibility to ensure that the total size of the email does not exceed this limit.

Bids sent by fax will not be accepted.

It is important to note that emails systems can experience systematic delays and, at times, large attachments may cause systems to hold or delay transmission of emails. It is solely the Bidder's responsibility to ensure that the Contracting Authority receives a bid on time, in the mailbox that has been identified for bid receipt purposes. Date stamps for this form of transmission are not acceptable.

Section I: Technical Bid

In their technical bid, bidders should demonstrate their understanding of the requirements contained in the bid solicitation and explain how they will meet these requirements. Bidders should demonstrate their capability in a thorough, concise and clear manner for carrying out the work.

The technical bid should address clearly and in sufficient depth the points that are subject to the evaluation criteria against which the bid will be evaluated. Simply repeating the statement



contained in the bid solicitation is not sufficient. In order to facilitate the evaluation of the bid, Canada requests that bidders address and present topics in the order of the evaluation criteria under the same headings. To avoid duplication, bidders may refer to different sections of their bids by identifying the specific paragraph and page number where the subject topic has already been addressed.

Part 4, Evaluation Procedures, contains additional instructions that bidders should consider when preparing their technical bid.”)

Section II: Financial Bid

1.1 Bidders must submit their financial bid in accordance with the Basis of Payment in Annex B. The total amount of Applicable Taxes must be shown separately.

3.2 Price Breakdown

In their financial bid, the bidders are requested to provide a detailed breakdown of the price for the Work, as applicable:

(a) Professional fees: For each individual and (or) labor category to be assigned to the Work, the bidders should indicate: i) the firm hourly rate or the firm daily rate, inclusive of overhead and profit; and ii) the estimated number of hours or days, as applicable. The bidders should indicate the number of hours in one working day.

The professional fees must include the total estimated cost of all travel and living expenses that may need to be incurred for:

- (i) Work described in Part 7, Resulting Contract of the bid solicitation required to be performed within the Western Region.
- (ii) travel between the successful bidder's place of business and the CAPMoN joussard monitoring site; and
- (iii) the relocation of resources

to satisfy the terms of any resulting contract. These expenses cannot be charged directly and separately from the professional fees to any contract that may result from the bid solicitation.

(b) Applicable Taxes: The bidders should indicate the Applicable Taxes separately.

3.3 Bidders should include the following information in their financial bid:

- (a) Their legal name; and
- (b) The name of the contact person (including this person's mailing address, phone and facsimile numbers and email address) authorized by the Bidder to enter into communications with Canada with regards to their bid; and any contract that may result from their bid.

Section III: Certifications

Bidders must submit the certifications required under Part 5.



PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

Bids will be assessed in accordance with the entire requirement of the bid solicitation including the financial evaluation criteria.

4.2 Evaluation of Price

The price of the bid, including option periods, will be evaluated in Canadian dollars, the Applicable Taxes excluded, Canadian customs and excise taxes included.

4.3 Basis of Selection

A bid must comply with all requirements of the bid solicitation to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.



PART 5 - CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and associated information to be awarded a contract.

The certifications provided by bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default in carrying out any of its obligations under the Contract, if any certification made by the Bidder is found to be untrue, whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority may render the bid non-responsive or constitute a default under the Contract.

5.1. Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](#) website, to be given further consideration in the procurement process.

5.1.2 Additional Certifications Required with the Bid

The certifications listed below should be completed and submitted with the bid but may be submitted afterwards. If any of these required certifications is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to comply with the request of the Contracting Authority and to provide the certifications within the time frame provided will render the bid non-responsive.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](#) website, to be given further consideration in the procurement process.



5.2.3 Additional Certifications Precedent to Contract Award

5.2.3.1 Status and Availability of Resources

The Bidder certifies that, should it be awarded a contract as a result of the bid solicitation, every individual proposed in its bid will be available to perform the Work as required by Canada's representatives and at the time specified in the bid solicitation or agreed to with Canada's representatives. If for reasons beyond its control, the Bidder is unable to provide the services of an individual named in its bid, the Bidder may propose a substitute with similar qualifications and experience. The Bidder must advise the Contracting Authority of the reason for the substitution and provide the name, qualifications and experience of the proposed replacement. For the purposes of this clause, only the following reasons will be considered as beyond the control of the Bidder: death, sickness, maternity and parental leave, retirement, resignation, dismissal for cause or termination of an agreement for default.

If the Bidder has proposed any individual who is not an employee of the Bidder, the Bidder certifies that it has the permission from that individual to propose his/her services in relation to the Work to be performed and to submit his/her résumé to Canada. The Bidder must, upon request from the Contracting Authority, provide a written confirmation, signed by the individual, of the permission given to the Bidder and of his/her availability. Failure to comply with the request may result in the bid being declared non-responsive.

5.3 Certifications Required Prior to Contract Award

Bidders must submit the following duly completed certifications prior to contract award.

1. Proposed Resources at Annex D
2. Additional Work Authorization at Annex E



PART 6 - RESULTING CONTRACT

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation. *(at contract award, delete this sentence and add the title of the requirement)*

Title: *(insert only at contract award)*

6.1 Security Requirement

6.1.1

The Contractor/Offeror must, at all times during the performance of the Contract/Standing Offer/Supply Arrangement, hold a valid security screening issued by the Government of Canada/Environment and Climate Change Canada (ECCC).

The Contractor/Offeror personnel requiring access to sensitive work site(s) must EACH hold a valid RELIABILITY STATUS, granted or approved by ECCC.

The supplier and all individuals assigned to work on the contract or arrangement MUST NOT have access to PROTECTED or CLASSIFIED information.

Subcontracts or arrangements with a third party are not to be awarded without the prior written permission of the Contracting Authority (i.e. a new SRCL must be submitted and processed following the same procedure as for the initial contract).

6.2. Insurance Requirements

The Contractor is responsible for deciding if insurance coverage is necessary to fulfill its obligation under the Contract and to ensure compliance with any applicable law. Any insurance acquired or maintained by the Contractor is at its own expense and for its own benefit and protection. It does not release the Contractor from or reduce its liability under the Contract.

6.3. Statement of Work

The Contractor must perform the Work in accordance with the Statement of Work at Annex A

6.4. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the PSPC/PWGSC Standard Acquisition Clauses and Conditions Manual issued by Public Works and Government Services Canada.

6.4.1 General Conditions

2010B (2020-05-28) General Conditions - Professional Services (Medium Complexity) apply to and form part of the Contract.

General conditions 2010B is modified as follows:

At Section 12 Transportation Costs

Delete: In its entirety



Insert: "Deleted"

At Section 13 Transportation Carriers” Liability

Delete: In its entirety.

Insert: "Deleted"

At Section 18, Confidentiality:

Delete: In its entirety

Insert: "Deleted"

Insert Subsection: “35 Liability”

"The Contractor is liable for any damage caused by the Contractor, its employees, subcontractors, or agents to Canada or any third party. Canada is liable for any damage caused by Canada, its employees or agents to the Contractor or any third party. The Parties agree that no limitation of liability or indemnity provision applies to the Contract unless it is specifically incorporated in full text in the Articles of Agreement. Damage includes any injury to persons (including injury resulting in death) or loss of or damage to property (including real property) caused as a result of or during the performance of the Contract."

At Section 06 Subcontracts

Delete: paragraphs 1, 2, and 3 in their entirety.

Insert: "The Contractor may subcontract the supply of goods or services that are customarily subcontracted by the Contractor. Subcontracting does not relieve the Contractor from any of its obligations under the Contract or impose any liability upon Canada to a subcontractor. In any subcontract, the Contractor agrees to bind the subcontractor by the same conditions by which the Contractor is bound under the Contract, unless the Contracting Authority agrees otherwise, with the exception of requirements under the Federal Contractors Program for employment equity which only apply to the Contractor."

At Section 19 Copyright

Delete: In its entirety

Insert: "Deleted"

6.4.2 Supplemental General Conditions

The following supplemental general conditions apply to and form part of the Contract:

4007 (2010-08-16), Canada to own Intellectual Property Rights in Foreground

4013 (2021-11-29), Compliance with on-site measures, standing orders, policies, and rules

A9014C (2006-06-16), Specific Persons

6.5. Term of Contract

6.5.1 Period of the Contract

The period of the Contract is from December 1, 2022 to March 31, 2023 inclusive.

The Contractor grants to Canada the irrevocable option to extend the term of the Contract by up to two (2) additional one (1) year periods under the same conditions. The Contractor agrees that, during the extended period of the Contract, it will be paid in accordance with the applicable provisions as set out in the Basis of Payment.



Canada may exercise this option at any time by sending a written notice to the Contractor at least fifteen (15) calendar days before the expiry date of the Contract. The option may only be exercised by the Contracting Authority, and will be evidenced for administrative purposes only, through a contract amendment.

6.6. Authorities

6.6.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Mitchell Palmer

Title: Team Manager Procurement – Operation West

Organization: Environment Climate Change Canada

Address: 200 Sacre-Coeur Blvd, Gatineau, Quebec, Canada, K1A 0H3

Telephone: 613-854-7053

Email address: Mitchell.palmer@.ec.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.6.2 Technical Authority

The Technical Authority for the Contract is:

Name: _____

Title: _____

Organization: _____

Address: _____

Telephone: ____ - ____ - ____

Facsimile: ____ - ____ - ____

E-mail address: _____

The Technical Authority named above is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Technical Authority; however, the Technical Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.6.3 Contractor's Representative

Name: _____

Title: _____

(Legal & Operating Company Name): _____

Address: _____

Telephone: ____ - ____ - ____



Facsimile: _____
E-mail address: _____

6.7. Proactive Disclosure of Contracts with Former Public Servants

By providing information on its status, with respect to being a former public servant in receipt of a [Public Service Superannuation Act](#) (PSSA) pension, the Contractor has agreed that this information will be reported on departmental websites as part of the published proactive disclosure reports, in accordance with [Contracting Policy Notice: 2019-01](#) of the Treasury Board Secretariat of Canada.

6.8 Payment

6.8.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm price of \$ _____ (*insert the amount at contract award*). Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.8.2 Limitation of Expenditure

- (a) Canada's total liability to the Contractor under the Contract must not exceed \$ _____. Customs duties are included and the Applicable Taxes are extra.
- (b) No increase in the total liability of Canada or in the price of the Work resulting from any design changes, modifications or interpretations of the Work, will be authorized or paid to the Contractor unless these design changes, modifications or interpretations have been approved, in writing, by the Contracting Authority before their incorporation into the Work. The Contractor must not perform any work or provide any service that would result in Canada's total liability being exceeded before obtaining the written approval of the Contracting Authority. The Contractor must notify the Contracting Authority in writing as to the adequacy of this sum:
 - (i) when it is 75 percent committed, or
 - (ii) four (4) months before the contract expiry date, or
 - (iii) as soon as the Contractor considers that the contract funds provided are inadequate for the completion of the Work, whichever comes first.
- (c) If the notification is for inadequate contract funds, the Contractor must provide to the Contracting Authority a written estimate for the additional funds required. Provision of such information by the Contractor does not increase Canada's liability.

6.9. Invoicing Instructions

6.9.1 Monthly Payments

Canada will pay the Contractor on a monthly basis for work performed during the month covered by the invoice in accordance with the payment provisions of the Contract if:
an accurate and complete invoice and any other documents required by the Contract have been submitted in accordance with the invoicing instructions provided in the Contract;



all such documents have been verified by Canada;
the Work performed has been accepted by Canada.

6.10. Certifications and Additional Information

6.10.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.11. Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Nova Scotia.

6.12. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) Modified 2010B General Conditions - [Professional Services \(Medium Complexity\)](#) (2020-05-28)
- (c) Annex A, Statement of Work;
- (d) Annex B, Basis of Payment;
- (e) Annex C, Security Requirements Check List;
- (f) Annex D, Proposed Resources;
- (g) Annex E, Additional Work Authorization form;
- (h) the Contractor's bid dated _____, (*insert date of bid*) (*If the bid was clarified or amended, insert at the time of contract award: "as clarified on _____" or "as amended on _____" and insert date(s) of clarification(s) or amendment(s).*)

6.13. Dispute Resolution

The parties agree to maintain open and honest communication about the Work throughout and after the performance of the contract.

The parties agree to consult and co-operate with each other in the furtherance of the contract and promptly notify the other party or parties and attempt to resolve problems or differences that may arise.

If the parties cannot resolve a dispute through consultation and cooperation, the parties agree to consult a neutral third party offering alternative dispute resolution services to attempt to address the dispute.



Options of alternative dispute resolution services can be found on Canada's Buy and Sell website under the heading "<https://buyandsell.gc.ca/for-businesses/selling-to-the-government-of-canada/contract-management/dispute-resolution>" **Dispute Resolution**".



ANNEX A STATEMENT OF WORK

1. Objective

Environment and Climate Change Canada (ECCC) requires a Contractor for daily technical support (7 days per week, 52 weeks per year) at the CAPMoN Kejimkujik National Park within the park with coordinates N 44.402983° latitude, W 65.202742° longitude.

2. Background

Environment and Climate Change Canada operates an environmental research and monitoring station in the area which forms part of Environment and Climate Change Canada's national network of CAPMoN stations. The primary focus of this monitoring station is the daily collection of precipitation and/or air samples. Environmental data is collected from both automatic and manual samplers. A contract operator is required to attend to the station to retrieve and process the samples according to the CAPMoN Standard Operating Procedures (SOP's). The samples are then packaged and shipped for analysis to either the CAPMoN National Laboratory located in Toronto, Ontario. Other daily duties include reading and recording of various gauges, diagnostics, and regular servicing, troubleshooting, and minor repair of a variety of monitoring equipment. On-site training will be provided by Environment and Climate Change Canada (ECCC) technical staff.

3. Details of Work to be Performed

The instructions outlined in the statement of work for this contract is of a general nature. All sampling, shipping, and maintenance shall be performed in accordance with the Site Operations Reference Manuals; and in accordance with any amendments to the aforementioned manuals. The routine may involve additional collectors, passive samplers and various climatological and meteorological instruments. ECCC will provide the Contractor the aforementioned manuals and amendments.

4. Tasks and Deliverables

Firm Requirement:

1. The Contractor will be responsible for servicing:
 - a. Precipitation Collector
 - b. Air Filter Sampling System
 - c. Ozone Sampling System
 - d. Total Gaseous Mercury System
 - e. Mercury in Precipitation Measurements
 - f. Ammonia Monitoring Network (AMoN) Passive Sampler Measurements

Refer to Appendix A of Annex A.

2. The Contractor must package and ship by courier to the designated Laboratory as outlined in Appendix A to Annex A. The Contractor will be supplied with preprinted manifests and must ensure the samples are delivered to or picked up by the designated courier. Sample containers will be sent to the Contractor by the most



economical means and may need to be picked up at the nearest Canada Post office. The Contractor is not responsible for shipping expenses.

3. First level maintenance, diagnosis of problems, and minor repairs to equipment is often required of the Contractor. This may include, but is not limited to:

- Cleaning of equipment
- Replacement of Defective parts
- Resetting or rebooting electronic systems
- Replacement and setup of operational unit with backup unit
- Checking and readjustment of various parts or software parameters as needed.

The Contractor is responsible for the physical shipping and receiving of replacement equipment as required. The Contractor is not responsible for shipping expenses.

4. The Contractor is responsible for the routine site maintenance including keeping the sample hut clean, clearing the snow off the sampling hut stairs and deck, and grass cutting to keep the vegetation within the fenced or designated compound area at an acceptable height. The general cleanliness of the immediate sampling location is the responsibility of the Contractor, including the removal of garbage/waste from the Site.

These tasks must be carried out in proximity of sensitive and expensive research and monitoring equipment and it is essential that the Contractor understand the need to avoid adverse effects on the measurements and data.

Optional Requirement:

ECCC may require the Contractor to perform unforeseen work and emergency repairs on an as required basis.

Work must not commence until a duly signed authorization form (refer to Annex E) is completed by the Technical Authority and provided to the Contractor.

5. General Conditions

1. The Contractor must have knowledge of local weather conditions.
2. The Contractor will be supplied with a phone number and name for emergencies. Only the Technical Authority can make any changes to the sampling program. All changes will be made known to the Contractor, either orally or in writing, or both.
3. The primary resource and each back-up resource(s) must service the measurement site at least once per month.



4. The primary resource and back-up resource(s) must be proficient in English, both written and oral.
5. All resources (including the designated backup(s)) must make themselves available for two inspections each year. The inspections will be during normal sample collection periods and should take less than 2 hours each.
6. Smoking is not permitted within 500 meters of the compound. Vehicles must not approach closer than the designated parking area. The Contractor must not enter the building with contaminated clothing or footwear.
7. The Contractor must not bring toxic or contaminating compounds such as oil based products, road salt, soaps, disinfectants, or insect repellents to the CAPMoN station. No paints, solvents or glues must be used onsite or in the vicinity of the compound.
8. The Contractor must clean and wash the interior of the building when required using only distilled or de-ionized water as supplied by ECCC and dust must be swept or vacuumed.
9. The Contractor must contribute to the security of the Site by adhering to the use of locks where applied. Any suspicious activity or tampering of the Site equipment must be reported to the Technical Authority, as should any event or activity that may compromise the sampling integrity.
10. No animals or pets are to be inside the building.
11. The Contractor must have access to reliable transportation to and from the Site.
12. The Contract must ensure the issue of working alone at an isolated location is addressed by using a buddy type system.

Sample Change Estimated Time Required:**Firm Requirement:****Estimated Time Required: Kejimkujik**

Daily	Minutes	Hours
Precipitation Sample Collection & Associated Gauges	30	0.5
Air system checks	5	0.083



Ozone system check	5	0.083
Weekly total:		4.66
Annual Sub-total:		243*

Weekly	Minutes	Hours
Shipping	30	0.5
Air system filter change	30	0.5
Ozone filter change	15	0.25
MDN Hg in precipitation sample change	30	0.5
TGM system checks	15	0.25
Weekly total:		2
Annual Sub-total:		104

Bi-Weekly	Minutes	Hours
AMoN passive ammonia sample change	15	0.25
AMoN passive sample shipping	15	0.25
Bi-Weekly total:		0.5
Annual Sub-total:		13.0

Monthly		
TGM filter change	15	0.25
Monthly total	15	0.25
Annual Sub-total		3

Quarterly	Minutes	Hours



Air system memory card change (4)	15	0.25
Quarterly total:		0.25
Annual Sub-total:		1.0

As Required	Minutes	Hours
Electronic gauge emptying and recharge (4)	15	1.0
Hood gasket change (2)	15	0.5
Ar cylinder change (6)	20	3
Cleaning of building counter/floor (12)	15	3.0
Removal of snow from stairs/deck/path		20.0
Vegetation cutting around instruments (15)	60	15.0
Annual As Required Sub-total:		43.0

Total of approximately 407 hours.

(Estimated times are subject to change)

*Rounded to the nearest hour based on 52 weeks and 365 days per year.

**APPENDIX A TO ANNEX A****PRECIPITATION MEASUREMENTS – DAILY****1. Precipitation Sample Collection Procedure:**

- a) The Contractor must walk from the designated parking area to the CAPMoN Site, which is between 50 and 100 meters.
- b) Sampling from the daily collector must be done on a daily basis, and the procedures must be followed regardless of whether precipitation has occurred during the past 24 hours or not. The Sample History Form must be completed every day. Prior to making a daily sample change, a clean plastic bag must be placed in the spare collector bucket in the sample handling hut using the procedures outlined in the CAPMoN SOP's.
- c) The site must be visited daily between 0700 and 0900 hours Local Standard Time (all functions and records remain on LST all year long). Upon arrival at the CAPMoN site, even if precipitation is presently occurring, the following procedure must be followed:
 - i. Check the precipitation collector for normal functioning.
 - ii. Remove sample bucket containing the past 24-hour sample from the collector.
 - iii. Remove bucket lid from new sample bucket and place this on the sample bucket containing the past 24-hour sample.
 - iv. Install the new sample bucket onto the precipitation collector.
 - v. Measure the amount of precipitation (rain, snow, or mixed) in the appropriate precipitation gauge and record that amount.
- d) Upon returning to the storage building the following procedures must be followed to prepare the samples for storage and later shipment:
 - i. Remove the bucket lid from the sample bucket and discard the used lid bag.
 - ii. Use clean disposable gloves, remove the sample bag from the sample bucket while avoiding unfolding the top of the sample bag.
 - iii. Place the sample bag, whether dry or containing precipitation in the heat sealer.
 - iv. Remove all the air from the bag and seal them close to the top of the sample. Large samples (500 grams or more) shall be partitioned as per CAPMoN SOP's to prevent breakage and loss during shipment.
 - v. Affix correct numbered label to the outside of the bag.
 - vi. Check the weighing scale with the reference weight and record indicated weight on the Sample History Form.



- vii. Place the sealed sample bag on the scale and record its weight on the Sample History Form.
- viii. Place the sample bag, whether dry or containing precipitation into a plastic container and store in the refrigerator.
- ix. Complete all required entries on the Sample History Form using appropriate codes, and using one line for each day.

2. CAPMoN Precipitation Collector Maintenance

- a) The Contractor must perform routine maintenance to ensure that the CAPMoN collector is functioning properly. The CAPMoN collector must be kept clean, and (in winter) must be kept free of ice and snow. On a daily basis the Contractor must ensure that:
 - i. Sensor grids are checked, cleaned with water as required, or replaced as required.
 - ii. Snow and ice is removed to prevent a buildup that would obstruct the proper operation of the collector.
 - iii. The underside of the lid cover is lined with a clean gasket; the contractor will check daily for damage, condensation and dirt, and will replace as necessary. The lid cover gasket must be cleaned every Tuesday with Kimwipes. Deionized water is used only when temperatures are above freezing.
 - iv. The lid movement is checked daily for proper operation of the electric motor drive, smooth motion and proper start/stop switching.
 - v. The Contractor must perform other maintenance or repair as directed by the Technical Authority.
- b) If the CAPMoN collector or associated equipment is found to be operating abnormally, or ceases to operate completely, the Contractor must contact the Technical Authority for further advice or action.
- c) Equipment failures or supply shortages must be reported immediately to the Technical Authority.
- d) Every Tuesday the samples must be placed in the sample shipping boxes provided and sent that day, via courier or post, to the CAPMoN Laboratory using the following procedures:
 - i. Pack the plastic containers containing the sample bags into the shipping boxes.
 - ii. Pack a number of frozen ice packs in the side of each shipping box.
 - iii. Pack two copies of the Sample History Form in a zip-lock bag and place on top of the containers.
 - iv. Insert a foam-insulating lid into the box and tape the box shut.
 - v. Complete a Courier Bill of Lading and take, or arrange for pick up, for shipment to:



CAPMoN Precipitation Samples
Environment and Climate Change Canada
4905 Dufferin Street
Toronto, Ontario M3H 5T4

The Contractor will be supplied with preprinted manifests and must ensure the samples are delivered to or picked up by the designated courier. Sample containers will be sent to the Contractor by the most economical means and may need to be picked up at the nearest Canada Post office.

Air Measurements – Daily

Air Sampling Collection Procedure

1. Daily Contractor System Checks: Arrival between 0800-0900 Hours. On arrival at the sampling site the Contractor must:
 - i. Inspect the sample tower and mast, making sure that everything is intact;
 - ii. Visually check the sample head to determine which filter pack is being sampled as shown by the position indicator. If the indicator is not on, check to see if the source can be tracked (no power to the head, burnt out indicator, etc.).
 - iii. Check the sample line to ensure that there are no breaks or kinks in the line, or any other factors that may adversely affect the sample flow
 - iv. Observe the surrounding area to see if there are any conditions that may affect the sampling program (smoke from fires, construction nearby, vehicle activity, noticeable odour, etc.). These should be noted in the field notebook and on the sample history form.
- b) Weekly Contractor System Checks: Arrival post 08:00 LST, on arrival at the sampling site the Contractor must:
 - i. Complete daily contractor system checks.
 - ii. The sample pump is turned off and sets of filter packs are changed on a weekly basis post 08:00 LST.
 - iii. The sampling port on the sequential sampler is advanced using the data logger.
 - iv. All SHF are completed.
 - v. All filter packs are labeled, correctly sealed and placed in the shipping container for shipment.
 - vi. Complete a Courier Bill of Lading and take, or arrange for pick up, for shipment to:



CAPMoN Air Filter Samples
Environment and Climate Change Canada
4905 Dufferin Street
Toronto, ON. M3H 5T4

The Contractor will be supplied with preprinted manifests and must ensure the samples are delivered to or picked up by the designated courier. Sample containers will be sent to the Contractor by the most economical means and may need to be picked up at the nearest Canada Post office.

c) Quarterly Contractor Duties

- i. Four times a year, the contractor will be responsible for changing the Compact Flash memory card in the chart recorder. At the end of each quarter the contractor will be sent a Compact Flash memory card in the mail.
- ii. On the first air filter change day in January, April, July and October the contractor will remove the compact flash memory card.
- iii. Record on the Air Sample History Form (SHF) the date and time the card was removed using the time displayed on the data logger.
- iv. Insert the new compact flash memory card.
- v. Send the old memory card inside the air filter box to the CAPMoN laboratory.

Ozone Measurements – Daily

Ground Level Ozone Procedures

a) Daily Requirements

- i. Complete the instrument status checks and document the readings on the ozone sample history form. This includes observing and recording ozone concentration, instrument flow rates, modem and alarm status etc.
- ii. If the ozone analyzer is in alarm mode, the Contractor must contact the CAPMoN Technical Authority for further instructions.
- iii. Document all events, which may affect the air quality at the sampling site (such as unusual weather, forest fires, use of motorized vehicles etc.)

b) Weekly Requirements

- i. The inlet filter must be changed every Tuesday. Replace the inlet filter pack with the new filter pack containing a new filter.
- ii. Prepare the filter pack for the next inlet change by loading a new filter in the filter pack. Seal the replacement filter pack in a whirl pack bag.



- iii. After the filter pack has been changed, the flow rate of the unit must be checked to confirm correct installation of the filter pack. The flow rate should be between 0.5 LPM and 0.8 LPM.
- iv. If the analyzer is operating correctly, no further action is required until the next visit by the Contractor.
- v. The Contractor must mail the white and Canary copies of the Ozone Sample History Form provided by ECCC to CAPMoN weekly (pre-paid envelop or accompanying other network shipments). The pink copies are retained in a file at the site.

Total Gaseous Mercury (TGM) Measurements

- 1. Daily Contractor System Checks: On arrival at the sampling site the Contractor must:**
 - a. Complete the instrument status checks and document the readings on the TGM sample history form. This includes but is not limited to observing and recording mercury concentration, instrument flow rates, gas cylinder pressures and alarm status.
 - b. If the mercury analyzer is in alarm mode, the Contractor must telephone the CAPMoN site contact for further instructions. The CAPMoN site contact name will be provided by the Technical Authority.
 - c. Ensure to document all events, which may affect the air quality at the sampling site (such as unusual weather, forest fires, use of motorized vehicles etc.)
- 2. Monthly Contractor System Checks: On arrival at the sampling site the Contractor must:**
 - a. Change the inlet filter pack the first Tuesday of the month with the new filter pack containing a new filter.
 - b. Perform minor adjustments to maintain the analyzer within its operational parameters as required.
 - c. The Contractor must mail the white and Canary copies of the Mercury Sample History Form provided by ECCC to CAPMoN weekly (pre-paid envelope or accompanying other network shipments). The pink copies are retained in a file at the site.
- 3. As required the Contractor must:**
 - a. Change the compressed gas cylinder up to a maximum of six (6) times per year.
 - b. Inform the CAPMoN site contact when the last compressed gas cylinder is installed.



Mercury in Precipitation Measurements – Weekly

Schedule:

The Contractor must perform the work every Tuesday, between 0700 and 0900 hours in local standard time (LST). All functions and records remain on LST all year long.

a. Mercury in Precipitation

- a) Weekly Tuesday Contractor System Checks: On arrival at the sampling site the Contractor must:
 - i. Retrieve the previous week's sample from the sampler and complete the Mercury Observer Form, provided by ECCC
 - ii. Deploy the new sample collection glassware and start a new Mercury Observer Form.
 - iii. Retrieve the previous week's precipitation gauge data using the supplied flash memory device and e-mail the data to ec.rcepa-capmon.ec@canada.ca.
 - iv. Package and ship by courier the Mercury in Precipitation sample. The Contractor will be supplied with preprinted waybills and manifests and will be responsible for ensuring the samples are delivered to or picked up by the designated courier. The Contractor is NOT responsible for shipping expenses.
 - v. Complete a Courier Bill of Lading and take, or arrange for pick up, for shipment to:

NADP Sample Receiving
WI State Laboratory of Hygiene
465 Henry Mall
Madison, WI 53706
(800) 952-7353

b. Electronic Precipitation Gauge Maintenance

- a) Routine Contractor Duties
 - i. The electronic precipitation gauge must be charged with antifreeze and oil year round.
 - ii. The level of contents must be checked regularly and emptied when it reaches approximately 80% capacity.
 - iii. The waste must be disposed of in the provided waste container and in accordance with local regulations.
 - iv. The contents must not be allowed to freeze or overflow.

Ammonia Monitoring Network (AMoN) Passive Sampler Measurements (Bi-Weekly)

Passive Sampler Collection Procedure:

1. Bi-Weekly Contractor Requirements: On arrival at the sampling site the Contractor must:



- a. Remove the exposed passive filter media and store in the shipping jar every other Tuesday.
 - b. Deploy a new passive filter in the AMoN shelter.
 - c. Complete the passive filter sample history form.
 - d. Ship the samples in the shipping box using the provided shipping Bill of Lading to:
NADP Sample Receiving
WI State Laboratory of Hygiene
465 Henry Mall
Madison, WI 53706
(800) 952-7353
- e. The Contractor must ensure the samples are picked up by the designated courier.

**ANNEX B**
BASIS OF PAYMENT

An allowance of up to a maximum of 10 hours has been included as an optional requirement for unforeseen work and emergency repairs.

* With regards to the "Estimated Hours" for unforeseen work and emergency repairs listed in the tables below, the number of days is for evaluation purposes only during the solicitation process and is an estimate provided in good faith. This does not commit Environment and Climate Change Canada to pay such an amount.

The Contractor will be paid as follows:

Initial Contract Period: December 1, 2022 to March 31, 2023 – CAPMoN Site Operator		
Firm Requirement		
Fixed Price per Day (A)	Number of Days (B)	Firm Price (A) * (B) = (C)
\$ _____	120 days	\$ _____
Optional Requirement		
Hourly Rate (D)	Estimated Hours (E)	Estimated Price (D) * (E) = (F)
\$ _____	10 hours	\$ _____
Total Price for Initial Contract Period: \$ _____ <i>(applicable taxes extra)</i> (C) + (F)		

**Option Period One April 1, 2023 to March 31, 2024 – CAPMoN Site Operator****Firm Requirement**

Fixed Price per Day (A)	Number of Days (B)	Firm Price (A) * (B) = (C)
\$ _____	365 days	\$ _____

Optional Requirement

Hourly Rate (D)	Estimated Hours (E)	Estimated Price (D) * (E) = (F)
\$ _____	10 hours	\$ _____

Total Price Option Period One: \$ _____
(applicable taxes extra)
(C) + (F)

**Option Period Two April 1, 2024 to March 31, 2025 – CAPMoN Site Operator****Firm Requirement**

Fixed Price per Day (A)	Number of Days (B)	Firm Price (A) * (B) = (C)
\$ _____	365 days	\$ _____

Optional Requirement

Hourly Rate (D)	Estimated Hours (E)	Estimated Price (D) * (E) = (F)
\$ _____	10 hours	\$ _____

Total Price Option Period Two: \$ _____
(applicable taxes extra)
(C) + (F)

Total Evaluated Price (Total price for Initial Contract Period + Total Price Option Period 1 + Total Price Option Period 2)	\$ _____ applicable taxes extra
Applicable Taxes	\$ _____
Total Price Including Applicable Taxes	\$ _____



Environment and
Climate Change Canada

Environnement et
Changement climatique Canada

Solicitation No. 5000064310

ANNEX C

SECURITY REQUIREMENTS CHECK LIST

Government
of CanadaGouvernement
du Canada

Contract Number / Numéro du contrat

Security Classification / Classification de sécurité

SECURITY REQUIREMENTS CHECK LIST (SRCL)**LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)****PART A - CONTRACT INFORMATION / PARTIE A - INFORMATION CONTRACTUELLE**

1. Originating Government Department or Organization / Ministère ou organisme gouvernemental d'origine	Environment and Climate Change Canada	2. Branch or Directorate / Direction générale ou Direction ASTB/AQRD/ARQM
3. a) Subcontract Number / Numéro du contrat de sous-traitance		3. b) Name and Address of Subcontractor / Nom et adresse du sous-traitant
4. Brief Description of Work / Brève description du travail Contracted Site Operator to collect samples at a Canadian Air and Precipitation Monitoring Network (CAPMoN) remote field site including access to an on-site trailer to process and store samples and sampling media		
5. a) Will the supplier require access to Controlled Goods? Le fournisseur aura-t-il accès à des marchandises contrôlées?		
<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Non <input type="checkbox"/> Oui		
5. b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control Regulations? Le fournisseur aura-t-il accès à des données techniques militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques?		
6. Indicate the type of access required / Indiquer le type d'accès requis		
6. a) Will the supplier and its employees require access to PROTECTED and/or CLASSIFIED information or assets? Le fournisseur ainsi que les employés auront-ils accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS? (Specify the level of access using the chart in Question 7. c) (Préciser le niveau d'accès en utilisant le tableau qui se trouve à la question 7. c)		
<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Non <input type="checkbox"/> Oui		
6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted. Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS n'est pas autorisé.		
<input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> Non <input type="checkbox"/> Oui		
6. c) Is this a commercial courier or delivery requirement with no overnight storage? S'agit-il d'un contrat de messagerie ou de livraison commerciale sans entreposage de nuit?		
<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Non <input type="checkbox"/> Oui		
7. a) Indicate the type of information that the supplier will be required to access / Indiquer le type d'information auquel le fournisseur devra avoir accès		
Canada <input type="checkbox"/>	NATO / OTAN <input type="checkbox"/>	Foreign / Étranger <input type="checkbox"/>
7. b) Release restrictions / Restrictions relatives à la diffusion		
No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>	All NATO countries Tous les pays de l'OTAN <input type="checkbox"/>	No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>
Not releasable À ne pas diffuser <input type="checkbox"/>	Restricted to: / Limité à : <input type="checkbox"/>	Restricted to: / Limité à : <input type="checkbox"/>
Restricted to: / Limité à : <input type="checkbox"/> Specify country(ies): / Préciser le(s) pays :	Specify country(ies): / Préciser le(s) pays :	Specify country(ies): / Préciser le(s) pays :
7. c) Level of information / Niveau d'information		
PROTECTED A PROTÉGÉ A <input type="checkbox"/>	NATO UNCLASSIFIED NATO NON CLASSIFIÉ <input type="checkbox"/>	PROTECTED A PROTÉGÉ A <input type="checkbox"/>
PROTECTED B PROTÉGÉ B <input type="checkbox"/>	NATO RESTRICTED NATO DIFFUSION RESTREINTE <input type="checkbox"/>	PROTECTED B PROTÉGÉ B <input type="checkbox"/>
PROTECTED C PROTÉGÉ C <input type="checkbox"/>	NATO CONFIDENTIAL NATO CONFIDENTIEL <input type="checkbox"/>	PROTECTED C PROTÉGÉ C <input type="checkbox"/>
CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>	NATO SECRET NATO SECRET <input type="checkbox"/>	CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>
SECRET SECRET <input type="checkbox"/>	COSMIC TOP SECRET COSMIC TRÈS SECRET <input type="checkbox"/>	SECRET SECRET <input type="checkbox"/>
TOP SECRET TRÈS SECRET <input type="checkbox"/>		TOP SECRET TRÈS SECRET <input type="checkbox"/>
TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/>		TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/>

Government
of CanadaGouvernement
du Canada

Contract Number / Numéro du contrat

Security Classification / Classification de sécurité
Unclassified**PART A (continued) / PARTIE A (suite)**

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets?
 Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS?
 If Yes, indicate the level of sensitivity:
 Dans l'affirmative, indiquer le niveau de sensibilité:
- No Yes
 Non Oui
9. Will the supplier require access to extremely sensitive INFOSEC information or assets?
 Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate?
- No Yes
 Non Oui

Short Title(s) of material / Titre(s) abrégé(s) du matériel :
 Document Number / Numéro du document :**PART B - PERSONNEL (SUPPLIER) / PARTIE B - PERSONNEL (FOURNISSEUR)**

10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis

<input checked="" type="checkbox"/> RELIABILITY STATUS COTE DE FIABILITÉ	<input type="checkbox"/> CONFIDENTIAL CONFIDENTIEL	<input type="checkbox"/> SECRET SECRET	<input type="checkbox"/> TOP SECRET TRÈS SECRET
<input type="checkbox"/> TOP SECRET– SIGINT TRÈS SECRET – SIGINT	<input type="checkbox"/> NATO CONFIDENTIAL NATO CONFIDENTIEL	<input type="checkbox"/> NATO SECRET NATO SECRET	<input type="checkbox"/> COSMIC TOP SECRET COSMIC TRÈS SECRET
<input type="checkbox"/> SITE ACCESS ACCÈS AUX EMPLACEMENTS			

Special comments:
 Commentaires spéciaux : _____

NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided.

REMARQUE : Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être fourni.

10. b) May unscreened personnel be used for portions of the work?
 Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail?
- If Yes, will unscreened personnel be escorted?
 Dans l'affirmative, le personnel en question sera-t-il escorté?
- No Yes
 Non Oui
- No Yes
 Non Oui

PART C - SAFEGUARDS (SUPPLIER) / PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)**INFORMATION / ASSETS / RENSEIGNEMENTS / BIENS**

11. a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or premises?
 Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS?
11. b) Will the supplier be required to safeguard COMSEC information or assets?
 Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC?
- No Yes
 Non Oui
- No Yes
 Non Oui

PRODUCTION

11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises?
 Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ?
- No Yes
 Non Oui

INFORMATION TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)

11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED information or data?
 Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS?
11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency?
 Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale?
- No Yes
 Non Oui
- No Yes
 Non Oui



PART C - (continued) / PARTIE C - (suite)

For users completing the form **manually** use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.

Les utilisateurs qui remplissent le formulaire **manuellement** doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form **online** (via the Internet), the summary chart is automatically populated by your responses to previous questions.

Dans le cas des utilisateurs qui remplissent le formulaire **en ligne** (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

Category Catégorie	PROTECTED PROTÉGÉ			CLASSIFIED CLASSIFIÉ			NATO				COMSEC						
	A	B	C	CONFIDENTIAL CONFIDENTIEL	SECRET	TOP SECRET TRÈS SECRÉT	NATO RESTRICTED NATO DIFFUSION RESTREINTE	NATO CONFIDENTIAL NATO CONFIDENTIEL	NATO SECRET	COSMIC TOP SECRET COSMIC TRÈS SECRÉT	PROTECTED PROTÉGÉ	A	B	C	CONFIDENTIAL CONFIDENTIEL	SECRET	TOP SECRET TRES SECRET
Information / Assets Renseignements / Biens																	
Production																	
IT Media / Support TI																	
IT Link / Lien électronique																	

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED?

La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE?

No Non Yes
Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification".
Dans l'affirmative, classifier le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.

12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED?

La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE?

No Non Yes
Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments).
Dans l'affirmative, classifier le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquer qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).

Government
of CanadaGouvernement
du Canada

Contract Number / Numéro du contrat

Security Classification / Classification de sécurité
Unclassified**PART D - AUTHORIZATION / PARTIE D - AUTORISATION**

13. Organization Project Authority / Chargé de projet de l'organisme

Name (print) - Nom (en lettres moulées)	Title - Titre	Signature
Jason O'Brien	A/Head Canadian Air and Precipitation Monoitoring Network	

Telephone No. - N° de téléphone 416-739-4725	Facsimile No. - N° de télécopieur 416-739-4281	E-mail address - Adresse courriel jason.obrien2@ec.gc.ca	Date Sept. 27, 2022
---	---	---	------------------------

14. Organization Security Authority / Responsable de la sécurité de l'organisme

Name (print) - Nom (en lettres moulées)	Title - Titre	Signature
Jenna Henry	Departmental Security Division	

Telephone No. - N° de téléphone	Facsimile No. - N° de télécopieur	E-mail address - Adresse courriel Jenna.Henry@ec.gc.ca	Date Oct 5th, 2022
---------------------------------	-----------------------------------	---	-----------------------

15. Are there additional instructions (e.g. Security Guide, Security Classification Guide) attached?
Des instructions supplémentaires (p. ex. Guide de sécurité, Guide de classification de la sécurité) sont-elles jointes? No Non Yes Oui

16. Procurement Officer / Agent d'approvisionnement

Name (print) - Nom (en lettres moulées)	Title - Titre	Signature
---	---------------	-----------

Telephone No. - N° de téléphone	Facsimile No. - N° de télécopieur	E-mail address - Adresse courriel	Date
---------------------------------	-----------------------------------	-----------------------------------	------

17. Contracting Security Authority / Autorité contractante en matière de sécurité

Name (print) - Nom (en lettres moulées)	Title - Titre	Signature
---	---------------	-----------

Telephone No. - N° de téléphone	Facsimile No. - N° de télécopieur	E-mail address - Adresse courriel	Date
---------------------------------	-----------------------------------	-----------------------------------	------

Instructions for completion of a Security Requirements Check List (SRCL)

The instruction sheet should remain attached until Block #17 has been completed.

GENERAL - PROCESSING THIS FORM

The project authority shall arrange to complete this form.

The organization security officer shall review and approve the security requirements identified in the form, in cooperation with the project authority.

The contracting security authority is the organization responsible for ensuring that the suppliers are compliant with the security requirements identified in the SRCL.

All requisitions and subsequent tender / contractual documents including subcontracts that contain PROTECTED and/or CLASSIFIED requirements must be accompanied by a completed SRCL.

It is important to identify the level of PROTECTED information or assets as Level "A," "B" or "C," when applicable; however, certain types of information may only be identified as "PROTECTED". No information pertaining to a PROTECTED and/or CLASSIFIED government contract may be released by suppliers, without prior written approval of the individual identified in Block 17 of this form.

The classification assigned to a particular stage in the contractual process does not mean that everything applicable to that stage is to be given the same classification. Every item shall be PROTECTED and/or CLASSIFIED according to its own content. If a supplier is in doubt as to the actual level to be assigned, they should consult with the individual identified in Block 17 of this form.

PART A - CONTRACT INFORMATION

Contract Number (top of the form)

This number must be the same as that found on the requisition and should be the one used when issuing an RFP or contract. This is a unique number (i.e. no two requirements will have the same number). A new SRCL must be used for each new requirement or requisition (e.g. new contract number, new SRCL, new signatures).

1. Originating Government Department or Organization

Enter the department or client organization name or the prime contractor name for which the work is being performed.

2. Directorate / Branch

This block is used to further identify the area within the department or organization for which the work will be conducted.

3. a) Subcontract Number

If applicable, this number corresponds to the number generated by the Prime Contractor to manage the work with its subcontractor.

b) Name and Address of Subcontractor

Indicate the full name and address of the Subcontractor if applicable.

4. Brief Description of Work

Provide a brief explanation of the nature of the requirement or work to be performed.

5. a) Will the supplier require access to Controlled Goods?

The Defence Production Act (DPA) defines "Controlled Goods" as certain goods listed in the Export Control List, a regulation made pursuant to the Export and Import Permits Act (EIPA). Suppliers who examine, possess, or transfer Controlled Goods within Canada must register in the Controlled Goods Directorate or be exempt from registration. More information may be found at www.cgd.gc.ca.

b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control Regulations?

The prime contractor and any subcontractors must be certified under the U.S./Canada Joint Certification Program if the work involves access to unclassified military data subject to the provisions of the Technical Data Control Regulations. More information may be found at www.dlis.dla.mil/jcp.

6. Indicate the type of access required

Identify the nature of the work to be performed for this requirement. The user is to select one of the following types:

a) Will the supplier and its employees require access to PROTECTED and/or CLASSIFIED information or assets?

The supplier would select this option if they require access to PROTECTED and/or CLASSIFIED information or assets to perform the duties of the requirement.

b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted.

The supplier would select this option if they require regular access to government premises or a secure work site only. The supplier will not have access to PROTECTED and/or CLASSIFIED information or assets under this option.

c) Is this a commercial courier or delivery requirement with no overnight storage?

The supplier would select this option if there is a commercial courier or delivery requirement. The supplier will not be allowed to keep a package overnight. The package must be returned if it cannot be delivered.

7. Type of information / Release restrictions / Level of information

Identify the type(s) of information that the supplier may require access to, list any possible release restrictions, and if applicable, provide the level(s) of the information. The user can make multiple selections based on the nature of the work to be performed.

Departments must process SRCLs through PWGSC where:

- contracts that afford access to PROTECTED and/or CLASSIFIED foreign government information and assets;
- contracts that afford foreign contractors access to PROTECTED and/or CLASSIFIED Canadian government information and assets; or
- contracts that afford foreign or Canadian contractors access to PROTECTED and/or CLASSIFIED information and assets as defined in the documents entitled Identifying INFOSEC and INFOSEC Release.

a) Indicate the type of information that the supplier will be required to access

Canadian government information and/or assets

If Canadian information and/or assets are identified, the supplier will have access to PROTECTED and/or CLASSIFIED information and/or assets that are owned by the Canadian government.

NATO information and/or assets

If NATO information and/or assets are identified, this indicates that as part of this requirement, the supplier will have access to PROTECTED and/or CLASSIFIED information and/or assets that are owned by NATO governments. NATO information and/or assets are developed and/or owned by NATO countries and are not to be divulged to any country that is not a NATO member nation. Persons dealing with NATO information and/or assets must hold a NATO security clearance and have the required need-to-know.

Requirements involving CLASSIFIED NATO information must be awarded by PWGSC. PWGSC / CIISD is the Designated Security Authority for industrial security matters in Canada.

Foreign government information and/or assets

If foreign information and/or assets are identified, this requirement will allow access to information and/or assets owned by a country other than Canada.

b) Release restrictions

If **Not Releasable** is selected, this indicates that the information and/or assets are for **Canadian Eyes Only (CEO)**. Only Canadian suppliers based in Canada can bid on this type of requirement. NOTE: If Canadian information and/or assets coexists with CEO information and/or assets, the CEO information and/or assets must be stamped **Canadian Eyes Only (CEO)**.

If **No Release Restrictions** is selected, this indicates that access to the information and/or assets are not subject to any restrictions.

If **ALL NATO countries** is selected, bidders for this requirement must be from NATO member countries only.

NOTE: There may be multiple release restrictions associated with a requirement depending on the nature of the work to be performed. In these instances, a security guide should be added to the SRCL clarifying these restrictions. The security guide is normally generated by the organization's project authority and/or security authority.

c) Level of information

Using the following chart, indicate the appropriate level of access to information/assets the supplier must have to perform the duties of the requirement.

PROTECTED	CLASSIFIED	NATO
PROTECTED A	CONFIDENTIAL	NATO UNCLASSIFIED
PROTECTED B	SECRET	NATO RESTRICTED
PROTECTED C	TOP SECRET	NATO CONFIDENTIAL
	TOP SECRET (SIGINT)	NATO SECRET
		COSMIC TOP SECRET

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets?

If Yes, the supplier personnel requiring access to COMSEC information or assets must receive a COMSEC briefing. The briefing will be given to the "holder" of the COMSEC information or assets. In the case of a "personnel assigned" type of contract, the customer department will give the briefing. When the supplier is required to receive and store COMSEC information or assets on the supplier's premises, the supplier's COMSEC Custodian will give the COMSEC briefings to the employees requiring access to COMSEC information or assets. If Yes, the Level of sensitivity must be indicated.

9. Will the supplier require access to extremely sensitive INFOSEC information or assets?

If Yes, the supplier must provide the Short Title of the material and the Document Number. Access to extremely sensitive INFOSEC information or assets will require that the supplier undergo a Foreign Ownership Control or Influence (FOCI) evaluation by CIISD.

PART B - PERSONNEL (SUPPLIER)

10. a) Personnel security screening level required

Identify the screening level required for access to the information/assets or client facility. More than one level may be identified depending on the nature of the work. Please note that Site Access screenings are granted for access to specific sites under prior arrangement with the Treasury Board of Canada Secretariat. A Site Access screening only applies to individuals, and it is not linked to any other screening level that may be granted to individuals or organizations.

RELIABILITY STATUS	CONFIDENTIAL	SECRET
TOP SECRET	TOP SECRET (SIGINT)	NATO CONFIDENTIAL
NATO SECRET	COSMIC TOP SECRET	SITE ACCESS

If multiple levels of screening are identified, a Security Classification Guide must be provided.

b) May unscreened personnel be used for portions of the work?

Indicating Yes means that portions of the work are not PROTECTED and/or CLASSIFIED and may be performed outside a secure environment by unscreened personnel. The following question must be answered if unscreened personnel will be used:

Will unscreened personnel be escorted?

If No, unscreened personnel may not be allowed access to sensitive work sites and must not have access to PROTECTED and/or CLASSIFIED information and/or assets.

If Yes, unscreened personnel must be escorted by an individual who is cleared to the required level of security in order to ensure there will be no access to PROTECTED and/or CLASSIFIED information and/or assets at the work site.

PART C - SAFEGUARDS (SUPPLIER)

11. INFORMATION / ASSETS

a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information and/or assets on its site or premises?

If Yes, specify the security level of the documents and/or equipment that the supplier will be required to safeguard at their own site or premises using the summary chart.

b) Will the supplier be required to safeguard COMSEC information or assets?

If Yes, specify the security level of COMSEC information or assets that the supplier will be required to safeguard at their own site or premises using the summary chart.

PRODUCTION

c) Will the production (manufacture, repair and/or modification) of PROTECTED and/or CLASSIFIED material and/or equipment occur at the supplier's site or premises?

Using the summary chart, specify the security level of material and/or equipment that the supplier manufactured, repaired and/or modified and will be required to safeguard at their own site or premises.

INFORMATION TECHNOLOGY (IT)

- d) Will the supplier be required to use its IT systems to electronically process and/or produce or store PROTECTED and/or CLASSIFIED information and/or data?**

If Yes, specify the security level in the summary chart. This block details the information and/or data that will be electronically processed or produced and stored on a computer system. The client department and/or organization will be required to specify the IT security requirements for this procurement in a separate technical document. The supplier must also direct their attention to the following document: Treasury Board of Canada Secretariat - Operational Security Standard: Management of Information Technology Security (MITS).

- e) Will there be an electronic link between the supplier's IT systems and the government department or agency?**

If Yes, the supplier must have their IT system(s) approved. The Client Department must also provide the Connectivity Criteria detailing the conditions and the level of access for the electronic link (usually not higher than PROTECTED B level).

SUMMARY CHART

For users completing the form **manually** use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.

For users completing the form **online** (via the Internet), the Summary Chart is automatically populated by your responses to previous questions.

PROTECTED	CLASSIFIED	NATO	COMSEC
PROTECTED A	CONFIDENTIAL	NATO RESTRICTED	PROTECTED A
PROTECTED B	SECRET	NATO CONFIDENTIAL	PROTECTED B
PROTECTED C	TOP SECRET	NATO SECRET	PROTECTED C
	TOP SECRET (SIGINT)	COSMIC TOP SECRET	CONFIDENTIAL
			SECRET
			TOP SECRET

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED?

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification".

- b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED?**

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments).

PART D - AUTHORIZATION

13. Organization Project Authority

This block is to be completed and signed by the appropriate project authority within the client department or organization (e.g. the person responsible for this project or the person who has knowledge of the requirement at the client department or organization). This person may on occasion be contacted to clarify information on the form.

14. Organization Security Authority

This block is to be signed by the Departmental Security Officer (DSO) (or delegate) of the department identified in Block 1, or the security official of the prime contractor.

15. Are there additional instructions (e.g. Security Guide, Security Classification Guide) attached?

A Security Guide or Security Classification Guide is used in conjunction with the SRCL to identify additional security requirements which do not appear in the SRCL, and/or to offer clarification to specific areas of the SRCL.

16. Procurement Officer

This block is to be signed by the procurement officer acting as the contract or subcontract manager.

17. Contracting Security Authority

This block is to be signed by the Contract Security Official. Where PWGSC is the Contract Security Authority, Canadian and International Industrial Security Directorate (CIISD) will complete this block.

Instructions pour établir la Liste de vérification des exigences relatives à la sécurité (LVERS)

La feuille d'instructions devrait rester jointe au formulaire jusqu'à ce que la case 17 ait été remplie.

GÉNÉRALITÉS - TRAITEMENT DU PRÉSENT FORMULAIRE

Le responsable du projet doit faire remplir ce formulaire.

L'agent de sécurité de l'organisation doit revoir et approuver les exigences de sécurité qui figurent dans le formulaire, en collaboration avec le responsable du projet.

Le responsable de la sécurité des marchés est le responsable chargé de voir à ce que les fournisseurs se conforment aux exigences de sécurité mentionnées dans la LVERS.

Toutes les demandes d'achat ainsi que tous les appels d'offres et les documents contractuels subséquents, y compris les contrats de sous-traitance, qui comprennent des exigences relatives à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS doivent être accompagnés d'une LVERS dûment remplie.

Il importe d'indiquer si les renseignements ou les biens PROTÉGÉS sont de niveau A, B ou C, le cas échéant; cependant, certains types de renseignements peuvent être indiqués par la mention « PROTÉGÉ » seulement. Aucun renseignement relatif à un contrat gouvernemental PROTÉGÉ ou CLASSIFIÉ ne peut être divulgué par les fournisseurs sans l'approbation écrite préalable de la personne dont le nom figure à la case 17 de ce formulaire.

La classification assignée à un stade particulier du processus contractuel ne signifie pas que tout ce qui se rapporte à ce stade doit recevoir la même classification. Chaque article doit être PROTÉGÉ et/ou CLASSIFIÉ selon sa propre nature. Si un fournisseur ne sait pas quel niveau de classification assigner, il doit consulter la personne dont le nom figure à la case 17 de ce formulaire.

PARTIE A - INFORMATION CONTRACTUELLE

Numéro du contrat (au haut du formulaire)

Ce numéro doit être le même que celui utilisé sur la demande d'achat et services et devrait être celui utilisé dans la DDP ou dans le contrat. Il s'agit d'un numéro unique (c.-à-d. que le même numéro ne sera pas attribué à deux besoins distincts). Une nouvelle LVERS doit être utilisée pour chaque nouveau besoin ou demande (p. ex. un nouveau numéro de contrat, une nouvelle LVERS, de nouvelles signatures).

1. Ministère ou organisme gouvernemental d'origine

Inscrire le nom du ministère ou de l'organisme client ou le nom de l'entrepreneur principal pour qui les travaux sont effectués.

2. Direction générale ou Direction

Cette case peut servir à fournir plus de détails quant à la section du ministère ou de l'organisme pour qui les travaux sont effectués.

3. a) Numéro du contrat de sous-traitance

S'il y a lieu, ce numéro correspond au numéro généré par l'entrepreneur principal pour gérer le travail avec son sous-traitant.

b) Nom et adresse du sous-traitant

Indiquer le nom et l'adresse au complet du sous-traitant, s'il y a lieu.

4. Brève description du travail

Donner un bref aperçu du besoin ou du travail à exécuter.

5. a) Le fournisseur aura-t-il accès à des marchandises contrôlées?

La Loi sur la production de défense (LPD) définit « marchandises contrôlées » comme désignant certains biens énumérés dans la Liste des marchandises d'exportation contrôlée, un règlement établi en vertu de la Loi sur les licences d'exportation et d'importation (LLEI). Les fournisseurs qui examinent, possèdent ou transfèrent des marchandises contrôlées à l'intérieur du Canada doivent s'inscrire à la Direction des marchandises contrôlées ou être exemptés de l'inscription. On trouvera plus d'information à l'adresse www.cgp.gc.ca.

b) Le fournisseur aura-t-il accès à des données techniques militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques?

L'entrepreneur et tout sous-traitant doivent être accrédités en vertu du Programme mixte d'agrément Etats-Unis / Canada si le travail comporte l'accès à des données militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques. On trouvera plus d'information à l'adresse www.dlis.dla.mil/jcp/.

6. Indiquer le type d'accès requis

Indiquer la nature du travail à exécuter pour répondre à ce besoin. L'utilisateur doit choisir un des types suivants :

a) Le fournisseur et ses employés auront-ils accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS?

Le fournisseur choisit cette option s'il doit avoir accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS pour accomplir le travail requis.

b) Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS n'est pas autorisé.

Le fournisseur choisit cette option seulement s'il doit avoir accès régulièrement aux locaux du gouvernement ou à un lieu de travail protégé. Le fournisseur n'aura pas accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS en vertu de cette option.

c) S'agit-il d'un contrat de messagerie ou de livraison commerciale sans entreposage de nuit?

Le fournisseur choisit cette option s'il y a nécessité de recourir à un service de messagerie ou de livraison commerciale. Le fournisseur ne sera pas autorisé à garder un colis pendant la nuit. Le colis doit être retourné s'il ne peut pas être livré.

7. Type d'information / Restrictions relatives à la diffusion / Niveau d'information

Indiquer le ou les types d'information auxquels le fournisseur peut devoir avoir accès, énumérer toutes les restrictions possibles relatives à la diffusion, et, s'il y a lieu, indiquer le ou les niveaux d'information. L'utilisateur peut faire plusieurs choix selon la nature du travail à exécuter.

Les ministères doivent soumettre la LVERS à TPSGC lorsque:

- les marchés prévoient l'accès aux renseignements et aux biens de nature PROTÉGÉS et/ou CLASSIFIÉS étrangers ;
- les marchés prévoient aux entrepreneurs étrangers l'accès aux renseignements et aux biens de nature PROTÉGÉS et/ou CLASSIFIÉS canadiens; ou
- les marchés prévoient aux entrepreneurs étrangers ou canadiens l'accès aux renseignements et aux biens de nature PROTÉGÉS et/ou CLASSIFIÉS tels que définis dans les documents intitulés Moyens INFOSEC détermination et Divulgation de INFOSEC.

a) Indiquer le type d'information auquel le fournisseur devra avoir accès

Renseignements et/ou biens du gouvernement canadien

Si des renseignements et/ou des biens canadiens sont indiqués, le fournisseur aura accès à des renseignements et/ou à des biens PROTÉGÉS et/ou CLASSIFIÉS appartenant au gouvernement canadien.

Renseignements et/ou biens de l'OTAN

Si des renseignements et/ou des biens de l'OTAN sont indiqués, cela signifie que, dans le cadre de ce besoin, le fournisseur aura accès à des renseignements et/ou à des biens PROTÉGÉS et/ou CLASSIFIÉS appartenant à des gouvernements membres de l'OTAN. Les renseignements et/ou les biens de l'OTAN sont élaborés par des pays de l'OTAN ou leur appartiennent et ne doivent être divulgués à aucun pays qui n'est pas un pays membre de l'OTAN. Les personnes qui manient des renseignements et/ou des biens de l'OTAN doivent détenir une autorisation de sécurité de l'OTAN et avoir besoin de savoir.

Les contrats comportant des renseignements CLASSIFIÉS de l'OTAN doivent être attribués par TPSGC. La DSICI de TPSGC est le responsable de la sécurité désigné relativement aux questions de sécurité industrielle au Canada.

Renseignements et/ou biens de gouvernements étrangers

Si des renseignements et/ou des biens de gouvernements étrangers sont indiqués, ce besoin permettra l'accès à des renseignements et/ou à des biens appartenant à un pays autre que le Canada.

b) Restrictions relatives à la diffusion

Si **À ne pas diffuser** est choisi, cela indique que les renseignements et/ou les biens sont **réservés aux Canadiens**. Seuls des fournisseurs canadiens installés au Canada peuvent soumissionner ce genre de besoin. NOTA : Si des renseignements et/ou des biens du gouvernement canadien coexistent avec des renseignements et/ou des biens réservés aux Canadiens, ceux-ci doivent porter la mention **Réserve aux Canadiens**.

Si **Aucune restriction relative à la diffusion** est choisi, cela indique que l'accès aux renseignements et/ou aux biens n'est assujetti à aucune restriction.

Si **Tous les pays de l'OTAN** est choisi, les soumissionnaires doivent appartenir à un pays membre de l'OTAN.

NOTA : Il peut y avoir plus d'une restriction s'appliquant à une demande, selon la nature des travaux à exécuter. Pour ce genre de contrat, un guide de sécurité doit être joint à la LVERS afin de clarifier les restrictions. Ce guide est généralement préparé par le chargé de projet et/ou le responsable de la sécurité de l'organisme.

c) Niveau d'information

À l'aide du tableau ci-dessous, indiquer le niveau approprié d'accès aux renseignements et/ou aux biens que le fournisseur doit avoir pour accomplir les travaux requis.

PROTÉGÉ	CLASSIFIÉ	NATO
PROTÉGÉ A	CONFIDENTIEL	NATO NON CLASSIFIÉ
PROTÉGÉ B	SECRET	NATO DIFFUSION RESTREINTE
PROTÉGÉ C	TRÈS SECRET	NATO CONFIDENTIEL
	TRÈS SECRET (SIGINT)	NATO SECRET
		COSMIC TRÈS SECRET

8. Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS?

Si la réponse est Oui, les membres du personnel du fournisseur qui doivent avoir accès à des renseignements ou à des biens COMSEC doivent participer à une séance d'information COMSEC. Cette séance sera donnée au « détenteur autorisé » des renseignements ou des biens COMSEC. Dans le cas des contrats du type « personnel affecté », cette séance sera donnée par le ministère client. Lorsque le fournisseur doit recevoir et conserver, dans ses locaux, des renseignements ou des biens COMSEC, le responsable de la garde des renseignements ou des biens COMSEC de l'entreprise donnera la séance d'information COMSEC aux membres du personnel qui doivent avoir accès à des renseignements ou à des biens COMSEC.

9. Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate?

Si la réponse est Oui, le fournisseur doit indiquer le titre abrégé du document, le numéro du document et le niveau de sensibilité. L'accès à des renseignements ou à des biens extrêmement délicats INFOSEC exigera que le fournisseur fasse l'objet d'une vérification Participation, contrôle et influence étrangers (PCIE) effectuée par la DSICI.

PARTIE B - PERSONNEL (FOURNISSEUR)

10. a) Niveau de contrôle de la sécurité du personnel requis

Indiquer le niveau d'autorisation de sécurité que le personnel doit détenir pour avoir accès aux renseignements, aux biens ou au site du client. Selon la nature du travail, il peut y avoir plus d'un niveau de sécurité. Veuillez noter que des cotes de sécurité sont accordées pour l'accès à des sites particuliers, selon des dispositions antérieures prises auprès du Secrétariat du Conseil du Trésor du Canada. La cote de sécurité donnant accès à un site s'applique uniquement aux personnes et n'est liée à aucune autre autorisation de sécurité accordée à des personnes ou à des organismes.

COTE DE FIABILITÉ	CONFIDENTIEL	SECRET
TRÈS SECRET	TRÈS SECRET (SIGINT)	NATO CONFIDENTIEL
NATO SECRET	COSMIC TRÈS SECRET	ACCÈS AUX EMPLACEMENTS

Si plusieurs niveaux d'autorisation de sécurité sont indiqués, un guide de classification de sécurité doit être fourni.

b) Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail?

Si la réponse est Oui, cela veut dire que certaines tâches ne sont pas PROTÉGÉES et/ou CLASSIFIÉES et peuvent être exécutées à l'extérieur d'un environnement sécurisé par du personnel n'ayant pas d'autorisation de sécurité. Il faut répondre à la question suivante si l'on a recours à du personnel n'ayant pas d'autorisation de sécurité :

Le personnel n'ayant pas d'autorisation de sécurité sera-t-il escorté?

Si la réponse est Non, le personnel n'ayant pas d'autorisation de sécurité ne pourra pas avoir accès à des lieux de travail dont l'accès est réglementé ni à des renseignements et/ou à des biens PROTÉGÉS et/ou CLASSIFIÉS.

Si la réponse est Oui, le personnel n'ayant pas d'autorisation de sécurité devra être escorté par une personne détenant la cote de sécurité requise, pour faire en sorte que le personnel en question n'ait pas accès à des renseignements et/ou à des biens PROTÉGÉS et/ou CLASSIFIÉS sur les lieux de travail.

PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)

11. RENSEIGNEMENTS / BIENS :

- a) Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS?

Si la réponse est Oui, préciser, à l'aide du tableau récapitulatif, le niveau de sécurité des documents ou de l'équipement que le fournisseur devra protéger dans ses installations.

- b) Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC?

Si la réponse est Oui, préciser, à l'aide du tableau récapitulatif, le niveau de sécurité des renseignements ou des biens COMSEC que le fournisseur devra protéger dans ses installations.

PRODUCTION

- c) Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ?

Préciser, à l'aide du tableau récapitulatif, le niveau de sécurité du matériel que le fournisseur fabriquera, réparera et/ou modifiera et devra protéger dans ses installations.

TECHNOLOGIE DE L'INFORMATION (TI)

- d) Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS?

Si la réponse est Oui, préciser le niveau de sécurité à l'aide du tableau récapitulatif. Cette case porte sur les renseignements qui seront traités ou produits électroniquement et stockés dans un système informatique. Le ministère/organisme client devra préciser les exigences en matière de sécurité de la TI relativement à cet achat dans un document technique distinct. Le fournisseur devra également consulter le document suivant : Secrétariat du Conseil du Trésor du Canada – Norme opérationnelle de sécurité : Gestion de la sécurité des technologies de l'information (GSTI).

- e) Y aura-t-il un lien électronique entre les systèmes informatiques du fournisseur et celui du ministère ou de l'agence gouvernementale?

Si la réponse est Oui, le fournisseur doit faire approuver ses systèmes informatiques. Le ministère client doit aussi fournir les critères de connectivité qui décrivent en détail les conditions et le niveau de sécurité relativement au lien électronique (habituellement pas plus haut que le niveau PROTÉGÉ B).

TABLEAU RÉCAPITULATIF

Les utilisateurs qui remplissent le formulaire **manuellement** doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

Dans le cas des utilisateurs qui remplissent le formulaire **en ligne** (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

PROTÉGÉ	CLASSIFIÉ	NATO	COMSEC
PROTÉGÉ A	CONFIDENTIEL	NATO DIFFUSION RESTREINTE	PROTÉGÉ A
PROTÉGÉ B	SECRET	NATO CONFIDENTIEL	PROTÉGÉ B
PROTÉGÉ C	TRÈS SECRET	NATO SECRET	PROTÉGÉ C
	TRÈS SECRET (SIGINT)	COSMIC TRÈS SECRET	CONFIDENTIEL
			SECRET
			TRÈS SECRET

12. a) La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE?

Si la réponse est Oui, classifier le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de

sécurité » au haut et au bas du formulaire.

b) La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE?

Si la réponse est Oui, classifier le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquer qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).

PARTIE D - AUTORISATION

13. Chargé de projet de l'organisme

Cette case doit être remplie et signée par le chargé de projet pertinent (c.-à-d. la personne qui est responsable de ce projet ou qui connaît le besoin au ministère ou à l'organisme client. On peut, à l'occasion, communiquer avec cette personne pour clarifier des renseignements figurant sur le formulaire.

14. Responsable de la sécurité de l'organisme

Cette case doit être signée par l'agent de la sécurité du ministère (ASM) du ministère indiqué à la case 1 ou par son remplaçant ou par le responsable de la sécurité du fournisseur.

15. Des instructions supplémentaires (p. ex. Guide de sécurité, Guide de classification de la sécurité) sont-elles jointes?

Un Guide de sécurité ou un Guide de classification de sécurité sont utilisés de concert avec la LVERS pour faire part d'exigences supplémentaires en matière de sécurité qui n'apparaissent pas dans la LVERS et/ou pour éclaircir certaines parties de la LVERS.

16. Agent d'approvisionnement

Cette case doit être signée par l'agent des achats qui fait fonction de gestionnaire du contrat ou du contrat de sous-traitance.

17. Autorité contractante en matière de sécurité

Cette case doit être signée par l'agent de la sécurité du marché. Lorsque TPSGC est le responsable de la sécurité du marché, la Direction de la sécurité industrielle canadienne et internationale (DSICI) doit remplir cette case.



ANNEX D

PROPOSED RESOURCES

The Bidder must propose a minimum of two (2) resource(s) and up to a maximum of four (4) resource(s).

The Bidder must propose one (1) primary resource and a minimum of one (1) back-up resource and up to a maximum of three (3) back up resource(s).

The Bidder must list the names of all proposed resource(s) (individual names).

Primary Resource (mandatory): _____

Back-up Resource 1 (mandatory): _____

Back-up Resource 2 (optional): _____

Back-up Resource 3 (optional): _____

PROPOSED RESOURCES

The Bidder certifies that the Bidder and all proposed resource(s) will perform the Work under the resulting Contract.

Name of the Bidder: _____

Signature of the Bidder: _____

Solicitation Number: _____

Date Signed: _____

**ANNEX E****ADDITIONAL WORK AUTHORIZATION****Additional Work Authorization
Autorisation de travail supplémentaire**

Contractor Name: Nom de l'entrepreneur :	Contract Number: Numéro de contrat :
You are hereby authorized to perform the work as described below: Vous êtes par la présente autorisé à effectuer les travaux décrits ci-dessous :	
Number of Hours Authorized: Nombre d'heures autorisées:	
Authorized by: (Print Name) Autorisé par: (Nom en caractères d'imprimerie)	Phone Number: Numéro de téléphone:
Authorized Signature: Signature autorisée:	Date: