



**RETURN BIDS TO:  
RETOURNER LES SOUMISSIONS À:**

Bid Receiving - PWGSC / Réception des  
soumissions - TPSGC  
11 Laurier St. / 11, rue Laurier  
Place du Portage, Phase III  
Core 0B2 / Noyau 0B2  
Gatineau, Québec K1A 0S5  
Bid Fax: (819) 997-9776

**REQUEST FOR PROPOSAL  
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government  
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right  
of Canada, in accordance with the terms and conditions  
set out herein, referred to herein or attached hereto, the  
goods, services, and construction listed herein and on any  
attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services  
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la  
Reine du chef du Canada, aux conditions énoncées ou  
incluses par référence dans la présente et aux annexes  
ci-jointes, les biens, services et construction énumérés  
ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

**Comments - Commentaires**

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du**  
**fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
Electrical & Electronics Products Division  
L'Esplanade Laurier  
East Tower, 4th floor,  
Ottawa  
Ontario  
K1A 0S5

<b>Title - Sujet</b> Maintenance of SCBA Inventory	
<b>Solicitation No. - N° de l'invitation</b> 21120-225814/B	<b>Date</b> 2022-11-24
<b>Client Reference No. - N° de référence du client</b> 21120-22-3985814	
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$\$HN-329-81463	
<b>File No. - N° de dossier</b> hn329.21120-225814	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> Eastern Standard Time EST <b>on - le 2022-12-15</b> Heure Normale du l'Est HNE	
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Dumaresq, Steve	<b>Buyer Id - Id de l'acheteur</b> hn329
<b>Telephone No. - N° de téléphone</b> (613) 296-1704 ( )	<b>FAX No. - N° de FAX</b> ( ) -
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>  Specified Herein Précisé dans les présentes	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b> See Herein – Voir ci-inclus	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>     <b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>     <b>Signature</b>     <b>Date</b>	

Solicitation No. - N° de l'invitation  
21120-225814/B  
Client Ref. No. - N° de réf. du client  
21120-225814/B

Amd. No. - N° de la modif.  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
hn329  
CCC No./N° CCC - FMS No./N° VME

**This bid solicitation cancels and supersedes previous bid solicitation number 21120-225814/A dated 22 June 2022 with a closing of 25 July 2022.**

## **PART 1 - GENERAL INFORMATION**

### **1.1 Security Requirements**

There is no security requirement associated with the requirement.

### **1.2 Requirement**

The contractor must provide the goods and/or services in accordance with the technical requirements and in the quantities stated herein.

### **1.3 Debriefings**

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

### **1.4 Canada Post Corporation's Connect service**

This bid solicitation allows bidders to use the Connect service provided by Canada Post Corporation to transmit their bid electronically. Bidders must refer to Part 2 entitled Bidder Instructions, and Part 3 entitled Bid Preparation Instructions, of the bid solicitation, for further information.

**This bid is being submitted for the following region(s):**

<b>REGION</b>		<b>Insert a checkmark</b>
Region 1	Atlantic	
Region 2	Quebec	
Region 3	Ontario	
Region 4	Prairie	
Region 5	Pacific	

## PART 2 - BIDDER INSTRUCTIONS

### 2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2022-03-29) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 5.4 of 2003, Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: 60 days

Insert: 90 days

### 2.2 Submission of Bids

Bids must be submitted only to the Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date and time indicated on page 1 of the bid solicitation.

Note: For bidders choosing to submit using epost Connect for bids closing at the Bid Receiving Unit in the National Capital Region (NCR) the email address is:

[tpsgc.dgareceptiondessoumissions-abbidreceiving.pwgsc@tpsgc-pwgsc.gc.ca](mailto:tpsgc.dgareceptiondessoumissions-abbidreceiving.pwgsc@tpsgc-pwgsc.gc.ca)

Note: Bids will not be accepted if emailed directly to this email address. This email address is to be used to open a Connect conversation, as detailed in Standard Instructions 2003, or to send bids through a Connect message if the bidder is using its own licensing agreement for the Connect Service.

- - -

If you experience difficulties with the epost connect system, you may contact our Bids Receiving Unit at the following address for assistance:

[tpsgc.dgareceptiondessoumissions-abbidreceiving.pwgsc@tpsgc-pwgsc.gc.ca](mailto:tpsgc.dgareceptiondessoumissions-abbidreceiving.pwgsc@tpsgc-pwgsc.gc.ca)

Do not send any bid directly to that email address.

### 2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than ten (10) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated and the enquiry can be answered

to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

## 2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario. Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

## 2.5 Bid Challenge and Recourse Mechanisms

- (a) Several mechanisms are available to potential suppliers to challenge aspects of the procurement process up to and including contract award.
- (b) Canada encourages suppliers to first bring their concerns to the attention of the Contracting Authority. Canada's [Buy and Sell](#) website, under the heading "[Bid Challenge and Recourse Mechanisms](#)" contains information on potential complaint bodies such as:
  - Office of the Procurement Ombudsman (OPO)
  - Canadian International Trade Tribunal (CITT)
- (c) Suppliers should note that there are **strict deadlines** for filing complaints, and the time periods vary depending on the complaint body in question. Suppliers should therefore act quickly when they want to challenge any aspect of the procurement process.

## PART 3 - BID PREPARATION INSTRUCTIONS

### 3.1 Bid Preparation Instructions

- If the Bidder chooses to submit its bid electronically, Canada requests that the Bidder submits its bid in accordance with section 08 of the 2003 standard instructions. The epost Connect system has a limit of 1GB per single message posted and a limit of 20GB per conversation.

The bid must be gathered per section and separated as follows:

Section I: Technical Bid (includes annexes A and B)  
Section II: Financial Bid (includes annex C)  
Section III: Certifications and Additional Information (includes Part 5 and annex D)

- If the Bidder chooses to submit its bid in hard copies, Canada requests that the Bidder submits its bid in separately bound sections as follows:
  - Section I: Technical Bid (2 hard copies and 2 soft copies on USB key);
  - Section II: Financial Bid (1 hard copy and 1 soft copy on USB key);
  - Section III: Certifications and Additional Information (1 hard copy and 1 soft copy on USB key);

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that Bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, Bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

### **Section I: Technical Bid**

In their technical bid, Bidders should demonstrate their understanding of the requirements contained in the bid solicitation and explain how they will meet these requirements. Bidders should demonstrate their capability and describe their approach in a thorough, concise and clear manner for carrying out the work.

### **Section II: Financial Bid**

Bidders must submit their financial bid in accordance with all pricing requirements presented herein.

#### **3.1.1 Exchange Rate Fluctuation Risk Mitigation**

The requirement does not offer exchange rate fluctuation risk mitigation. Requests for exchange rate fluctuation risk mitigation will not be considered. All bids including such provision will render the bid non-responsive.

### **Section III: Certifications and Additional Information**

#### **3.1.2 Certifications**

Bidders must submit the certifications and additional information required under Part 5, including annex D.

#### **3.1.3 Additional Information**

##### **Contractor's Representative**

Name and telephone number of the person responsible for:

##### **General enquiries**

##### **Delivery follow-up**

Name: \_\_\_\_\_

Name: \_\_\_\_\_

Telephone: \_\_\_\_\_

Telephone: \_\_\_\_\_

Facsimile: \_\_\_\_\_

Facsimile: \_\_\_\_\_

E-mail: \_\_\_\_\_

Facsimile: \_\_\_\_\_

## **PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION**

Supplier may submit a bid on one or more of the following five (5) regions:

Region 1: Atlantic  
Region 2: Quebec  
Region 3: Ontario  
Region 4: Prairie  
Region 5: Pacific

The Technical and Financial evaluations will be on a per-region basis (Region 1, Region 2, etc.).

### **4.1 Evaluation Procedures**

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

In their bid, Bidders should demonstrate their understanding of the requirements contained in the bid solicitation and explain how they will meet these requirements. Bidders should demonstrate their capability and describe their approach in a thorough, concise and clear manner for carrying out the work.

#### **4.1.1 Technical Evaluation**

The technical bid should be structured in the same format as presented at Annexes A and B, through which the bidder will clearly explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Simply repeating the statement contained in the bid solicitation is not sufficient. Simply stating a compliancy to a criteria is not sufficient. Bidders must present a clearly organized proposal that includes all necessary technical and descriptive information, in order to clearly demonstrate their compliancy to all items presented in the Statement of Work and evaluation criteria. Responses will be evaluated on a simple, stringent pass/fail basis. Proposals not meeting each requirement will be considered non-responsive (non-compliant) and given no further consideration.

In order to facilitate the evaluation of the Bid, Canada requests:

- Bidder to include a Table that addresses on a paragraph by paragraph basis the Statement of requirement by indicating the paragraph and page number where the subject topic is addressed.
- Bidders to address and present topics in the order of the Statement of Work (SOW) under the same headings.
- Bidders to avoid duplication by identifying the specific paragraph and page number where the subject topic has already been addressed in the Bid.

##### **4.1.1.1 Mandatory Technical Criteria**

For each region:

- Technical compliance to the statement of requirement at Annex A (includes Appendix A);
- Technical compliance to the mandatory evaluation criteria at Annex B.

Solicitation No. - N° de l'invitation  
21120-225814/B  
Client Ref. No. - N° de réf. du client  
21120-225814/B

Amd. No. - N° de la modif.  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
hn329  
CCC No./N° CCC - FMS No./N° VME

---

#### **4.1.2 Financial Evaluation**

For each region:

Total Evaluated Bid Price for Region 1 = Sum of all line items presented at Annex C for the region 1;  
Total Evaluated Bid Price for Region 2 = Sum of all line items presented at Annex C for the region 2;  
Etc.

- a) Compliance to all pricing requirements presented herein;
- b) Compliance to Annex C (Pricing Schedule).

##### **4.1.2.1 Pricing Basis**

The bidder must quote firm prices on all items at annex C for the selected region(s).

Firm prices/rates in Canadian dollars, DDP Delivered Duty Paid (destination), with all applicable Custom duties and Excise taxes included. Freight charges to destination included . All costs related to travel and living expenses included. Goods and Services Tax (GST) and/or the Harmonized Sales Tax (HST) not included.

#### **4.1.3 Basis of Selection**

For each region, a bid must comply with the requirements of the bid solicitation and meet all mandatory technical and financial evaluation criteria to be declared responsive.

For each region, the responsive bid with the lowest evaluated price on an aggregate basis will be recommended for award of a contract.

## PART 5 – CERTIFICATIONS

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

### 5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

#### 5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

#### 5.1.2 Status and Availability of Resources

The Bidder certifies that, should it be awarded a contract as a result of the bid solicitation, every individual proposed in its bid will be available to perform the Work as required by Canada's representatives and at the time specified in the bid solicitation or agreed to with Canada's representatives. If for reasons beyond its control, the Bidder is unable to provide the services of an individual named in its bid, the Bidder may propose a substitute with similar qualifications and experience. The Bidder must advise the Contracting Authority of the reason for the substitution and provide the name, qualifications and experience of the proposed replacement. For the purposes of this clause, only the following reasons will be considered as beyond the control of the Bidder: death, sickness, retirement, resignation, dismissal for cause or termination of an agreement for default.

If the Bidder has proposed any individual who is not an employee of the Bidder, the Bidder certifies that it has the permission from that individual to propose his/her services in relation to the Work to be performed and to submit his/her résumé to Canada. The Bidder must, upon request from the Contracting Authority, provide a written confirmation, signed by the individual, of the permission given to the Bidder and of his/her availability. Failure to comply with the request may result in the bid being declared non-responsive.

---

**Signature**

---

**Date**



## 5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame specified will render the bid non-responsive.

### 5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real property agreement of the Ineligibility and Suspension Policy (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

### 5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

Canada will also have the right to terminate the Contract for default if a Contractor, or any member of the Contractor if the Contractor is a Joint Venture, appears on the "[FCP Limited Eligibility to Bid](#)" list during the period of the Contract.

The Bidder must provide the Contracting Authority with a completed annex titled [Federal Contractors Program for Employment Equity - Certification](#), before contract award. If the Bidder is a Joint Venture, the Bidder must provide the Contracting Authority with a completed annex Federal Contractors Program for Employment Equity - Certification, for each member of the Joint Venture.

### 5.2.3 General Environmental Criteria Certification

The Bidder must select and complete one of the following two certification statements.

A) The Bidder certifies that the Bidder is registered or meets ISO 14001.

---

**Bidders' Authorized Representative Signature**

---

**Date**

**OR**

Solicitation No. - N° de l'invitation  
21120-225814/B  
Client Ref. No. - N° de réf. du client  
21120-225814/B

Amd. No. - N° de la modif.  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
hn329  
CCC No./N° CCC - FMS No./N° VME

---

B) The Bidder certifies that the Bidder meets and will continue to meet throughout the duration of the contract, a minimum of four (4) out of six (6) criteria identified in the table below.

The Bidder must indicate which four (4) criteria, as a minimum, are met.

<b>Green Practices within the Bidders' organization</b>	<b>Insert a checkmark for each criterion that is met</b>
Promotes a paperless environment through directives, procedures and/or programs	
All documents are printed double sided and in black and white for day to day business activity unless otherwise specified by your client	
Paper used for day to day business activity has a minimum of 30% recycled content and has a sustainable forestry management certification	
Utilizes environmentally preferable inks and purchase remanufactured ink cartridges or ink cartridges that can be returned to the manufacturer for reuse and recycling for day to day business activity.	
Recycling bins for paper, newsprint, plastic and aluminum containers available and emptied regularly in accordance with local recycling program.	
A minimum of 50% of office equipment has an energy efficient certification.	

\_\_\_\_\_  
**Bidders' Authorized Representative Signature**

\_\_\_\_\_  
**Date**

## PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

### 1. Security Requirement

There is no security requirement applicable to the Contract.

### 2. Requirement

The contractor must provide the goods and services in accordance with the technical requirements stated herein.

This contract is for the following region(s):  
*Region 1, Region 2, etc... (applicable region(s) inserted)*

### 3. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

#### 3.1 General Conditions

[2035](#) (2022-05-12), General Conditions - Higher Complexity - Services.

#### 3.2 Supplemental General Conditions

4001 (2015-04-01) Hardware Purchase, lease and Maintenance;

4013 (2022-06-20) Compliance with on-site measures, standing orders, policies, and rules.  
The Contractor must comply and ensure that its employees and subcontractors comply with all security measures, standing orders, policies or other rules in force at the site where the Work is performed.

#### 3.3 SACC Manual Clauses

B1501C (2018-06-21) Electrical Equipment  
A9068C (2010-01-11) Site Regulations  
A2000C (2006-06-16) Foreign Nationals (Canadian Contractor)  
A2001C (2006-06-16) Foreign Nationals (Foreign Contractor)

### 4. Term of Contract

#### 4.1 Period of the Contract

The period of the Contract is for 10 months from award, hence from \_\_date\_\_ to \_\_date\_\_ inclusively.

Solicitation No. - N° de l'invitation  
21120-225814/B  
Client Ref. No. - N° de réf. du client  
21120-225814/B

Amd. No. - N° de la modif.  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
hn329  
CCC No./N° CCC - FMS No./N° VME

---

## **5. Authorities**

### **5.1 Contracting Authority**

Steve Dumaresq  
Public Works and Government Services Canada - Acquisitions Branch  
Logistics, Electrical, Fuel and Transportation Directorate - "HN" Division  
L'Esplanade Laurier (LEL), 140 O'Connor Street, East Tower  
Telephone: (613) 296-1704  
E-mail address: [steve.dumaresq@pwgsc-tpsgc.gc.ca](mailto:steve.dumaresq@pwgsc-tpsgc.gc.ca)

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

### **5.2 Technical Authority**

Name: \_\_\_\_\_  
Telephone: \_\_\_\_\_  
Facsimile: \_\_\_\_\_  
E-mail: \_\_\_\_\_

The Technical Authority named above is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Technical Authority; however the Technical Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

### **5.3 Contractor's Representative**

#### **General enquiries**

Name: \_\_\_\_\_  
Telephone: \_\_\_\_\_  
Facsimile: \_\_\_\_\_  
E-mail: \_\_\_\_\_

#### **Delivery follow-up**

Name: \_\_\_\_\_  
Telephone: \_\_\_\_\_  
Facsimile: \_\_\_\_\_  
Facsimile: \_\_\_\_\_

## **6. Payment**

### **6.1 Limitation of Expenditure**

1. Canada's total liability to the Contractor under the Contract must not exceed \$\_\_\_\_\_. Firm prices/rates in Canadian dollars, DDP Delivered Duty Paid (destination), with all applicable Custom duties and Excise taxes included. Freight charges to destination included. All costs related to travel and living expenses included. Goods and Services Tax (GST) and/or the Harmonized Sales Tax (HST) extra.

2. No increase in the total liability of Canada or in the price of the Work resulting from any design changes, modifications or interpretations of the Work, will be authorized or paid to the Contractor unless these design changes, modifications or interpretations have been approved, in writing, by the Contracting Authority before their incorporation into the Work. The Contractor must not perform any work or provide any service that would result in Canada's total liability being exceeded before obtaining the written approval of the Contracting Authority. The Contractor must notify the Contracting Authority in writing as to the adequacy of this sum:

- (a) when it is 75 percent committed, or
- (b) four (4) months before the contract expiry date, or
- (c) as soon as the Contractor considers that the contract funds provided are inadequate for the completion of the Work,

whichever comes first.

3. If the notification is for inadequate contract funds, the Contractor must provide to the Contracting Authority a written estimate for the additional funds required. Provision of such information by the Contractor does not increase Canada's liability.

## **6.2 Monthly Payment**

SACC Manual Clause H1008C (2008-05-12) Monthly Payment

## **6.3 Invoicing Instructions**

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
  - a) The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.
  - b) One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.

## **7. Time Verification**

Time charged and the accuracy of the Contractor's time recording system are subject to verification by Canada, before or after payment is made to the Contractor. If verification is done after payment, the Contractor must repay any overpayment, at Canada's request.

## **8. Certifications**

### **8.1 Compliance**

The continuous compliance with the certifications provided by the Contractor in its bid and the ongoing cooperation in providing additional information are conditions of the Contract. Certifications are subject to verification by Canada during the entire period of the Contract. If the Contractor does not comply with any certification, fails to provide the additional information, or if it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

### **8.2 Federal Contractors Program for Employment Equity - Default by the Contractor**

The Contractor understands and agrees that, when an Agreement to Implement Employment Equity (AIEE) exists between the Contractor and Employment and Social Development Canada (ESDC)-Labour, the AIEE must remain valid during the entire period of the Contract. If the AIEE becomes invalid, the name of the Contractor will be added to the "[FCP Limited Eligibility to Bid](#)" list. The imposition of such a sanction by ESDC will constitute the Contractor in default as per the terms of the Contract.

## **9. Applicable Laws**

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

## **10. Priority of Documents**

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the supplemental general conditions:
  - (i) 4001 (2015-04-01) Hardware Purchase, lease and Maintenance;
- (c) the general conditions 2035 (2022-05-12), General Conditions - Higher Complexity - Services;
- (d) Annex \_\_, Statement of Requirement;
- (e) Annex \_\_, Pricing and Basis of Payment;
- (f) the Contractor's bid dated \_\_.

## **11. Insurance - No Specific Requirement**

SACC Manual clause [G1005C](#) (2016-01-28) Insurance - No Specific Requirement

## **12. Disclosure of Information**

The Contractor shall keep confidential and shall not publish or otherwise reuse, release, disclose or make available to any third party any Background or Foreground Information concerning as built drawings, site drawings and manuals, except as may be necessary to carry out the Work under the Contract in which case the Contractor shall impose the same obligation of confidentiality on any person to whom the information is disclosed.

ANNEX A REQUIREMENT (INCLUDES APPENDIX A)  
ANNEX B MANDATORY EVALUATION CRITERIA  
ANNEX C FINANCIAL PROPOSAL (PRICING SCHEDULE)  
ANNEX D FEDERAL CONTRACTORS PROGRAM FOR EMPLOYMENT EQUITY  
CERTIFICATION (PART OF PART 5)

## ANNEX D to PART 5 OF THE BID SOLICITATION

### FEDERAL CONTRACTORS PROGRAM FOR EMPLOYMENT EQUITY CERTIFICATION

I, the Bidder, by submitting the present information to the Contracting Authority, certify that the information provided is true as of the date indicated below. The certifications provided to Canada are subject to verification at all times. I understand that Canada will declare a bid non-responsive, or will declare a contractor in default, if a certification is found to be untrue, whether during the bid evaluation period or during the contract period. Canada will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply with any request or requirement imposed by Canada may render the bid non-responsive or constitute a default under the Contract.

For further information on the Federal Contractors Program for Employment Equity visit [Employment and Social Development Canada \(ESDC\)-Labour's](#) website.

Date: \_\_\_\_\_(YYYY/MM/DD) (If left blank, the date will be deemed to be the bid solicitation closing date.)

Complete both A and B.

A. Check only one of the following:

- ☐ A1. The Bidder certifies having no work force in Canada.
- ☐ A2. The Bidder certifies being a public sector employer.
- ☐ A3. The Bidder certifies being a [federally regulated employer](#) being subject to the [Employment Equity Act](#).
- ☐ A4. The Bidder certifies having a combined work force in Canada of less than 100 permanent full-time and/or permanent part-time employees.

A5. The Bidder has a combined workforce in Canada of 100 or more employees; and

- ☐ A5.1. The Bidder certifies already having a valid and current [Agreement to Implement Employment Equity](#) (AIEE) in place with ESDC-Labour.

**OR**

- ☐ A5.2. The Bidder certifies having submitted the [Agreement to Implement Employment Equity](#) (LAB1168) to ESDC-Labour. As this is a condition to contract award, proceed to completing the form Agreement to Implement Employment Equity (LAB1168), duly signing it, and transmit it to ESDC-Labour.

B. Check only one of the following:

- ☐ B1. The Bidder is not a Joint Venture.

**OR**

- ☐ B2. The Bidder is a Joint Venture and each member of the Joint Venture must provide the Contracting Authority with a completed annex Federal Contractors Program for Employment Equity - Certification. (Refer to the Joint Venture section of the Standard Instructions)

## **ANNEX A**

### **STATEMENT OF TECHNICAL REQUIREMENT FOR SELF CONTAINED BREATHING APPARATUS (SCBA) 15 YEAR MAINTENANCE OVERHAUL**

#### **1.0 GENERAL SPECIFICATION**

##### **1.1 General**

The Correctional Service Canada (CSC) maintains a number of self-contained breathing apparatus (SCBA) as part of fire emergency response equipment within impeded egress institutions.

SCBA are provided pursuant to the Canada Occupational Health and Safety Regulations as referenced by the Canada Labour Code in order to provide respiratory protective equipment in accordance with CSA Standard Z94.4-02 "Selection, Use and Care of Respirators".

ANNEX A IS APPLICABLE TO ALL TYPES OF BIDS such as regionally specific or national bids.

##### **1.2 Background**

CSC maintains an inventory of MSA Fire Hawk M7 SCBA which were purchased between December 2007 and March 2008. These SCBA's are approaching their 15-year maintenance overhaul requirement in between now and March 2023. CSC requires overhaul of its current inventory of MSA Fire Hawk M7 SCBA and spare MSA Ultra-Elite positive pressure face mask inventories.

##### **1.3 Objectives:**

CSC has a requirement to overhaul its existing inventory of MSA Fire Hawk M7 SCBA units of which each includes a MSA Ultra-Elite positive pressure face mask. Additionally, CSC maintains an inventory of spare MSA Ultra-Elite positive pressure face masks which also have a 15-year overhaul requirement. The SCBA Units and spare face mask inventory are located at specified CSC sites across the country. Services are to be rendered within 10 months from date of contract being awarded.

##### **1.4 Tasks and Deliverables:**

- 1.4.1 It is the contractor's responsibility to use the current revision of MSA manual for part replacement and repair procedures and the MSA specification for inspection, overhaul, and flow test.



- 1.4.2 MSA Fire Hawk M7 SCBA units including Ultra-Elite positive pressure face mask must be inspected, overhauled, and flow tested to ensure equipment performs to manufacturer's specifications. The quantity and location is reflected in Appendix A – CSC Inventory and Location of Self-Contained Breathing Apparatus. Each SCBA will have its first and second stage regulators and the audi-larm overhauled as per manufacturer's specifications. The face mask must be inspected and the pressure demand exhalation valve replaced as per manufacturer's specifications.
- 1.4.3 CSC has an additional inventory of spare MSA Fire Hawk M7 SCBA face masks with location and approximate number as identified in Appendix A – CSC Inventory and Location of Self-Contained Breathing Apparatus. These additional face masks will be required to be inspected and the pressure demand exhalation valve replaced as per manufacturer's specifications and flow tested.
- 1.4.4 The contractor must use only MSA listed parts for the service including maintenance and repair. The process must include but is not limited to the following:
- a) **Elite Face mask** – Inspect, clean, and replace components. Refer to current edition of MSA Manual Part # 10093089 for part replacement and repair procedures.  
Recommended Part #'s \*additional parts may be required upon inspection\*
    - 815605 - HOUSING WITH EXHALATION VALVE
    - 804813 - INLET DISC
    - 805011 - SPIDER VALVE
  - b) **PR 14 First Stage Regulator** – Inspect, clean and overhaul first stage regulator. Refer to current revision of MSA Manual Part # 10093085 for part replacement and repair procedures.  
Recommended Part #'s \*additional parts may be required upon inspection\*
    - 10065408 – PR 14 REGULATOR KIT
  - c) **Firehawk 2<sup>ND</sup> Stage Regulator** - Inspect, clean and overhaul 2nd stage regulator. Refer to current revision of MSA Manual Part # 10147454 for part replacement and repair procedures.  
Recommended Part #'s \*additional parts may be required upon inspection\*
    - 10048942 - CBRN 2<sup>ND</sup> STAGE OVERHAUL KIT
  - d) **Audi-Larm** - Inspect, clean and overhaul audi-larm. Refer to current revision of MSA Manual Part # 10093084 for part replacement and repair procedures.  
Recommended Part #'s \*additional parts may be required upon inspection\*
    - 10045831 – AUDI-LARM MAINTENANCE KIT

- 1.4.5 Flow Testing** - All components must be flow tested and bench set using an NFPA compliant POSICHEK test bench and tested in accordance with MSA software. Electronics must be tested and functionality of the unit is to be confirmed during this process. Reference MSA manuals as required. The Contractor must verify whether the equipment is subject to a recall or an MSA service bulletin, and update it if necessary.
- 1.4.6 The contractor will attach an identification tag to each MSA Fire Hawk M7 SCBA and Ultra-Elite face mask upon completion of inspection, overhaul and flow test.
- 1.4.7 The contractor must provide and change the batteries as necessary.
- 1.4.8 All work must be performed by technicians possessing current valid certification of Certified Airmask Repair Education (C.A.R.E.) delivered by MSA.
- 1.4.9 A minimum of two technicians must be assigned to perform work at each location as outlined in Appendix A – CSC Inventory and Location of Self-Contained Breathing Apparatus)
- 1.4.10 The Contractor must perform the work on site at CSC receipt locations (see the list of locations in Appendix A – CSC Inventory and Location of Self-Contained Breathing Apparatus). At CSC institutions listed in Appendix A, the onsite work may be required to be conducted internal or external to the fenced/walled institution perimeter on the CSC property. The on site work location will be confirmed to the contractor by the identified CSC site representative (see 1.4.13).
- 1.4.11 For the work performed internal to the fenced/walled institution perimeter on the CSC property, the Contractor must keep an updated inventory of the tools and equipment brought to each CSC receipt location used to perform the work. This inventory must be provided to CSC receipt location upon request.
- 1.4.12 The Contractor must possess a service vehicle containing all of the equipment required to perform all the work included in this Statement of Technical Requirement on site at the CSC receipt location.
- 1.4.13 Ten (10) business days prior to the commencement of the work, the Contractor must email the identified CSC site representatives to confirm commencement of the incoming work. CSC will provide email contacts of all site representatives. If

no contact can be made with the site within five (5) business days, the Contractor must forward an email to the Technical Authority notifying of the issue.

1.4.14 The Contractor must possess a service vehicle containing all of the equipment required to perform all the work included in this Statement of Technical Requirement on site at the CSC receipt location.

1.4.15 All parts removed as part of the equipment overhaul are deemed to be non-salvageable. The parts will become the property of the contractor, and must be properly disposed of in accordance with any and all applicable Provincial and Municipal regulations and legislation and in an environmentally friendly fashion, including recycling wherever possible.

1.4.16 The contractor must collect and remove all packaging and garbage from the premises which resulted from the work conducted.

1.4.17 All on-site work is to be performed by the Contractor, in the contractor service vehicle (see 1.4.13) during the hours of operation for each CSC receipt location. The hours of operation which are 08:30-15:00 in the time zone that each institution is located. The SCBA units and spare masks inventory will be collected in concentrated numbers by CSC staff and transported to the contractors on-site work location. When inspection, maintenance and overhaul is completed on said equipment, the CSC staff will bring units back into the facility and provide additional units to the contractor in the same manner. This will ensure that operational fire emergency response is not impacted due to SCBA and spare mask inspection, maintenance and overhaul being conducted onsite.

1.4.18 At every location indicated in Appendix A – CSC Inventory and Location of Self-Contained Breathing Apparatus the completed maintenance inspection/overhaul/flow test record for each Fire Hawk M7 SCBA and Ultra-Elite face mask will provided electronically via email to the identified CSC site representative within 5 business days of the work being completed at the CSC receipt location.

1.4.19 The contractor will develop a national inventory in excel format. The national inventory will be broken down by CSC receipt location with the number of MSA Fire Hawk M7 SCBA units and Ultra Elite spare face mask inventory serviced. This national inventory will be forwarded electronically via email technical authority within fifteen (15) business days upon completion of the required work across the country.

## **1.5 Reference Documents**

The SCBA must comply with the following minimum requirements and specifications:

- CSA Standard Z94.4 - "Selection, Use and Care of Respirators," 2018 edition.
- CSA Standard Z180.1 - "Compressed Breathing Air and Systems," 2019 edition.
- CGA C-6.2 - "Standard for Visual Inspection and Requalification of Fiber Reinforced High Pressure Cylinders," 2019 edition.
- NFPA Standard 1981 - "Standard on Open-Circuit Self-Contained Breathing Apparatus (SCBA) for Emergency Services," 2019 edition.
- NIOSH 42 CFR, Part 84 "Chemical, Biological and Nuclear Protection"
- ❖ NFPA-1982 "Standard on Personal Alert Safety Systems (PASS)" 2007 edition

## **2.0 WARRANTY**

- 2.1 The Contractor must warrant the service and parts provided against defects in parts, manufacturing and labor for a period of at least 12 months from acceptance by Canada of the work, or longer, in accordance with the Contractor's advertised warranty period.

## **3.0 LANGUAGE OF WORK**

- 3.1 All work must be performed in the official language(s) of work for each Appendix A - CSC location, which may be English and/or French.

## **4.0 DELIVERY LOCATIONS**

- 4.1 Work location for specified work to be completed by the Contractor will be to the Correctional Service Canada institutions and Regional Staff Colleges listed in Appendix A – CSC Inventory and Location of Self-Contained Breathing Apparatus as per its individual quantities and details.

## Appendix A

### CSC LOCATIONS AND INVENTORY OF THE SELF CONTAINED BREATHING APPARATUS

	Région/Region	Emplacement/ Location	Adresse de livraison/ Delivery Address	Nombre de masques d'APIRA Firehawk M7 Ultra- Elite/ Number # of Firehawk M7 SCBA including Ultra-Elite Facepiece	Nombre approximatif de masques Ultra Elite en surplus (ou réserve)/ Approximate Number # of Spare Ultra-Elite Facepieces
	<b>ATL</b>	<b>REGION 1</b>			
1	Atlantic	231 Atlantic Institution	13175 route 8 Renous NB E9E 2E1	51	32
2	Atlantic	250 Nova Institution	190 James Street, Truro NS B2N 6R8	17	17
3	Altantic	210 Springhill Institution	330 Magee Street , Springhill NS B0M1X0	72	60
4	Atlantic	220 Dorchester Penitentiary	4902 A Main Street, Dorchester NB E4K 2Y9	80	36
5	Atlantic	National Satellite Training Academy (NSTA) for Correctional Services Canada	14 Oakwood Avenue, Slemon Park, PEI COB 2AO	45	25
			<b>Total</b>	<b>265</b>	<b>170</b>

	QUE	REGION 2			
1	Québec	Établissement Archambault incluant le CRSM - Archambault Institution	242, Boulevard GibsonSainte-Anne-de- Plaines QC J0N 1H0	29	15
2	Québec	Établissement Cowansville – Cowansville Institution	400, avenue Fordyce Cowansville Qc, J2K 3N7	32	25
3	Québec	Établissement Donnacona – Donnacona Institution	1537, route 138 Donnacona QC G3M 1C9	43	35
4	Québec	Établissement Drummond – Drummond Institution	2025 Jean-de-Brébeuf Boulevard Drummondville QC J2B 7Z6	25	20
5	Québec	Centre Fédéral de Formation – Federal Training Centre	6099, Boulevard Lévesque Est Laval QC H7C 1P1	31	25
6	Québec	Établissement Joliette – Joliette Institution	400, rue Marsolais Joliette QC J6E 8V4	12	10
7	Québec	Établissement La Macaza – La Macaza Institution	321, chemin de l'Aéroport La Macaza QC J0T 1R0	23	15
8	Québec	Établissement Port-Cartier – Port-Cartier Institution	1, chemin de l'Aéroport Port-Cartier QC G5B 2W2	29	20
9	Québec	Centre régional de réception incluant l'USD Regional Reception Centre	246, Boulevard Gibson Sainte-Anne-de-Plaines QC J0N 1H0	19	10

10	Québec	Dépôt national – National Depot	250, Montée Saint-François Laval QC H7C 1S5	39	20
11	Québec	Centre d'apprentissage et de Perfectionnement Correctionnel (CAPC)	5500 Boulevard Lévesque Est Laval QC H7C 1N7	18	33
			<b>Total</b>	<b>300</b>	<b>228</b>
	<b>ONT</b>	<b>REGION 3</b>			
1	Ontario	Millhaven Institution	5775 Bath Rd, Bath, ON K0H 1G0	62	60
2	Ontario	Bath Institution	5775 Bath Rd, Bath, ON K0H 1G0	36	22
3	Ontario	Collins Bay Institution	1455 Bath Road Kingston ON K7L 4V9	49	30
4	Ontario	Grand Valley Institution (Including MSU)	1575 Homer Watson Blvd. Kitchener, ON N2P 2C5	37	22
5	Ontario	Warkworth Institution	15847 Cty Rd#29 Warkworth ON K0K 3K0	46	36
6	Ontario	Beaver Creek Institution	2000 Beaver Creek Drive, Gravenhurst ON P1P 1Y2	28	20
7	Ontario	Joyceville Institution	3766 HWY 15, Joyceville, ON K0H 1Y0	60	34
8	Ontario	Ontario Training Academy – Kingston	443 Union Street West, Kingston, ON K7L 4Y8	39	40
			<b>Total</b>	<b>357</b>	<b>264</b>

	<b>PRA</b>	<b>REGION 4</b>			
1	Prairie	Edmonton Institution for Women	11151-178st Edmonton AB T5S 2K9	40	28
2	Prairie	Edmonton Institution	21611 Meridian St Edmonton AB T5Y 6E7	83	80
3	Prairie	Grande Cache Institution	1 Mile South on Hoppe Avenue AB TOE OYO	60	60
4	Prairie	Regional Psychiatric Centre	2520 Central Ave Saskatoon, SK S7K 3X5	42	40
5	Prairie	Stony Mountain Institution	Hwy 7 North, Bldg C17, Stony Mountain, MB ROC 3A0	58	56
6	Prairie	Saskatchewan Penitentiary	15th Street West, Prince Albert, SK S6V 5R6	72	76
7	Prairie	Drumheller Institution	Box 3000 Highway 9 Drumheller AB T0J0Y0	40	56
8	Prairie	Bowden Institution	35022 Range Road 10, Red Deer County, AB T4G 0M8	46	23
			<b>Total</b>	<b>441</b>	<b>419</b>
	<b>PAC</b>	<b>REGION 5</b>			
1	Pacific	Kent Institution	4732 Cemetery Road Agassiz BC V0M 1A0	75	52
2	Pacific	Mountain Institution	4732 Cemetery Road Agassiz BC V0M 1A0	38	38
3	Pacific	Matsqui Institution	Regional Supply Depot 33344 King Road Abbotsford, BC V2S 4P3	40	30
4	Pacific	Pacific Institution	Regional Supply Depot 33344 King Road Abbotsford, BC V2S 4P4	38	38
5	Pacific	Fraser Valley Institution	Regional Supply Depot 33344 King Road Abbotsford, BC V2S 6J5	16	14



6	Pacific	Mission Medium Institution	8751 Stave Lake Street, Mission, BC V2V 4L8	33	20
			<b>Total</b>	<b>240</b>	<b>192</b>

❖ The number of spare masks at each location indicated above are approximates. CSC Equipment that exceeds the inventory indicated are to be serviced at the unit price indicated by the awarded contractor.

## ANNEX B

### MANDATORY TECHNICAL EVALUATION CRITERIA

**NOTE:** Each bid (regionally specific or national bid) will be evaluated against the table below.

N°	Mandatory Criteria	Bidder Response Description (include location in bid)	Met/Not Met
M1	The Bidder must be an MSA Authorized Air Mask Maintenance Centre and maintain this certification for the duration of the contract. The contractor must provide a copy of its current and valid certificate of accreditation when submitting their bid.		
M2	The Bidder must provide a letter from the manufacturer clearly stating that it is using the current revision of MSA manual and specification.		
M3	The Bidder must provide a deployment schedule for the work to be performed and as per the locations specified in Appendix A. This deployment schedule must outline in detail the time allocated to complete the work for each location and ensuring a minimum of two technicians are assigned to each location.		
M4	<p>The Technicians providing the services must possess a current and valid Certified Air Mask Repair Education (C.A.R.E.) certificate delivered by MSA.</p> <p>The Contractor must provide a list of the technicians (minimum of 2 technicians per location specified in Appendix A) that will perform the work, as well as their certificates when submitting its bid.</p>		

## ANNEX C BASIS OF PAYMENT

Pricing must be provided for all items in the selected region(s)

### REGION 1 - Atlantic:

- Atlantic Institution (13175, Route 8, Renous (New-Brunswick) E9E 2E1);
- Nova Institution (190, James Street, Truro (New-Brunswick) B2N 6R8);
- Springhill Institution (330, McGee Street, Springhill (Nova-Scotia) B0M 1X0);
- Dorchester Penitentiary (4902A, Main Street, Dorchester (New-Brunswick) E4K 2Y9);
- National Satellite Training Academy (NSTA) for Correctional Services Canada, (14 Oakwood Avenue, Slemon Park, PEI COB 2A0)

Description	Unit of measurement		Estimated quantities	Unit Price	Total
Atlantic Institution					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		51	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		32	\$ _____	\$ _____
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$51,000	- ____ %	\$ _____
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	249	\$ _____	\$ _____
	C Batteries	EA	204	\$ _____	\$ _____
Estimated total for Atlantic Institution:					\$ _____
Nova Institution					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		17	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		17	\$ _____	\$ _____
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$17,000	- ____ %	\$ _____
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	102	\$ _____	\$ _____
	C Batteries	EA	68	\$ _____	\$ _____

<b>Estimated total for Nova Institution:</b>				<b>\$ _____</b>	
<b>Springhill Institution</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA	72	\$ _____	\$ _____	
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA	60	\$ _____	\$ _____	
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%	\$72,000	- ____ %	\$ _____	
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	396	\$ _____	\$ _____
	C Batteries	EA	288	\$ _____	\$ _____
<b>Estimated total for Springhill Institution:</b>				<b>\$ _____</b>	
<b>Dorchester Penitentiary</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA	80	\$ _____	\$ _____	
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA	36	\$ _____	\$ _____	
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%	\$80,000	- ____ %	\$ _____	
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	348	\$ _____	\$ _____
	C Batteries	EA	320	\$ _____	\$ _____
<b>Estimated Total for Dorchester Penitentiary:</b>				<b>\$ _____</b>	
<b>National Satellite Training Academy (NSTA) for Correctional Services Canada</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA	45	\$ _____	\$ _____	
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA	25	\$ _____	\$ _____	
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%	\$45,000	- ____ %	\$ _____	

<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	210	\$ _____	\$ _____
	C Batteries	EA	180	\$ _____	\$ _____
<b>Estimated total for National Satellite Training Academy (NSTA) for Correctional Services Canada:</b>					\$ _____

\* The estimated quantities are indicated as a reference for evaluation purpose only.

<b>TOTAL EVALUATED BID PRICE FOR REGION 1</b> <b>(Sum of all line items in Region 1)</b>	\$ _____
---	----------

**REGION 2 - Quebec:**

- Archambault Institution (242, Boulevard Gibson, Sainte-Anne-des-Plaines (Quebec) J0N 1H0);
- Cowansville Institution (400, Avenue Fordyce, Cowansville (Quebec) J2K 3N7);
- Donnacona Institution (1537, Route 138, Donnacona (Quebec) G3M 1C9);
- Drummond Institution (2025, Boul. Jean-de-Brébeuf, Drummondville (Quebec) J2B 7Z6);
- Federal Training Centre (6099, Boul. Lévesque Est, Laval (Quebec) H7C 1P1);
- Joliette Institution (400, rue Marsolais, Joliette (Quebec) J6E 8V4);
- La Macaza Institution (321, chemin de l'Aéroport, La Macaza (Quebec) J0T 1R0);
- Port-Cartier Institution (1, chemin de l'Aéroport, Port-Cartier (Quebec) G5B 2W2);
- Regional Reception Centre (246, Boul. Gibson, Sainte-Anne-des-Plaines (Quebec) J0N 1H0);
- National Depot (250, montée St-François, Laval (Quebec) H7C 1S5).
- Centre d'apprentissage et de Perfectionnement Correctionnel (CAPC) (5500 Boulevard Lévesque Est, Laval, (Québec), H7C 1N7);

Description	Unit of measurement		Estimated quantities	Unit Price	Total
Archambault Institution					
SCBA FireHawk M7 15 year overhaul inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		29	\$ _____	\$ _____
SCBA Ultra Elite Face Masks Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		15	\$ _____	\$ _____
Part and Material The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$29,000	- ____ %	\$ _____
Replacement of batteries Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	132	\$ _____	\$ _____
	C Batteries	EA	116	\$ _____	\$ _____
Estimated total for Archambault Institution:					\$ _____
Cowansville Institution					
SCBA FireHawk M7 15 year overhaul inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		32	\$ _____	\$ _____
SCBA Ultra Elite Face Masks Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		25	\$ _____	\$ _____
Part and Material The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$32,000	- ____ %	\$ _____
Replacement of batteries Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	171	\$ _____	\$ _____
	C Batteries	EA	128	\$ _____	\$ _____

<b>Estimated total for Cowansville Institution:</b>				<b>\$ _____</b>	
<b>Donnacona Institution</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA	43	\$ _____	\$ _____	
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA	35	\$ _____	\$ _____	
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus _____ % discount for any parts or materials required to correct deficiencies.	%	\$43,000	- _____ %	\$ _____	
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	234	\$ _____	\$ _____
	C Batteries	EA	172	\$ _____	\$ _____
<b>Estimated total for Donnacona Institution:</b>				<b>\$ _____</b>	
<b>Drummond Institution</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA	25	\$ _____	\$ _____	
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA	20	\$ _____	\$ _____	
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus _____ % discount for any parts or materials required to correct deficiencies.	%	\$25,000	- _____ %	\$ _____	
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	135	\$ _____	\$ _____
	C Batteries	EA	100	\$ _____	\$ _____
<b>Estimated Total for Drummond Institution:</b>				<b>\$ _____</b>	
<b>Federal Training Centre</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA	31	\$ _____	\$ _____	
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA	25	\$ _____	\$ _____	
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus _____ % discount for any parts or materials required to correct deficiencies.	%	\$31,000	- _____ %	\$ _____	

<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	168	\$ _____	\$ _____
	C Batteries	EA	124	\$ _____	\$ _____
<b>Estimated total for Federal Training Centre:</b>					<b>\$ _____</b>
<b>Joliette Institution</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		12	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		10	\$ _____	\$ _____
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus _____ % discount for any parts or materials required to correct deficiencies.	%		\$12,000	- _____ %	\$ _____
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	66	\$ _____	\$ _____
	C Batteries	EA	48	\$ _____	\$ _____
<b>Estimated total for Joliette Institution:</b>					<b>\$ _____</b>
<b>La Macaza Institution</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		23	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		15	\$ _____	\$ _____
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus _____ % discount for any parts or materials required to correct deficiencies.	%		\$23,000	- _____ %	\$ _____
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	114	\$ _____	\$ _____
	C Batteries	EA	92	\$ _____	\$ _____
<b>Estimated total for La Macaza Institution:</b>					<b>\$ _____</b>
<b>Port-Cartier Institution</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		29	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		20	\$ _____	\$ _____
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus _____ %	%		\$29,000	- _____ %	\$ _____



discount for any parts or materials required to correct deficiencies.					
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	147	\$ _____	\$ _____
	C Batteries	EA	116	\$ _____	\$ _____
<b>Estimated total for Port-Cartier Institution:</b>					<b>\$ _____</b>
<b>Regional Reception Centre</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		19	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		10	\$ _____	\$ _____
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$19,000	- ____ %	\$ _____
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	87	\$ _____	\$ _____
	C Batteries	EA	76	\$ _____	\$ _____
<b>Estimated total for Regional Reception Centre:</b>					<b>\$ _____</b>
<b>National Depot</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		39	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		20	\$ _____	\$ _____
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$39,000	- ____ %	\$ _____
<b>Replacement of batteries</b> No Batteries to be replaced for unit (HUD [facemask] and power module), as described in Annex A. These units are in storage at this facility.	AAA Batteries	EA	0	\$ _____	\$ _____
	C Batteries	EA	0	\$ _____	\$ _____
<b>Estimated total for National Depot:</b>					<b>\$ _____</b>
<b>Centre d'apprentissage et de Perfectionnement Correctionnel (CAPC)</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		18	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		33	\$ _____	\$ _____

<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$18,000	- ____ %	\$ _____
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	153	\$ _____	\$ _____
	C Batteries	EA	72	\$ _____	\$ _____
<b>Estimated total for Centre d'apprentissage et de Perfectionnement Correctionnel (CAPC):</b>					\$ _____

\* The estimated quantities are indicated as a reference for evaluation purpose only.

<b>TOTAL EVALUATED BID PRICE FOR REGION 2</b> (Sum of all line items in Region 2)	\$ _____
--	----------

**REGION 3 - Ontario:**

- Millhaven Institution (5775, Bath Road, Bath (Ontario) K0H 1G0);
- Bath Institution (5775, Bath Road, Bath (Ontario) K0H 1G0);
- Collins Bay Institution (1455, Bath Road, Kingston (Ontario) K7L 4V9);
- Grand Valley Institution (1575, Homer Watson Blvd, Kitchener (Ontario) N2P 1C5);
- Warkworth Institution (15847 County Rd, #29, Warkworth (Ontario) K0K 3K0);
- Beaver Creek Institution (2000, Beaver Creek Drive, Gravenhurst (Ontario) P1P 1Y2);
- Joyceville Institution (3766, HWY 15, Joyceville (Ontario) K0H 1Y0);
- Ontario Training Academy (443, Union Street West, Kingston (Ontario) K7L 4Y8) :

Description	Unit of measurement		Estimated quantities	Unit Price	Total
Millhaven Institution					
SCBA FireHawk M7 15 year overhaul inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		62	\$ _____	\$ _____
SCBA Ultra Elite Face Masks Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		60	\$ _____	\$ _____
Part and Material The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$62,000	- ____ %	\$ _____
Replacement of batteries Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	366	\$ _____	\$ _____
	C Batteries	EA	248	\$ _____	\$ _____
Estimated total for Millhaven Institution:					\$ _____
Bath Institution					
SCBA FireHawk M7 15 year overhaul inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		36	\$ _____	\$ _____
SCBA Ultra Elite Face Masks Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		22	\$ _____	\$ _____
Part and Material The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$36,000	- ____ %	\$ _____
Replacement of batteries Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	174	\$ _____	\$ _____
	C Batteries	EA	144	\$ _____	\$ _____
Estimated total for Bath Institution:					\$ _____

<b>Collins Bay Institution</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA	49	\$ _____	\$ _____	
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA	30	\$ _____	\$ _____	
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus _____ % discount for any parts or materials required to correct deficiencies.	%	\$49,000	- _____ %	\$ _____	
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	237	\$ _____	\$ _____
	C Batteries	EA	196	\$ _____	\$ _____
<b>Estimated total for Collins Bay Institution:</b>				<b>\$ _____</b>	
<b>Grand Valley Institution</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA	37	\$ _____	\$ _____	
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA	22	\$ _____	\$ _____	
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus _____ % discount for any parts or materials required to correct deficiencies.	%	\$37,000	- _____ %	\$ _____	
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	177	\$ _____	\$ _____
	C Batteries	EA	148	\$ _____	\$ _____
<b>Estimated Total for Grand Valley Institution:</b>				<b>\$ _____</b>	
<b>Warkworth Institution</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA	46	\$ _____	\$ _____	
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA	36	\$ _____	\$ _____	
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus _____ % discount for any parts or materials required to correct deficiencies.	%	\$46,000	- _____ %	\$ _____	
<b>Replacement of batteries</b>	AAA Batteries	EA	246	\$ _____	\$ _____

Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	C Batteries	EA	184	\$ _____	\$ _____
<b>Estimated total for Warkworth Institution:</b>					<b>\$ _____</b>
<b>Beaver Creek Institution</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		28	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		20	\$ _____	\$ _____
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$28,000	- ____ %	\$ _____
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	144	\$ _____	\$ _____
	C Batteries	EA	112	\$ _____	\$ _____
<b>Estimated total for Beaver Creek Institution:</b>					<b>\$ _____</b>
<b>Joyceville Institution</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		60	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		34	\$ _____	\$ _____
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$60,000	- ____ %	\$ _____
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	282	\$ _____	\$ _____
	C Batteries	EA	240	\$ _____	\$ _____
<b>Estimated total for Joyceville Institution:</b>					<b>\$ _____</b>
<b>Ontario Training Academy</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		39	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		40	\$ _____	\$ _____
<b>Part and Material</b>	%		\$39,000	- ____ %	\$ _____

The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.					
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	237	\$ _____	\$ _____
	C Batteries	EA	156	\$ _____	\$ _____
<b>Estimated total for Ontario Training Academy:</b>					<b>\$ _____</b>

\* The estimated quantities are indicated as a reference for evaluation purpose only.

<b>TOTAL EVALUATED BID PRICE FOR REGION 3</b> <b>(Sum of all line items in Region 3)</b>	<b>\$ _____</b>
---	-----------------

**REGION 4 - Prairies:**

- Edmonton Institution for Women (11151, 178 St, Edmonton (Alberta) T5S 2H9);
- Edmonton Institution (21611, Meridian St, Edmonton (Alberta) T5Y 6E7);
- Grande Cache Institution (Hope Avenue, Bag 4000, Grande-Cache (Alberta) T0E 0Y0);
- Regional Psychiatric Centre (2520, Central Ave North, PO Box 9243, Saskatoon (Saskatchewan) S7K 3X5);
- Stony Mountain Institution (Highway 7, P.O. Box 4500, Winnipeg (Manitoba) R3C 3W8)
- Saskatchewan Penitentiary (15<sup>th</sup> Street West, P.O. Box 160, Prince Albert (Saskatchewan) S6V 5R6);
- Drumheller Institution (Highway 9, P.O. Box 3000, Drumheller (Alberta) T0J 0Y0);
- Bowden Institution (35022 Range Road 10, Red Deer County (Alberta) T4G 0M8;

Description	Unit of measurement		Estimated quantities	Unit Price	Total
Edmonton Institution for Women					
SCBA FireHawk M7 15 year overhaul inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		40	\$ _____	\$ _____
SCBA Ultra Elite Face Masks Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		28	\$ _____	\$ _____
Part and Material The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$40,000	- ____ %	\$ _____
Replacement of batteries Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	204	\$ _____	\$ _____
	C Batteries	EA	160	\$ _____	\$ _____
Estimated total for Edmonton Institution for Women:					\$ _____
Edmonton Institution					
SCBA FireHawk M7 15 year overhaul inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		83	\$ _____	\$ _____
SCBA Ultra Elite Face Masks Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		80	\$ _____	\$ _____
Part and Material The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$83,000	- ____ %	\$ _____
Replacement of batteries Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	489	\$ _____	\$ _____
	C Batteries	EA	332	\$ _____	\$ _____
Estimated total for Edmonton Institution:					\$ _____

Grande Cache Institution					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA	60	\$ _____	\$ _____	
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA	60	\$ _____	\$ _____	
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%	\$60,000	- ____ %	\$ _____	
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	360	\$ _____	\$ _____
	C Batteries	EA	240	\$ _____	\$ _____
<b>Estimated total for Grande Cache Institution:</b>				\$ _____	
Regional Psychiatric Centre					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA	42	\$ _____	\$ _____	
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA	40	\$ _____	\$ _____	
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%	\$42,000	- ____ %	\$ _____	
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	246	\$ _____	\$ _____
	C Batteries	EA	168	\$ _____	\$ _____
<b>Estimated Total for Regional Psychiatric Centre:</b>				\$ _____	
Stony Mountain Institution					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA	58	\$ _____	\$ _____	
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA	56	\$ _____	\$ _____	
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%	\$58,000	- ____ %	\$ _____	
<b>Replacement of batteries</b>	AAA Batteries	EA	342	\$ _____	\$ _____



Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	C Batteries	EA	232	\$ _____	\$ _____
<b>Estimated total for Stony Mountain Institution:</b>					<b>\$ _____</b>
<b>Saskatchewan Penitentiary</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		72	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		76	\$ _____	\$ _____
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$72,000	- ____ %	\$ _____
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	444	\$ _____	\$ _____
	C Batteries	EA	288	\$ _____	\$ _____
<b>Estimated total for Saskatchewan Penitentiary:</b>					<b>\$ _____</b>
<b>Drumheller Institution</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		40	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		56	\$ _____	\$ _____
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$40,000	- ____ %	\$ _____
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	288	\$ _____	\$ _____
	C Batteries	EA	160	\$ _____	\$ _____
<b>Estimated total for Drumheller Institution:</b>					<b>\$ _____</b>
<b>Bowden Institution</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		46	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		23	\$ _____	\$ _____
<b>Part and Material</b>	%		\$46,000	- ____ %	\$ _____

The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.					
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	207	\$ _____	\$ _____
	C Batteries	EA	184	\$ _____	\$ _____
<b>Estimated total for Bowden Institution:</b>					\$ _____

\* The estimated quantities are indicated as a reference for evaluation purpose only.

<b>TOTAL EVALUATED BID PRICE FOR REGION 4</b> <b>(Sum of all line items in Region 4)</b>	\$ _____
---	----------

**REGION 5 - Pacific:**

- Kent Institution (4732 Cemetery Road, P.O. Box 1500, Agassiz (British-Columbia) V0M 1A0);
- Mountain Institution (4732, Cemetery Road, P.O. Box 1600, Agassiz (British-Columbia) V0M 1A0);
- Matsqui Institution (33344, King Rd, P.O. Box 2500, Abbotsford (British-Columbia) V2S 4P3);
- Pacific Institution (33344, King Rd, P.O. Box 3000, Abbotsford (British-Columbia) V2S 4P4);
- Frasey Institution (33344, King Rd, Abbotsford (British-Columbia) V2S 6J5);
- Mission Institution (8751, Stave Lake St, P.O. Box 60, Mission (British-Columbia) V2V 4L8).

Description	Unit of measurement		Estimated quantities	Unit Price	Total
Kent Institution					
SCBA FireHawk M7 15 year overhaul inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		75	\$ _____	\$ _____
SCBA Ultra Elite Face Masks Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		52	\$ _____	\$ _____
Part and Material The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$75,000	- ____ %	\$ _____
Replacement of batteries Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	381	\$ _____	\$ _____
	C Batteries	EA	300	\$ _____	\$ _____
Estimated total for Kent Institution:					\$ _____
Mountain Institution					
SCBA FireHawk M7 15 year overhaul inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		38	\$ _____	\$ _____
SCBA Ultra Elite Face Masks Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		38	\$ _____	\$ _____
Part and Material The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$38,000	- ____ %	\$ _____
Replacement of batteries	AAA Batteries	EA	228	\$ _____	\$ _____
	C	EA	152	\$ _____	\$ _____

Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	Batteries				
<b>Estimated total for Mountain Institution:</b>					<b>\$ _____</b>
<b>Matsqui Institution</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		40	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		30	\$ _____	\$ _____
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus _____ % discount for any parts or materials required to correct deficiencies.	%		\$40,000	- _____ %	\$ _____
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	210	\$ _____	\$ _____
	C Batteries	EA	160	\$ _____	\$ _____
<b>Estimated total for Matsqui Institution:</b>					<b>\$ _____</b>
<b>Pacific Institution</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		38	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		38	\$ _____	\$ _____
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus _____ % discount for any parts or materials required to correct deficiencies.	%		\$38,000	- _____ %	\$ _____
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	228	\$ _____	\$ _____
	C Batteries	EA	152	\$ _____	\$ _____
<b>Estimated Total for Pacific Institution:</b>					<b>\$ _____</b>
<b>Fraser Valler Institution</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		16	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		14	\$ _____	\$ _____

<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$16,000	- ____ %	\$ _____
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	90	\$ _____	\$ _____
	C Batteries	EA	64	\$ _____	\$ _____
<b>Estimated total for Fraser Valley Institution:</b>					<b>\$ _____</b>
<b>Mission Institution</b>					
<b>SCBA FireHawk M7 15 year overhaul</b> inspection, cleaning, overhaul and flow test, as described in Annex A.	EA		33	\$ _____	\$ _____
<b>SCBA Ultra Elite Face Masks</b> Inspection, cleaning, replacement of components and flow test, as described in Annex A.	EA		20	\$ _____	\$ _____
<b>Part and Material</b> The Contractor will bill CSC at the Manufacturer Suggested Retail Price (MSRP) minus ____ % discount for any parts or materials required to correct deficiencies.	%		\$33,000	- ____ %	\$ _____
<b>Replacement of batteries</b> Batteries must be replaced for each unit (HUD [facemask] and power module), as described in Annex A.	AAA Batteries	EA	159	\$ _____	\$ _____
	C Batteries	EA	132	\$ _____	\$ _____
<b>Estimated total for Mission Institution:</b>					<b>\$ _____</b>

\* The estimated quantities are indicated as a reference for evaluation purpose only.

<b>TOTAL EVALUATED BID PRICE FOR REGION 5</b> (Sum of all line items in Region 5)	<b>\$ _____</b>
--	-----------------