

### C3 FIELD DEVICE RECORD

(Reference: Clause 6.1 6)

#### C6.1 FIELD DEVICE TESTING - LEGEND & NOTES

(Reference: Clauses 6.7.4.1.3, 6.7.4.1.4, 6.7.4.1.5, 6.7.4.3.1, 6.7.4.5.1, 6.7.8.1.1, 6.7.8.2.2, 6.7.8.2.4)

DEVICE	DESCRIPTION	MANUFACTURER	MODEL NO.
M	Manual Station	EDWARDS	270-SPO
M2	Manual Station		
M3	Manual Station		
RHT	Rate of Rise Heat Detector		281C
RHT2	Rate of Rise Heat Detector	SYSTEM SENSOR	5601A
RHT3	Rate of Rise Heat Detector		
HT	Fixed Temperature Heat Detector		283C
HT2	Fixed Temperature Heat Detector		
HT3	Fixed Temperature Heat Detector		
S	Smoke Detector	EST	6250
	Sensitivity Test Method:		
	Sensitivity Range:		
S2	Smoke Detector		
	Sensitivity Test Method:		
	Sensitivity Range:		
S3	Smoke Detector		
	Sensitivity Test Method:		
	Sensitivity Range:		
RI	Remote Indicator		
DS	Duct Smoke Detector		
SFD	Supporting Field Device - Monitor		
SFD2	Supporting Field Device - Monitor		
FD	Sprinkler Flow Switch		
SS	Sprinkler Supervisory Device		
PS	Sprinkler Pressure Device		
IM	Isolation Module		
B	Bell	EDWARDS	6" BELL 439D-6AWC
B2	Bell		
H/V	Horn/Visual		
H/V2	Horn/Visual		
H	Horn	EST	STROBE
H2	Horn		
V	Visual Signal Device		
V2	Visual Signal Device		
SP	Cone Type Speaker		
SP2	Cone Type Speaker		
HSP	Horn Type Speaker		
AD	Ancillary Device		
AD2	Ancillary Device		
ET	Emergency Telephone		
EOL	End of Line Resistor/Capacitor		EOL-P1
EOL2	End of Line Resistor/Capacitor		

BUILDING NAME:	RCMP HEADINGLEY DETACHMENT
BUILDING ADDRESS:	156 McINTOSH ST. HEADINGLEY MB.
DATE:	TUESDAY JANUARY 18,2022

### C3.2 INDIVIDUAL DEVICE RECORD

(Reference: Clauses 6.7.1.3, C3.1)

Location	Device (See Legend)	Zone Circuit Number or Address	Correctly Installed	Requires Service	Alarm Operation Confirmed	Output Circuit Operation Confirmed	Annunciation Indication Confirmed	Reading / Measurement (Sensitivity, Pressure, Time Delay, etc)	Remarks / Required Additional Notes
MAIN OFFICE ENTRANCE	FACP	EST1-2Z6	✓		✓	✓	✓		R1
SOUTH OFFICE MAIN FLOOR	ANN	EDWARDS	✓		✓	✓	✓		
DEVICES :									
BASEMENT :									
MECHANICAL ROOM EAST AISLE	RHT	Z1	✓		✓	✓	✓		281C
INNER EXHIBIT ROOM	S	Z1	✓	x	✓	✓	✓		R2. 6250
MAIN EXHIBIT ROOM	S	Z1	✓	x	✓	✓	✓		R2. 6250
BY MECHANICAL AREA N/W	HT	Z1	✓		✓	✓	✓		283C. O1
TOP OF BASEMENT STAIRS	S	Z1	✓	x	✓	✓	✓		R2. 6250
MECHANICAL ROOM EAST AISLE	EOL	Z1	✓						EOL-P1
MAIN FLOOR NORTH :									
MAIN ENTRANCE	M	Z2	✓		✓	✓	✓		270-SPO
MAIN ENTRANCE	RHT	Z2	✓		✓	✓	✓		281C
RECEPTION AREA	RHT	Z2	✓		✓	✓	✓		281C
GENERAL OFFICE	S	Z2	✓	x	✓	✓	✓		R2. 6250
CORPORALS OFFICE	RHT	Z2	✓		✓	✓	✓		281C
OPERATIONS ROOM	S	Z2	✓	x	✓	✓	✓		R2. 6250
SARGENTS OFFICE	RHT	Z2	✓		✓	✓	✓		281C
JANITORS CLOSET	RHT2	Z2	✓		✓	✓	✓		5601A
UNIFORM STORAGE ROOM	RHT	Z2	✓		✓	✓	✓		281C
WASHROOM	RHT	Z2	✓		✓	✓	✓		281C
HALL BY WASHROOM	S	Z2	✓	x	✓	✓	✓		R2. 6250
HALL BY WASHROOM	M	Z2	✓		✓	✓	✓		270-SPO.
OPEN CLOSET BY WASHROOM	RHT	Z2	✓		✓	✓	✓		281C
HALL BY WASHROOM	EOL	Z2	✓						EOL-P1
MAIN FLOOR SOUTH :									
EAST MEMBERS ENTRANCE	M	Z3	✓		✓	✓	✓		270-SPO
MAIN ROOM CELL AREA	S	Z3	✓	x	✓	✓	✓		R2. 6250
REAR EXIT	M	Z3	✓		✓	✓	✓		270-SPO
FINGERPRINT ROOM	RHT	Z3	✓		✓	✓	✓		281C
REAR EXIT	EOL	Z3	✓						EOL-P1
2ND FLOOR :									
TOP OF STAIRS	M	Z4	✓		✓	✓	✓		270-SPO
TOP OF STAIRS	S	Z4	✓	x	✓	✓	✓		R2. 6250
LUNCHROOM / EXERCISE ROOM	RHT2	Z4	✓		✓	✓	✓		5601A
LUNCHROOM / EXERCISE ROOM	RHT2	Z4	✓		✓	✓	✓		5601A
JANITORS CLOSET	RHT	Z4	✓		✓	✓	✓		281C
STORAGE CLOSET	RHT	Z4	✓		✓	✓	✓		281C

Location	Device (See Legend)	Zone Circuit Number or Address	Correctly Installed	Requires Service	Alarm Operation Confirmed	Output Circuit Operation Confirmed	Annunciation Indication Confirmed	Reading / Measurement (Sensitivity, Pressure, Time Delay, etc)	Remarks / Required Additional Notes
WASHROOM	RHT	Z4	✓		✓	✓	✓		281C
MONITORING ROOM	RHT2	Z4	✓		✓	✓	✓		5601A. O3
TOP OF STAIRS	EOL	Z4	✓						EOL-P1
CELL 1									
CELL 1	S	Z5	✓	x	✓	✓	✓		R2. 6250. O2
SIGNALS :									
MAIN FLOOR NORTH OFFICE	V	NAC1	✓		✓				
MAIN FLOOR NORTH OFFICE	B	NAC1	✓		✓				6"
MAIN FLOOR SOUTH OFFICE	B	NAC2	✓		✓				6"
BASEMENT	B	NAC2	✓		✓				6"
2ND FLOOR LUNCHROOM	B	NAC2	✓		✓				6"
2ND FLOOR LUNCHROOM	V	NAC2	✓		✓				

