

### E3. FIELD DEVICE RECORD

(Reference: Clause 5.1 6)

#### E3.1 FIELD DEVICE TESTING - LEGEND & NOTES

(Reference: Clauses 5.7.4.1.3, 5.7.4.1.4, 5.7.4.1.5, 5.7.4.3.1, 5.7.4.5.1, 5.7.8.1.1, 5.7.8.2.2, 5.7.8.2.4)

DEVICE	DESCRIPTION	MANUFACTURER	MODEL NO.
M	Manual Station	EDWARDS	270-SPOW
M2	Manual Station	MIRCOM	MS-401
RHT	Rate of Rise Heat Detector		281C
RHT2	Rate of Rise Heat Detector	MIRCOM	
HT	Fixed Temperature Heat Detector		CF135
HT2	Fixed Temperature Heat Detector		
S	Smoke Detector	EDWARDS	6249
	Sensitivity Test Method:		
	Sensitivity Range:		
S2	Smoke Detector		
	Sensitivity Test Method:		
	Sensitivity Range:		
RI	Remote Indicator		
DS	Duct Smoke Detector		
SFD	Supporting Field Device - Monitor		
SFD2	Supporting Field Device - Monitor		
FD	Sprinkler Flow Switch		
SS	Sprinkler Supervisory Device		
PS	Sprinkler Pressure Device		
IM	Isolation Module		
B	Bell	EDWARDS	439D-10AWC
B2	Bell		
H/V	Horn/Visual		
H/V2	Horn/Visual		
H	Horn		
H2	Horn		
V	Visual Signal Device		
V2	Visual Signal Device		
SP	Cone Type Speaker		
SP2	Cone Type Speaker		
HSP	Horn Type Speaker		
AD	Ancillary Device		
AD2	Ancillary Device		
ET	Emergency Telephone		
EOL	End of Line Resistor/Capacitor		
EOL2	End of Line Resistor/Capacitor		

BUILDING NAME:	RCMP WINNIPEG WEST HANGER
BUILDING ADDRESS:	145 WEST HANGER RD. WPG. MB.
DATE:	TUESDAY JANUARY 18,2022

### C3.2 INDIVIDUAL DEVICE RECORD

(Reference Clauses 5.7.1.3, E3.1)

Location	Device (See Legend)	Zone Circuit Number or Address	Correctly Installed	Requires Service	Alarm Operation Confirmed	Annunciation Indication Confirmed	Remarks / Required Additional Readings
MAIN FLOOR HANGER OFFICE	FACP	EDWARDS 2280	✓	x	✓	✓	D3,D4
MAIN FLOOR SHOP ELECTRICAL ROOM	FACP	EST FIRESHIELD	✓				
SIGNALS :							
HANGER AREA	EOL	NAC2	✓				
HANGER AREA	B	NAC2	✓		✓		
MAIN FLOOR HALL BY WASHROOMS	B	NAC2	✓		✓		
2ND FLOOR BY FRONT STAIRS	B	NAC2	✓		✓		
2ND FLOOR OFFICE	B	NAC2	✓		✓		
MAIN FLOOR WORKSHOP	B	NAC2	✓		✓		
DEVICES :							
ZONE 2 2ND FLOOR :							
TOP OF STAIRS	S	Z2	✓	x	✓	✓	D2
BY FRONT STAIRS	M	Z2	✓		✓	✓	
IT ROOM	RHT	Z2	✓		✓	✓	281C
MECHANICAL ROOM	RHT	Z2	✓		✓	✓	281C
BY REAR STAIRS	M	Z2	✓		✓	✓	
BY FRONT STAIRS	EOL	Z2	✓				
TOP OF STAIRS BY KITCHEN	M	Z2	✓		✓	✓	
ZONE 1 MAIN FLOOR & HANGER :							
N/E EXIT	M2	Z1	✓		✓	✓	
WEST WALL BY SHOP	M	Z1	✓		✓	✓	
S/W BOTTOM OF STAIRS	M	Z1	✓		✓	✓	
S/E EXIT	M	Z1	✓		✓	✓	
S/E EXIT	EOL	Z1	✓				
OFFICE EXIT	M	Z1	✓		✓	✓	
OFFICE	RHT	Z1	✓		✓	✓	281C
WAITING ROOM	HT	Z1	✓		✓	✓	O1. CF135
BY WASHROOMS	HT	Z1	✓		✓	✓	O1. CF135
ENTRANCE FOYER	HT	Z1	✓		✓	✓	O1. CF135
ENTRANCE FOYER	M	Z1	✓		✓	✓	
WAITING ROOM SOUTH EXIT	M	Z1					R1) RECOMMEND MANUAL PULL STATION BE ADDED TO EXIT.
GARAGE	M	Z1	✓		✓	✓	
GARAGE	HT	Z1	✓		✓	✓	O1
WORKSHOP	HT	Z1	✓		✓	✓	O1
WORKSHOP MECHANICAL ROOM	HT	Z1	✓		✓	✓	O1
HANGER MEZZANINE N/W	HT	Z1	✓		✓	✓	O1
HANGER FRONT EAST	HT	Z1	✓		✓	✓	O1 / D1. LIFT REQUIRED
HANGER FRONT CENTRE	HT	Z1	✓		✓	✓	O1 / D1. LIFT REQUIRED

Location	Device (See Legend)	Zone Circuit Number or Address	Correctly Installed	Requires Service	Alarm Operation Confirmed	Annunciation Indication Confirmed	Remarks / Required Additional Readings
HANGER FRONT CENTRE EAST	HT	Z1	✓		✓	✓	O1 / D1. LIFT REQUIRED
HANGER FRONT CENTRE CENTRE	RHT	Z1	✓		✓	✓	O1
HANGER FRONT CENTRE WEST	RHT	Z1	✓		✓	✓	O1
HANGER REAR CENTRE EAST	RHT	Z1	✓		✓	✓	O1
HANGER REAR CENTRE CENTRE	RHT	Z1	✓		✓	✓	O1
HANGER REAR CENTRE WEST	HT	Z1	✓		✓	✓	O1 / D1. LIFT REQUIRED
HANGER FRONT WEST	RHT	Z1	✓		✓	✓	O1
HANGER REAR EAST	HT	Z1	✓		✓	✓	O1 / D1. LIFT REQUIRED
HANGER REAR CENTRE	HT	Z1	✓		✓	✓	O1 / D1. LIFT REQUIRED
HANGER REAR WEST	RHT	Z1	✓		✓	✓	O1

