



National Defence

National Defence Headquarters
Ottawa, Ontario
K1A 0K2

Défense nationale

Quartier général de la Défense nationale
Ottawa (Ontario)
K1A 0K2

REQUEST FOR PROPOSAL DEMANDE DE PROPOSITION

Proposal To: National Defence Canada

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods and services listed herein and on any attached sheets at the price(s) set out therefore.

Proposition à : Défense nationale Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens et services énumérés ici et sur toute feuille ci-annexée, au(x) prix indique(s).

Comments - Commentaires

RETURN BIDS TO: RETOURNER LES SOUMISSIONS À :

By e-mail to: - Par courriel au :
DLP53BidsReceiving.DAAT53Receptiondessoumissions@forces.gc.ca

Attention: - Attention :
Genevieve Roach
DLP 5-3-4-6

Solicitation Closes - L'invitation prend fin

At - à :
2:00 PM - 14:00

On - le :
January 12, 2022 – 12 janvier 2022

Time Zone - Fuseau Horaire :
Eastern Standard Time (EST)
Heure normale de l'Est (HNE)

Title - Sujet TRAILER, ENGAGEMENT AND ATTRACTION TEAM REMORQUE, ÉQUIPE CHARGÉE DE LA SENSIBILISATION ET DE L'ATTRACTION	
Solicitation No. N° de l'invitation W8476-236619/B	Date of Solicitation Date de l'invitation December 13, 2022 – 13 decembre 2022
Address enquiries to: - Adresser toute demande de renseignements à : Genevieve Roach E-Mail Address - Courriel Genevieve.roach@forces.gc.ca	
Destination See herein - Voir aux présentes	

Instructions: Municipal taxes are not applicable. Unless otherwise specified herein all prices quoted must include all applicable Canadian customs duties, GST/HST, excise taxes and are to be delivered Delivery Duty Paid including all delivery charges to destination(s) as indicated. The amount of the Goods and Services Tax/Harmonized Sales Tax is to be shown as a separate item.

Instructions : Les taxes municipales ne s'appliquent pas. Sauf indication contraire, les prix indiqués doivent comprendre les droits de douane canadiens, la TPS/TVH et la taxe d'accise. Les biens doivent être livrés « rendu droits acquittés », tous frais de livraison compris, à la ou aux destinations indiquées. Le montant de la taxe sur les produits et services/taxe de vente harmonisée doit être indiqué séparément.

Delivery required Livraison exigée See herein - Voir aux présentes	Delivery offered Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Person authorized to sign on behalf of Vendor/Firm (type or print): La personne autorisée à signer au nom du fournisseur/de l'entrepreneur (taper ou écrire en caractères d'imprimerie) :	
Name - Nom	Title - Titre
Signature	Date

TABLE OF CONTENTS

REISSUE OF BID SOLICITATION	4
PART 1 - GENERAL INFORMATION	5
1.1 REQUIREMENT	5
1.2 SECURITY REQUIREMENTS	5
1.3 DEBRIEFINGS	5
1.4 CANADIAN CONTENT	5
PART 2 - BIDDER INSTRUCTIONS	6
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	6
2.2 SUBMISSION OF BIDS	6
2.3 ENQUIRIES - BID SOLICITATION	7
2.4 APPLICABLE LAWS	7
2.5 IMPROVEMENT OF REQUIREMENT DURING SOLICITATION PERIOD	7
PART 3 - BID PREPARATION INSTRUCTIONS	8
3.1 BID PREPARATION INSTRUCTIONS	8
3.2 SECTION I: TECHNICAL BID	8
3.3 SECTION II: FINANCIAL BID	9
3.4 SECTION III: CERTIFICATIONS	9
3.5 SECTION IV: ADDITIONAL INFORMATION	9
ATTACHMENT 1 TO PART 3 - ELECTRONIC PAYMENT INSTRUMENTS	11
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	12
4.1 EVALUATION PROCEDURES	12
4.2 BASIS OF SELECTION - LOWEST EVALUATED PRICE, MANDATORY TECHNICAL CRITERIA	12
ATTACHMENT 1 TO PART 4 - EVALUATION CRITERIA	13
ATTACHMENT 2 TO PART 4 - PRICING SCHEDULE	14
1. GENERAL	14
2. FIRM GOODS AND/OR SERVICES	14
PART 5 - CERTIFICATIONS AND ADDITIONAL INFORMATION	15
5.1 GENERAL	15
5.2 CERTIFICATIONS REQUIRED WITH THE BID	15
5.3 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	15
PART 6 - RESULTING CONTRACT CLAUSES	17
6.1 SECURITY REQUIREMENTS	17
6.2 REQUIREMENT	17
6.3 STANDARD CLAUSES AND CONDITIONS	17
6.4 TERM OF CONTRACT	18
6.5 AUTHORITIES	18
6.6 PAYMENT	19
6.7 INVOICING	20
6.8 CERTIFICATIONS AND ADDITIONAL INFORMATION	21
6.9 APPLICABLE LAWS	21
6.10 PRIORITY OF DOCUMENTS	21
6.11 DEFENCE CONTRACT	21
6.12 FOREIGN NATIONALS (CANADIAN CONTRACTOR)	22
6.13 INSURANCE - NO SPECIFIC REQUIREMENT	22
6.14 INSPECTION AND ACCEPTANCE	22

6.15	POST-CONTRACT AWARD MEETING	22
6.16	QUALITY MANAGEMENT SYSTEMS - REQUIREMENTS (QUALITY ASSURANCE CODE C)	22
6.17	MATERIAL	22
6.18	INTERCHANGEABILITY	23
6.19	VEHICLE SAFETY	23
6.20	RECALL NOTICES	23
6.21	PACKAGING	23
6.22	WOOD PACKAGING MATERIALS	23
6.23	PREPARATION FOR DELIVERY	23
6.24	DELIVERY OF DANGEROUS GOODS/HAZARDOUS PRODUCTS	23
6.25	TOOLS AND LOOSE EQUIPMENT	24
6.26	DELIVERY AND UNLOADING	24
6.27	INCOMPLETE ASSEMBLIES	24
6.28	WORK SITE ACCESS	24
6.29	MARKING	24
6.30	LABELLING	24
6.31	DISPUTE RESOLUTION SERVICES	25
	ANNEX A - REQUIREMENT	26
	ANNEX B - BASIS OF PAYMENT	27
1.	GENERAL	27
2.	FIRM GOODS AND/OR SERVICES	27

REISSUE OF BID SOLICITATION

- A. This bid solicitation cancels and supersedes previous bid solicitation number W8476-236619/A dated September 13, 2022 with a closing of October 14, 2022 at 2:00 PM. A debriefing or feedback session will be provided upon request to bidders/offerors/suppliers who bid on the previous solicitation.

PART 1 - GENERAL INFORMATION

1.1 Requirement

- A. The Department of National Defence (DND) has a requirement to procure Qty 1 Engagement and Attraction Team Trailer for delivery to CFB Trenton, Ontario. The requested delivery date is 120 days.
- B. The requirement is detailed under the article entitled Requirement of the resulting contract clauses in Part 6.

1.2 Security Requirements

- A. There is no security requirement associated with this bid solicitation.

1.3 Debriefings

- A. Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.4 Canadian Content

- A. The requirement is subject to a preference for Canadian good.

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

A. All instructions, clauses and conditions identified in this document and any of its attachments by number, date, and title are either:

- (i) Set out in the [Standard Acquisition Clauses and Conditions \(SACC\) Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada; or
- (ii) Included as attachments.

These documents are incorporated by reference and they form part of this document as though they were expressly set out here in full.

B. Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

C. The [2003](#) (2022-03-29), Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation, with the following modification(s):

- (i) Section 02, Procurement Business Number, is deleted in its entirety;
- (ii) Section 05, Submission of bids, subsection 3, is deleted in its entirety;
- (iii) Section 05, Submission of bids, subsection 2, paragraph d., is deleted in its entirety and replaced with the following:
 - d. send its bid only to the location specified on page 1 of the bid solicitation or to the address specified in the bid solicitation.
- (iv) Section 05, Submission of bids, subsection 4, is amended as follows:
 - Delete: 60 days
 - Insert: 120 days
- (v) Section 06, Late bids, is deleted in its entirety;
- (vi) Section 08, Transmission by facsimile or by Canada Post Corporation's (CPC) Connect service, is deleted in its entirety.
- (vii) Section 20, Further information, subsection 2, is deleted in its entirety.

2.2 Submission of Bids

A. Bids must be submitted only to the Department of National Defence (DND) by the date, time, and place indicated on page 1 of the bid solicitation.

B. Due to the nature of the bid solicitation, bids transmitted by facsimile will not be accepted.

C. Due to the nature of the bid solicitation, bids transmitted by Canada Post Corporation's (CPC) Connect service will not be accepted.

2.2.1 Electronic Submissions

A. Individual e-mails that may include certain scripts, formats, embedded macros and/or links, or those that exceed 5 megabytes may be rejected by Canada's e-mail system and/or firewall(s) without notice to the

Bidder or Contracting Authority. Larger bids may be submitted through more than one e-mail. Canada will confirm receipt of documents. It is the Bidder's responsibility to ensure that their entire submission has been received. Bidders should not assume that all documents have been received unless Canada confirms receipt of each document. In order to minimize the potential for technical issues, bidders are requested to allow sufficient time before the closing date and time to confirm receipt. Bid documents submitted after the closing time and date will not be accepted.

2.3 Enquiries - Bid Solicitation

- A. All enquiries must be submitted in writing to the Contracting Authority no later than 10 calendar days before the bid closing date. Enquiries received after that time may not be answered.
- B. Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.4 Applicable Laws

- A. Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.
- B. Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

2.5 Improvement of Requirement During Solicitation Period

- A. Should bidders consider that the specifications or Requirement contained in the bid solicitation could be improved technically or technologically, bidders are invited to make suggestions, in writing, to the Contracting Authority named in the bid solicitation. Bidders must clearly outline the suggested improvement as well as the reason for the suggestion. Suggestions that do not restrict the level of competition nor favour a particular bidder will be given consideration provided they are submitted to the Contracting Authority at least 10 days before the bid closing date. Canada will have the right to accept or reject any or all suggestions.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

A. Canada requests that Bidders provide their bid in separate sections as follows:

Section I: Technical Bid: 1 soft copy in PDF format by e-mail;

Section II: Financial Bid: 1 soft copy in PDF format by e-mail;

Section III: Certifications: 1 soft copy in PDF format by e-mail; and

Section IV: Additional Information: 1 soft copy in PDF format by e-mail.

B. Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

C. Bidders must demonstrate their compliance with the attachment 1 to Part 4 entitled Evaluation Criteria of the bid solicitation by providing substantial information describing completely and in detail how the requirement is met or addressed. Bidders must provide with their technical bid, a document indicating clearly where the substantial information for each of the sections identified below can be found.

3.2 Section I: Technical Bid

A. In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

3.2.1 Substitutes and Alternatives

A. Bidders may propose substitutes and alternatives where equivalent is indicated in the Annex B entitled Requirement.

B. Substitutes and alternatives that are equivalent in form, fit, function, quality and performance as detailed in the Annex entitled Requirement, will be considered for acceptance where the Bidder:

- (i) Clearly identifies a substitute and/or an alternative;
- (ii) Designates the brand name, model and/or part number of the substitute and/or of the product, where applicable;
- (iii) States that the substitute product is fully interchangeable with the item specified in the technical requirement description;
- (iv) Provides complete specifications and brochures, where applicable;
- (v) Provides compliance statements that include technical details showing the substitute and/or the alternative meet all technical requirements specified in the Annex entitled Requirement; and
- (vi) Clearly identifies those areas in the technical requirement description and in the brochures that support the substitute and/or the alternative compliance with the technical requirements.

C. Substitutes and alternatives offered as equivalent in form, fit, function quality and performance will not be considered for acceptance by the Technical Authority if:

- (i) The bid fails to provide all of the information requested to allow the Technical Authority to fully evaluate the equivalency; or
- (ii) The substitute and/or the alternative fail to meet or fail to exceed the technical requirements specified in the technical requirement description.

D. Bidders are encouraged to offer or suggest green products whenever possible.

3.3 Section II: Financial Bid

A. Bidders must submit their financial bid in accordance with the Annex B entitled Basis of Payment.

3.3.1 Electronic Payment of Invoices - Bid

A. If you are willing to accept payment of invoices by Electronic Payment Instruments, complete the attachment 1 to Part 3 entitled Electronic Payment Instruments, to identify which ones are accepted.

B. If the attachment 1 to Part 3 entitled Electronic Payment Instruments is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

C. Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

3.4 Section III: Certifications

A. Bidders must submit the certifications and additional information required under Part 5.

3.5 Section IV: Additional Information

A. In Section IV of their bid, bidders should provide:

(i) A completed, signed, and dated Page 1 of this solicitation, or final amendment, as applicable;

(ii) The name of the person(s) and associated contact information (title, mailing address, phone number, and e-mail address) authorized by the Bidder to:

(a) Enter into communications with Canada with regards to their bid, and any contract that may result from their bid;

(b) Coordinate delivery and follow-up; and

(c) Provide after sales service, maintenance, warranty repairs, and a full range of repair parts for the vehicle/equipment offered.

(iii) Any other information submitted in the bid not already detailed.

3.5.1 Delivery Date(s)

A. Any delivery date(s) offered will not be included in the evaluation.

3.5.1.1 Firm Goods and/or Services

A. Delivery of the Firm Goods and/or Services is requested on or before 120 days from date of contract. If a longer delivery period is required, the Bidder must submit the best delivery that could be offered, in the form of either a fixed date or a period of time from contract award. Failure to submit a date or time period will be taken as acceptance of delivery within the requested timeframe.

3.5.2 Warranty Period

3.5.2.1 Manufacturer's Standard Warranty Period

A. Canada requests that the Bidder provide details of the manufacturer's standard warranty period for the equipment and components that exceeds the minimum warranty period of 12 months or 2,000 hours of usage, whichever comes first. Any additional manufacturer's standard warranty such as those derived from

the Original Equipment Manufacturer (OEM) for component/subassemblies will form part of the proposed contract.

3.5.2.2 Extended Warranty Period

- A. Canada requests that the Bidder indicate if an extended warranty period is being offered that exceeds the Manufacturer's Standard Warranty Period.
- B. If the Bidder indicates that an extended warranty period is being offered, Canada requests that the Bidder provide details and pricing information of any extended warranty period available for the vehicle/equipment and any ancillary items.
- C. Any extended warranty period offered will not be included in the financial evaluation.

ATTACHMENT 1 TO PART 3 - ELECTRONIC PAYMENT INSTRUMENTS

A. The Bidder accepts to be paid by any of the following Electronic Payment Instrument(s):

- Direct Deposit (Domestic and International);
- Electronic Data Interchange (EDI); and
- Wire Transfer (International Only).

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- A. Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- B. An evaluation team composed of representatives of Canada and Promaxis personnel will evaluate the bids.

4.1.1 Technical Evaluation

- A. Mandatory technical evaluation criteria are included in the attachment 1 to Part 4 entitled Evaluation Criteria.

4.1.2 Financial Evaluation

4.1.2.1 Firm Goods and/or Services

- A. The price of the bid will be evaluated in Canadian dollars, Delivered Duty Paid (DDP) destination, Incoterms 2010, Canadian customs duties and excise taxes included, Applicable Taxes excluded.

4.2 Basis of Selection - Lowest Evaluated Price, Mandatory Technical Criteria

- A. A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest aggregate evaluated price will be recommended for award of a contract.

ATTACHMENT 1 TO PART 4 - EVALUATION CRITERIA

See attached document entitled:

“TECHNICAL EVALUATION MATRIX TRAILER, ENGAGEMENT AND ATTRACTION TEAM” dated May, 2022.

ATTACHMENT 2 TO PART 4 - PRICING SCHEDULE

1. General

- A. Bidders must submit a Firm Unit Price for each Item.
- B. Bidders are requested to complete the following Pricing Schedule and include it in the bid.
- C. All prices and costs must be submitted in Canadian Dollars, Canadian customs duties and excise taxes included, Applicable Taxes excluded.

2. Firm Goods and/or Services

2.1 TRAILER, ENGAGEMENT AND ATTRACTION TEAM

- A. The Firm Unit Price(s) include(s) associated specifications, training, and deliverables as per Annex A, Requirement, Delivered Duty Paid (DDP) specified Delivery Point, Incoterms 2010:

Item	Delivery Point	Quantity Required (A)	Firm Unit Price (B)	Sub-Total (C = A x B)
001	8 Wing Trenton Major Equipment Section 8 Wing Supply Trenton 46 Portage Drive, Bldg 162 Trenton, ON K0K 3W0	1	\$	\$
Total (D = sum C)				\$

PART 5 - CERTIFICATIONS AND ADDITIONAL INFORMATION

5.1 General

- A. Bidders must provide the required certifications and additional information to be awarded a contract.
- B. The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue, whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.
- C. The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1.2 Certifications - Contract

- A. Compliance with the certifications provided by the Contractor in its bid is a condition of the Contract and subject to verification by Canada during the term of the Contract. If the Contractor does not comply with any certification or it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

5.2 Certifications Required with the Bid

- A. Bidders must submit the following duly completed certifications as part of their bid.

5.2.1 Integrity Provisions - Declaration of Convicted Offences

- A. In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, if applicable, the Integrity declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

5.2.2 Canadian Content Certification

This procurement is conditionally limited to Canadian goods.

Subject to the evaluation procedures contained in the bid solicitation, bidders acknowledge that only bids with a certification that the good(s) offered are Canadian goods, as defined in clause [A3050T](#), may be considered.

Failure to provide this certification completed with the bid will result in the good(s) offered being treated as non-Canadian goods.

The Bidder certifies that:

() the good(s) offered are Canadian goods as defined in paragraph 1 of clause [A3050T](#).

5.3 Certifications Precedent to Contract Award and Additional Information

- A. The certifications and additional information listed below should be submitted with the bid but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame specified will render the bid non-responsive.

5.3.1 Integrity Provisions - Required Documentation

- A. In accordance with the section titled "Information to be provided when bidding, contracting, or entering into a real procurement agreement" of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-) (<http://www.tpsgc-pwgsc.gc.ca/ci->

[if/politique-policy-eng.html](#)), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.3.2 Federal Contractors Program for Employment Equity - Bid Certification

- A. By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "[FCP Limited Eligibility to Bid](#)" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](#) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).
- B. Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

5.3.3 Canadian Content Definition

- A. Canadian good: A good wholly manufactured or originating in Canada is considered a Canadian good. A product containing imported components may also be considered Canadian for the purpose of this policy when it has undergone sufficient change in Canada, in a manner that satisfies the definition specified under the North American Free Trade Agreement (NAFTA) Rules of Origin. For the purposes of this determination, the reference in the NAFTA Rules of Origin to "territory" is to be replaced with "Canada". (Consult Section 3.130 and Annex 3.6 of the Supply Manual for further information.)

5.3.4 Product Conformance

- A. The Bidder certifies that all vehicles/equipment proposed conform, and will continue to conform throughout the duration of the contract, to all technical specifications of Annex A, Requirement. This certification does not relieve the bid from meeting all mandatory technical evaluation criteria detailed in Part 4.

Signature of Bidder's Authorized Representative

Date

5.3.5 Contact information for Contractor's representative and After Sale Service

- A. The Bidder is requested to provide the information in Part 6 at 6.5.4 Contractor's Representative and at 6.5.5 After Sales Service.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

- A. There is no security requirement applicable to the Contract.

6.2 Requirement

- A. The Contractor must provide the item(s) detailed under the Requirement at Annex A and the Basis of Payment at Annex B.

6.2.1 Technical Changes, Substitutes, and Alternatives

- A. Any technical changes, substitutes and alternatives proposed by the Contractor must be evaluated for acceptance by the Technical Authority. Any substitutes and alternatives must be equivalent in form, fit, function, quality and performance to what is being replaced and must be at no additional cost to Canada. Substitutes and alternatives that are offered as equivalent will only be acceptable once they are approved by the Technical Authority as an equivalent. A contract amendment will be issued.
- B. Should the Technical Authority not accept the substitute or the alternative and the Contractor is unable to meet the technical requirement, Canada may terminate the contract for default in accordance with the general conditions stated in the contract.

6.3 Standard Clauses and Conditions

- A. All clauses and conditions identified in the Contract by number, date and title are set out in the *Standard Acquisition Clauses and Conditions (SACC) Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

- A. 2010A (2022-01-28), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract, with the following modification:
- (i) Article 01, Interpretation, definition of "Canada", "Crown", "Her Majesty" or "the Government", is deleted in its entirety and replaced with the following:
- "Canada", "Crown", "Her Majesty" or "the Government" means Her Majesty the Queen in right of Canada as represented by the Minister of National Defence and any other person duly authorized to act on behalf of that minister or, if applicable, an appropriate minister to whom the Minister of National Defence has delegated his or her powers, duties or functions and any other person duly authorized to act on behalf of that minister.
- (ii) Article 09, Warranty, subsections 1 and 2 are deleted in their entirety and replaced with the following:
1. Despite inspection and acceptance of the Work by or on behalf of Canada and without restricting any provisions of the Contract or any condition, warranty or provision imposed by law, the Contractor, if requested by Canada to do so, must replace, repair or correct, at its own option and expense any work that becomes defective or fails to conform to the requirements of the Contract, where applicable. The warranty period will be 12 months of 2,000 hours of usage, whichever comes first, after delivery and acceptance of the Work or the length of the Contractor's or manufacturer's standard warranty period, whichever is longer.

2. The Contractor must pay the transportation cost associated with returning the Work or any part of the Work to the Contractor's plant for replacement, repair or making good. The Contractor must also pay the transportation cost associated with forwarding the replacement or returning the Work or part of the Work when rectified to the delivery point specified in the Contract or to another location as directed by Canada. If, in the opinion of Canada, it is not expedient to remove the Work from its location, the Contractor must carry out any necessary repair or making good of the Work at that location. In such cases, the Contractor will be responsible for all Costs (including travel and living expenses) incurred in so doing, Canada will not reimburse these Costs.

All other provisions of the warranty section remain in effect.

6.3.2 Existing Technical Publications - Translation

- A. The Contractor grants to Canada a non-exclusive, perpetual, irrevocable and royalty-free license to translate and reproduce for government use all or any part of the technical publications supplied with the equipment delivered under the Contract. Copyright in the translation made by Canada or by independent contractors engaged by Canada will belong to Canada.

6.3.3 Compliance with on-site measures, standing orders, policies and rules

- A. The Contractor must comply and ensure that its employees and subcontractors comply with all security measures, standing orders, policies or other rules in force at the site where the Work is performed.

6.4 Term of Contract

6.4.1 Delivery Dates

- A. All the deliverables must be received on or before the date(s) specified in Annex B of the Contract.

6.4.2 Delivery Points

- A. Delivery of the requirement must be made to delivery point(s) specified at Annex B of the Contract.
- B. The Contractor must deliver the goods by appointment only. The Contractor is responsible for contacting the Contracting Authority in advance of shipping to obtain the contact information for the delivery point(s). The Contractor or its carrier must arrange delivery appointments by contacting the delivery point(s). The consignee(s) may refuse shipments when prior arrangements have not been made. When the carrier is required to return due to its failure to make an appointment for delivery, Canada will not be liable to pay for additional costs.

6.5 Authorities

6.5.1 Contracting Authority

- A. The Contracting Authority for the Contract is:

Name: Genevieve Roach
Title: Procurement Officer
Position: DLP 5-3-4-6
Address: Department of National Defence Headquarters
101 Colonel By Drive
Ottawa, Ontario K1A 0K2
E-mail: Genevieve.roach@forces.gc.ca

- B. The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work

in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Technical Authority

A. The Technical Authority for the Contract is:

[Contact information to be detailed in the resulting contract]

Name: _____
Title: _____
Position: _____
Address: Department of National Defence Headquarters
101 Colonel By Drive
Ottawa, Ontario K1A 0K2
Telephone: _____
E-mail: _____

B. The Technical Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Technical Authority; however, the Technical Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative

[Contact information to be detailed in the resulting contract]

Name: _____
Title: _____
Address: _____

Telephone: _____
E-mail: _____

6.5.4 After Sales Service

A. The following dealer(s) and/or agent(s) is(are) authorized to provide after sales service, maintenance, and warranty repairs; and a full range of repair parts for the vehicle/equipment offered:

[Contact information to be detailed in the resulting contract]

Name: _____
Title: _____
Address: _____

Telephone: _____
E-mail: _____

6.6 Payment

6.6.1 Basis of Payment

6.6.1.1 Firm Price

A. In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm price, as specified in Annex B for a cost of \$[amount to be detailed in the resulting contract]. Customs duties are included and Applicable Taxes are extra.

6.6.2 Limitation of Price

- A. Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.6.3 Method of Payment

6.6.3.1 Multiple Payments

- A. Canada will pay the Contractor upon completion and delivery of units in accordance with the payment provisions of the Contract if:
- (i) an accurate and complete invoice and any other documents required by the Contract have been submitted in accordance with the invoicing instructions provided in the Contract;
 - (ii) all such documents have been verified by Canada; and
 - (iii) the Work delivered has been accepted by Canada.

6.6.4 Electronic Payment of Invoices

- A. The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

[List to be updated in the resulting contract]

- (i) Direct Deposit (Domestic and International); and
- (ii) Electronic Data Interchange (EDI) (International only); and
- (iii) Wire Transfer (International Only)

6.7 Invoicing

6.7.1 Invoicing Instructions

- A. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
- B. Each invoice must contain or be supported by the applicable documents:
- (i) The serial number(s), or a copy of the New Vehicle Information Statement (NVIS) containing the Vehicle Identification Number(s) (VIN);
 - (ii) A copy of the release document and any other documents as specified in the Contract; and
 - (iii) A description of the Work delivered.
- C. Invoices must be distributed as follows:
- (i) The invoice along with any required supporting documentation must be forwarded to the Contracting Authority for certification and payment at:

Email: [email to be detailed in the resulting contract]

- (ii) By submitting a .pdf copy, the Contractor certifies that the .pdf copy of each invoice will be considered as the original invoice. In addition, the Contractor must indicate the contract number and name of the Contracting Authority in its covering e-mail.

6.7.2 Holdback

- A. A 10% holdback will apply on any due payment of the following:
 - (i) Items 001 as per Annex B.
- B. Applicable Taxes must be calculated on the total amount of the claim before the holdback is applied. At the time the holdback is claimed, there will be no Applicable Taxes payable as it was claimed and payable under the previous invoice.
- C. Release of the 10% holdback is conditional upon receipt and acceptance of all Work under this Contract.
- D. Invoicing instructions for the holdback are as detailed in the clause entitled "Invoicing Instructions".

6.8 Certifications and Additional Information

6.8.1 Compliance

- A. Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.9 Applicable Laws

- A. The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

6.10 Priority of Documents

- A. If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list:
 - (i) The Articles of Agreement;
 - (ii) The General Conditions 2010A (2022-01-28), General Conditions - Goods (Medium Complexity);
 - (iii) Annex A, Requirement;
 - (iv) Annex B, Basis of Payment;
 - (v) the Contractor's bid dated [date to be specified in the resulting contract], as clarified on [date to be specified in the resulting contract, if required], and as amended on [date to be specified in the resulting contract, if required].

6.11 Defence Contract

- A. The Contract is a defence contract within the meaning of the Defence Production Act, R.S.C. 1985, c. D-1 (<http://laws-lois.justice.gc.ca/eng/acts/d-1/>), and must be governed accordingly.
- B. Title to the Work or to any materials, parts, work-in-process or finished work must belong to Canada free and clear of all claims, liens, attachments, charges or encumbrances. Canada is entitled, at any time, to

remove, sell or dispose of the Work or any part of the Work in accordance with section 20 of the *Defence Production Act*.

6.12 Foreign Nationals (Canadian Contractor)

- A. The Contractor must comply with Canadian immigration requirements applicable to foreign nationals entering Canada to work temporarily in fulfillment of the Contract. If the Contractor wishes to hire a foreign national to work in Canada to fulfill the Contract, the Contractor should immediately contact the nearest Service Canada regional office to enquire about Citizenship and Immigration Canada's requirements to issue a temporary work permit to a foreign national. The Contractor is responsible for all costs incurred as a result of non-compliance with immigration requirements.

6.13 Insurance - No Specific Requirement

- A. The Contractor is responsible for deciding if insurance coverage is necessary to fulfill its obligation under the Contract and to ensure compliance with any applicable law. Any insurance acquired or maintained by the Contractor is at its own expense and for its own benefit and protection. It does not release the Contractor from or reduce its liability under the Contract.

6.14 Inspection and Acceptance

- A. The Technical Authority is the Inspection Authority. All reports, deliverable items, documents, goods and all services rendered under the Contract are subject to inspection by the Inspection Authority or representative. Should any report, document, good or service not be in accordance with the requirements of the Requirement and to the satisfaction of the Inspection Authority, as submitted, the Inspection Authority will have the right to reject it or require its correction at the sole expense of the Contractor before recommending payment.

6.15 Post-Contract Award Meeting

- A. Within 10 days of the date of Contract, the Contractor must contact the Contracting Authority to determine if a post-contract award meeting is required. A meeting will be convened at the discretion of the Contracting Authority to review technical and contractual requirements. The Contractor must prepare and distribute the minutes of the meeting within 5 calendar days after the completion of the meeting. The meeting will be held at the Contractor's facility or via teleconference at Canada's discretion at no additional cost to Canada, with representatives of the Contractor and the Department of National Defence.

6.16 Quality Management Systems - Requirements (Quality Assurance Code C)

- A. The Contractor is responsible for implementing a quality system appropriate to the scope of the work to be performed. It is recommended that the quality system be based on *ISO 9001:2015 "Quality management systems - Requirements."*
- B. The Contractor is responsible for performing or having performed all inspections and tests necessary to substantiate that the materiel or services provided conform to the drawings, specifications and the requirements of the contract. The Contractor must keep accurate and complete inspection records which must, upon request, be made available to the authorized Department of National Defence (DND) representative, who may make copies and take extracts during the performance of the Contract and for a period of 1 year after the completion of the Contract.
- C. Despite the above, all materiel is subject to verification and acceptance by DND at destination. The authorized DND representative at destination may either be the consignee(s), the Technical Authority, or the Quality Assurance Authority.

6.17 Material

- A. Material supplied must be new unused and of current production by manufacturer.

6.18 Interchangeability

- A. Unless changes during the production run are authorized by the Contracting Authority, all vehicles/equipment supplied against any one item of a contract must be the same make and model, and all like assemblies, sub-assemblies and parts must be interchangeable.

6.19 Vehicle Safety

- A. Each vehicle supplied pursuant to the Contract must meet the applicable provisions of the [Motor Vehicle Safety Act](#), S.C. 1993, c. 16 (<http://laws-lois.justice.gc.ca/eng/acts/M-10.01/page-1.html>), and the applicable regulations that are in force on the date of its manufacture.

6.20 Recall Notices

- A. All recall notices must be forwarded to the Technical Authority identified in this Contract.

6.21 Packaging

- A. The methods used for preservation and packaging must be in conformity with the Contractor's normal standard for domestic shipment or, if necessary, with standards for overseas shipment as below deck cargo.

6.22 Wood packaging materials

- A. All wood packaging materials used in shipping must conform to the [International Standards for Phytosanitary Measures No. 15: Regulation of Wood Packaging Material in International Trade \(ISPM 15\)](#) (<https://www.ippc.int/en/core-activities/standards-setting/ispms/>).
- B. Pertinent additional information on Canada's import and export programs is provided in the following Canadian Food Inspection Agency policy directives:
- (i) D-98-08 - [Entry Requirements for Wood Packaging Materials Produced in All Areas Other Than the Continental United States](#) (<http://www.inspection.gc.ca/plants/plant-protection/directives/forestry/d-98-08/eng/1323963831423/1323964135993>); and
 - (ii) D-13-01 - [Canadian Heat Treated Wood Products Certification Program \(HT Program\)](#) (<http://www.inspection.gc.ca/plants/forestry/exports/ht-program/eng/1319462565070/1319462677967>).

6.23 Preparation for Delivery

- A. The equipment must be serviced, adjusted and delivered in condition for immediate use. The equipment must be cleaned before leaving the factory and being released to Inspection Authority or consignee personnel at the final delivery point.

6.24 Delivery of Dangerous Goods/Hazardous Products

- A. The Contractor must mark dangerous goods/hazardous products which are classed as dangerous/hazardous as follows:
- (i) shipping container - in accordance with the [Transportation of Dangerous Goods Act](#), 1992, c. 34 (<http://laws-lois.justice.gc.ca/eng/acts/T-19.01/>); and
 - (ii) immediate product container - in accordance with the [Hazardous Products Act](#), R.S., 1985, c. H-3 (<http://laws-lois.justice.gc.ca/eng/acts/H-3/>).
- B. The Contractor must provide bilingual Safety Data Sheets, indicating the NATO Stock Number as follows:

- (i) 2 hard copies:
 - (a) 1 copy to be enclosed with the shipment, and
 - (b) 1 copy to be mailed to:

National Defence Headquarters
MGen George R. Pearkes Building
101 Colonel By Drive
Ottawa, Ontario K1A 0K2
Attention: DSCO 5-4-2

- (ii) 1 copy sent in any electronic format to the following address: MSDS-FS@FORCES.GC.CA.

- C. The Contractor will be responsible for any damages caused by improper packaging, labelling or carriage of dangerous goods/hazardous products.
- D. The Contractor must ensure they adhere to all levels of regulations regarding dangerous goods/hazardous products as set forth by federal, provincial, and municipal laws and by-laws.
- E. The Contractor must contact the consignee (i.e. Supply Depot Traffic Section) at least 48 hours before shipping dangerous goods/hazardous products in order to schedule a receiving time.

6.25 Tools and Loose Equipment

- A. For shipment verification, all items and tools, which are shipped loose with the vehicle must be listed on the Inspection Certificate (CF1280) or on an attached packing note.

6.26 Delivery and Unloading

- A. Delivery trucks must be equipped with an unloading device which will permit unloading at sites with no hydraulic, stationary or other type of unloading facility.
- B. When making deliveries, sufficient personnel must be provided to permit unloading of any type of vehicle without the assistance of federal government personnel.
- C. At some sites, the delivery truck must be unloaded while parked at the curb. When material is placed on the sidewalk, it must be placed in proximity to the designated entrance so as to be readily accessible to transport by mechanical handling equipment utilized by site personnel.

6.27 Incomplete Assemblies

- A. The Contractor must not ship incomplete assemblies unless the authorization for such shipment has been obtained from the Contracting Authority.

6.28 Work Site Access

- A. Authorized representatives of Canada must have access to any site where any part of the Work is being carried out at any time during working hours to make examinations and such tests of the Work as they may think fit.

6.29 Marking

- A. The Contractor must ensure that the manufacturer's name and part number are clearly stamped or etched on each item for positive identification purposes.

6.30 Labelling

- A. The Contractor must ensure that the manufacturer's and specification numbers appear on each item, either printed on the container or on an adhesive label of highest commercial standard affixed to the container.

6.31 Dispute Resolution Services

- A. The parties understand that the Procurement Ombudsman appointed pursuant to subsection 22.1 (1) of the Department of Public Works and Government Services Act will, on request of a party, provide a proposal for an alternative dispute resolution process to resolve any dispute arising between the parties respecting the interpretation or application of a term or condition of this contract. The parties may consent to participate in the proposed alternative dispute resolution process and to bear the cost of such process. The Office of the Procurement Ombudsman may be contacted by telephone at 1-866-734-5169 or by e-mail at boa.opo@boa.opo.gc.ca.

ANNEX A - REQUIREMENT

See attached document(s) entitled:

“PURCHASE DESCRIPTION FOR TRAILER, ENGAGEMENT AND ATTRACTION TEAM” dated January, 2022

ANNEX B - BASIS OF PAYMENT

1. General

A. All prices and costs are in Canadian Dollars, Canadian customs duties and excise taxes included, Applicable Taxes excluded.

2. Firm Goods and/or Services

2.1 TRAILER, ENGAGEMENT AND ATTRACTION TEAM

A. The Firm Unit Price(s) include(s) associated specifications and deliverables as per Annex A, Requirement, Delivered Duty Paid (DDP) specified Delivery Point, Incoterms 2010:

Item	Delivery Point	Delivery Date	Quantity Required	Make/Model	Firm Unit Price
001	8 Wing Trenton Major Equipment Section 8 Wing Supply Trenton 46 Portage Drive, Bldg 162 Trenton, ON K0K 3W0	[Date to be detailed in the resulting contract]	1	To be added in the resulting contract	\$(Cost to be detailed in the resulting contract)



Annex A

W8476-236619/A

January 2022

NOTICE



This documentation has been reviewed by the Technical Authority
and does not contain controlled goods.

AVIS

Cette documentation a été révisée par l'Autorité technique et ne
contient pas de marchandises contrôlées.

PURCHASE DESCRIPTION

FOR

TRAILER, ENGAGEMENT AND ATTRACTION TEAM

OPI: DSVPM 4 – BPR: DAPVS 4

Issued on Authority of the Chief of the Defence Staff

Publiée avec l'autorisation du chef d'état-major de la Défense

© 2022 DND/MDN Canada

Canada

TABLE OF CONTENTS

1.0	SCOPE	4
1.1	Purpose	4
1.2	Instructions	4
1.3	Definitions	4
2.0	APPLICABLE DOCUMENTS	6
2.1	Reference Documents	6
3.0	REQUIREMENTS	7
3.1	Standard Design	7
3.2	Operating Conditions	7
3.3	Safety Standards	7
3.4	Payload	7
3.5	Speed	7
3.6	Towing Ability	7
3.7	Trailer Size and Dimensions	8
3.8	Trailer Construction	8
3.9	Trailer Wall Reinforcement	8
3.10	Roadside Door	8
3.11	Fold-out Stages	9
3.12	Tongue Support	9
3.13	Stone Guard	9
3.14	Stabilizers	9
3.15	Tie-down Rings	10
3.16	Cabinets	10
3.17	Hitch	10
3.18	Wire Harness Protection	10
3.19	12 Volt Electrical System	11
3.20	12 Volt Lighting	11
3.21	Light Guards	11
3.22	120VAC Electrical System	11
3.23	Generator Enclosure	12
3.24	External Work Lights	12
3.25	Alarm System	
3.26	Awning	13
3.27	Banner Support Structure	13
3.28	Ladder	13
3.29	Roof	13

3.30	Grounding	13
3.31	License Plate Holder	14
3.32	Brake System	14
3.33	Axle(s)	14
3.34	Wheels, Rims and Tires	14
3.35	Lubricants	14
3.36	Corrosion Protection	14
3.37	Paint	15
3.38	Identification	15
3.39	Labels	15
3.40	Warning, Markings and Instruction Plates	15
3.41	Trailer Delivery Instructions	15
4.0	INTEGRATED LOGISTICS SUPPORT	16
4.1	Documentation and Support Items	16
	TOP LAYOUT VIEW	18
	INTERIOR CURBSIDE VIEW	20
	EXTERIOR CURBSIDE VIEW	22

1.0 SCOPE

1.1 Purpose

This document describes the requirements for a custom built, enclosed, multi-stage trailer for the RCAF Engagement and Attraction Team (REAT). This includes design, development and fabrication.

1.2 Instructions

1.2.1 Requirements, which are identified by the word “**must**”, are mandatory. Deviations will not be permitted.

1.2.2 Requirements identified by “**must**” or “**equivalent**” are mandatory. The Technical Authority will consider substitutes/alternatives offered and will provide acceptance if suitable.

1.2.3 Where “**must**”, “**must**” or “**equivalent**”, or “will” are not used, the information provided is for guidance only.

1.2.4 Where a standard is specified and the Bidder has offered an equivalent, that equivalent standard **must** be supplied by the Bidder.

1.2.5 Where a technical certification is referred to in this Purchase Description, a copy of the certification or an acceptable proof of compliance **must** be provided for the trailer when requested by the Technical Authority up until the date of the expiration of the warranty period.

1.2.6 While the metric system is used as the primary system of measurement to define requirements in this Purchase Description, both the metric system and the Imperial system of measurements may be indicated. Conversions from one system of measurement to the other may not be exact.

1.2.7 Dimensions stated as nominal are treated as approximate dimensions. Nominal dimensions reflect a method by which materials or products are generally identified for sale commercially, but which differ from the actual dimensions.

1.3 Definitions

1.3.1 “Provided” means “provided and installed”.

1.3.2 “Trailer” means the REAT trailer for which this purchase description is written.

1.3.3 “Technical Authority” means the official responsible for the technical content of this Purchase Description.

- 1.3.4 “Equivalent” means a standard, means, or component type, which the Technical Authority has approved for this requirement as meeting the specified requirements for fit.
- 1.3.5 “Commercially provided” means that the trailer is provided in its standard commercial configuration, with no additional government-specific requirements.
- 1.3.6 “Road Legal” means the trailer can be legally operated on all Canadian highways and secondary roads, without restrictions or special permits.
- 1.3.7 “Curb Weight” means the weight of the fully equipped trailer. The curb weight includes trailer, all attached accessories, equipment, fuel, lubricant and coolants. The Curb Weight does not include the Payload.
- 1.3.8 “Payload” means the maximum cargo load carrying capacity of the trailer. The payload is the calculated difference between the Curb Weight and the Gross Vehicle Weight Rating.
- 1.3.9 “Gross Vehicle Weight” (GVW) means the sum of the Curb Weight and the Payload. The GVW cannot exceed the Gross Vehicle Weight Rating (GVWR);
- 1.3.10 “Gross Vehicle Weight Rating” (GVWR) means the maximum operating weight of the trailer as stated by the manufacturer.
- 1.3.11 “Roadside” means the side of the trailer located behind the towing driver, closer to the middle of a Canadian road.
- 1.3.12 “Curbside” means the side of the trailer located closer to the curb of a Canadian road.

2.0 APPLICABLE DOCUMENTS

2.1 Reference Documents

2.1.1 The following documents form part of this Purchase Description. Canada will not be supplying any reference documents. Sources are as shown:

- a. Canadian Motor Vehicle Safety Standards (CMVSS)
Transport Canada,
Road Vehicle and Motor Vehicle Regulation,
330 Sparks Street,
Ottawa, Ontario K1A 0N5
<https://www.tc.gc.ca/eng/acts-regulations/regulations-crc-c1038.htm>
- b. Hazardous Products Act
Government of Canada / Department of Justice
<http://laws-lois.justice.gc.ca/eng/acts/H-3/>
- c. International Organization for Standardization (ISO)
ISO Central Secretariat¹, ch. de la Voie-Creuse
CP 56, CH-1211 Geneva 20
Switzerland
<http://www.iso.org/iso/home.htm>
- d. SAE Standards
SAE World Headquarters
400 Commonwealth Dr.
Warrendale, PA, 15096-0001
<http://www.sae.org>
- e. National Floor Safety Institute
200, 2815 Exchange Blvd
Southlake, TX 76092,
United States
<https://nfsi.org/certifications/certified-products/>
- f. CSA Group
178 Rexdale Blvd.
Toronto, ON M9W 1R3
Canada
<https://www.csagroup.org/>

3.0 REQUIREMENTS

3.1 Standard Design

3.1.1 The trailer **must** be the latest model from a manufacturer who has demonstrated acceptability by selling, in North America, this type and size class of trailer for at least three (3) years.

3.1.2 The trailer **must** conform to all applicable laws, regulations and industrial standards governing manufacturing and safety in effect in Canada at the time of manufacture.

3.1.3 The trailer **must** not have systems and components operating at capacities beyond those published by the system or component manufacturer.

3.2 Operating Conditions

3.2.1 **Weather:** The trailer **must** operate under the extremes of weather conditions found in Canada in temperatures ranging from -40°C to 40°C.

3.2.2 **Terrain:** The trailer **must** operate on highways, secondary roads and gravel and dirt roads in year round operations, including snow and ice conditions.

3.3 Safety Standards

3.3.1 **Vehicle Safety Regulations:** The trailer **must** meet the provisions of the Canada Motor Vehicle Safety Act in effect on the date of manufacture of the trailer;

3.3.2 **Hazardous Materials:** The trailer **must** comply with the Hazardous Products Act of Canada concerning the use of hazardous materials, ozone depleting substances, polychlorinated biphenyls, asbestos and heavy metals used in the manufacture and assembly.

3.4 Payload

3.4.1 The trailer **must** operate when carrying a minimum pre-furnished payload of 3084.4 kg (6800 lb), assuming a GVWR of 4717.4 kg (10,400 lb).

3.4.2 The trailer drawbar vertical load **must** be limited to 15% of the trailer GVWR.

3.5 Speed

3.5.1 The trailer **must** be towed with a full payload on highways and secondary roads at speeds of no less than 110 km/h.

3.6 Towing Ability

3.6.1 The trailer **must** follow the towing vehicle without weaving or side sway.

3.6.2 The trailer **must** provide horizontal articulation up to 60 degrees (30° either side of the direction of travel) without interference with the towing vehicle.

3.7 Trailer Size and Dimensions

3.7.1 The trailer **must** feature an interior length of no less than 716.3 cm (23.5 ft).

3.7.2 The trailer **must** feature an interior width of no less than 243.8 cm (8 ft).

3.7.3 The trailer's width **must** not exceed 260 cm (8.5 ft).

3.7.4 The trailer **must** feature an internal ceiling height of no less than 243.8 cm (8 ft).

3.7.5 The trailer's external height **must** not exceed 415 cm (13.6 ft).

3.8 Trailer Construction

3.8.1 The trailer's flooring (including all platforms) **must** have a non-skid surface of a type qualified by the National Floor Safety Institute.

3.8.2 The trailer **must** have either a 100% hot dipped galvanized steel frame or 100% hot dipped galvanized steel clad construction.

3.8.3 The trailer **must** feature vents on the side walls to accommodate the free flow of air and to reduce increased cabin pressure.

3.9 Trailer Wall Reinforcement

3.9.1 The roadside interior wall of the trailer **must** be reinforced to support a wall-mounted TV.

3.9.2 The reinforced wall **must** support a minimum TV mounting load of 68 kg (150 lb) attached with four (4) fasteners.

3.9.3 The reinforced wall **must** provide mounting provisions for a *Chief* model LTM1U 9 (17 in x 34.75 in x 2 in, HxWxD) wall mount unit to be applied anywhere on the wall.

3.10 Roadside Door

3.10.1 The trailer **must** be provided with a door on the rear roadside, as shown in Appendix 1.

3.10.2 The trailer door **must** feature a lock with a folding bar mechanism.

3.10.3 The trailer door **must** feature an exterior step to support personnel entry.

3.10.4 The step **must** support a load of 150 kg (331 lb), applied anywhere along the step surface with a minimum area of 30 cm x 15 cm.

3.11 Fold-out Stages

3.11.1 The trailer **must** be provided with two fold-out stages (one stage at the curbside and the other at the rear of the trailer).

3.11.2 The stages **must** be dimensioned according to Appendix 1.

3.11.3 The stages **must** be provided with aluminium railings above the edges of the stage footprints.

3.11.4 The railings **must** be foldable.

3.11.5 The railings **must** be removable.

3.11.6 The railings **must** feature a deployed height of at least 91.4 cm (36 in).

3.11.7 The stages **must** be provided with locks for securing in the closed (folded-up) position.

3.11.8 The rear stage **must** support a weight of at least 2268 kg (5,000 lb) when deployed.

3.11.9 The curbside stage **must** support a weight of at least 4536 kg (10,000 lb) when deployed.

3.12 Tongue Support

3.12.1 The trailer **must** be provided with a permanent tongue support including a docking foot plate.

3.12.2 The tongue support **must** be capable of lifting and supporting a fully loaded trailer, with a minimum load rating of 15% of GVWR.

3.12.3 The tongue support **must** feature a handle-equipped swivel mechanism for ease of height adjustment and stowing.

3.13 Stone Guard

3.13.1 The trailer **must** be provided with a stone guard on the front, of 61.0 cm (24 in) height from the bottom front face of the trailer.

3.14 Stabilizers

3.14.1 The trailer **must** be provided with stabilizers (of either *Jack* or *Drop* style).

3.14.2 The trailer **must** be provided with one stabilizer at each rear corner.

3.15 Tie-down Rings

- 3.15.1 The trailer **must** be provided with four (4) recessed, floor-mounted tie-down rings.
- 3.15.2 Each tie-down ring **must** support a minimum load limit of 4448 N (1000 lb).
- 3.15.3 The tie-down rings **must** be arranged as two (2) pairs, where each pair features one ring located 30.5 cm (12 in) from the interior roadside wall, and one ring located 30.5 cm (12 in) from the interior curbside wall.
- 3.15.4 The rear ring pair **must** be located 198.1 cm (78 in) from the rear edge of the trailer floor.
- 3.15.5 The front ring pair **must** be located 182.9 cm (72 in) forward from the rear ring pair.

3.16 Cabinets

- 3.16.1 The trailer **must** be provided with enclosed upper cabinets along the top of the interior front wall of the trailer, as shown in Appendix 1.
- 3.16.2 The trailer **must** be provided with four (4) cabinets of equal width.
- 3.16.3 The cabinets **must** feature a minimum internal depth of 38.1 cm (15 in).
- 3.16.4 The cabinets **must** feature a minimum internal height of 45.7 cm (18 in).
- 3.16.5 The cabinets **must** be composed of aluminium.
- 3.16.6 All interior bottom surfaces of the cabinets **must** be rubber laminated.
- 3.16.7 All bottom surfaces (including shelves) of each cabinet **must** have a minimum weight capacity of 45.4 kg (100 lb).
- 3.16.8 The cabinets **must** have latching doors.

3.17 Hitch

- 3.17.1 The trailer **must** be provided with a 2 5/16" trailer ball hitch or larger suitable for the GVWR.
- 3.17.2 The trailer **must** be provided with two (2) safety chains with snap hooks.
- 3.17.3 The safety chains **must** be in accordance with SAE Recommended Practice J697.

3.18 Wire Harness Protection

3.18.1 The trailer **must** be equipped with a trailer wire harness connector protection and securing system for use when trailer is not in use or when in storage.

3.18.2 The wire harness connector protection and securing system **must** be a “Connect-to-Protect” by *Hanington Innovations* or equivalent.

3.18.3 The trailer wire harness connector plug guard **must** be mounted on the trailer tongue at a location which prevents the electrical connection from making contact with the ground when used.

3.19 12 Volt Electrical System

3.19.1 The trailer **must** be provided with a negative ground electrical system.

3.19.2 The trailer **must** be provided with a 12V electrical system, including an AGM deep cycle battery sufficient to power the 12V lighting, a low-voltage disconnect switch, and a 12V fuse panel.

3.19.3 The trailer **must** be provided with two (2) internal, independently-operating switches for interior lighting, one located at the side door, and one at the rear door.

3.19.4 The trailer **must** be provided with a 7-pin, primary cable plug in accordance with SAE J560.

3.19.5 The trailer’s 12V electrical system **must** comply with CSA C22.

3.20 12 Volt Lighting

3.20.1 The trailer **must** have external 12 volt lights in accordance with CMVSS.

3.20.2 The trailer interior **must** be provided with recessed (flush to ceiling) 12V lighting. Lighting **must** provide illumination for the entire trailer interior, with a minimum of 500 lux (lumen/m², or 50 foot candles).

3.20.3 All lighting assemblies **must** be LED.

3.21 Light Guards

3.21.1 All lighting **must** be protected by guards or mounted in a location to prevent damage.

3.22 120VAC Electrical System

3.22.1 The trailer **must** be provided with a 30 amp, 120VAC electrical system, to be powered by an external, tongue-mounted generator.

3.22.2 The 120VAC electrical system **must** be provided with a circuit breaker box.

3.22.3 The trailer **must** be provided with no less than six (6) internal wall-mounted 120VAC duplex receptacles.

3.22.4 The trailer **must** be provided with no less than two (2) external, weatherproof, wall-mounted 120VAC duplex receptacles.

3.22.5 The locations of all receptacles **must** be approved by the Technical Authority.

3.22.6 The trailer's 120VAC electrical system **must** comply with CSA C22.

3.23 Generator Enclosure

3.23.1 The trailer **must** be provided with a generator enclosure.

3.23.2 The enclosure **must** be enclosed and support the Honda Ultra-Quiet EU 2200i model (20 in x 11.4 in x 16.7 in, LxWxH).

3.23.3 The enclosure **must** be mounted to the hitch's tongue.

3.23.4 The enclosure **must** be equipped with a locking feature to secure the generator during travel and to prevent theft.

3.23.5 The enclosure **must** permit the generator exhaust line to be directed away from the trailer, towards the roadside.

3.23.6 The enclosure **must** be weather resistant.

3.23.7 The enclosure **must** not impede the generator operation or generator maintenance.

3.24 External Work Lights

3.24.1 A front work light **must** be affixed to the trailer's front exterior that **must** illuminate the generator enclosure.

3.24.2 A roadside work light **must** be affixed to the trailer's curbside that **must** illuminate the area covered by the awning when deployed.

3.24.3 The roadside work light **must** have a rating of at least 1900 Lumens.

3.24.4 The work lights **must** operate on the 12V system

3.24.5 The work lights **must** have individual switches inside the trailer.

3.25 Alarm

3.25.1 The trailer **must** be provided with an alarm activated when access to all entry points is attempted.

3.25.2 The alarm system **must** have a programmable key pad and remote control to set, adjust and dis-arm the system.

3.25.3 The alarm system **must** have motion an audible alarm and be connected to external 12 volt lights.

3.25.4 The alarm system **must** be re-chargeable from the on-board generator.

3.26 Awning

3.26.1 The trailer **must** be provided with a roll-out, manual retractable, all-season awning.

3.26.2 The awning **must** be 518.2 cm (17 ft.) long.

3.26.3 The awning **must** be installed on the curbside of the vehicle, centred over the fold-out roadside stage.

3.27 Banner Support Structure

3.27.1 The trailer **must** be provided with a banner support structure on the curbside of the roof, to allow for interchangeable banner support.

3.27.2 The banner support structure **must** be composed of steel or aluminium.

3.27.3 The banner support structure **must** be dimensioned as shown in Appendix 1.

3.28 Ladder

3.28.1 The trailer **must** be provided with a ladder to access the roof from the ground level.

3.28.2 The ladder **must** be located at the front of the trailer, as shown in Appendix 1.

3.28.3 The ladder **must** be composed of aluminium.

3.29 Roof

3.29.1 The trailer **must** be provided with a reinforced roof to allow personnel to traverse the top of the trailer for banner customization.

3.29.2 The roof **must** support a load of 150 kg (331 lb), applied anywhere along the surface with a minimum area of 30 cm x 15 cm.

3.30 Grounding The trailer **must** be provided with a grounding point and ground rod with electrical connector, for the purpose of electric circuit grounding and to minimize electrostatic discharge in the trailer.

3.31 License Plate Holder

3.31.1 The trailer **must** be provided with a rear-mounted license plate holder.

3.31.2 The placement of the license plate holder **must** comply with CMVSS.

3.32 Brake System

3.32.1 The trailer **must** be provided with the manufacturer's standard electric brake system.

3.33 Axle(s)

3.33.1 Trailer axle(s) **must** have a capacity of no less than the GVWR.

3.33.2 The suspension **must** have a capacity of no less than the GVWR.

3.34 Wheels, Rims and Tires

3.34.1 Tire pressure **must** be marked near the tire location.

3.34.2 The tires **must** be tubeless radial tires with all-weather treads.

3.34.3 The rims **must** be single piece steel rims.

3.34.4 The trailer **must** be provided with a spare wheel assembly mounted on the trailer exterior that is identical to the wheels provided on the trailer.

3.34.5 The Contractor **must** obtain approval of the spare tire mounting location from the Technical Authority.

3.34.6 The trailer **must** be provided with a suitably sized jack and wheel nut wrench, whose location may not obstruct ordinary use of the trailer (recessed location is preferred).

3.35 Lubricants

3.35.1 The trailer **must** be provided with and be serviceable with non-proprietary lubricants.

3.35.2 Lubrication fittings **must** conform to SAE J534.

3.36 Corrosion Protection

3.36.1 The Bidder **must** provide the trailer with a corrosion protective coating.

3.36.2 The protective coating **must** completely cover the trailer's entire metal frame.

3.36.3 The trailer's hardware (including all hinges, latches, tie-in components) **must** be composed of either aluminium, stainless steel, or plated steel to minimize corrosion. Where dissimilar metals meet, appropriate preventative measures such as non-absorbent insulate, tape, etc., **must** be used.

3.37 Paint

3.37.1 The trailer **must** be painted white using the manufacturer's standard commercial painting.

3.38 Identification

3.38.1 The following information **must** be permanently marked in a conspicuous and protected location:

- a. Manufacturer's name, model and serial number;
- b. Manufacturer's Vehicle Identification Number (VIN);
- c. Trailer Capacity (Payload or GTWR) rating marked on the drawbar; and
- d. Centre of gravity of the fully-equipped trailer.

3.39 Labels

3.39.1 All warning and instruction labels **must** be in a bilingual format or ISO symbol format.

3.40 Warning, Markings and Instruction Plates

3.40.1 Dangerous goods placard holders **must** be provided and located on each side of the trailer as per CSA B620 standard.

3.41 Trailer Delivery Instructions

3.41.1 The trailer **must** be delivered to destination in a fully operational condition (serviced and adjusted).

3.41.2 The trailer **must** be clean upon delivery.

3.41.3 For shipment verification, items such as wheel wrenches, jacks, cargo straps, and all other tools, equipment and accessories, which are shipped loose, **must** be listed on the shipping certificate or to an attached packing note.

4.0 INTEGRATED LOGISTICS SUPPORT

4.1 Documentation and Support Items

Item	Provided to Technical Authority	Provided with the Trailer
Operator's Manuals	x	x
Data Summary	x	
Warranty Letter	x	x
Material Safety Data Sheets	x	

a. Operator's Manuals

- (i) An operator's manual for the safe trailer operation including all supplied attachments **must** be provided with the trailer;
- (ii) The operator's manual **must** be provided in a bilingual format as a package;
- (iii) A digital copy of the operator's manual **must** be provided, in addition to the paper copy, with the trailer;
- (iv) The digital copy **must** be functional without the requirement for a password, an auto-run installation procedure or an Internet connection; and
- (v) Digital copies **must** be provided on a portable USB drive. It is preferred that the digital copy be provided in a searchable PDF format.

b. Data Summary

- (i) A bilingual data summary with data and photographs **must** be provided for the trailer in the Technical Authority provided format;

c. Warranty Letter

- (i) A paper copy of the completed bilingual warranty letter in the approved format (provided by the Technical Authority) **must** be provided with the trailer;
- (ii) The warranty letter **must** include the name and contact information of the closest designated warranty provider and other designated warranty providers across Canada; and

d. Material Safety Data Sheets

- (i) The Bidder **must** provide a listing of all hazardous materials used in the trailer;

- (ii) If there are no hazardous materials used, this **must** be stated on the listing;
and
- (iii) The Bidder **must** provide material safety data sheets of all hazardous materials in the list.


Appendix 1

Annex A:

W8476-XXX

Jan 2022

TOP LAYOUT VIEW




TOP LAYOUT VIEW/
VUE SUPERIEURE DE LA DISPOSITION

NO	DESCRIPTION	QUANTITE	UNITE
1	CORSEE SINGE/PANTOU CORTE BROTON	1	
2	REAU SINGE/PANTOU ANNEAU	1	
3	SINGE SINGE/PANTOU DE PANTOU	1	
4	DOOR/PORTE	1	
5	DOOR SINGE/PAS DE PORTE	1	
6	ROOF LADDER/EGALE DE TOIT	1	
7	BANNER SINGE/SINGE DE BANNIERE	1	
8	COBNET	1	
9	SINGE BALANCE/PAVANE DE PANTOU	1	
10	WALL-JOINT REINFORCEMENT/REINFORCEMENT MURAL	1	
11	REINFORCEMENT ANNU/PANOS REINFORCEMENT	1	
12	REINFORCEMENT ANNU/PANOS REINFORCEMENT	1	

LE PROJET DE LA ZONE...
LE PROJET DE LA ZONE...
LE PROJET DE LA ZONE...

NO	DESCRIPTION	QUANTITE	UNITE
1	REINFORCEMENT ANNU/PANOS REINFORCEMENT	1	
2	REINFORCEMENT ANNU/PANOS REINFORCEMENT	1	
3	REINFORCEMENT ANNU/PANOS REINFORCEMENT	1	
4	REINFORCEMENT ANNU/PANOS REINFORCEMENT	1	
5	REINFORCEMENT ANNU/PANOS REINFORCEMENT	1	
6	REINFORCEMENT ANNU/PANOS REINFORCEMENT	1	
7	REINFORCEMENT ANNU/PANOS REINFORCEMENT	1	
8	REINFORCEMENT ANNU/PANOS REINFORCEMENT	1	
9	REINFORCEMENT ANNU/PANOS REINFORCEMENT	1	
10	REINFORCEMENT ANNU/PANOS REINFORCEMENT	1	
11	REINFORCEMENT ANNU/PANOS REINFORCEMENT	1	
12	REINFORCEMENT ANNU/PANOS REINFORCEMENT	1	

INTERIOR CURBSIDE VIEW




NOTES
 1. LE PROJETANT A VÉRIFIÉ QUE LES ÉLÉMENTS DE LA FAÇADE SONT EN CONFORMITÉ AVEC LE PLAN DE LA VILLE DE MONTREAL ET LE PLAN DE LA VILLE DE LA PLATEAU MONTREAL.
 2. LE PROJETANT A VÉRIFIÉ QUE LES ÉLÉMENTS DE LA FAÇADE SONT EN CONFORMITÉ AVEC LE PLAN DE LA VILLE DE MONTREAL ET LE PLAN DE LA VILLE DE LA PLATEAU MONTREAL.
 3. LE PROJETANT A VÉRIFIÉ QUE LES ÉLÉMENTS DE LA FAÇADE SONT EN CONFORMITÉ AVEC LE PLAN DE LA VILLE DE MONTREAL ET LE PLAN DE LA VILLE DE LA PLATEAU MONTREAL.
 4. LE PROJETANT A VÉRIFIÉ QUE LES ÉLÉMENTS DE LA FAÇADE SONT EN CONFORMITÉ AVEC LE PLAN DE LA VILLE DE MONTREAL ET LE PLAN DE LA VILLE DE LA PLATEAU MONTREAL.
 5. LE PROJETANT A VÉRIFIÉ QUE LES ÉLÉMENTS DE LA FAÇADE SONT EN CONFORMITÉ AVEC LE PLAN DE LA VILLE DE MONTREAL ET LE PLAN DE LA VILLE DE LA PLATEAU MONTREAL.
 6. LE PROJETANT A VÉRIFIÉ QUE LES ÉLÉMENTS DE LA FAÇADE SONT EN CONFORMITÉ AVEC LE PLAN DE LA VILLE DE MONTREAL ET LE PLAN DE LA VILLE DE LA PLATEAU MONTREAL.
 7. LE PROJETANT A VÉRIFIÉ QUE LES ÉLÉMENTS DE LA FAÇADE SONT EN CONFORMITÉ AVEC LE PLAN DE LA VILLE DE MONTREAL ET LE PLAN DE LA VILLE DE LA PLATEAU MONTREAL.
 8. LE PROJETANT A VÉRIFIÉ QUE LES ÉLÉMENTS DE LA FAÇADE SONT EN CONFORMITÉ AVEC LE PLAN DE LA VILLE DE MONTREAL ET LE PLAN DE LA VILLE DE LA PLATEAU MONTREAL.

NOTES
 1. LE PROJETANT A VÉRIFIÉ QUE LES ÉLÉMENTS DE LA FAÇADE SONT EN CONFORMITÉ AVEC LE PLAN DE LA VILLE DE MONTREAL ET LE PLAN DE LA VILLE DE LA PLATEAU MONTREAL.
 2. LE PROJETANT A VÉRIFIÉ QUE LES ÉLÉMENTS DE LA FAÇADE SONT EN CONFORMITÉ AVEC LE PLAN DE LA VILLE DE MONTREAL ET LE PLAN DE LA VILLE DE LA PLATEAU MONTREAL.
 3. LE PROJETANT A VÉRIFIÉ QUE LES ÉLÉMENTS DE LA FAÇADE SONT EN CONFORMITÉ AVEC LE PLAN DE LA VILLE DE MONTREAL ET LE PLAN DE LA VILLE DE LA PLATEAU MONTREAL.
 4. LE PROJETANT A VÉRIFIÉ QUE LES ÉLÉMENTS DE LA FAÇADE SONT EN CONFORMITÉ AVEC LE PLAN DE LA VILLE DE MONTREAL ET LE PLAN DE LA VILLE DE LA PLATEAU MONTREAL.
 5. LE PROJETANT A VÉRIFIÉ QUE LES ÉLÉMENTS DE LA FAÇADE SONT EN CONFORMITÉ AVEC LE PLAN DE LA VILLE DE MONTREAL ET LE PLAN DE LA VILLE DE LA PLATEAU MONTREAL.
 6. LE PROJETANT A VÉRIFIÉ QUE LES ÉLÉMENTS DE LA FAÇADE SONT EN CONFORMITÉ AVEC LE PLAN DE LA VILLE DE MONTREAL ET LE PLAN DE LA VILLE DE LA PLATEAU MONTREAL.
 7. LE PROJETANT A VÉRIFIÉ QUE LES ÉLÉMENTS DE LA FAÇADE SONT EN CONFORMITÉ AVEC LE PLAN DE LA VILLE DE MONTREAL ET LE PLAN DE LA VILLE DE LA PLATEAU MONTREAL.
 8. LE PROJETANT A VÉRIFIÉ QUE LES ÉLÉMENTS DE LA FAÇADE SONT EN CONFORMITÉ AVEC LE PLAN DE LA VILLE DE MONTREAL ET LE PLAN DE LA VILLE DE LA PLATEAU MONTREAL.

NO	DESCRIPTION	QUANTITE	UNITÉ	REMARQUES
1	CONCRÈTE			
2	BOIS			
3	VERRE			
4	MÉTAL			
5	PLAQUE			
6	TOITURE			
7	ÉLECTRICITÉ			
8	PLUMBING			
9	MEUBLES			

NO	DESCRIPTION	QUANTITE	UNITÉ	REMARQUES
1	CONCRÈTE			
2	BOIS			
3	VERRE			
4	MÉTAL			
5	PLAQUE			
6	TOITURE			
7	ÉLECTRICITÉ			
8	PLUMBING			
9	MEUBLES			

EXTERIOR CURBSIDE VIEW





Annex C
W8476 - 236619
May 2022

NOTICE



This documentation has been reviewed by the Technical Authority and does not contain controlled goods.

AVIS

Cette documentation a été révisée par l'Autorité technique et ne contient pas de marchandises contrôlées.

TECHNICAL EVALUATION MATRIX TRAILER, ENGAGEMENT AND ATTRACTION TEAM

OPI: DSVPM 4 – BPR: DAPVS 4

Issued on Authority of the Chief of the Defence Staff
Publiée avec l'autorisation du chef d'état-major de la Défense

©2022 DND/MND Canada

Canada

TRAILER, ENGAGEMENT AND ATTRACTION TEAM

This questionnaire covers technical information, which **must** be provided for evaluation of the configuration(s) of the vehicle(s) offered.

Bidder should indicate the document name/title and page number where the **Substantial Information** can be found.

Definition for **Equivalent** is found in the DEFINITION section at the end of this document.

BIDDER INFORMATION

Bidder Name: _____

Address: _____

Proposal Date: _____

Proposed Make **- Model** .

Substitutes/Alternatives

Are any equipment substitutes/alternatives offered as **Equivalent**? YES NO

If yes, please identify all equipment substitutes/alternatives offered as **Equivalents** below:

DEFINITIONS

The following definitions apply to the interpretation of this Technical Information Questionnaire:

- a. “Equivalent” - A standard, means, or component type, which has been accepted by the Technical Authority as meeting the specified requirements for form, fit, function and performance.

PD Reference	Requirement	Location of Substantial Information in Bid Proposal	Comment
3.4.1	The trailer must operate when carrying a minimum pre-furnished payload of 3084.4 kg (6800 lb), assuming a GVWR of 4717.4 kg (10,400 lb).		
3.7.1	The trailer must feature an interior length of no less than 716.3 cm (23.5 ft).		
3.7.2	The trailer must feature an interior width of no less than 243.8 cm (8 ft).		
3.7.3	The trailer's width must not exceed 260 cm (8.5 ft).		
3.7.4	The trailer must feature an internal ceiling height of no less than 243.8 cm (8 ft).		
3.10.1	The trailer must be provided with a door on the rear roadside, as shown in Appendix 1.		
3.11.1	The trailer must be provided with two fold-out stages (one stage at the curbside and the other at the rear of the trailer).		
3.16.1	The trailer must be provided with enclosed upper cabinets along the top of the interior front wall of the trailer, as shown in Appendix 1.		
3.19.2	The trailer must be provided with a 12V electrical system, including an AGM deep cycle battery sufficient to power the 12V lighting, a low-voltage disconnect switch, and a 12V fuse panel.		
3.20.2	The trailer interior must be provided with recessed (flush to ceiling) 12V lighting. Lighting must provide illumination for the entire trailer interior, with a minimum of 500 lux (lumen/m ² , or 50 foot candles).		
3.22.1	The trailer must be provided with a 30 amp, 120VAC electrical system, to be powered by an external, tongue-mounted generator.		
3.30	Grounding – The trailer must be provided with a grounding point and ground rod with electrical connector, for the purpose of electric circuit grounding and to minimize electrostatic discharge in the trailer.		

3.32.1	The trailer must be provided with the manufacturer's standard electric brake system.		
--------	--	--	--