

Amendment 001

This amendment 001 is raised to:

- a) Modify Annex A (English version only)
- b) Modify the bid closing date;



a) Modify Annex A (English version only) – Requirement:

DELETE: Table A1 and A2 in their entirety

INSERT: The following Table A1 and A2

Table A1: Office Rotary Chair



CHAIR TYPE	QTY: <u> 35 </u>
<input checked="" type="checkbox"/> Rotary Chair (up to 275 lbs) <input type="checkbox"/> Rotary Chair large occupant (up to 400 lbs) <input type="checkbox"/> Rotary Stool with backrest	

IMPORTANT:		
Canada may request additional information to confirm criteria prior to contract award within a time period specified by the Identified User (IU).		
.		
	Criteria	Requirement Choices
	<i>Instructions</i>	
A	Headrest <i>choose only 1</i>	<input type="checkbox"/> Yes – Adjustable and Removable <i>(if applicable, indicate type of adjustment in additional criteria below)</i> <i>Recommended with Standard Back Height</i> <input checked="" type="checkbox"/> No

B	Backrest Height <i>choose only 1</i>	<input type="checkbox"/> Standard = height between 450 mm (17.7 in.) to 660 mm (26.0 in.) <input checked="" type="checkbox"/> High = height greater than 660 mm (26.0 in.) <input type="checkbox"/> No preference = minimum height of 450mm (17.0 in.)	
	Backrest Profile <i>choose only 1</i>	<input checked="" type="checkbox"/> No preference (It is recommended to select "no preference" as profiles do not affect functionality of chair). <input type="checkbox"/> Other = _____	
C	Lumbar Support <i>choose ALL that are acceptable</i>	<u>Adjustable</u> <input checked="" type="checkbox"/> Up/Down = min. 50 mm (2.0 in.) height adjustment between 150mm (5.9 in.) to 250 mm (9.8 in.) <input type="checkbox"/> Other = _____	
		<input type="checkbox"/> Fixed = between 150 mm (5.9 in.) to 250 mm (9.8 in.) above seat	
D	Armrests <i>choose only the minimum mandatory adjustments that are required.</i>	<u>Adjustable:</u> <input checked="" type="checkbox"/> Height adjustable = min. 63 mm (2.5 in.) adjustment between 176 mm (6.9 in.) to 289 mm (11.4 in.) <input checked="" type="checkbox"/> Width adjustable = within the range of 443 mm (17.0 in.) to 493 mm (19.4 in.) <input checked="" type="checkbox"/> Pivot adjustable = min. 20 degrees inward and min. 10 degrees outward	
		<input type="checkbox"/> Fixed = height range between 200 mm (7.9 in.) to 250 mm (9.8 in.)	
		<input type="checkbox"/> None	
E	Seat Depth <i>choose ALL that are acceptable</i>	<input checked="" type="checkbox"/> Adjustable = min. 50 mm (2.0 in.) adjustment within the range 420 mm (16.5 in.) to 460 mm (18.1 in.)	
		<input type="checkbox"/> Fixed	<input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.) <input type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.) <input type="checkbox"/> Deep = greater than 460 mm (18.1 in.)
F	Seat Width	<u>Refer to chair type above</u> Rotary chairs and stools = min. width of 450 mm (17.7in.) Rotary Large Occupant models = min. width of 560 mm (22.0 in.)	
G	Seat Height <i>choose ALL that are acceptable</i>	Rotary Chair	<input checked="" type="checkbox"/> Adjustable <input type="checkbox"/> Standard = includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more <input type="checkbox"/> Low = includes 376 mm (14.8 in.) to 439 mm (17.3 in.) <input type="checkbox"/> Other = _____
			<input type="checkbox"/> Fixed = between 417 mm (16.4 in.) to 512 mm (20.2 in.)
		Rotary Stool with backrest	<input type="checkbox"/> Adjustable = includes range from 580 mm (23 in.) to 840 mm (33 in.) <input type="checkbox"/> Fixed = equal or greater than 670 mm (27.5 in)

H	<p>Tilt Mechanism</p> <p>choose only 1</p>	<p><input type="checkbox"/> Tilt Mechanism <i>seat and backrest adjust together in a ratio that falls within $\geq 1:1$ (includes both Synchro-Tilt and Unison Tilt)</i></p> <p><input checked="" type="checkbox"/> Tilt Independently <i>seat and backrest adjust independently of each other</i></p> <p><input type="checkbox"/> No preference</p>				
I	<p>Seat and Backrest Locks</p> <p>choose ALL that are acceptable</p>	<p><input type="checkbox"/> Setup Position = <i>chair locks or stops at one position with seat flat and backrest straight</i></p> <p><input checked="" type="checkbox"/> Multiple Positions = <i>chair locks or stops at multiple positions (including setup position)</i></p>				
J	<p>Casters</p>	<p><input checked="" type="checkbox"/> carpet <input type="checkbox"/> hard surface</p>				
L	<p>Foot Ring</p>	<p><i>Standard with stool models only</i></p>				
	<p>Finishes (<i>Upholstery / Non-Upholstery</i>)</p> <p>choose ALL that are acceptable</p>	<table border="1"> <tr> <td data-bbox="342 688 488 800">Backrest</td> <td data-bbox="488 688 1466 800"> <p><input checked="" type="checkbox"/> Upholstery <input type="checkbox"/> Other = _____</p> <p><input type="checkbox"/> Breathable material (Mesh)</p> </td> </tr> <tr> <td data-bbox="342 800 488 915">Seat</td> <td data-bbox="488 800 1466 915"> <p><input checked="" type="checkbox"/> Upholstery <input type="checkbox"/> Other = _____</p> <p><input type="checkbox"/> Breathable material (Mesh)</p> </td> </tr> </table>	Backrest	<p><input checked="" type="checkbox"/> Upholstery <input type="checkbox"/> Other = _____</p> <p><input type="checkbox"/> Breathable material (Mesh)</p>	Seat	<p><input checked="" type="checkbox"/> Upholstery <input type="checkbox"/> Other = _____</p> <p><input type="checkbox"/> Breathable material (Mesh)</p>
Backrest	<p><input checked="" type="checkbox"/> Upholstery <input type="checkbox"/> Other = _____</p> <p><input type="checkbox"/> Breathable material (Mesh)</p>					
Seat	<p><input checked="" type="checkbox"/> Upholstery <input type="checkbox"/> Other = _____</p> <p><input type="checkbox"/> Breathable material (Mesh)</p>					
	<p>Additional Criteria: <u><i>If applicable, can be added providing it does not contradict the RFSA Technical Specifications</i></u></p> <ul style="list-style-type: none"> ➤ <i>IUs must define any additional criteria that are justifiable for the specific needs of their requirement.</i> ➤ <i>Additional Criteria must be generic and not Supplier specific</i> 					

Table A2: Rotary Chair



CHAIR TYPE	QTY: <u> 75 </u>
CONFERENCE	
<input checked="" type="checkbox"/> Rotary Chair (up to 275 lbs) <input type="checkbox"/> Rotary Chair large occupant (up to 400 lbs) <input type="checkbox"/> Rotary Stool with backrest	

IMPORTANT:	
Canada may request additional information to confirm criteria prior to contract award within a time period specified by the Identified User (IU).	
.	
Criteria	Requirement Choices
<i>Instructions</i>	
A Headrest <i>choose only 1</i>	<input type="checkbox"/> Yes – Adjustable and Removable (if applicable, indicate type of adjustment in additional criteria below) <i>Recommended with Standard Back Height</i> <input checked="" type="checkbox"/> No
B Backrest Height <i>choose only 1</i>	<input type="checkbox"/> Standard = height between 450 mm (17.7 in.) to 660 mm (26.0 in.) <input checked="" type="checkbox"/> High = height greater than 660 mm (26.0 in.) <input type="checkbox"/> No preference = minimum height of 450mm (17.0 in.)
Backrest Profile <i>choose only 1</i>	<input checked="" type="checkbox"/> No preference (It is recommended to select “no preference” as profiles do not affect functionality of chair). <input type="checkbox"/> Other = _____
C Lumbar Support	<u>Adjustable</u> <input checked="" type="checkbox"/> Up/Down = min. 50 mm (2.0 in.) height adjustment between 150mm (5.9 in.) to 250 mm (9.8 in.) <input type="checkbox"/> Other = _____

	choose ALL that are acceptable	<input type="checkbox"/> Fixed = between 150 mm (5.9 in.) to 250 mm (9.8 in.) above seat		
D	Armrests choose only the minimum mandatory adjustments that are required.	Adjustable: <input checked="" type="checkbox"/> Height adjustable = min. 63 mm (2.5 in.) adjustment between 176 mm (6.9 in.) to 289 mm (11.4 in.) <input checked="" type="checkbox"/> Width adjustable = within the range of 443 mm (17.0 in.) to 493 mm (19.4 in.) <input checked="" type="checkbox"/> Pivot adjustable = min. 20 degrees inward and min. 10 degrees outward		
		<input type="checkbox"/> Fixed = height range between 200 mm (7.9 in.) to 250 mm (9.8 in.)		
		<input type="checkbox"/> None		
E	Seat Depth choose ALL that are acceptable	<input checked="" type="checkbox"/> Adjustable = min. 50 mm (2.0 in.) adjustment within the range 420 mm (16.5 in.) to 460 mm (18.1 in.)		
		<input type="checkbox"/> Fixed	<input type="checkbox"/> Shallow = 380 mm (15.0 in.) to 420 mm (16.5 in.) <input type="checkbox"/> Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.) <input type="checkbox"/> Deep = greater than 460 mm (18.1 in.)	
F	Seat Width	<u>Refer to chair type above</u> Rotary chairs and stools = min. width of 450 mm (17.7in.) Rotary Large Occupant models = min. width of 560 mm (22.0 in.)		
G	Seat Height choose ALL that are acceptable	Rotary Chair	<input checked="" type="checkbox"/> Adjustable	<input checked="" type="checkbox"/> Standard = includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more <input type="checkbox"/> Low = includes 376 mm (14.8 in.) to 439 mm (17.3 in.) <input type="checkbox"/> Other = _____
			<input type="checkbox"/> Fixed = between 417 mm (16.4 in.) to 512 mm (20.2 in.)	
		Rotary Stool with backrest	<input type="checkbox"/> Adjustable = includes range from 580 mm (23 in.) to 840 mm (33 in.) <input type="checkbox"/> Fixed = equal or greater than 670 mm (27.5 in)	
H	Tilt Mechanism choose only 1	<input type="checkbox"/> Tilt Mechanism seat and backrest adjust together in a ratio that falls within $\geq 1:1$ (includes both Synchro-Tilt and Unison Tilt) <input checked="" type="checkbox"/> Tilt Independently seat and backrest adjust independently of each other <input type="checkbox"/> No preference		
I	Seat and Backrest Locks choose ALL that are acceptable	<input type="checkbox"/> Setup Position = chair locks or stops at one position with seat flat and backrest straight <input checked="" type="checkbox"/> Multiple Positions = chair locks or stops at multiple positions (including setup position)		

J	<i>Casters</i>	■ carpet □ hard surface	
L	<i>Foot Ring</i>	<i>Standard with stool models only</i>	
<i>Finishes (Upholstery / Non-Upholstery)</i> <i>choose ALL that are acceptable</i>		Backrest	■ Upholstery □ Other = _____ □ Breathable material (Mesh)
		Seat	■ Upholstery □ Other = _____ □ Breathable material (Mesh)
<i>Additional Criteria:</i>		<i><u>If applicable, can be added providing it does not contradict the RFS Technical Specifications</u></i> ➤ <i>IUs must define any additional criteria that are justifiable for the specific needs of their requirement.</i> ➤ <i>Additional Criteria must be generic and not Supplier specific</i>	

b) Modify the Bid Closing date in Section 1, page 3, RFB Closing –Submit Bid

DELETE: December 22, 2022 at 2 :00 pm EDT

INSERT: December 23, 2022 at 2:00 pm EDT

All other terms and conditions remain unchanged.